
Individual studies within monotonic−treatment meta−analyses

RR = p_t / p_c; SR = (1 − p_t) / (1 − p_c). Page 1/9 | MA rows 1−6 of 54




Likely/certain monotonicity; known screened direction; at least 5 study records per MA. No continuity correction.
Nonfinite ratios: top edge; infinite x: right edge; no connecting lines.
Black dashed: matched−scale mean (1 − m) and opposite−scale prediction; m estimated with equal weights from finite ratios.
Curves span observed nonsingular baselines. * Estimate outside [0, 1], not clipped. Source records retained.

Individual studies within monotonic−treatment meta−analyses

RR = p_t / p_c; SR = (1 − p_t) / (1 − p_c). Page 2/9 | MA rows 7−12 of 54

● Finite × Undefined ratio (0/0)


Screened treatment effect — Decreases the probability of Y



Likely/certain monotonicity; known screened direction; at least 5 study records per MA. No continuity correction.
Nonfinite ratios: top edge; infinite x: right edge; no connecting lines.
Black dashed: matched−scale mean (1 − m) and opposite−scale prediction; m estimated with equal weights from finite ratios.
Curves span observed nonsingular baselines. * Estimate outside [0, 1], not clipped. Source records retained.

Individual studies within monotonic−treatment meta−analyses

RR = p_t / p_c; SR = (1 − p_t) / (1 − p_c). Page 3/9 | MA rows 13−18 of 54




Likely/certain monotonicity; known screened direction; at least 5 study records per MA. No continuity correction.
Nonfinite ratios: top edge; infinite x: right edge; no connecting lines.
Black dashed: matched−scale mean (1 − m) and opposite−scale prediction; m estimated with equal weights from finite ratios.
Curves span observed nonsingular baselines. * Estimate outside [0, 1], not clipped. Source records retained.

Individual studies within monotonic−treatment meta−analyses

RR = p_t / p_c; SR = (1 − p_t) / (1 − p_c). Page 4/9 | MA rows 19−24 of 54

Screened treatment effect — Decreases the probability of Y

● Finite △ Infinite ratio × Undefined ratio (0/0)




Likely/certain monotonicity; known screened direction; at least 5 study records per MA. No continuity correction.
Nonfinite ratios: top edge; infinite x: right edge; no connecting lines.
Black dashed: matched−scale mean (1 − m) and opposite−scale prediction; m estimated with equal weights from finite ratios.
Curves span observed nonsingular baselines. * Estimate outside [0, 1], not clipped. Source records retained.

Individual studies within monotonic−treatment meta−analyses

RR = p_t / p_c; SR = (1 − p_t) / (1 − p_c). Page 5/9 | MA rows 25−30 of 54

Screened treatment effect — Decreases the probability of Y

● Finite △ Infinite ratio




Likely/certain monotonicity; known screened direction; at least 5 study records per MA. No continuity correction.
Nonfinite ratios: top edge; infinite x: right edge; no connecting lines.
Black dashed: matched−scale mean (1 − m) and opposite−scale prediction; m estimated with equal weights from finite ratios.
Curves span observed nonsingular baselines. * Estimate outside [0, 1], not clipped. Source records retained.

Individual studies within monotonic−treatment meta−analyses

RR = p_t / p_c; SR = (1 − p_t) / (1 − p_c). Page 6/9 | MA rows 31−36 of 54

● Finite △ Infinite ratio × Undefined ratio (0/0)

Screened treatment effect — Decreases the probability of Y — Increases the probability of Y



Likely/certain monotonicity; known screened direction; at least 5 study records per MA. No continuity correction.
Nonfinite ratios: top edge; infinite x: right edge; no connecting lines.
Black dashed: matched−scale mean (1 − m) and opposite−scale prediction; m estimated with equal weights from finite ratios.
Curves span observed nonsingular baselines. * Estimate outside [0, 1], not clipped. Source records retained.

Individual studies within monotonic−treatment meta−analyses

RR = p_t / p_c; SR = (1 − p_t) / (1 − p_c). Page 7/9 | MA rows 37−42 of 54

Screened treatment effect — Increases the probability of Y

● Finite △ Infinite ratio

RR | SR

CD001007|1|3|NA — m_i = 0.035 | 1 − m_i = 0.965

CD001055|1|2|1 — m_i = 0.032 | 1 − m_i = 0.968

CD001055|1|2|2 — m_i = 0.034 | 1 − m_i = 0.966

CD002834|7|1|1 — m_i = 0.058 | 1 − m_i = 0.942

CD003115|1|4|6 — m_i = 0.277 | 1 − m_i = 0.723

CD003633|1|18|NA — m_i = 0.055 | 1 − m_i = 0.945


Ratio (RR or SR)

Control arm outcome probability

Likely/certain monotonicity; known screened direction; at least 5 study records per MA. No continuity correction.
Nonfinite ratios: top edge; infinite x: right edge; no connecting lines.
Black dashed: matched−scale mean (1 − m) and opposite−scale prediction; m estimated with equal weights from finite ratios.
Curves span observed nonsingular baselines. * Estimate outside [0, 1], not clipped. Source records retained.

Individual studies within monotonic−treatment meta−analyses

RR = p_t / p_c; SR = (1 − p_t) / (1 − p_c). Page 8/9 | MA rows 43−48 of 54



Likely/certain monotonicity; known screened direction; at least 5 study records per MA. No continuity correction.
Nonfinite ratios: top edge; infinite x: right edge; no connecting lines.
Black dashed: matched−scale mean (1 − m) and opposite−scale prediction; m estimated with equal weights from finite ratios.
Curves span observed nonsingular baselines. * Estimate outside [0, 1], not clipped. Source records retained.

Individual studies within monotonic−treatment meta−analyses

RR = p_t / p_c; SR = (1 − p_t) / (1 − p_c). Page 9/9 | MA rows 49−54 of 54

Screened treatment effect — Increases the probability of Y

● Finite △ Infinite ratio × Undefined ratio (0/0)

RR | SR

CD007166|7|8|1 — m_i = 0.033 | 1 − m_i = 0.967

CD007166|7|8|2 — m_i = 0.041 | 1 − m_i = 0.959

CD008337|4|11|NA — m_i = 0.004 | 1 − m_i = 0.996

CD008941|1|3|NA — m_i = 0.227 | 1 − m_i = 0.773

CD010253|6|5|1 — m_i = −0.279 * | 1 − m_i = 1.279 *

CD010677|1|10|NA — m_i = 0.044 | 1 − m_i = 0.956

Ratio (RR or SR)

Control arm outcome probability

Likely/certain monotonicity; known screened direction; at least 5 study records per MA. No continuity correction.
Nonfinite ratios: top edge; infinite x: right edge; no connecting lines.
Black dashed: matched−scale mean (1 − m) and opposite−scale prediction; m estimated with equal weights from finite ratios.
Curves span observed nonsingular baselines. * Estimate outside [0, 1], not clipped. Source records retained.