THE COMPLETE WEB
DEVELOPMENT
COURSE

STEP BY STEP WITH NO STEP SKIPPED

Our Lovely Course

SOURCE CODE

DEVELOPMENT ISLAND help@completewebdevelopmentcourse.co.uk

```
<!--index.html-->
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width,</pre>
initial-scale=1">
    <!-- The above 3 meta tags *must* come first in the
head; any other head content must come *after* these tags
-->
    <title>Our Lovely Course</title>
    <!-- Bootstrap -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <link href="styling.css" rel="stylesheet">
    Ink
href='https://fonts.googleapis.com/css?family=Vollkorn'
rel='stylesheet' type='text/css'>
  </head>
  <body data-spy="scroll" data-target="#mynavBar">
     <!--Add video to the body element-->
      <video autoplay loop muted id="bgvideo">
          <source src="images/nature%20video.mp4"</pre>
type="video/mp4">
```

```
</video>
     <!--Create navigation bar with scrollspy-->
     <nav role="navigation" class="navbar navbar-custom"</pre>
navbar-fixed-top" id="mynavBar">
         <div class="container-fluid">
             <div class="navbar-header">
                 <a class="navbar-brand">Complete Web
Development Course</a>
                 <button type="button" class="navbar-</pre>
toggle" data-target="#navbarCollapse" data-
toggle="collapse">
                     <span class="sr-only">Toggle
navigation</span>
                 <span class="icon-bar"></span>
                 <span class="icon-bar"></span>
                 <span class="icon-bar"></span>
                 </button>
             </div>
             <div class="navbar-collapse collapse"</pre>
id="navbarCollapse">
                 <a</pre>
href="#home">Home</a>
                     <a href="#about">About</a>
                     <a href="#promise">Our
Promise</a>
                 </div>
         </div>
     </nav>
     <!--Create the home section with title, goal and
joins us button-->
     <div class="jumbotron" id="home">
         <div class="container">
             <h1>Complete Web Development Course</h1>
             <h2>Go from Zero-skills to Cash-Earning Web
Developer</h2>
             <a class="btn" href="#">Join us
Now!</a>
```

```
</div>
      </div>
      <!--Create about section showing course details
using grid system-->
      <div id="about">
          <div class="container">
              <div class="row">
                  <div class="col-md-4">
                      <img src="images/quality.png"</pre>
class="aboutImage">
                      <h2>High Quality Lectures</h2>
                      All lectures have been very well
prepared for the best learning experience of future
developers.
                  </div>
                  <div class="col-md-4">
                      <img src="images/tools.png"</pre>
class="aboutImage">
                      <h2>+80H of Rich Content</h2>
                      Learn all major Web Technologies:
HTML5, CSS3, Javascript, JQuery, Twitter Bootstrap, PHP,
mySQL, Wordpress, Ajax, XML, JSON, Mobile Apps, API's:
Google Maps, Facebook and MORE!
                  </div>
                  <div class="col-md-4">
                     <img src="images/help.png"</pre>
class="aboutImage">
                      <h2>Get Help Anytime!</h2>
                      Post your questions in the forums
of the course where myself and thousands of students are
happy to help!
                  </div>
              </div>
          </div>
      </div>
      <!--Create Carousel-->
      <div id="promise" class="container-fluid">
          <div class="carousel slide" id="myCarousel"</pre>
data-ride="carousel">
```

```
slide-to="0" class="active">
              slide-to="1">
              data-target="#myCarousel" data-
slide-to="2">
              data-target="#myCarousel" data-
slide-to="3">
              slide-to="4">
              slide-to="5">
              data-target="#myCarousel" data-
slide-to="6">
              <div class="carousel-inner">
              <div class="item active">
                 <img src="images/lecture.png">
                 <div class="carousel-caption">
                    <h2>Crystal Clear and Engaging
100% Hands-on Lectures.</h2>
                 </div>
              </div>
              <div class="item">
                 <img src="images/puzzle.jpg">
                 <div class="carousel-caption">
                    <h2>Full curriculum including
all major Web Technologies: Front-End, Back end, Mobile
Apps and API's.</h2>
                 </div>
              </div>
              <div class="item">
                 <img src="images/start.jpg">
                 <div class="carousel-caption">
```

```
<h2>Start from Zero-Skills! No
prior Knowledge Required!</h2>
                       </div>
                  </div>
                  <div class="item">
                       <img src="images/projects.jpg">
                       <div class="carousel-caption">
                           <h2>Build over 15 real
professional Websites, Games and Mobile apps.</h2>
                       </div>
                  </div>
                  <div class="item">
                       <img src="images/money.jpg">
                       <div class="carousel-caption">
                           <h2>Start Making money from week
1 and Earn over 30000$ by the time you finish the
Course.</h2>
                       </div>
                  </div>
                  <div class="item">
                       <img src="images/skills.jpg">
                       <div class="carousel-caption">
                           <h2>Enhance your career and
employability skills.</h2>
                       </div>
                  </div>
                  <div class="item">
                       <img src="images/time.jpg">
                       <div class="carousel-caption">
                           <h2>Lifetime access to all
course material.</h2>
                       </div>
                  </div>
              </div>
              <a class="left carousel-control"</pre>
href="#myCarousel" data-slide="prev">
                  <span class="glyphicon glyphicon-</pre>
chevron-left"></span>
                  <span class="sr-only">Previous</span>
              </a>
```

```
<a class="right carousel-control"</pre>
href="#myCarousel" data-slide="next">
                  <span class="glyphicon glyphicon-</pre>
chevron-right"></span>
                  <span class="sr-only">Previous</span>
              </a>
          </div>
      </div>
      <!--Add a footer for our website-->
      <div class="footer">
          <div class="container">
              © Develop with Sam.
          </div>
      </div>
    <!-- jQuery (necessary for Bootstrap's JavaScript
plugins) -->
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/j
query.min.js"></script>
    <!-- Include all compiled plugins (below), or include
individual files as needed -->
    <script src="js/bootstrap.min.js"></script>
      <script>
          $(function(){
                $('.carousel').carousel({
                    interval: 10000
                });
          });
      </script>
  </body>
</html>
```

```
/*styling.css*/
/*Body:
-Give the body element a relative position for the scrollspy to work.
-Add a font family to the whole page */
body{
   font-family: 'Vollkorn', sans-serif;
```

```
position: relative;
/*Video:
-Set the video as background, make it fixed.
-make sure it appears behind all elements.
-make it spread across the whole webpage*/
video#bgvideo{
    position: fixed;
    min-height: 100%;
    min-width: 100%;
    z-index: -100;
}
/*Video does not work in small devices:
-Hide the video and set picture as background (use media
queries)
-make it spread accross the whole webpage*/
@media (max-device-width:768px){
    body{
        background:
url(https://static.pexels.com/photos/9149/pexels-
photo.jpeg) center center fixed;
        background-size: cover;
    #bgvideo{
        display: none;
    }
}
/*Style the Home section and elements inside it:
-reduce the margin-bottom of h1 and h2.
-style the button and its hover state*/
#home{
    background-color: transparent;
    color: #fff;
    text-align: center;
    padding-top: 15%;
}
#home h1{
    margin-bottom: 30px;
#home h2{
```

```
margin-bottom: 50px;
#home .btn{
    background-color: rgb(29, 167, 179);
    color: #fff;
    font-size: 20px;
    padding: 8px 20px;
    border-radius: 8px;
#home .btn:hover{
    background-color: rgba(29, 167, 179, 0.5);
}
/*Style the About section:
-add padding-top so that the nav link is active before the
carousel hits the top border of the page-
-Limit its width in big devices to 1000px-
-make headings bold and set the dimensions of pictures */
.container{
   max-width: 1000px;
#about{
   color: #fff;
   text-align: center;
    padding-top: 100px;
#about h2{
    font-weight: bold;
#about p{
    font-size: 17px;
    margin-bottom: 30px;
}
.aboutImage{
    height: 120px;
}
/*Style the promise section:
-add padding-top for early activation of the nav link.
-set the width of the carousel and center it
-set the height of pictures and center them inside the
carousel items
```

```
-Move the carousel caption under the pictures
*/
#promise{
    padding-top: 100px;
#myCarousel{
    width: 60%;
    margin: 0 auto;
.carousel-inner .item img{
    height: 400px;
    margin: 0 auto;
.carousel-caption{
    position: relative;
    left: auto;
    right: auto;
    height: 200px;
}
/*Style the pictures and nav-brand for different screens*/
@media (max-width:768px){
    .carousel-inner .item img{
        height: 300px;
    .carousel-inner h2{
        font-size: 23px;
    }
@media (max-width:400px){
    .carousel-inner .item img{
        height: 200px;
    .carousel-inner h2{
        font-size: 17px;
    .navbar-brand{
        font-size: 12px;
    }
```

```
/*Style the footer*/
.footer{
    background-color: rgba(29,167,179,0.1);
    color: #fff;
    padding: 10px 0;
    margin-top: 150px;
    font-size: 15px;
}
/*Style the navigation bar using a navbar css generator*/
.navbar-custom {
  font-size: 18px;
  background-color: #1b3759;
  border-color: #132740;
  background-image: -webkit-gradient(linear, left 0%, left
100%, from(#274f80), to(#1b3759));
  background-image: -webkit-linear-gradient(top, #274f80,
0%, #1b3759, 100%);
  background-image: -moz-linear-gradient(top, #274f80 0%,
#1b3759 100%);
  background-image: linear-gradient(to bottom, #274f80 0%,
#1b3759 100%);
  background-repeat: repeat-x;
  filter:
progid:DXImageTransform.Microsoft.gradient(startColorstr='
#ff274f80', endColorstr='#ff1b3759', GradientType=0);
}
.navbar-custom .navbar-brand {
  color: #fff;
.navbar-custom .navbar-brand:hover,
.navbar-custom .navbar-brand:focus {
  color: #fff;
  background-color: transparent;
}
.navbar-custom .navbar-text {
  color: #c0c0c0;
}
.navbar-custom .navbar-nav > li:last-child > a {
border-right: 1px solid #132740;
```

```
.navbar-custom .navbar-nav > li > a {
  color: #c0c0c0;
  border-left: 1px solid #132740;
}
.navbar-custom .navbar-nav > li > a:hover,
.navbar-custom .navbar-nav > li > a:focus {
  color: #ffffff;
 background-color: transparent;
}
.navbar-custom .navbar-nav > .active > a,
.navbar-custom .navbar-nav > .active > a:hover,
.navbar-custom .navbar-nav > .active > a:focus {
  color: #ffffff;
  background-color: #132740;
  background-image: -webkit-gradient(linear, left 0%, left
100%, from(#132740), to(#1f3f67));
  background-image: -webkit-linear-gradient(top, #132740,
0%, #1f3f67, 100%);
  background-image: -moz-linear-gradient(top, #132740 0%,
#1f3f67 100%);
  background-image: linear-gradient(to bottom, #132740 0%,
#1f3f67 100%);
  background-repeat: repeat-x;
  filter:
progid:DXImageTransform.Microsoft.gradient(startColorstr='
#ff132740', endColorstr='#ff1f3f67', GradientType=0);
}
.navbar-custom .navbar-nav > .disabled > a,
.navbar-custom .navbar-nav > .disabled > a:hover,
.navbar-custom .navbar-nav > .disabled > a:focus {
  color: #ccccc;
 background-color: transparent;
.navbar-custom .navbar-toggle {
  border-color: #dddddd;
}
.navbar-custom .navbar-toggle:hover,
.navbar-custom .navbar-toggle:focus {
  background-color: #dddddd;
.navbar-custom .navbar-toggle .icon-bar {
```

```
background-color: #ccccc;
.navbar-custom .navbar-collapse,
.navbar-custom .navbar-form {
  border-color: #13263e;
.navbar-custom .navbar-nav > .dropdown > a:hover .caret,
.navbar-custom .navbar-nav > .dropdown > a:focus .caret {
  border-top-color: #ffffff;
  border-bottom-color: #ffffff;
}
.navbar-custom .navbar-nav > .open > a,
.navbar-custom .navbar-nav > .open > a:hover,
.navbar-custom .navbar-nav > .open > a:focus {
  background-color: #132740;
 color: #ffffff;
}
.navbar-custom .navbar-nav > .open > a .caret,
.navbar-custom .navbar-nav > .open > a:hover .caret,
.navbar-custom .navbar-nav > .open > a:focus .caret {
  border-top-color: #ffffff;
 border-bottom-color: #ffffff;
}
.navbar-custom .navbar-nav > .dropdown > a .caret {
  border-top-color: #c0c0c0;
  border-bottom-color: #c0c0c0;
@media (max-width: 767) {
  .navbar-custom .navbar-nav .open .dropdown-menu > 1i > a
    color: #c0c0c0;
  .navbar-custom .navbar-nav .open .dropdown-menu > li >
a:hover,
  .navbar-custom .navbar-nav .open .dropdown-menu > li >
a:focus {
    color: #ffffff;
    background-color: transparent;
  .navbar-custom .navbar-nav .open .dropdown-menu >
.active > a,
```

```
.navbar-custom .navbar-nav .open .dropdown-menu >
.active > a:hover,
  .navbar-custom .navbar-nav .open .dropdown-menu >
.active > a:focus {
   color: #ffffff;
   background-color: #132740;
  .navbar-custom .navbar-nav .open .dropdown-menu >
.disabled > a,
  .navbar-custom .navbar-nav .open .dropdown-menu >
.disabled > a:hover,
  .navbar-custom .navbar-nav .open .dropdown-menu >
.disabled > a:focus {
   color: #ccccc;
   background-color: transparent;
 }
.navbar-custom .navbar-link {
 color: #c0c0c0;
}
.navbar-custom .navbar-link:hover {
 color: #ffffff;
```