

Git HandsOn - 2

Aim

To understand and implement Git Ignore (.gitignore) for excluding unwanted files and folders from version control.

Objective

- Create a .gitignore file.
- Ignore .log files and the logs folder.
- Verify ignored files using git status.
- Commit and push only the required files to GitHub.

Commands Used

```
touch sample.log
mkdir logs
echo Error > logs/error.log
touch .gitignore
git status
git add .gitignore
git commit -m "Added gitignore file"
git push origin main
```

.gitignore Content

```
*.log
logs/
```

Ouputs:

MINGW64:/c/Users/HP/Desktop/GitDemo

```
HP@LAPTOP-JQJ9603M MINGW64 ~/Desktop/GitDemo (master)
$ pwd
/c/Users/HP/Desktop/GitDemo

HP@LAPTOP-JQJ9603M MINGW64 ~/Desktop/GitDemo (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean

HP@LAPTOP-JQJ9603M MINGW64 ~/Desktop/GitDemo (master)
$ touch sample.log

HP@LAPTOP-JQJ9603M MINGW64 ~/Desktop/GitDemo (master)
$ mkdir logs

HP@LAPTOP-JQJ9603M MINGW64 ~/Desktop/GitDemo (master)
$ echo Error > logs/error.log

HP@LAPTOP-JQJ9603M MINGW64 ~/Desktop/GitDemo (master)
$ touch .gitignore

HP@LAPTOP-JQJ9603M MINGW64 ~/Desktop/GitDemo (master)
$ notepad++ .gitignore
bash: notepad++: command not found

HP@LAPTOP-JQJ9603M MINGW64 ~/Desktop/GitDemo (master)
$ code .gitignore

HP@LAPTOP-JQJ9603M MINGW64 ~/Desktop/GitDemo (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.


Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore

nothing added to commit but untracked files present (use "git add" to track)

HP@LAPTOP-JQJ9603M MINGW64 ~/Desktop/GitDemo (master)
$ git add .gitignore

HP@LAPTOP-JQJ9603M MINGW64 ~/Desktop/GitDemo (master)
$ git commit -m "Added gitignore file"
[master 2bf59b3] Added gitignore file
1 file changed, 3 insertions(+)
create mode 100644 .gitignore

HP@LAPTOP-JQJ9603M MINGW64 ~/Desktop/GitDemo (master)
$ git push origin master
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
```



Result

Successfully configured .gitignore to ignore all .log files and the logs directory. Verified using git status, then committed and pushed the changes to the GitHub repository.