

Your Project #: ENW.VENW03150-01  
Site Location: SD68 LEAD DW TESTING

**Attention: Darren Thomas**

TETRA TECH CANADA INC.  
#1 - 4376 BOBAN DRIVE  
NANAIMO, BC  
Canada V9T 6A7

Your C.O.C. #: 546212-05-01, 546212-06-01, 546212-07-01

**Report Date: 2018/02/13**

Report #: R2513683

Version: 1 - Final

**CERTIFICATE OF ANALYSIS**

**MAXXAM JOB #: B809848**

**Received: 2018/02/08, 08:40**

Sample Matrix: DRINKING WATER  
# Samples Received: 26

| Analyses                      | Quantity | Date<br>Extracted | Date<br>Analyzed | Laboratory Method | Analytical Method |
|-------------------------------|----------|-------------------|------------------|-------------------|-------------------|
| Elements by CRC ICPMS (total) | 8        | N/A               | 2018/02/09       | BBY7SOP-00003,    | EPA 6020b R2 m    |
| Elements by CRC ICPMS (total) | 18       | N/A               | 2018/02/10       | BBY7SOP-00003,    | EPA 6020b R2 m    |

**Remarks:**

Maxxam Analytics' laboratories are accredited to ISO/IEC 17025:2005 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Maxxam are based upon recognized Provincial, Federal or US method compendia such as CCME, MDDELCC, EPA, APHA.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Maxxam's profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Maxxam in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected.

Maxxam Analytics' liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Maxxam has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Maxxam, unless otherwise agreed in writing.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

\* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

Your Project #: ENW.VENW03150-01  
Site Location: SD68 LEAD DW TESTING

**Attention: Darren Thomas**

TETRA TECH CANADA INC.  
#1 - 4376 BOBAN DRIVE  
NANAIMO, BC  
Canada V9T 6A7

Your C.O.C. #: 546212-05-01, 546212-06-01, 546212-07-01

**Report Date: 2018/02/13**

Report #: R2513683

Version: 1 - Final

**CERTIFICATE OF ANALYSIS**

**MAXXAM JOB #: B809848**

**Received: 2018/02/08, 08:40**

**Encryption Key**

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

Letitia Prefontaine, B.Sc., Senior Project Manager

Email: LPrefontaine@maxxam.ca

Phone# (604)639-2616

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B809848  
Report Date: 2018/02/13

TETRA TECH CANADA INC.  
Client Project #: ENW.VENW03150-01  
Site Location: SD68 LEAD DW TESTING  
Sampler Initials: BB

### ELEMENTS BY ATOMIC SPECTROSCOPY (DRINKING WATER)

|               |       |     |                     |                     |                     |                     |                     |                     |     |          |
|---------------|-------|-----|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-----|----------|
| Maxxam ID     |       |     | SY0380              | SY0381              | SY0382              | SY0383              | SY0384              | SY0385              |     |          |
| Sampling Date |       |     | 2018/01/29<br>00:00 | 2018/01/29<br>00:00 | 2018/01/29<br>00:00 | 2018/01/29<br>00:00 | 2018/01/29<br>00:00 | 2018/01/29<br>00:00 |     |          |
| COC Number    |       |     | 546212-05-01        | 546212-05-01        | 546212-05-01        | 546212-05-01        | 546212-05-01        | 546212-05-01        |     |          |
|               | UNITS | MAC | GA05-30S            | GA06-30S            | GA08-30S            | GA12-30S            | GA13-30S            | GA16-30S            | RDL | QC Batch |

| Total Metals by ICPMS            |                                 |    |      |      |      |      |      |      |      |         |
|----------------------------------|---------------------------------|----|------|------|------|------|------|------|------|---------|
| Total Lead (Pb)                  | ug/L                            | 10 | 1.41 | 0.58 | 18.8 | 1.23 | 2.45 | 2.17 | 0.20 | 8907050 |
| No Fill                          | No Exceedance                   |    |      |      |      |      |      |      |      |         |
| Grey                             | Exceeds 1 criteria policy/level |    |      |      |      |      |      |      |      |         |
| Black                            | Exceeds both criteria/levels    |    |      |      |      |      |      |      |      |         |
| RDL = Reportable Detection Limit |                                 |    |      |      |      |      |      |      |      |         |

|               |       |     |                     |                     |          |                     |                     |                     |     |          |
|---------------|-------|-----|---------------------|---------------------|----------|---------------------|---------------------|---------------------|-----|----------|
| Maxxam ID     |       |     | SY0386              | SY0387              |          | SY0388              | SY0389              | SY0394              |     |          |
| Sampling Date |       |     | 2018/01/29<br>00:00 | 2018/01/29<br>03:00 |          | 2018/01/29<br>03:00 | 2018/01/29<br>03:00 | 2018/01/29<br>03:00 |     |          |
| COC Number    |       |     | 546212-05-01        | 546212-05-01        |          | 546212-05-01        | 546212-05-01        | 546212-06-01        |     |          |
|               | UNITS | MAC | GA20-30S            | PA01-30S            | QC Batch | PA02-30S            | PA03-30S            | PA07-30S            | RDL | QC Batch |

| Total Metals by ICPMS            |                                 |    |      |      |         |      |      |      |      |         |
|----------------------------------|---------------------------------|----|------|------|---------|------|------|------|------|---------|
| Total Lead (Pb)                  | ug/L                            | 10 | 1.15 | 3.18 | 8907050 | 7.31 | 2.93 | 0.79 | 0.20 | 8907060 |
| No Fill                          | No Exceedance                   |    |      |      |         |      |      |      |      |         |
| Grey                             | Exceeds 1 criteria policy/level |    |      |      |         |      |      |      |      |         |
| Black                            | Exceeds both criteria/levels    |    |      |      |         |      |      |      |      |         |
| RDL = Reportable Detection Limit |                                 |    |      |      |         |      |      |      |      |         |

|               |       |     |                     |                     |                     |                     |              |              |     |          |
|---------------|-------|-----|---------------------|---------------------|---------------------|---------------------|--------------|--------------|-----|----------|
| Maxxam ID     |       |     | SY0395              | SY0396              | SY0397              | SY0398              | SY0399       | SY0400       |     |          |
| Sampling Date |       |     | 2018/01/29<br>03:00 | 2018/01/29<br>03:00 | 2018/01/29<br>03:00 | 2018/01/29<br>03:00 | 2018/01/29   | 2018/01/29   |     |          |
| COC Number    |       |     | 546212-06-01        | 546212-06-01        | 546212-06-01        | 546212-06-01        | 546212-06-01 | 546212-06-01 |     |          |
|               | UNITS | MAC | PA11-30S            | PA16-30S            | PA17-30S            | PADUP-30S           | SB07-30S     | 18ST05-30S   | RDL | QC Batch |

| Total Metals by ICPMS            |                                 |    |      |      |      |      |      |      |      |         |
|----------------------------------|---------------------------------|----|------|------|------|------|------|------|------|---------|
| Total Lead (Pb)                  | ug/L                            | 10 | 0.94 | 1.86 | 5.50 | 5.54 | 0.65 | 0.95 | 0.20 | 8907060 |
| No Fill                          | No Exceedance                   |    |      |      |      |      |      |      |      |         |
| Grey                             | Exceeds 1 criteria policy/level |    |      |      |      |      |      |      |      |         |
| Black                            | Exceeds both criteria/levels    |    |      |      |      |      |      |      |      |         |
| RDL = Reportable Detection Limit |                                 |    |      |      |      |      |      |      |      |         |

Maxxam Job #: B809848  
Report Date: 2018/02/13

TETRA TECH CANADA INC.  
Client Project #: ENW.VENW03150-01  
Site Location: SD68 LEAD DW TESTING  
Sampler Initials: BB

### ELEMENTS BY ATOMIC SPECTROSCOPY (DRINKING WATER)

| Maxxam ID     |       |     | SY0401       | SY0402       | SY0403       | SY0405       | SY0406       | SY0407       |     |          |
|---------------|-------|-----|--------------|--------------|--------------|--------------|--------------|--------------|-----|----------|
| Sampling Date |       |     | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   |     |          |
| COC Number    |       |     | 546212-06-01 | 546212-06-01 | 546212-06-01 | 546212-07-01 | 546212-07-01 | 546212-07-01 |     |          |
|               | UNITS | MAC | 18ST08-30S   | 18DC03-30S   | 18DC04-30S   | 18DC08-30S   | 18DC09-30S   | 18DC13-30S   | RDL | QC Batch |

| Total Metals by ICPMS |      |    |      |      |      |      |      |      |      |         |
|-----------------------|------|----|------|------|------|------|------|------|------|---------|
| Total Lead (Pb)       | ug/L | 10 | 1.29 | 1.19 | 1.23 | 6.09 | 1.23 | 3.31 | 0.20 | 8907060 |

|                                  |                                 |
|----------------------------------|---------------------------------|
| No Fill                          | No Exceedance                   |
| Grey                             | Exceeds 1 criteria policy/level |
| Black                            | Exceeds both criteria/levels    |
| RDL = Reportable Detection Limit |                                 |

Maxxam Job #: B809848  
Report Date: 2018/02/13

TETRA TECH CANADA INC.  
Client Project #: ENW.VENW03150-01  
Site Location: SD68 LEAD DW TESTING  
Sampler Initials: BB

### ELEMENTS BY ATOMIC SPECTROSCOPY (DRINKING WATER)

|                                  |                                 |     |              |              |              |      |          |
|----------------------------------|---------------------------------|-----|--------------|--------------|--------------|------|----------|
| Maxxam ID                        |                                 |     | SY0408       | SY0409       | SY0410       |      |          |
| Sampling Date                    |                                 |     | 2018/01/29   | 2018/01/29   | 2018/01/29   |      |          |
| COC Number                       |                                 |     | 546212-07-01 | 546212-07-01 | 546212-07-01 |      |          |
|                                  | UNITS                           | MAC | 18DC17-30S   | 18DC18-30S   | 18DC20-30S   | RDL  | QC Batch |
| Total Metals by ICPMS            |                                 |     |              |              |              |      |          |
| Total Lead (Pb)                  | ug/L                            | 10  | 4.38         | 4.91         | 13.3         | 0.20 | 8907060  |
| No Fill                          | No Exceedance                   |     |              |              |              |      |          |
| Grey                             | Exceeds 1 criteria policy/level |     |              |              |              |      |          |
| Black                            | Exceeds both criteria/levels    |     |              |              |              |      |          |
| RDL = Reportable Detection Limit |                                 |     |              |              |              |      |          |

Maxxam Job #: B809848  
Report Date: 2018/02/13

TETRA TECH CANADA INC.  
Client Project #: ENW.VENW03150-01  
Site Location: SD68 LEAD DW TESTING  
Sampler Initials: BB

## GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

|           |       |
|-----------|-------|
| Package 1 | 8.7°C |
|-----------|-------|

MAC: The guidelines that have been included in this report have been taken from the Canadian Drinking Water Quality Summary Table, February 2017.

Criteria A = Maximum Acceptable Concentration (MAC) / Criteria B = Aesthetic Objectives (AO) / Criteria C = Operational Guidance Values (OG)  
It is recommended to consult these guidelines when interpreting your data since there are non-numerical guidelines that are not included on this report.

Turbidity Guidelines:

1. Chemically assisted filtration: less than or equal to 0.3 NTU in 95% of the measurements or 95% of the time each month. Shall not exceed 1.0 NTU at any time.
2. Slow sand / diatomaceous earth filtration: less than or equal to 1.0 NTU in 95% of the measurements or 95% of the time each month. Shall not exceed 3.0 NTU at any time.
3. Membrane filtration: less than or equal to 0.1 NTU in 99% of the measurements made or at least 99% of the time each calendar month. Shall not exceed 0.3 NTU at any time.

**Results relate only to the items tested.**

Maxxam Job #: B809848  
Report Date: 2018/02/13

## QUALITY ASSURANCE REPORT

TETRA TECH CANADA INC.  
Client Project #: ENW.VENW03150-01  
Site Location: SD68 LEAD DW TESTING  
Sampler Initials: BB

| QC Batch | Parameter       | Date       | Matrix Spike |           | Spiked Blank |           | Method Blank |       | RPD       |           |
|----------|-----------------|------------|--------------|-----------|--------------|-----------|--------------|-------|-----------|-----------|
|          |                 |            | % Recovery   | QC Limits | % Recovery   | QC Limits | Value        | UNITS | Value (%) | QC Limits |
| 8907050  | Total Lead (Pb) | 2018/02/09 | 96           | 80 - 120  | 98           | 80 - 120  | <0.20        | ug/L  | 9.0       | 20        |
| 8907060  | Total Lead (Pb) | 2018/02/10 | 104          | 80 - 120  | 95           | 80 - 120  | <0.20        | ug/L  | 4.7       | 20        |

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Matrix Spike: A sample to which a known amount of the analyte of interest has been added. Used to evaluate sample matrix interference.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Maxxam Job #: B809848  
Report Date: 2018/02/13

TETRA TECH CANADA INC.  
Client Project #: ENW.VENW03150-01  
Site Location: SD68 LEAD DW TESTING  
Sampler Initials: BB

### VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).



Rob Reinert, B.Sc., Scientific Specialist

---

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



| INVOICE TO:                                                     |  | Report Information                                              |  | Project Information                           |  |
|-----------------------------------------------------------------|--|-----------------------------------------------------------------|--|-----------------------------------------------|--|
| Company Name: <b>#1433 TETRA TECH CANADA INC.</b>               |  | Company Name: <b>Darren Thomas</b>                              |  | Quotation #: <b>B71611</b>                    |  |
| Contact Name: <b>Darren Thomas</b>                              |  | Contact Name: <b>Darren Thomas</b>                              |  | P.O. #: <b>ENW.VENW03150-01</b>               |  |
| Address: <b>#1 - 4376 BOBAN DRIVE<br/>NANAIMO BC V9T 6A7</b>    |  | Address: <b></b>                                                |  | Project #: <b>SD65 Lead on test</b>           |  |
| Phone: <b>(250) 756-2256 x</b> Fax: <b>(250) 756-2686 x</b>     |  | Phone: <b></b> Fax: <b></b>                                     |  | Site #: <b>Ben Barton / Darren Thomas</b>     |  |
| Email: <b>Darren.Thomas@tetratech.com; EBA.Labdata@tetratec</b> |  | Email: <b>Darren.Thomas@tetratech.com; EBA.Labdata@tetratec</b> |  | Sampled By: <b>Ben Barton / Darren Thomas</b> |  |

Regulatory Criteria:

☐ CSR

☐ CCME

☐ BC Water Quality

☒ Other: **Health Canada**

Special Instructions

ANALYSIS REQUESTED (PLEASE BE SPECIFIC)

| Sample Barcode Label | Sample (Location) Identification | Date Sampled | Time Sampled       | Matrix | Metals Field Filtered ? (Y/N) | Lead - Drinking Water |
|----------------------|----------------------------------|--------------|--------------------|--------|-------------------------------|-----------------------|
| 1                    | GA05-30s                         | 18/01/29     | 12:00 midday water | n      | X                             |                       |
| 2                    | GA06-30s                         |              |                    | n      | X                             |                       |
| 3                    | GA08-30s                         |              |                    | n      | X                             |                       |
| 4                    | GA12-30s                         |              |                    | n      | X                             |                       |
| 5                    | GA13-30s                         |              |                    | n      | X                             |                       |
| 6                    | GA16-30s                         |              |                    | n      | X                             |                       |
| 7                    | GA20-30s                         |              |                    | n      | X                             |                       |
| 8                    | PA01-30s                         |              | 03:00              | n      | X                             |                       |
| 9                    | PA02-30s                         |              |                    | n      | X                             |                       |
| 10                   | PA03-30s                         |              |                    | n      | X                             |                       |

**SAMPLES MUST BE KEPT COOL (< 10°C) FROM TIME OF SAMPLING UNTIL DELIVERY TO MAXXAM**

Turnaround Time (TAT) Required:

Please provide advance notice for rush projects

Regular (Standard) TAT: ☒ (will be applied if Rush TAT is not specified)

Standard TAT = 5-7 Working days for most tests.

Please note: Standard TAT for certain tests such as BOD and Dioxins/Furans are > 5 days - contact your Project Manager for details.

Job Specific Rush TAT (if applies to entire submission)

1 DAY ☐ 2 Day ☐ 3 Day ☐ Date Required:

Rush Confirmation Number:  (call lab for #)


# of Bottles

Comments

| RELINQUISHED BY: (Signature/Print) | Date: (YY/MM/DD) | Time  | RECEIVED BY: (Signature/Print) | Date: (YY/MM/DD) | Time  | # jars used and not submitted | Lab Use Only                                                                                                                                                                                                         |
|------------------------------------|------------------|-------|--------------------------------|------------------|-------|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>[Signature]</i> Darren Thomas   | 18/02/07         | 16:00 | <i>[Signature]</i> PEDRO TACH  | 2018/02/08       | 08:40 |                               | <p>Time Sensitive <input type="checkbox"/></p> <p>Temperature (°C) on Receipt: <b>9.8.9</b></p> <p>Custody Seal Intact on Cooler? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <b>N/A</b></p> |

\* UNLESS OTHERWISE AGREED TO IN WRITING, WORK SUBMITTED ON THIS CHAIN OF CUSTODY IS SUBJECT TO MAXXAM'S STANDARD TERMS AND CONDITIONS. SIGNING OF THIS CHAIN OF CUSTODY DOCUMENT IS ACKNOWLEDGMENT AND ACCEPTANCE OF OUR TERMS WHICH ARE AVAILABLE FOR VIEWING AT WWW.MAXXAM.CA/TERMS.  
 \* IT IS THE RESPONSIBILITY OF THE RELINQUISHER TO ENSURE THE ACCURACY OF THE CHAIN OF CUSTODY RECORD. AN INCOMPLETE CHAIN OF CUSTODY MAY RESULT IN ANALYTICAL TAT DELAYS.

| INVOICE TO:  |                                                   | Report Information |                                                   | Project Information |                          |
|--------------|---------------------------------------------------|--------------------|---------------------------------------------------|---------------------|--------------------------|
| Company Name | #1433 TETRA TECH CANADA INC.                      | Company Name       |                                                   | Quotation #         | B71611                   |
| Contact Name | Darren Thomas                                     | Contact Name       | Darren Thomas                                     | P.O. #              |                          |
| Address      | #1 - 4376 BOBAN DRIVE<br>NANAIMO BC V9T 6A7       | Address            |                                                   | Project #           | ENW VENW03150-01         |
| Phone        | (250) 756-2256 x Fax: (250) 756-2686 x            | Phone              |                                                   | Project Name        | SXSS Old Land Testing    |
| Email        | Darren.Thomas@tetratech.com; EBA.Labdata@tetratec | Email              | Darren.Thomas@tetratech.com; EBA.Labdata@tetratec | Site #              |                          |
|              |                                                   |                    |                                                   | Sampled By          | Ben Burton Darren Thomas |





Letitia Prefontaine

|                                                                                                                                                                                                      |  |                      |  |                                         |  |  |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                      |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------|--|-----------------------------------------|--|--|--|--|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Regulatory Criteria:<br><input type="checkbox"/> CSR<br><input type="checkbox"/> CCME<br><input type="checkbox"/> BC Water Quality<br><input checked="" type="checkbox"/> Other <u>Health Canada</u> |  | Special Instructions |  | ANALYSIS REQUESTED (PLEASE BE SPECIFIC) |  |  |  |  |  | Turnaround Time (TAT) Required:<br>Please provide advance notice for rush projects<br>Regular (Standard) TAT:<br>(will be applied if Rush TAT is not specified)<br>Standard TAT = 5-7 Working days for most tests.<br>Please note: Standard TAT for certain tests such as BOD and Dioxins/Furans are > 5 days - contact your Project Manager for details.<br>Job Specific Rush TAT (if applies to entire submission) |  |
|                                                                                                                                                                                                      |  |                      |  |                                         |  |  |  |  |  | (will be applied if Rush TAT is not specified)<br>Standard TAT = 5-7 Working days for most tests.<br>Please note: Standard TAT for certain tests such as BOD and Dioxins/Furans are > 5 days - contact your Project Manager for details.<br>Job Specific Rush TAT (if applies to entire submission)                                                                                                                  |  |

SAMPLES MUST BE KEPT COOL (  $\leq 10^{\circ}\text{C}$  ) FROM TIME OF SAMPLING UNTIL DELIVERY TO MAXAM

|    | Sample Barcode Label | Sample (Location) Identification | Date Sampled | Time Sampled | Matrix | Metal | Lead | # of Bottles | Comments |
|----|----------------------|----------------------------------|--------------|--------------|--------|-------|------|--------------|----------|
| 1  |                      | PAD7-30s                         | 18/01/29     | 03:~         | water  | n     | +    | 1            |          |
| 2  |                      | PAV -30s                         | ↓            | ↓            |        | n     | +    | 1            |          |
| 3  |                      | PA16-30s                         |              |              |        | n     | +    | 1            |          |
| 4  |                      | PA17-30s                         |              |              |        | n     | +    | 1            |          |
| 5  |                      | <del>PAQUP</del> -30s            |              | ↓            |        | n     | X    | 1            |          |
| 6  |                      | SBO7-30s                         |              |              |        | n     | +    | 1            |          |
| 7  |                      | 18 STOS-30s                      |              |              |        | n     | +    | 1            |          |
| 8  |                      | 18 STOB-30s                      |              |              |        | n     | +    | 1            |          |
| 9  |                      | 18 DC03-30s                      |              |              |        | n     | +    | 1            |          |
| 10 |                      | 18 DC 04-30s                     | ✓            |              | ↓      | n     | X    | 1            |          |

|                                                                                                  |                  |       |                                                                                                      |                  |       |                               |                          |                             |                                                                         |
|--------------------------------------------------------------------------------------------------|------------------|-------|------------------------------------------------------------------------------------------------------|------------------|-------|-------------------------------|--------------------------|-----------------------------|-------------------------------------------------------------------------|
| * RELINQUISHED BY: (Signature/Print)                                                             | Date: (YY/MM/DD) | Time  | RECEIVED BY: (Signature/Print)                                                                       | Date: (YY/MM/DD) | Time  | # jems used and not submitted | Lab Use Only             |                             |                                                                         |
|  Darren Thomas | 18/02/07         | 12:00 |  MIMI PEARD TACK | 20/02/08         | 08:40 |                               | Time Sensitive           | Temperature (°C) on Receipt | Custody Seal Intact on Cooler?                                          |
|                                                                                                  |                  |       |                                                                                                      |                  |       |                               | <input type="checkbox"/> | 9.89                        | Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |

\* UNLESS OTHERWISE AGREED TO IN WRITING, WORK SUBMITTED ON THIS CHAIN OF CUSTODY IS SUBJECT TO MAXXAM'S STANDARD TERMS AND CONDITIONS. SIGNING OF THIS CHAIN OF CUSTODY DOCUMENT IS ACKNOWLEDGMENT AND ACCEPTANCE OF OUR TERMS WHICH ARE AVAILABLE FOR VIEWING AT [WWW.MAXXAM.CATERMIS](http://WWW.MAXXAM.CATERMIS)

White: Maxam      Yellow: Clontech

Maxxam Analytics International Corporation o/a Maxxam Analytics



Maxxam Analytics International Corporation o/a Maxxam Analytics  
4608 Canada Way, Burnaby, British Columbia Canada V5G 1K5 Tel: (604) 734 7276 Toll-free 800-563-6266 Fax: (604) 731 2386 www.maxxam.ca

Page 3 of 3

| INVOICE TO:                                                                                                                                                                                                                                                                            |                                                   | Report Information          |                                                   | Project Information                                                            |                             |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|-----------------------------|---------------------------------------------------|--------------------------------------------------------------------------------|-----------------------------|
| Company Name                                                                                                                                                                                                                                                                           | #1433 TETRA TECH CANADA INC.                      | Company Name                | Darren Thomas                                     | Quotation #                                                                    | B71611                      |
| Contact Name                                                                                                                                                                                                                                                                           | Darren Thomas                                     | Contact Name                | Darren Thomas                                     | P.O. #                                                                         |                             |
| Address                                                                                                                                                                                                                                                                                | #1 - 4376 BOBAN DRIVE<br>NANAIMO BC V9T 6A7       | Address                     |                                                   | Project #                                                                      | ENW.VENW03150-01            |
| Phone                                                                                                                                                                                                                                                                                  | (250) 756-2256 x                                  | Phone                       |                                                   | Project Name                                                                   | SKS On lead testing         |
| Email                                                                                                                                                                                                                                                                                  | Darren.Thomas@tetratech.com; EBA.Labdata@tetratec | Email                       | Darren.Thomas@tetratech.com; EBA.Labdata@tetratec | Site #                                                                         | Res. Benton / Darren Thomas |
| Regulatory Criteria:                                                                                                                                                                                                                                                                   |                                                   | Special Instructions        |                                                   | ANALYSIS REQUESTED (PLEASE BE SPECIFIC)                                        |                             |
| <input type="checkbox"/> CSR<br><input type="checkbox"/> CCME<br><input type="checkbox"/> BC Water Quality<br><input checked="" type="checkbox"/> Other <i>Health Canada</i>                                                                                                           |                                                   |                             |                                                   |                                                                                |                             |
| SAMPLES MUST BE KEPT COOL (< 10°C) FROM TIME OF SAMPLING UNTIL DELIVERY TO MAXXAM                                                                                                                                                                                                      |                                                   |                             |                                                   |                                                                                |                             |
| Sample Barcode Label                                                                                                                                                                                                                                                                   | Sample (Location) Identification                  | Date Sampled                | Time Sampled                                      | Matrix                                                                         |                             |
| 1                                                                                                                                                                                                                                                                                      | 18 DC 08 - 30s                                    | 15/02/29                    |                                                   | water                                                                          | n +                         |
| 2                                                                                                                                                                                                                                                                                      | 18 DC 09 - 30s                                    |                             |                                                   |                                                                                | n +                         |
| 3                                                                                                                                                                                                                                                                                      | 18 DC 13 - 30s                                    |                             |                                                   |                                                                                | n +                         |
| 4                                                                                                                                                                                                                                                                                      | 18 DC 17 - 30s                                    |                             |                                                   |                                                                                | n +                         |
| 5                                                                                                                                                                                                                                                                                      | 18 DC 18 - 30s                                    |                             |                                                   |                                                                                | n +                         |
| 6                                                                                                                                                                                                                                                                                      | 18 DC 20 - 30s                                    |                             |                                                   |                                                                                | n +                         |
| 7                                                                                                                                                                                                                                                                                      | 18 ST 09 - 30s                                    |                             |                                                   |                                                                                | n +                         |
| 8                                                                                                                                                                                                                                                                                      |                                                   |                             |                                                   |                                                                                |                             |
| 9                                                                                                                                                                                                                                                                                      |                                                   |                             |                                                   |                                                                                |                             |
| 10                                                                                                                                                                                                                                                                                     |                                                   |                             |                                                   |                                                                                |                             |
| * RELINQUISHED BY: (Signature/Print)                                                                                                                                                                                                                                                   |                                                   | Date: (YY/MM/DD)            | Time                                              | RECEIVED BY: (Signature/Print)                                                 |                             |
| <i>[Signature]</i> / Darren Thomas                                                                                                                                                                                                                                                     |                                                   | 15/02/27                    | 12:00                                             | <i>[Signature]</i> PEDRO TACK                                                  |                             |
|                                                                                                                                                                                                                                                                                        |                                                   |                             |                                                   | Date: (YY/MM/DD)                                                               | Time                        |
|                                                                                                                                                                                                                                                                                        |                                                   |                             |                                                   | 2015/02/08                                                                     | 08:40                       |
| # jars used and not submitted                                                                                                                                                                                                                                                          |                                                   | Lab Use Only                |                                                   | Custody Seal Intact on Cooler?                                                 |                             |
|                                                                                                                                                                                                                                                                                        |                                                   |                             |                                                   | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>N/A</i> |                             |
| Time Sensitive                                                                                                                                                                                                                                                                         |                                                   | Temperature (°C) on Receipt |                                                   | White: Maxxam Yellow: Client                                                   |                             |
| <input type="checkbox"/>                                                                                                                                                                                                                                                               |                                                   | 9.8.9                       |                                                   |                                                                                |                             |
| * UNLESS OTHERWISE AGREED TO IN WRITING, WORK SUBMITTED ON THIS CHAIN OF CUSTODY IS SUBJECT TO MAXXAM'S STANDARD TERMS AND CONDITIONS. SIGNING OF THIS CHAIN OF CUSTODY DOCUMENT IS ACKNOWLEDGMENT AND ACCEPTANCE OF OUR TERMS WHICH ARE AVAILABLE FOR VIEWING AT WWW.MAXXAM.CA/TERMS. |                                                   |                             |                                                   |                                                                                |                             |
| * IT IS THE RESPONSIBILITY OF THE RELINQUISHER TO ENSURE THE ACCURACY OF THE CHAIN OF CUSTODY RECORD. AN INCOMPLETE CHAIN OF CUSTODY MAY RESULT IN ANALYTICAL TAT DELAYS.                                                                                                              |                                                   |                             |                                                   |                                                                                |                             |



B809848\_COC



Turnaround Time (TAT) Required:

Please provide advance notice for rush projects

Regular (Standard) TAT:

(will be applied if Rush TAT is not specified):

Standard TAT = 5-7 Working days for most tests.

Please note: Standard TAT for certain tests such as BOD and Dioxins/Furans are > 5 days - contact your Project Manager for details.

Job Specific Rush TAT (if applies to entire submission)

1 DAY ☐ 2 Day ☐ 3 Day ☐ Date Required: ☐

Rush Confirmation Number:

(call lab for #)

# of Bottles

Comments

Maxxam Analytics International Corporation o/a Maxxam Analytics

Your Project #: ENW.VENW03150

**Attention: Ben Barton**

TETRA TECH CANADA INC.  
#1 - 4376 BOBAN DRIVE  
NANAIMO, BC  
Canada V9T 6A7

Your C.O.C. #: 545893-24-01, 545893-03-01, 545893-04-01, 545893-01-01, 545893-02-01

**Report Date: 2018/02/06**

Report #: R2510579

Version: 1 - Final

**CERTIFICATE OF ANALYSIS**

**MAXXAM JOB #: B807272**

**Received: 2018/01/30, 08:48**

Sample Matrix: DRINKING WATER  
# Samples Received: 48

| Analyses                      | Quantity | Date<br>Extracted | Date<br>Analyzed | Laboratory Method | Analytical Method |
|-------------------------------|----------|-------------------|------------------|-------------------|-------------------|
| Elements by CRC ICPMS (total) | 48       | N/A               | 2018/02/01       | BBY7SOP-00003,    | EPA 6020b R2 m    |

**Remarks:**

Maxxam Analytics' laboratories are accredited to ISO/IEC 17025:2005 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Maxxam are based upon recognized Provincial, Federal or US method compendia such as CCME, MDDELCC, EPA, APHA.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Maxxam's profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Maxxam in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected.

Maxxam Analytics' liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Maxxam has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Maxxam, unless otherwise agreed in writing.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

\* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

Your Project #: ENW.VENW03150

**Attention: Ben Barton**

TETRA TECH CANADA INC.  
#1 - 4376 BOBAN DRIVE  
NANAIMO, BC  
Canada V9T 6A7

Your C.O.C. #: 545893-24-01, 545893-03-01, 545893-04-01, 545893-01-01, 545893-02-01

**Report Date: 2018/02/06**  
Report #: R2510579  
Version: 1 - Final

**CERTIFICATE OF ANALYSIS**

**MAXXAM JOB #: B807272**

**Received: 2018/01/30, 08:48**

**Encryption Key**

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

Letitia Prefontaine, B.Sc., Senior Project Manager

Email: LPrefontaine@maxxam.ca

Phone# (604)639-2616

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B807272  
Report Date: 2018/02/06

TETRA TECH CANADA INC.  
Client Project #: ENW.VENW03150

### ELEMENTS BY ATOMIC SPECTROSCOPY (DRINKING WATER)

|               |       |     |              |              |              |              |              |              |     |          |
|---------------|-------|-----|--------------|--------------|--------------|--------------|--------------|--------------|-----|----------|
| Maxxam ID     |       |     | SW7332       | SW7333       | SW7334       | SW7335       | SW7336       | SW7337       |     |          |
| Sampling Date |       |     | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   |     |          |
| COC Number    |       |     | 545893-24-01 | 545893-24-01 | 545893-24-01 | 545893-24-01 | 545893-24-01 | 545893-24-01 |     |          |
|               | UNITS | MAC | 18 ST1-OS    | 18 ST02-OS   | 18 ST03-OS   | 18 ST04-OS   | 18 ST05-OS   | 18 ST06-OS   | RDL | QC Batch |

#### Total Metals by ICPMS

|                 |      |    |      |      |      |      |      |      |      |         |
|-----------------|------|----|------|------|------|------|------|------|------|---------|
| Total Lead (Pb) | ug/L | 10 | 8.86 | 8.50 | 0.52 | 0.70 | 10.5 | 0.58 | 0.20 | 8898699 |
|-----------------|------|----|------|------|------|------|------|------|------|---------|

|         |                                 |
|---------|---------------------------------|
| No Fill | No Exceedance                   |
| Grey    | Exceeds 1 criteria policy/level |
| Black   | Exceeds both criteria/levels    |

RDL = Reportable Detection Limit

|               |       |     |              |              |              |              |              |              |     |          |
|---------------|-------|-----|--------------|--------------|--------------|--------------|--------------|--------------|-----|----------|
| Maxxam ID     |       |     | SW7338       | SW7339       | SW7340       | SW7353       | SW7354       | SW7355       |     |          |
| Sampling Date |       |     | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   |     |          |
| COC Number    |       |     | 545893-24-01 | 545893-24-01 | 545893-24-01 | 545893-03-01 | 545893-03-01 | 545893-03-01 |     |          |
|               | UNITS | MAC | 18 ST07-OS   | 18 ST08-OS   | 18 ST09-OS   | 18 DC01-OS   | 18 DC02-OS   | 18 DC03-OS   | RDL | QC Batch |

#### Total Metals by ICPMS

|                 |      |    |      |      |      |      |      |      |      |         |
|-----------------|------|----|------|------|------|------|------|------|------|---------|
| Total Lead (Pb) | ug/L | 10 | 3.37 | 11.4 | 6.05 | 2.39 | 3.87 | 15.2 | 0.20 | 8898699 |
|-----------------|------|----|------|------|------|------|------|------|------|---------|

|         |                                 |
|---------|---------------------------------|
| No Fill | No Exceedance                   |
| Grey    | Exceeds 1 criteria policy/level |
| Black   | Exceeds both criteria/levels    |

RDL = Reportable Detection Limit

|               |       |     |              |              |              |              |              |              |     |          |
|---------------|-------|-----|--------------|--------------|--------------|--------------|--------------|--------------|-----|----------|
| Maxxam ID     |       |     | SW7356       | SW7357       | SW7358       | SW7359       | SW7360       | SW7361       |     |          |
| Sampling Date |       |     | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   |     |          |
| COC Number    |       |     | 545893-03-01 | 545893-03-01 | 545893-03-01 | 545893-03-01 | 545893-03-01 | 545893-03-01 |     |          |
|               | UNITS | MAC | 18DC04-OS    | 18DC05-OS    | 18DC06-OS    | 18DC07-OS    | 18DC08-OS    | 18DC09-OS    | RDL | QC Batch |

#### Total Metals by ICPMS

|                 |      |    |      |      |      |      |      |      |      |         |
|-----------------|------|----|------|------|------|------|------|------|------|---------|
| Total Lead (Pb) | ug/L | 10 | 12.2 | 5.00 | 8.40 | 5.57 | 21.0 | 68.6 | 0.20 | 8898701 |
|-----------------|------|----|------|------|------|------|------|------|------|---------|

|         |                                 |
|---------|---------------------------------|
| No Fill | No Exceedance                   |
| Grey    | Exceeds 1 criteria policy/level |
| Black   | Exceeds both criteria/levels    |

RDL = Reportable Detection Limit

|               |       |     |              |              |              |              |              |              |     |          |
|---------------|-------|-----|--------------|--------------|--------------|--------------|--------------|--------------|-----|----------|
| Maxxam ID     |       |     | SW7362       | SW7363       | SW7364       | SW7365       | SW7366       | SW7367       |     |          |
| Sampling Date |       |     | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   |     |          |
| COC Number    |       |     | 545893-03-01 | 545893-04-01 | 545893-04-01 | 545893-04-01 | 545893-04-01 | 545893-04-01 |     |          |
|               | UNITS | MAC | 18DC10-OS    | 18DC11-OS    | 18DC12-OS    | 18DC13-OS    | 18DC14-OS    | 18DC15-OS    | RDL | QC Batch |

#### Total Metals by ICPMS

|                 |      |    |      |      |      |      |      |      |      |         |
|-----------------|------|----|------|------|------|------|------|------|------|---------|
| Total Lead (Pb) | ug/L | 10 | 0.52 | 4.00 | 2.32 | 66.0 | 7.26 | 8.00 | 0.20 | 8898701 |
|-----------------|------|----|------|------|------|------|------|------|------|---------|

|         |                                 |
|---------|---------------------------------|
| No Fill | No Exceedance                   |
| Grey    | Exceeds 1 criteria policy/level |
| Black   | Exceeds both criteria/levels    |

RDL = Reportable Detection Limit

Maxxam Job #: B807272  
Report Date: 2018/02/06

TETRA TECH CANADA INC.  
Client Project #: ENW.VENW03150

### ELEMENTS BY ATOMIC SPECTROSCOPY (DRINKING WATER)

| Maxxam ID                        |                                                                                  |     | SW7368       | SW7369       | SW7370       | SW7371       | SW7372       | SW7373       |      |          |
|----------------------------------|----------------------------------------------------------------------------------|-----|--------------|--------------|--------------|--------------|--------------|--------------|------|----------|
| Sampling Date                    |                                                                                  |     | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   |      |          |
| COC Number                       |                                                                                  |     | 545893-04-01 | 545893-04-01 | 545893-04-01 | 545893-04-01 | 545893-04-01 | 545893-01-01 |      |          |
|                                  | UNITS                                                                            | MAC | 18DC16-OS    | 18DC17-OS    | 18DC18-OS    | 18DC19-OS    | 18DC20-OS    | 18MV01-OS    | RDL  | QC Batch |
| Total Metals by ICPMS            |                                                                                  |     |              |              |              |              |              |              |      |          |
| Total Lead (Pb)                  | ug/L                                                                             | 10  | 3.03         | 66.4         | 46.8         | 8.56         | 649          | 0.49         | 0.20 | 8898701  |
| No Fill                          | No Exceedance<br>Exceeds 1 criteria policy/level<br>Exceeds both criteria/levels |     |              |              |              |              |              |              |      |          |
| Grey                             |                                                                                  |     |              |              |              |              |              |              |      |          |
| Black                            |                                                                                  |     |              |              |              |              |              |              |      |          |
| RDL = Reportable Detection Limit |                                                                                  |     |              |              |              |              |              |              |      |          |

Maxxam Job #: B807272  
Report Date: 2018/02/06

TETRA TECH CANADA INC.  
Client Project #: ENW.VENW03150

### ELEMENTS BY ATOMIC SPECTROSCOPY (DRINKING WATER)

|               |       |     |              |          |              |              |              |              |     |          |
|---------------|-------|-----|--------------|----------|--------------|--------------|--------------|--------------|-----|----------|
| Maxxam ID     |       |     | SW7374       |          | SW7375       | SW7376       | SW7377       | SW7378       |     |          |
| Sampling Date |       |     | 2018/01/29   |          | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   |     |          |
| COC Number    |       |     | 545893-01-01 |          | 545893-01-01 | 545893-01-01 | 545893-01-01 | 545893-01-01 |     |          |
|               | UNITS | MAC | 18MV02-OS    | QC Batch | 18MV03-OS    | 18MV04-OS    | 18MV05-OS    | 18MV06-OS    | RDL | QC Batch |

| Total Metals by ICPMS            |                                 |    |      |         |      |       |      |      |      |         |
|----------------------------------|---------------------------------|----|------|---------|------|-------|------|------|------|---------|
| Total Lead (Pb)                  | ug/L                            | 10 | 4.81 | 8898701 | 0.72 | <0.20 | 0.95 | 2.70 | 0.20 | 8898711 |
| No Fill                          | No Exceedance                   |    |      |         |      |       |      |      |      |         |
| Grey                             | Exceeds 1 criteria policy/level |    |      |         |      |       |      |      |      |         |
| Black                            | Exceeds both criteria/levels    |    |      |         |      |       |      |      |      |         |
| RDL = Reportable Detection Limit |                                 |    |      |         |      |       |      |      |      |         |

|               |       |     |              |              |              |              |              |              |     |          |
|---------------|-------|-----|--------------|--------------|--------------|--------------|--------------|--------------|-----|----------|
| Maxxam ID     |       |     | SW7379       | SW7380       | SW7381       | SW7382       | SW7383       | SW7384       |     |          |
| Sampling Date |       |     | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   |     |          |
| COC Number    |       |     | 545893-01-01 | 545893-01-01 | 545893-01-01 | 545893-01-01 | 545893-02-01 | 545893-02-01 |     |          |
|               | UNITS | MAC | 18MV07-OS    | 18MV08-OS    | 18MV09-OS    | 18MV10-OS    | 18MV11-OS    | 18MV12-OS    | RDL | QC Batch |

|                                  |                                 |    |       |      |       |      |       |      |      |         |
|----------------------------------|---------------------------------|----|-------|------|-------|------|-------|------|------|---------|
| Total Metals by ICPMS            |                                 |    |       |      |       |      |       |      |      |         |
| Total Lead (Pb)                  | ug/L                            | 10 | <0.20 | 0.20 | <0.20 | 0.59 | <0.20 | 0.70 | 0.20 | 8898711 |
| No Fill                          | No Exceedance                   |    |       |      |       |      |       |      |      |         |
| Grey                             | Exceeds 1 criteria policy/level |    |       |      |       |      |       |      |      |         |
| Black                            | Exceeds both criteria/levels    |    |       |      |       |      |       |      |      |         |
| RDL = Reportable Detection Limit |                                 |    |       |      |       |      |       |      |      |         |

|               |       |     |              |              |              |              |              |              |     |          |
|---------------|-------|-----|--------------|--------------|--------------|--------------|--------------|--------------|-----|----------|
| Maxxam ID     |       |     | SW7385       | SW7386       | SW7387       | SW7388       | SW7389       | SW7390       |     |          |
| Sampling Date |       |     | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   | 2018/01/29   |     |          |
| COC Number    |       |     | 545893-02-01 | 545893-02-01 | 545893-02-01 | 545893-02-01 | 545893-02-01 | 545893-02-01 |     |          |
|               | UNITS | MAC | 18MV13-OS    | 18MV14-OS    | 18MV15-OS    | 18MV16-OS    | 18MV17-OS    | 18MV18-OS    | RDL | QC Batch |

| Total Metals by ICPMS            |                                 |    |      |      |      |       |      |      |      |         |
|----------------------------------|---------------------------------|----|------|------|------|-------|------|------|------|---------|
| Total Lead (Pb)                  | ug/L                            | 10 | 1.29 | 0.21 | 0.21 | <0.20 | 0.59 | 0.28 | 0.20 | 8898711 |
| No Fill                          | No Exceedance                   |    |      |      |      |       |      |      |      |         |
| Grey                             | Exceeds 1 criteria policy/level |    |      |      |      |       |      |      |      |         |
| Black                            | Exceeds both criteria/levels    |    |      |      |      |       |      |      |      |         |
| RDL = Reportable Detection Limit |                                 |    |      |      |      |       |      |      |      |         |

|                                  |                                 |     |              |      |          |
|----------------------------------|---------------------------------|-----|--------------|------|----------|
| Maxxam ID                        |                                 |     | SW7391       |      |          |
| Sampling Date                    |                                 |     | 2018/01/29   |      |          |
| COC Number                       |                                 |     | 545893-02-01 |      |          |
|                                  | UNITS                           | MAC | 18MV19-OS    | RDL  | QC Batch |
| Total Metals by ICPMS            |                                 |     |              |      |          |
| Total Lead (Pb)                  | ug/L                            | 10  | <0.20        | 0.20 | 8898711  |
| No Fill                          | No Exceedance                   |     |              |      |          |
| Grey                             | Exceeds 1 criteria policy/level |     |              |      |          |
| Black                            | Exceeds both criteria/levels    |     |              |      |          |
| RDL = Reportable Detection Limit |                                 |     |              |      |          |



Maxxam Job #: B807272  
Report Date: 2018/02/06

TETRA TECH CANADA INC.  
Client Project #: ENW.VENW03150

## GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

|           |       |
|-----------|-------|
| Package 1 | 5.3°C |
|-----------|-------|

Samples received with incomplete Chain of Custody. Sampling times not provided.

Chain of Custodies 545893-03-01, 545893-04-01, 545893-01-01 and 545893-02-01 not completed with signature/date in the "Relinquished by" line.

MAC: The guidelines that have been included in this report have been taken from the Canadian Drinking Water Quality Summary Table, February 2017.

Criteria A = Maximum Acceptable Concentration (MAC) / Criteria B = Aesthetic Objectives (AO) / Criteria C = Operational Guidance Values (OG)

It is recommended to consult these guidelines when interpreting your data since there are non-numerical guidelines that are not included on this report.

Turbidity Guidelines:

1. Chemically assisted filtration: less than or equal to 0.3 NTU in 95% of the measurements or 95% of the time each month. Shall not exceed 1.0 NTU at any time.
2. Slow sand / diatomaceous earth filtration: less than or equal to 1.0 NTU in 95% of the measurements or 95% of the time each month. Shall not exceed 3.0 NTU at any time.
3. Membrane filtration: less than or equal to 0.1 NTU in 99% of the measurements made or at least 99% of the time each calendar month. Shall not exceed 0.3 NTU at any time.

**Results relate only to the items tested.**

Maxxam Job #: B807272  
Report Date: 2018/02/06

## QUALITY ASSURANCE REPORT

TETRA TECH CANADA INC.  
Client Project #: ENW.VENW03150

| QC Batch | Parameter       | Date       | Matrix Spike |           | Spiked Blank |           | Method Blank |       | RPD       |           |
|----------|-----------------|------------|--------------|-----------|--------------|-----------|--------------|-------|-----------|-----------|
|          |                 |            | % Recovery   | QC Limits | % Recovery   | QC Limits | Value        | UNITS | Value (%) | QC Limits |
| 8898699  | Total Lead (Pb) | 2018/02/01 | 99           | 80 - 120  | 103          | 80 - 120  | <0.20        | ug/L  | NC        | 20        |
| 8898701  | Total Lead (Pb) | 2018/02/01 | 101          | 80 - 120  | 99           | 80 - 120  | <0.20        | ug/L  | 0.89      | 20        |
| 8898711  | Total Lead (Pb) | 2018/02/01 | 96           | 80 - 120  | 99           | 80 - 120  | <0.20        | ug/L  | 3.5       | 20        |

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Matrix Spike: A sample to which a known amount of the analyte of interest has been added. Used to evaluate sample matrix interference.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.


NC (Duplicate RPD): The duplicate RPD was not calculated. The concentration in the sample and/or duplicate was too low to permit a reliable RPD calculation (absolute difference  $\leq 2 \times \text{RDL}$ ).

Maxxam Job #: B807272  
Report Date: 2018/02/06

TETRA TECH CANADA INC.  
Client Project #: ENW.VENW03150

### VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).



Andy Lu, Ph.D., P.Chem., Scientific Specialist

---

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

### Chain Of Custody Record

Page 1 of 5

| INVOICE TO:                                |                             | Report Information    |  | Project Information     |  |
|--------------------------------------------|-----------------------------|-----------------------|--|-------------------------|--|
| #1433 TETRA TECH CANADA INC.               |                             | Company Name _____    |  | Quotation # B60578      |  |
| Ben Barton                                 |                             | Contact Name _____    |  | P.O. # _____            |  |
| #1 - 4376 BOBAN DRIVE                      |                             | Address _____         |  | Project # ENW.VENW03150 |  |
| NANAIMO BC V9T 6A7                         |                             | Phone _____ Fax _____ |  | Project Name _____      |  |
| (250) 756-2256 x _____                     | Fax: (250) 756-2686 x _____ | Email _____           |  | Site # _____            |  |
| bbarton@eba.ca; EBA Labdata@tetrattech.com |                             |                       |  | Sampled By _____        |  |

| Regulatory Criteria:                                                                                                                               | Special Instructions | ANALYSIS REQUESTED (PLEASE BE SPECIFIC) |
|----------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|-----------------------------------------|
| <input type="checkbox"/> CSR<br><input type="checkbox"/> CCME<br><input type="checkbox"/> BC Water Quality<br><input type="checkbox"/> Other _____ |                      |                                         |

**Turnaround Time (TAT) Required:**  
Please provide advance notice for rush projects

Regular (Standard) TAT:  
(will be applied if Rush TAT is not specified):  
Standard TAT = 5-7 Working days for most tests.  
*Please note: Standard TAT for certain tests such as BOD and Dioxins/Furans are > 5 days - contact your Project Manager for details.*

Job Specific Rush TAT (if applies to entire submission)  
 1 DAY ☐ 2 Day ☐ 3 Day ☐ Date Required: \_\_\_\_\_  
 Rush Confirmation Number: \_\_\_\_\_ (call lab for #)  
 Comments: \_\_\_\_\_

**SAMPLES MUST BE KEPT COOL (< 10°C ) FROM TIME OF SAMPLING UNTIL DELIVERY TO MAXXAM**

| Sample Barcode Label | Sample (Location) Identification | Date Sampled | Time Sampled | Matrix | Metals Field Filtered ? (Y/N) | Lead - Drinking Water |  |  |  |  |  |  |  |  |  | # of Bottles | Comments |
|----------------------|----------------------------------|--------------|--------------|--------|-------------------------------|-----------------------|--|--|--|--|--|--|--|--|--|--------------|----------|
| 1                    | 18ST1-0s                         | Jan 29/18    |              | Water  | ✓                             |                       |  |  |  |  |  |  |  |  |  |              |          |
| 2                    | 18ST02-0s                        |              |              |        | ✓                             |                       |  |  |  |  |  |  |  |  |  |              |          |
| 3                    | 18SI03-0s                        |              |              |        | ✓                             |                       |  |  |  |  |  |  |  |  |  |              |          |
| 4                    | 18ST04-GC                        |              |              |        | ✓                             |                       |  |  |  |  |  |  |  |  |  |              |          |
| 5                    | 18SI05-0s                        |              |              |        | ✓                             |                       |  |  |  |  |  |  |  |  |  |              |          |
| 6                    | 18SI06-0s                        |              |              |        | ✓                             |                       |  |  |  |  |  |  |  |  |  |              |          |
| 7                    | 18ST07-0s                        |              |              |        | ✓                             |                       |  |  |  |  |  |  |  |  |  |              |          |
| 8                    | 18ST08-0s                        |              |              |        | ✓                             |                       |  |  |  |  |  |  |  |  |  |              |          |
| 9                    | 18ST09-0s                        |              |              |        | ✓                             |                       |  |  |  |  |  |  |  |  |  |              |          |
| 10                   |                                  |              |              |        |                               |                       |  |  |  |  |  |  |  |  |  |              |          |

|                                                           |                                    |                       |                                                     |                                     |                      |                               |                                                         |                                              |                                                                                                       |
|-----------------------------------------------------------|------------------------------------|-----------------------|-----------------------------------------------------|-------------------------------------|----------------------|-------------------------------|---------------------------------------------------------|----------------------------------------------|-------------------------------------------------------------------------------------------------------|
| * RELINQUISHED BY: (Signature/Print)<br><u>Ben Barton</u> | Date: (YY/MM/DD)<br><u>28/1/18</u> | Time<br><u>8:00am</u> | RECEIVED BY: (Signature/Print)<br><u>KOMMA GORD</u> | Date: (YY/MM/DD)<br><u>28/01/20</u> | Time<br><u>08:48</u> | # jars used and not submitted | Lab Use Only<br>Time Sensitive <input type="checkbox"/> | Temperature (°C) on Receipt<br><u>5.5, 6</u> | Custody Seal Intact on Cooler?<br><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
|-----------------------------------------------------------|------------------------------------|-----------------------|-----------------------------------------------------|-------------------------------------|----------------------|-------------------------------|---------------------------------------------------------|----------------------------------------------|-------------------------------------------------------------------------------------------------------|

\* UNLESS OTHERWISE AGREED TO IN WRITING, WORK SUBMITTED ON THIS CHAIN OF CUSTODY IS SUBJECT TO MAXXAM'S STANDARD TERMS AND CONDITIONS. SIGNING OF THIS CHAIN OF CUSTODY DOCUMENT IS ACKNOWLEDGMENT AND ACCEPTANCE OF OUR TERMS WHICH ARE AVAILABLE FOR VIEWING AT WWW.MAXXAM.CA/TERMS.

\* IT IS THE RESPONSIBILITY OF THE RELINQUISHER TO ENSURE THE ACCURACY OF THE CHAIN OF CUSTODY RECORD. AN INCOMPLETE CHAIN OF CUSTODY MAY RESULT IN ANALYTICAL TAT DELAYS.



Maxxam Analytics International Corporation o/a Maxxam Analytics  
4605 Canada Way, Burnaby, British Columbia Canada V5G 1K5 Tel: (604) 734 7276 Toll-free: 800-563-6266 Fax: (604) 731 2385 www.maxxam.ca

# Chain Of Custody Record

25

|              |                                             |                    |  |                     |               |
|--------------|---------------------------------------------|--------------------|--|---------------------|---------------|
| INVOICE TO:  |                                             | Report Information |  | Project Information |               |
| Company Name | #1433 TETRA TECH CANADA INC.                | Company Name       |  | Quotation #         | B60578        |
| Contact Name | Ben Barton                                  | Contact Name       |  | P.O. #              |               |
| Address      | #1 - 4376 BOBAN DRIVE<br>NANAIMO BC V9T 6A7 | Address            |  | Project #           | ENW.VENW03150 |
| Phone        | (250) 756-2256 x                            | Phone              |  | Project Name        |               |
| Fax          | (250) 756-2686 x                            | Fax                |  | Site #              |               |
| Email        | bbarton@eba.ca; EBA.Labdata@tetratech.com   | Email              |  | Sampled By          |               |



B807272\_COC

er #:  
lager  
staine

|                                                                                                                                                                                                                                                                                        |                                  |                      |              |                                         |                               |                       |       |                               |                          |                             |                                                                     |  |  |                                                                                                                                                                                                                                                                           |  |                                                 |  |                              |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|----------------------|--------------|-----------------------------------------|-------------------------------|-----------------------|-------|-------------------------------|--------------------------|-----------------------------|---------------------------------------------------------------------|--|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------|--|------------------------------|--|
| Regulatory Criteria                                                                                                                                                                                                                                                                    |                                  | Special Instructions |              | ANALYSIS REQUESTED (PLEASE BE SPECIFIC) |                               |                       |       |                               |                          |                             |                                                                     |  |  |                                                                                                                                                                                                                                                                           |  | Turnaround Time (TAT) Required:                 |  |                              |  |
| <input type="checkbox"/> CSR<br><input type="checkbox"/> CCME<br><input type="checkbox"/> BC Water Quality<br><input type="checkbox"/> Other                                                                                                                                           |                                  |                      |              |                                         |                               |                       |       |                               |                          |                             |                                                                     |  |  |                                                                                                                                                                                                                                                                           |  | Please provide advance notice for rush projects |  |                              |  |
| SAMPLES MUST BE KEPT COOL ( < 10°C ) FROM TIME OF SAMPLING UNTIL DELIVERY TO MAXXAM                                                                                                                                                                                                    |                                  |                      |              |                                         |                               |                       |       |                               |                          |                             |                                                                     |  |  | Regular (Standard) TAT:<br>(will be applied if Rush TAT is not specified):<br>Standard TAT = 5-7 Working days for most tests.<br>Please note: Standard TAT for certain tests such as BOD and Dioxins/Furans are > 5 days - contact your Project Manager for details.      |  |                                                 |  |                              |  |
|                                                                                                                                                                                                                                                                                        |                                  |                      |              |                                         |                               |                       |       |                               |                          |                             |                                                                     |  |  | Job Specific Rush TAT (if applies to entire submission)<br>1 DAY <input type="checkbox"/> 2 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> Date Required: <input type="checkbox"/><br>Rush Confirmation Number: <input type="checkbox"/><br>(call lab for #) |  |                                                 |  |                              |  |
|                                                                                                                                                                                                                                                                                        |                                  |                      |              |                                         |                               |                       |       |                               |                          |                             |                                                                     |  |  | # of Bottles                                                                                                                                                                                                                                                              |  | Comments                                        |  |                              |  |
| Sample Barcode Label                                                                                                                                                                                                                                                                   | Sample (Location) Identification | Date Sampled         | Time Sampled | Matrix                                  | Metals Field Filtered ? (Y/N) | Lead - Drinking Water |       |                               |                          |                             |                                                                     |  |  |                                                                                                                                                                                                                                                                           |  |                                                 |  |                              |  |
| 1                                                                                                                                                                                                                                                                                      | 18DC01-05                        | 29-Jan-18            |              | Water                                   | ✓                             | ✓                     |       |                               |                          |                             |                                                                     |  |  |                                                                                                                                                                                                                                                                           |  |                                                 |  |                              |  |
| 2                                                                                                                                                                                                                                                                                      | 18DC02-05                        |                      |              |                                         | ✓                             | ✓                     |       |                               |                          |                             |                                                                     |  |  |                                                                                                                                                                                                                                                                           |  |                                                 |  |                              |  |
| 3                                                                                                                                                                                                                                                                                      | 18DC03-05                        |                      |              |                                         | ✓                             | ✓                     |       |                               |                          |                             |                                                                     |  |  |                                                                                                                                                                                                                                                                           |  |                                                 |  |                              |  |
| 4                                                                                                                                                                                                                                                                                      | 18DC04-05                        |                      |              |                                         | ✓                             | ✓                     |       |                               |                          |                             |                                                                     |  |  |                                                                                                                                                                                                                                                                           |  |                                                 |  |                              |  |
| 5                                                                                                                                                                                                                                                                                      | 18DC05-05                        |                      |              |                                         | ✓                             | ✓                     |       |                               |                          |                             |                                                                     |  |  |                                                                                                                                                                                                                                                                           |  |                                                 |  |                              |  |
| 6                                                                                                                                                                                                                                                                                      | 18DC06-05                        |                      |              |                                         | ✓                             | ✓                     |       |                               |                          |                             |                                                                     |  |  |                                                                                                                                                                                                                                                                           |  |                                                 |  |                              |  |
| 7                                                                                                                                                                                                                                                                                      | 18DC07-05                        |                      |              |                                         | ✓                             | ✓                     |       |                               |                          |                             |                                                                     |  |  |                                                                                                                                                                                                                                                                           |  |                                                 |  |                              |  |
| 8                                                                                                                                                                                                                                                                                      | 18DC08-05                        |                      |              |                                         | ✓                             | ✓                     |       |                               |                          |                             |                                                                     |  |  |                                                                                                                                                                                                                                                                           |  |                                                 |  |                              |  |
| 9                                                                                                                                                                                                                                                                                      | 18DC09-05                        |                      |              |                                         | ✓                             | ✓                     |       |                               |                          |                             |                                                                     |  |  |                                                                                                                                                                                                                                                                           |  |                                                 |  |                              |  |
| 10                                                                                                                                                                                                                                                                                     | 18DC10-05                        |                      |              |                                         | ✓                             | ✓                     |       |                               |                          |                             |                                                                     |  |  |                                                                                                                                                                                                                                                                           |  |                                                 |  |                              |  |
| * RELINQUISHED BY: (Signature/Print)                                                                                                                                                                                                                                                   |                                  | Date: (YY/MM/DD)     | Time         | RECEIVED BY: (Signature/Print)          |                               | Date: (YY/MM/DD)      | Time  | # jars used and not submitted | Lab Use Only             |                             |                                                                     |  |  |                                                                                                                                                                                                                                                                           |  |                                                 |  |                              |  |
|                                                                                                                                                                                                                                                                                        |                                  |                      |              | POMMEL GORX                             |                               | 2018/01/30            | 08:48 |                               | Time Sensitive           | Temperature (°C) on Receipt | Custody Seal Intact on Cooler?                                      |  |  |                                                                                                                                                                                                                                                                           |  |                                                 |  |                              |  |
|                                                                                                                                                                                                                                                                                        |                                  |                      |              |                                         |                               |                       |       |                               | <input type="checkbox"/> | 5.5.6                       | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |  |  |                                                                                                                                                                                                                                                                           |  |                                                 |  |                              |  |
| * UNLESS OTHERWISE AGREED TO IN WRITING, WORK SUBMITTED ON THIS CHAIN OF CUSTODY IS SUBJECT TO MAXXAM'S STANDARD TERMS AND CONDITIONS. SIGNING OF THIS CHAIN OF CUSTODY DOCUMENT IS ACKNOWLEDGMENT AND ACCEPTANCE OF OUR TERMS WHICH ARE AVAILABLE FOR VIEWING AT WWW.MAXXAM.CA/TERMS. |                                  |                      |              |                                         |                               |                       |       |                               |                          |                             |                                                                     |  |  |                                                                                                                                                                                                                                                                           |  |                                                 |  | White: Maxxam Yellow: Client |  |
| * IT IS THE RESPONSIBILITY OF THE RELINQUISHER TO ENSURE THE ACCURACY OF THE CHAIN OF CUSTODY RECORD. AN INCOMPLETE CHAIN OF CUSTODY MAY RESULT IN ANALYTICAL TAT DELAYS.                                                                                                              |                                  |                      |              |                                         |                               |                       |       |                               |                          |                             |                                                                     |  |  |                                                                                                                                                                                                                                                                           |  |                                                 |  |                              |  |

Maxxam Analytics International Corporation o/a Maxxam Analytics



## Page 4 of 5

B807272 COCRegular (Standard) TAT:

(will be applied if Rush TAT is not specified)

Standard TAT = 5-7 Working days for most tests.

Please note: Standard TAT for certain tests such as BOD and Dioxins/Furans are > 5 days - contact your Project Manager for details.

Job Specific Rush TAT (if applies to entire submission)

1 DAY ☐ 2 Day ☐ 3 Day ☐ Date Required:

Rush Confirmation Number:

(call lab for #)

SAMPLES MUST BE KEPT COOL ( < 10°C ) FROM TIME OF SAMPLING UNTIL DELIVERY TO MAXXAM

Metals Field Filtered ? (Y/N)

Lead - Drinking Water

RECEIVED BY: (Signature/Print)  
— KOMMER GODA

Date: (YYMMDD)

|      |    |   |
|------|----|---|
| 2018 | 01 | 2 |
|------|----|---|

Time

06241

|                               |  |
|-------------------------------|--|
| # jars used and not submitted |  |
|-------------------------------|--|

Time Sensitive

Temperature (°C) on Recol

**Lab Use Only**

Book

Custody Seal Intact on Cooler?

☐ Yes ☒ No

2

\* UNLESS OTHERWISE AGREED TO IN WRITING, WORK SUBMITTED ON THIS CHAIN OF CUSTODY IS SUBJECT TO MAXXAM'S STANDARD TERMS AND CONDITIONS. SIGNING OF THIS CHAIN OF CUSTODY DOCUMENT IS ACKNOWLEDGMENT AND ACCEPTANCE OF OUR TERMS WHICH ARE AVAILABLE FOR VIEWING AT [WWW.MAXXAM.CA/TERMS](http://WWW.MAXXAM.CA/TERMS).

White: Maxxam      Yellow: Client

of



B807272 COC

Regular (Standard) TAT:

(will be applied if Rush TAT is not specified):

Standard TAT = 5-7 Working days for most tests.

Please note: Standard TAT for certain tests such as BOD and Dioxins/Furans are > 5 days - contact your Project Manager for details.

Job Specific Rush TAT (if applies to entire submission)

1 DAY ☐ 2 Day ☐ 3 Day ☐ Date Required:

Rush Confirmation Number:

(call lab for #)

| # of Bottles | Comments |
|--------------|----------|
|--------------|----------|

Time Sensitive[illegible]

Custody Seal Intact on Cooler?

☐ No ☒ Yes☒ Yes

\* UNLESS OTHERWISE AGREED TO IN WRITING, WORK SUBMITTED ON THIS CHAIN OF CUSTODY IS SUBJECT TO MAXXAM'S STANDARD TERMS AND CONDITIONS. SIGNING OF THIS CHAIN OF CUSTODY DOCUMENT IS ACKNOWLEDGMENT AND ACCEPTANCE OF OUR TERMS WHICH ARE AVAILABLE FOR VIEWING AT [WWW.MAXXAM.COM/TERMS](http://WWW.MAXXAM.COM/TERMS)

\* IT IS THE RESPONSIBILITY OF THE RELINQUISHER TO ENSURE THE ACCURACY OF THE CHAIN OF CUSTODY RECORD. AN INCOMPLETE CHAIN OF CUSTODY MAY RESULT IN ANALYTICAL TAT DELAYS.

White: Maxxam      Yellow: Client