



# Pharmacovigilance NLP

## Sentiment Analysis

Exploring Sentiment Patterns in Adverse Drug Event Reports


# Exploring Pharmacovigilance Data - Distribution Analysis

- **ADEs Prevalent:** With 4036 instances, Adverse Drug Events (ADEs) significantly outnumber Potential Therapeutic Events (PTEs), indicating potential safety concerns.
- **PTEs Scarce:** Only 109 instances of Potential Therapeutic Events were recorded, suggesting limited beneficial impacts of the drugs examined.
- **Dual Effects:** A single case showed both adverse and therapeutic effects simultaneously, pointing to complex drug interactions.
- **Need for Detailed Analysis:** The data calls for a comprehensive study, including considerations like event severity, medical conditions, dosage, and patient characteristics.
- **Class Imbalance:** The data exhibits a striking imbalance with 4376 ADEs against 451 PTEs, which could skew sentiment analysis towards ADEs.
- **Imbalance Impact:** The imbalance might lead to misleading conclusions about drug safety and efficacy, disproportionately classifying events as adverse.




# Insights from Sentiment Analysis and Linguistic Patterns

- **Sentiment:** Dataset is primarily negative with a smaller portion of positive sentiments.
- **Character Count:** Text length ranges from ~20 to 550 characters, showing variation.
- **Word Count:** Number of words ranges from 2 to 75, with moderate skewness.
- **Sentence Count:** Most texts have a single sentence, indicating consistent structure.
- **Avg. Word Length:** Average word length is ~6.75 characters, revealing linguistic patterns.
- **Avg. Sentence Length:** Average sentence length is ~18 words, with some longer sentences.



# Insights from Sentiment Analysis and N-gram Patterns

- **Top N-grams:** Negative - 'Side effect', 'Renal failure', 'Yearold man/woman', 'Rheumatoid arthritis'. Positive - 'Phase III', 'Yearold man', 'Yearold white', 'Vein thrombosis'.
- **High Frequency Negative N-grams:** 'Side effect' dominates negative sentiment, along with other N-grams indicating specific health conditions or demographics.
- **Low Frequency Positive N-grams:** 'Phase III' is the most frequent positive N-gram, but positive sentiments are less commonly discussed.
- **N-gram Overlap:** 'Yearold man' appears in both positive and negative sentiments, highlighting the importance of context analysis.
- **N-grams and Health Conditions:** N-grams like 'Renal failure' and 'Rheumatoid arthritis' are associated with negative sentiment, suggesting challenges in those areas.



# Visual Patterns in Pharmacovigilance Reporting

- **Adjectives:** Low frequency in both positive and negative reports, indicating limited subjective descriptions.
- **Adverbs:** Slightly higher count in negative reports, emphasizing event intensity.
- **Nouns:** Higher frequencies overall, broader range in positive reports for adverse events.
- **Verbs:** Highest frequencies, especially in positive reports, highlighting active expression.
- **Lexical Diversity:** ADE sentiments show higher diversity, while PTE sentiments have even distribution.
- **Implication:** Accurate reporting of adverse events using specific nouns and verbs is crucial in pharmacovigilance.

