

ICPSR 4652

## **Midlife in the United States (MIDUS 2), 2004-2006**

ICPSR Codebook for M2\_P1\_Disposition  
Codes Data

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

## **Midlife in the United States (MIDUS 2), 2004-2006**

Carol D. Ryff

*University of Wisconsin-Madison*

David M. Almeida

*Pennsylvania State University*

John Z. Ayanian

*University of Michigan*

Deborah S. Carr

*Boston University*

Paul D. Cleary

*Yale School of Medicine*

Christopher Coe

*University of Wisconsin-Madison*

Richard J. Davidson

*University of Wisconsin-Madison*

Robert F. Krueger

*University of Minnesota*

Marge E. Lachman

*Brandeis University*

Nadine F. Marks

*University of Wisconsin-Madison*

Daniel K. Mroczek

*Northwestern University*

Teresa E. Seeman

*University of California-Los Angeles*

Marsha Mailick Seltzer  
*University of Wisconsin-Madison*

Burton H. Singer  
*Princeton University*

Richard P. Sloan  
*Columbia University*

Patricia Ann Tun  
*Brandeis University*

Maxine Weinstein  
*Georgetown University*

David R. Williams  
*Harvard School of Public Health*

# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/web/ICPSR/studies/4652/terms>

## Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

**ICPSR PROCESSING NOTES FOR #4652**  
*Midlife in the United States (MIDUS 2), 2004-2006*  
*DS2: M2\_P1\_Disposition Codes Data*

1. **Variable Link:** The variable **M2ID** is the individual-level linking variable for the MIDUS datasets. The variable **M2FAMNUM** is the household-level linking variable for the MIDUS datasets.
2. **Variable Differences:** Some variables that are included in the data set released by ICPSR are not referenced in the P.I. documentation; no further information was provided.
3. **Additional Information:** For additional information on the Midlife in the United States survey series, please visit the [MIDUS](#) website.

# **ICPSR 4652**

## **Midlife in the United States (MIDUS 2), 2004-2006**

### **Variable Description and Frequencies**

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

# M2\_P1\_Disposition Codes Data

---

## M2ID: MIDUS 2 ID number

Based upon 7,108 valid cases out of 7,108 total cases.

- Mean: 14588.46
- Minimum: 10001.00
- Maximum: 19193.00
- Standard Deviation: 2660.22

*Location:* 1-5 (width: 5; decimal: 0)

*Variable Type:* numeric

---

## M2FAMNUM: MIDUS 2 Family number

Based upon 7,108 valid cases out of 7,108 total cases.

- Mean: 108626.63
- Minimum: 100001.00
- Maximum: 120968.00
- Standard Deviation: 7937.58

*Location:* 6-11 (width: 6; decimal: 0)

*Variable Type:* numeric

---

## SAMPLMAJ: Major sample identification

Value	Label	Unweighted Frequency	%
1	Main (RDD) random digit dialing	3487	49.1 %
2	Sibling	950	13.4 %
3	Twin	1914	26.9 %
4	City oversample	757	10.6 %
13	Milwaukee	0	0.0 %
14	Boston new	0	0.0 %
20	MIDUS refresher	0	0.0 %
21	Milwaukee refresher	0	0.0 %
	<b>Total</b>	<b>7,108</b>	<b>100%</b>

Based upon 7,108 valid cases out of 7,108 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 12-13 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## B1PRAGE\_2019: Respondent's calculated age at MIDUS 2 Project 1 phone interview, updated as of 2019

Value	Label	Unweighted Frequency	%
28	-	1	0.0 %
30	-	1	0.0 %
32	-	1	0.0 %
33	-	8	0.1 %
34	-	57	0.8 %
35	-	87	1.2 %
36	-	81	1.1 %
37	-	88	1.2 %
38	-	89	1.3 %
39	-	96	1.4 %
40	-	108	1.5 %
41	-	124	1.7 %
42	-	115	1.6 %
43	-	128	1.8 %
44	-	133	1.9 %
45	-	160	2.3 %
46	-	124	1.7 %
47	-	125	1.8 %
48	-	142	2.0 %
49	-	139	2.0 %
50	-	146	2.1 %
51	-	143	2.0 %
52	-	101	1.4 %
53	-	132	1.9 %
54	-	135	1.9 %
55	-	167	2.3 %
56	-	137	1.9 %
57	-	147	2.1 %
58	-	107	1.5 %
59	-	131	1.8 %
60	-	111	1.6 %
61	-	113	1.6 %
62	-	117	1.6 %
63	-	102	1.4 %
64	-	99	1.4 %
65	-	125	1.8 %
66	-	88	1.2 %
67	-	90	1.3 %
68	-	81	1.1 %



Value	Label	Unweighted Frequency	%
69	-	99	1.4 %
70	-	75	1.1 %
71	-	76	1.1 %
72	-	72	1.0 %
73	-	70	1.0 %
74	-	66	0.9 %
75	-	68	1.0 %
76	-	46	0.6 %
77	-	67	0.9 %
78	-	37	0.5 %
79	-	52	0.7 %
	<b>Missing Data</b>		
99	Inapp	2145	30.2 %
	<b>Total</b>	<b>7,108</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,963 valid cases out of 7,108 total cases.

- Mean: 55.42
- Median: 55.00
- Mode: 55.00
- Minimum: 28.00
- Maximum: 84.00
- Standard Deviation: 12.45

*Location:* 14-15 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 99

## B1PRSEX: Respondent's sex, updated as of 5-8-2018

Value	Label	Unweighted Frequency	%
1	Male	3440	48.4 %
2	Female	3666	51.6 %
	<b>Missing Data</b>		
8	Refused/unknown	2	0.0 %
	<b>Total</b>	<b>7,108</b>	<b>100%</b>

Based upon 7,106 valid cases out of 7,108 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 16-16 (width: 1; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: 8

## M2P1\_DIS: Project 1 Phone final disposition codes

Value	Label	Unweighted Frequency	%
1	Complete	4963	69.8 %
2	Deceased	403	5.7 %
3	Unconfirmed deceased	67	0.9 %
4	Refused	832	11.7 %
5	Unable to interview	122	1.7 %
6	Non-working number	721	10.1 %
	<b>Total</b>	<b>7,108</b>	<b>100%</b>

Based upon 7,108 valid cases out of 7,108 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 17-17 (width: 1; decimal: 0)

*Variable Type:* numeric