ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 2760

Midlife in the United States (MIDUS 1), 1995-1996

ICPSR Codebook for the Coded Text Data

Midlife in the United States (MIDUS 1), 1995-1996

Orville Gilbert Brim
John D. and Catherine T. MacArthur Foundation. Research Network on Successful Midlife Development

Paul B. Baltes
Max-Planck-Institut für Bildungsforschung.

Larry L. Bumpass
University of Wisconsin

Paul D. Cleary
Harvard Medical School

David L. Featherman
University of Michigan

William R. Hazzard
Wake Forest University

Ronald C. Kessler
Harvard Medical School

Margie E. Lachman
Brandeis University

Hazel Rose Markus
Stanford University

Michael G. Marmot
University College, London. Medical School

Alice S. Rossi
University of Massachusetts at Amherst

Carol D. Ryff

University of Wisconsin

Richard A. Shweder
University of Chicago

Terms of Use

Information about Copyrighted Content

ICPSR PROCESSING NOTES FOR #02760
Midlife in the United States (MIDUS 1),
1995-1996 DS 3: Coded Text Data

1. **Variable Link:** The variable **M2ID** is the individual-level linking variable for the MIDUS datasets.

2. **Additional Information:** For additional information on the Midlife in the United States (MIDUS 1), 1995-1996 study, please visit the MIDUS website.

ICPSR 2760

Midlife in the United States (MIDUS 1), 1995-1996

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Coded Text Data

M2ID: MIDUS 2 ID number

MIDUS 2 ID number

Based upon 3,950 valid cases out of 3,950 total cases.

- Mean: 14575.02
- Minimum: 10005.00
- Maximum: 19193.00
- Standard Deviation: 2653.05

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

A1PA11BJA: A1PA11BJA: Phone questionnaire (Question A11b) other specify - diagnosis for suspected or confirmed heart trouble

What was the diagnosis?

[Do not read list]
[Select all that apply]
[Probe: "Anything else?"]
[Interviewer: If R says "Dr. wasn't sure but thought it might be..." enter '10' and type exactly what they say.]
[Interviewer: If R gives a treatment, probe: "What was the diagnosis?"]

Value	Label	Unweighted Frequency	%
1	Anxiety	0	0.0 %
2	Stress	14	0.4 %
3	Blocked/closed artery	40	1.0 %
4	Gastroesophageal Reflux Disease (GERD)	0	0.0 %
5	High cholesterol	9	0.2 %
6	High blood pressure	4	0.1 %
7	Irregular/fast heart beat/arrhythmia	15	0.4 %
8	Not diagnosed yet	7	0.2 %
9	Wolff-Parkinson-White Syndrome (WPW)	0	0.0 %
10	Tachycardia	6	0.2 %
11	Palpitation	0	0.0 %
12	Valve disease	19	0.5 %
13	Mitrovalve prolapse	8	0.2 %
14	Supraventricular Tachycardia (SVT)	0	0.0 %
15	Sinus tachycardia	0	0.0 %
16	Ventricle problem	0	0.0 %
17	Not specified	27	0.7 %

Value	Label	Unweighted Frequency	%
18	Atrial fibrillation	8	0.2 %
19	Other	79	2.0 %
20	Diabetes	4	0.1 %
21	Blood platelet	0	0.0 %
22	Weakend heart	0	0.0 %
23	Congenital heart disease	0	0.0 %
24	Heart attack	9	0.2 %
25	Cyst on brain	0	0.0 %
26	Rheumatic fever	28	0.7 %
27	Cardiomyopathy	14	0.4 %
28	Stroke	6	0.2 %
29	Heart murmur	0	0.0 %
30	Heart failure/enlarged heart	0	0.0 %
	Missing Data		
99	Inapp	3653	92.5 %
	Total	**3,950**	**100%**

Based upon 297 valid cases out of 3,950 total cases.

• Minimum: 2.00
• Maximum: 28.00

Location: 6-7 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PA11BJB: A1PA11BJB: Phone questionnaire (Question A11b) other specify - diagnosis for suspected or confirmed heart trouble

What was the diagnosis?

[Do not read list]
[Select all that apply]
[Probe: "Anything else?"]
[Interviewer: If R says "Dr. wasn't sure but thought it might be..." enter '10' and type exactly what they say.]
[Interviewer: If R gives a treatment, probe: "What was the diagnosis?"]

Value	Label	Unweighted Frequency	%
1	Anxiety	0	0.0 %
2	Stress	0	0.0 %
3	Blocked/closed artery	5	0.1 %
4	Gastroesophageal Reflux Disease (GERD)	0	0.0 %
5	High cholesterol	0	0.0 %

Value	Label	Unweighted Frequency	%
6	High blood pressure	2	0.1 %
7	Irregular/fast heart beat/arrhythmia	3	0.1 %
8	Not diagnosed yet	0	0.0 %
9	Wolff-Parkinson-White Syndrome (WPW)	0	0.0 %
10	Tachycardia	0	0.0 %
11	Palpitation	0	0.0 %
12	Valve disease	0	0.0 %
13	Mitrovalve prolapse	1	0.0 %
14	Supraventricular Tachycardia (SVT)	0	0.0 %
15	Sinus tachycardia	0	0.0 %
16	Ventricle problem	0	0.0 %
17	Not specified	0	0.0 %
18	Atrial fibrillation	0	0.0 %
19	Other	2	0.1 %
20	Diabetes	3	0.1 %
21	Blood platelet	0	0.0 %
22	Weakend heart	0	0.0 %
23	Congenital heart disease	0	0.0 %
24	Heart attack	2	0.1 %
25	Cyst on brain	0	0.0 %
26	Rheumatic fever	1	0.0 %
27	Cardiomyopathy	0	0.0 %
28	Stroke	0	0.0 %
29	Heart murmur	0	0.0 %
30	Heart failure/enlarged heart	0	0.0 %
	Missing Data		
99	Inapp	3931	99.5 %
	Total	**3,950**	**100%**

Based upon 19 valid cases out of 3,950 total cases.

• Minimum: 3.00
• Maximum: 26.00

Location: 8-9 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PA11BJC: A1PA11BJC: Phone questionnaire (Question A11b) other specify - diagnosis for suspected or confirmed heart trouble

What was the diagnosis?

[Do not read list]
[Select all that apply]
[Probe: "Anything else?"]
[Interviewer: If R says "Dr. wasn't sure but thought it might be..." enter '10' and type exactly what they say.]
[Interviewer: If R gives a treatment, probe: "What was the diagnosis?"]

Value	Label	Unweighted Frequency	%
1	Anxiety	0	0.0 %
2	Stress	0	0.0 %
3	Blocked/closed artery	1	0.0 %
4	Gastroesophageal Reflux Disease (GERD)	0	0.0 %
5	High cholesterol	0	0.0 %
6	High blood pressure	0	0.0 %
7	Irregular/fast heart beat/arrhythmia	0	0.0 %
8	Not diagnosed yet	0	0.0 %
9	Wolff-Parkinson-White Syndrome (WPW)	0	0.0 %
10	Tachycardia	0	0.0 %
11	Palpitation	0	0.0 %
12	Valve disease	0	0.0 %
13	Mitrovalve prolapse	0	0.0 %
14	Supraventricular Tachycardia (SVT)	0	0.0 %
15	Sinus tachycardia	0	0.0 %
16	Ventricle problem	0	0.0 %
17	Not specified	0	0.0 %
18	Atrial fibrillation	0	0.0 %
19	Other	0	0.0 %
20	Diabetes	0	0.0 %
21	Blood platelet	0	0.0 %
22	Weakend heart	0	0.0 %
23	Congenital heart disease	0	0.0 %
24	Heart attack	1	0.0 %
25	Cyst on brain	0	0.0 %
26	Rheumatic fever	0	0.0 %
27	Cardiomyopathy	1	0.0 %
28	Stroke	0	0.0 %
29	Heart murmur	0	0.0 %
30	Heart failure/enlarged heart	0	0.0 %
	Missing Data		
99	Inapp	3947	99.9 %

Value	Label	Unweighted Frequency	%
	Total	**3,950**	**100%**

Based upon 3 valid cases out of 3,950 total cases.

- Minimum: 3.00
- Maximum: 27.00

Location: 10-11 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PA28DA: A1PA28DA: Phone questionnaire (Question A28) other specify - location of pain or discomfort number 1

Where do you get this pain or discomfort - in the center of your chest, in the left side of your chest only, in the left side of your chest and your left arm, or somewhere else?

[Select one only]

Value	Label	Unweighted Frequency	%
1	Left chest	29	0.7 %
2	Right chest	12	0.3 %
3	Back	5	0.1 %
4	Center chest	15	0.4 %
5	Whole chest	19	0.5 %
6	Left arm	4	0.1 %
7	Right arm	10	0.3 %
8	Jaw	0	0.0 %
9	Lung	10	0.3 %
10	Neck	5	0.1 %
11	Stomach	0	0.0 %
12	Other	18	0.5 %
13	Both sides of chest	0	0.0 %
14	Upper chest	0	0.0 %
15	Below chest	0	0.0 %
16	Legs	0	0.0 %
17	One or both arms	0	0.0 %
	Missing Data		
99	Inapp	3823	96.8 %
	Total	**3,950**	**100%**

Based upon 127 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 12-13 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PA28DB: A1PA28DB: Phone questionnaire (Question A28) other specify - location of pain or discomfort number 1

Where do you get this pain or discomfort - in the center of your chest, in the left side
of your chest only, in the left side of your chest and your left arm, or somewhere else?

[Select one only]

Value	Label	Unweighted Frequency	%
1	Left chest	1	0.0 %
2	Right chest	7	0.2 %
3	Back	5	0.1 %
4	Center chest	18	0.5 %
5	Whole chest	0	0.0 %
6	Left arm	14	0.4 %
7	Right arm	5	0.1 %
8	Jaw	0	0.0 %
9	Lung	0	0.0 %
10	Neck	0	0.0 %
11	Stomach	0	0.0 %
12	Other	0	0.0 %
13	Both sides of chest	0	0.0 %
14	Upper chest	0	0.0 %
15	Below chest	0	0.0 %
16	Legs	0	0.0 %
17	One or both arms	0	0.0 %
	Missing Data		
99	Inapp	3900	98.7 %
	Total	**3,950**	**100%**

Based upon 50 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 14-15 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PA28DC: A1PA28DC: Phone questionnaire (Question A28) other specify - location of pain or discomfort number 1

Where do you get this pain or discomfort - in the center of your chest, in the left side
of your chest only, in the left side of your chest and your left arm, or somewhere else?

[Select one only]

Value	Label	Unweighted Frequency	%
1	Left chest	0	0.0 %
2	Right chest	1	0.0 %
3	Back	4	0.1 %
4	Center chest	0	0.0 %
5	Whole chest	0	0.0 %
6	Left arm	10	0.3 %
7	Right arm	0	0.0 %
8	Jaw	0	0.0 %
9	Lung	0	0.0 %
10	Neck	1	0.0 %
11	Stomach	0	0.0 %
12	Other	1	0.0 %
13	Both sides of chest	0	0.0 %
14	Upper chest	0	0.0 %
15	Below chest	0	0.0 %
16	Legs	0	0.0 %
17	One or both arms	0	0.0 %
	Missing Data		
99	Inapp	3933	99.6 %
	Total	**3,950**	**100%**

Based upon 17 valid cases out of 3,950 total cases.

• Minimum: 2.00
• Maximum: 12.00

Location: 16-17 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PA28DD: A1PA28DD: Phone questionnaire (Question A28) other specify - location of pain or discomfort number 1

Where do you get this pain or discomfort - in the center of your chest, in the left side

of your chest only, in the left side of your chest and your left arm, or somewhere else?

[Select one only]

Value	Label	Unweighted Frequency	%
1	Left chest	0	0.0 %
2	Right chest	1	0.0 %
3	Back	1	0.0 %
4	Center chest	1	0.0 %
5	Whole chest	0	0.0 %
6	Left arm	0	0.0 %
7	Right arm	0	0.0 %
8	Jaw	0	0.0 %
9	Lung	0	0.0 %
10	Neck	1	0.0 %
11	Stomach	0	0.0 %
12	Other	0	0.0 %
13	Both sides of chest	0	0.0 %
14	Upper chest	0	0.0 %
15	Below chest	0	0.0 %
16	Legs	0	0.0 %
17	One or both arms	0	0.0 %
	Missing Data		
99	Inapp	3946	99.9 %
	Total	**3,950**	**100%**

Based upon 4 valid cases out of 3,950 total cases.

- Minimum: 2.00
- Maximum: 10.00

Location: 18-19 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PA29CJA: A1PA29CJA: Phone questionnaire (Question A29c) other specify - what doctor said it was about a severe pain across the front of chest

What did the doctor say it was?

[Do not read list]
[Select all that apply]
[Probe: "Anything else?"]
[Interviewer: If R says "Dr. wasn't sure but thought it might be..." enter '10' and type exactly what they say.]

Value	Label	Unweighted Frequency	%
1	Heart	31	0.8 %
2	Panic attack	0	0.0 %
3	Gall bladder/gallstone	23	0.6 %
4	Gas	17	0.4 %
5	Acid reflux	6	0.2 %
6	Stress/anxiety	41	1.0 %
7	Indigestion	14	0.4 %
8	Hernia	19	0.5 %
9	Ulcer	9	0.2 %
10	Esophageal	12	0.3 %
11	Other	64	1.6 %
12	Heart burn	0	0.0 %
13	Muscle	28	0.7 %
14	Cartilage	0	0.0 %
15	Lung/asthma	18	0.5 %
16	Not diagnosed yet/unknown	11	0.3 %
17	Nothing to be concerned	0	0.0 %
18	Pancreas	0	0.0 %
19	Exercise routine/activity	0	0.0 %
20	Stomach	0	0.0 %
21	Artery	0	0.0 %
22	Nerve	0	0.0 %
	Missing Data		
99	Inapp	3657	92.6 %
	Total	**3,950**	**100%**

Based upon 293 valid cases out of 3,950 total cases.

• Minimum: 1.00
• Maximum: 16.00

Location: 20-21 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PA29CJB: A1PA29CJB: Phone questionnaire (Question A29c) other specify - what doctor said it was about a severe pain across the front of chest

What did the doctor say it was?

[Do not read list]
[Select all that apply]
[Probe: "Anything else?"]

[Interviewer: If R says "Dr. wasn't sure but thought it might be..." enter '10' and type exactly what they say.]

Value	Label	Unweighted Frequency	%
1	Heart	2	0.1 %
2	Panic attack	0	0.0 %
3	Gall bladder/gallstone	2	0.1 %
4	Gas	2	0.1 %
5	Acid reflux	3	0.1 %
6	Stress/anxiety	5	0.1 %
7	Indigestion	2	0.1 %
8	Hernia	0	0.0 %
9	Ulcer	1	0.0 %
10	Esophageal	2	0.1 %
11	Other	2	0.1 %
12	Heart burn	0	0.0 %
13	Muscle	1	0.0 %
14	Cartilage	0	0.0 %
15	Lung/asthma	2	0.1 %
16	Not diagnosed yet/unknown	0	0.0 %
17	Nothing to be concerned	0	0.0 %
18	Pancreas	0	0.0 %
19	Exercise routine/activity	0	0.0 %
20	Stomach	0	0.0 %
21	Artery	0	0.0 %
22	Nerve	0	0.0 %
	Missing Data		
99	Inapp	3926	99.4 %
	Total	**3,950**	**100%**

Based upon 24 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 22-23 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PA29CJC: A1PA29CJC: Phone questionnaire (Question A29c) other specify - what doctor said it was about a severe pain across the front of chest

What did the doctor say it was?

[Do not read list]
[Select all that apply]
[Probe: "Anything else?"]
[Interviewer: If R says "Dr. wasn't sure but thought it might be..." enter '10' and type exactly what they say.]

Value	Label	Unweighted Frequency	%
1	Heart	1	0.0 %
2	Panic attack	0	0.0 %
3	Gall bladder/gallstone	0	0.0 %
4	Gas	0	0.0 %
5	Acid reflux	0	0.0 %
6	Stress/anxiety	0	0.0 %
7	Indigestion	0	0.0 %
8	Hernia	0	0.0 %
9	Ulcer	0	0.0 %
10	Esophageal	0	0.0 %
11	Other	0	0.0 %
12	Heart burn	0	0.0 %
13	Muscle	0	0.0 %
14	Cartilage	0	0.0 %
15	Lung/asthma	0	0.0 %
16	Not diagnosed yet/unknown	0	0.0 %
17	Nothing to be concerned	0	0.0 %
18	Pancreas	0	0.0 %
19	Exercise routine/activity	0	0.0 %
20	Stomach	0	0.0 %
21	Artery	0	0.0 %
22	Nerve	0	0.0 %
	Missing Data		
99	Inapp	3949	100.0 %
	Total	**3,950**	**100%**

Based upon 1 valid cases out of 3,950 total cases.

• Minimum: 1.00
• Maximum: 1.00

Location: 24-25 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PA38A: A1PA38A: Phone questionnaire (Question A35) other specify - treatment/therapy for high blood pressure number 1

What is that treatment or therapy?

[Probe: "Any others?"]
[Probe for specifics]

Value	Label	Unweighted Frequency	%
1	Lose weight	4	0.1 %
2	Exercise	253	6.4 %
3	Low sodium/sugar	43	1.1 %
4	Other	9	0.2 %
5	Medication	55	1.4 %
6	Supplement	25	0.6 %
7	Healthy diet	43	1.1 %
8	Regularly monitor	0	0.0 %
9	Rest	0	0.0 %
10	Release stress	7	0.2 %
11	Physical therapy	0	0.0 %
12	Massage/spa	0	0.0 %
13	Portion control	0	0.0 %
14	Lifestyle change	0	0.0 %
	Missing Data		
99	Inapp	3511	88.9 %
	Total	**3,950**	**100%**

Based upon 439 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 26-27 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PA38B: A1PA38B: Phone questionnaire (Question A35) other specify - treatment/therapy for high blood pressure number 2

What is that treatment or therapy?

[Probe: "Any others?"]
[Probe for specifics]

Value	Label	Unweighted Frequency	%
1	Lose weight	11	0.3 %

Value	Label	Unweighted Frequency	%
2	Exercise	13	0.3 %
3	Low sodium/sugar	8	0.2 %
4	Other	11	0.3 %
5	Medication	12	0.3 %
6	Supplement	14	0.4 %
7	Healthy diet	84	2.1 %
8	Regularly monitor	0	0.0 %
9	Rest	0	0.0 %
10	Release stress	9	0.2 %
11	Physical therapy	0	0.0 %
12	Massage/spa	0	0.0 %
13	Portion control	0	0.0 %
14	Lifestyle change	0	0.0 %
	Missing Data		
99	Inapp	3788	95.9 %
	Total	**3,950**	**100%**

Based upon 162 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 28-29 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PA38C: A1PA38C: Phone questionnaire (Question A35) other specify - treatment/therapy for high blood pressure number 3

What is that treatment or therapy?

[Probe: "Any others?"]
[Probe for specifics]

Value	Label	Unweighted Frequency	%
1	Lose weight	7	0.2 %
2	Exercise	0	0.0 %
3	Low sodium/sugar	2	0.1 %
4	Other	2	0.1 %
5	Medication	2	0.1 %
6	Supplement	0	0.0 %
7	Healthy diet	25	0.6 %

Value	Label	Unweighted Frequency	%
8	Regularly monitor	0	0.0 %
9	Rest	0	0.0 %
10	Release stress	4	0.1 %
11	Physical therapy	0	0.0 %
12	Massage/spa	0	0.0 %
13	Portion control	0	0.0 %
14	Lifestyle change	0	0.0 %
	Missing Data		
99	Inapp	3908	98.9 %
	Total	**3,950**	**100%**

Based upon 42 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 30-31 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PA38D: A1PA38D: Phone questionnaire (Question A35) other specify - treatment/therapy for high blood pressure number 4

What is that treatment or therapy?

[Probe: "Any others?"]
[Probe for specifics]

Value	Label	Unweighted Frequency	%
1	Lose weight	0	0.0 %
2	Exercise	0	0.0 %
3	Low sodium/sugar	1	0.0 %
4	Other	0	0.0 %
5	Medication	2	0.1 %
6	Supplement	0	0.0 %
7	Healthy diet	6	0.2 %
8	Regularly monitor	0	0.0 %
9	Rest	0	0.0 %
10	Release stress	1	0.0 %
11	Physical therapy	0	0.0 %
12	Massage/spa	0	0.0 %
13	Portion control	0	0.0 %

Value	Label	Unweighted Frequency	%
14	Lifestyle change	0	0.0 %
	Missing Data		
99	Inapp	3940	99.7 %
	Total	**3,950**	**100%**

Based upon 10 valid cases out of 3,950 total cases.

- Minimum: 3.00
- Maximum: 10.00

Location: 32-33 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PA38E: A1PA38E: Phone questionnaire (Question A35) other specify - treatment/therapy for high blood pressure number 5

What is that treatment or therapy?

[Probe: "Any others?"]
[Probe for specifics]

Value	Label	Unweighted Frequency	%
1	Lose weight	0	0.0 %
2	Exercise	0	0.0 %
3	Low sodium/sugar	0	0.0 %
4	Other	0	0.0 %
5	Medication	1	0.0 %
6	Supplement	0	0.0 %
7	Healthy diet	2	0.1 %
8	Regularly monitor	0	0.0 %
9	Rest	0	0.0 %
10	Release stress	0	0.0 %
11	Physical therapy	0	0.0 %
12	Massage/spa	0	0.0 %
13	Portion control	0	0.0 %
14	Lifestyle change	0	0.0 %
	Missing Data		
99	Inapp	3947	99.9 %
	Total	**3,950**	**100%**

Based upon 3 valid cases out of 3,950 total cases.

- Minimum: 5.00
- Maximum: 7.00

Location: 34-35 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PA39JA: A1PA39JA: Phone questionnaire (Question A39) other specify - type of cancer respondent has had number 1

What type of cancer have you had?

[Only men will get prostate cancer as a response option.]
[Only women will get cervical, ovarian and uterine cancer response options.]
[Do not read list]
[Select all that apply]
[Probe: "Any other?"]

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/rectal	1	0.0 %
113	Lungs	1	0.0 %
114	Leukemia	0	0.0 %
115	Lymph nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	13	0.3 %
119	Uterine	10	0.3 %
120	Bone	5	0.1 %
121	Spine/back	0	0.0 %
122	Blood	4	0.1 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/head	0	0.0 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous system	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	2	0.1 %

Value	Label	Unweighted Frequency	%
134	Intestine	0	0.0 %
135	Liver	0	0.0 %
136	Gall bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	2	0.1 %
139	Bladder	10	0.3 %
140	Pancreas	0	0.0 %
141	Thyroid	10	0.3 %
142	Adrenal glands	0	0.0 %
143	Parotid glands	0	0.0 %
144	Pituitary gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female reproductive system	0	0.0 %
147	Testicular	6	0.2 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
999	Inapp	3853	97.5 %
	Total	**3,950**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 97 valid cases out of 3,950 total cases.

- Minimum: 112.00
- Maximum: 166.00

Location: 36-38 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

A1PA39JB: A1PA39JB: Phone questionnaire (Question A39) other specify - type of cancer respondent has had number 1

What type of cancer have you had?

[Only men will get prostate cancer as a response option.]
[Only women will get cervical, ovarian and uterine cancer response options.]
[Do not read list]
[Select all that apply]
[Probe: "Any other?"]

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/rectal	0	0.0 %
113	Lungs	0	0.0 %
114	Leukemia	0	0.0 %
115	Lymph nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	0	0.0 %
121	Spine/back	0	0.0 %
122	Blood	0	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/head	0	0.0 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous system	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	1	0.0 %
134	Intestine	0	0.0 %
135	Liver	0	0.0 %
136	Gall bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %

Value	Label	Unweighted Frequency	%
139	Bladder	0	0.0 %
140	Pancreas	0	0.0 %
141	Thyroid	1	0.0 %
142	Adrenal glands	0	0.0 %
143	Parotid glands	0	0.0 %
144	Pituitary gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female reproductive system	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
999	Inapp	3948	99.9 %
	Total	**3,950**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2 valid cases out of 3,950 total cases.

- Minimum: 133.00
- Maximum: 141.00

Location: 39-41 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 997 , 998 , 999

A1PB3KA: A1PB3KA: Phone questionnaire (Question B3) other specify - respondent's current employment situation

What about your current employment situation - are you working now for pay, self-employed, looking for work, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else?

[Do not read list]
[Select all that apply]
[Do not probe for others]
[If QB3 = Working now, self-employed, temporarily laid off only, or maternity sick leave only, go to QB8_2]

Value	Label	Unweighted Frequency	%
1	Disabled	38	1.0 %
2	Caregiving for family	0	0.0 %
3	Volunteer	3	0.1 %
4	Homemaker	0	0.0 %
5	Health problem	7	0.2 %
6	Live on insurance benefit	6	0.2 %
7	Laid off	0	0.0 %
8	Working	0	0.0 %
9	Self-employed	1	0.0 %
10	Part-time work	3	0.1 %
11	Apprenticeship	0	0.0 %
12	Not specified	0	0.0 %
13	Unpaid internship	0	0.0 %
14	Temporary or seasonal work	0	0.0 %
15	Other	11	0.3 %
16	Looking for work	0	0.0 %
17	Retired	0	0.0 %
18	Sick leave	0	0.0 %
19	Social security	0	0.0 %
	Missing Data		
99	Inapp	3881	98.3 %
	Total	**3,950**	**100%**

Based upon 69 valid cases out of 3,950 total cases.

• Minimum: 1.00
• Maximum: 15.00

Location: 42-43 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PB3KB: A1PB3KB: Phone questionnaire (Question B3) other specify - respondent's current employment situation

What about your current employment situation - are you working now for pay, self-employed, looking for work, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else?

[Do not read list]
[Select all that apply]
[Do not probe for others]
[If QB3 = Working now, self-employed, temporarily laid off only, or maternity sick leave only, go to QB8_2]

Value	Label	Unweighted Frequency	%
1	Disabled	0	0.0 %
2	Caregiving for family	0	0.0 %
3	Volunteer	0	0.0 %
4	Homemaker	0	0.0 %
5	Health problem	1	0.0 %
6	Live on insurance benefit	0	0.0 %
7	Laid off	0	0.0 %
8	Working	0	0.0 %
9	Self-employed	0	0.0 %
10	Part-time work	0	0.0 %
11	Apprenticeship	0	0.0 %
12	Not specified	0	0.0 %
13	Unpaid internship	0	0.0 %
14	Temporary or seasonal work	0	0.0 %
15	Other	0	0.0 %
16	Looking for work	0	0.0 %
17	Retired	0	0.0 %
18	Sick leave	0	0.0 %
19	Social security	0	0.0 %
	Missing Data		
99	Inapp	3949	100.0 %
	Total	**3,950**	**100%**

Based upon 1 valid cases out of 3,950 total cases.

• Minimum: 5.00
• Maximum: 5.00

Location: 44-45 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PB4GA: A1PB4GA: Phone questionnaire (Question B4) other specify - reason for respondent's unemployment number 1

What happened - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen?

[Do not read list]
[Select all that apply]
[Do not probe for others]

Value	Label	Unweighted Frequency	%
1	Disabled	66	1.7 %
2	Had a baby/child care/married/homemaker	107	2.7 %
3	Health problem/accident	186	4.7 %
4	Other	49	1.2 %
5	Schooling	17	0.4 %
6	Moved	26	0.7 %
7	Imprisoned	0	0.0 %
8	Temporary job/seasonal job/contract ended	22	0.6 %
9	Laid off	9	0.2 %
10	No work/lack of work	0	0.0 %
11	Caregiving for family	26	0.7 %
12	Graduated from school/semester ended	0	0.0 %
13	Company moved/closed	24	0.6 %
14	Resigned/chose to quit	23	0.6 %
15	Didn't like working condition	0	0.0 %
16	Retired	0	0.0 %
	Missing Data		
99	Inapp	3395	85.9 %
	Total	**3,950**	**100%**

Based upon 555 valid cases out of 3,950 total cases.

• Minimum: 1.00
• Maximum: 14.00

Location: 46-47 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PB4GB: A1PB4GB: Phone questionnaire (Question B4) other specify - reason for respondent's unemployment number 1

What happened - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen?

[Do not read list]
[Select all that apply]
[Do not probe for others]

Value	Label	Unweighted Frequency	%
1	Disabled	1	0.0 %
2	Had a baby/child care/married/homemaker	1	0.0 %
3	Health problem/accident	6	0.2 %
4	Other	0	0.0 %
5	Schooling	1	0.0 %
6	Moved	6	0.2 %
7	Imprisoned	0	0.0 %
8	Temporary job/seasonal job/contract ended	1	0.0 %
9	Laid off	0	0.0 %
10	No work/lack of work	0	0.0 %
11	Caregiving for family	0	0.0 %
12	Graduated from school/semester ended	0	0.0 %
13	Company moved/closed	5	0.1 %
14	Resigned/chose to quit	0	0.0 %
15	Didn't like working condition	0	0.0 %
16	Retired	0	0.0 %
	Missing Data		
99	Inapp	3929	99.5 %
	Total	**3,950**	**100%**

Based upon 21 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 13.00

Location: 48-49 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PB4GC: A1PB4GC: Phone questionnaire (Question B4) other specify - reason for respondent's unemployment number 1

What happened - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen?

[Do not read list]
[Select all that apply]
[Do not probe for others]

Value	Label	Unweighted Frequency	%
1	Disabled	0	0.0 %
2	Had a baby/child care/married/homemaker	0	0.0 %
3	Health problem/accident	1	0.0 %

Value	Label	Unweighted Frequency	%
4	Other	0	0.0 %
5	Schooling	0	0.0 %
6	Moved	0	0.0 %
7	Imprisoned	0	0.0 %
8	Temporary job/seasonal job/contract ended	0	0.0 %
9	Laid off	1	0.0 %
10	No work/lack of work	0	0.0 %
11	Caregiving for family	0	0.0 %
12	Graduated from school/semester ended	0	0.0 %
13	Company moved/closed	0	0.0 %
14	Resigned/chose to quit	0	0.0 %
15	Didn't like working condition	0	0.0 %
16	Retired	0	0.0 %
	Missing Data		
99	Inapp	3948	99.9 %
	Total	**3,950**	**100%**

Based upon 2 valid cases out of 3,950 total cases.

- Minimum: 3.00
- Maximum: 9.00

Location: 50-51 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PB28KA: A1PB28KA: Phone questionnaire (Question B28) other specify - spouse/partner's current employment situation number 1

What is your (spouse/partner)'s current employment status? is (he/she) working now for pay, self-employed, looking for work, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else?

[Do not read list]
[Select all that apply]
[Do not probe for others]
[If QB28 = Working now, self-employed, temporarily laid off only, or maternity or sick leave only, go to QB33_2]

Value	Label	Unweighted Frequency	%
1	Disabled	14	0.4 %
2	Health problem	1	0.0 %
3	Volunteer/unpaid job	5	0.1 %
4	Part-time job	0	0.0 %
5	Maternity leave	0	0.0 %

Value	Label	Unweighted Frequency	%
6	Not working	3	0.1 %
7	Working	6	0.2 %
8	About to start working	0	0.0 %
9	Caregiving for family/friend	0	0.0 %
10	Live on insurance benefit	0	0.0 %
11	Homemaker	0	0.0 %
12	Self-employed	0	0.0 %
13	Other	0	0.0 %
	Missing Data		
99	Inapp	3921	99.3 %
	Total	**3,950**	**100%**

Based upon 29 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 52-53 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PB28KB: A1PB28KB: Phone questionnaire (Question B28) other specify - spouse/partner's current employment situation number 2

What is your (spouse/partner)'s current employment status? is (he/she) working now for pay, self-employed, looking for work, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else?

[Do not read list]
[Select all that apply]
[Do not probe for others]
[If QB28 = Working now, self-employed, temporarily laid off only, or maternity or sick leave only, go to QB33_2]

Value	Label	Unweighted Frequency	%
1	Disabled	1	0.0 %
2	Health problem	1	0.0 %
3	Volunteer/unpaid job	0	0.0 %
4	Part-time job	0	0.0 %
5	Maternity leave	0	0.0 %
6	Not working	0	0.0 %
7	Working	0	0.0 %
8	About to start working	0	0.0 %
9	Caregiving for family/friend	0	0.0 %
10	Live on insurance benefit	0	0.0 %

Value	Label	Unweighted Frequency	%
11	Homemaker	0	0.0 %
12	Self-employed	0	0.0 %
13	Other	0	0.0 %
	Missing Data		
99	Inapp	3948	99.9 %
	Total	**3,950**	**100%**

Based upon 2 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 54-55 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PB29GA: A1PB29GA: Phone questionnaire (Question B29) other specify - reason for spouse/partner's unemployment number 1

What happened - was (he/she) fired or laid off, did the company close down, did (he/she) quit, choose to retire or did something else happen?

[Do not read list]
[Select all that apply]
[Probe for others]

Value	Label	Unweighted Frequency	%
1	Disabled	39	1.0 %
2	Had a baby/child care/married/homemaker	137	3.5 %
3	Health problem/accident	112	2.8 %
4	Other	21	0.5 %
5	Schooling	16	0.4 %
6	Moved	29	0.7 %
7	Imprisoned	0	0.0 %
8	Temporary job/seasonal job/contract ended	16	0.4 %
9	Laid off	0	0.0 %
10	No work/lack of work	0	0.0 %
11	Caregiving for family	0	0.0 %
12	Graduated from school/semester ended	0	0.0 %
13	Company moved/closed	21	0.5 %
14	Resigned/chose to quit	22	0.6 %
15	Didn't like working condition	0	0.0 %
16	Retired	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
99	Inapp	3537	89.5 %
	Total	**3,950**	**100%**

Based upon 413 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 56-57 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PB29GB: A1PB29GB: Phone questionnaire (Question B29) other specify - reason for spouse/partner's unemployment number 1

What happened - was (he/she) fired or laid off, did the company close down, did (he/she) quit, choose to retire or did something else happen?

[Do not read list]
[Select all that apply]
[Probe for others]

Value	Label	Unweighted Frequency	%
1	Disabled	0	0.0 %
2	Had a baby/child care/married/homemaker	1	0.0 %
3	Health problem/accident	18	0.5 %
4	Other	0	0.0 %
5	Schooling	1	0.0 %
6	Moved	3	0.1 %
7	Imprisoned	0	0.0 %
8	Temporary job/seasonal job/contract ended	1	0.0 %
9	Laid off	0	0.0 %
10	No work/lack of work	0	0.0 %
11	Caregiving for family	0	0.0 %
12	Graduated from school/semester ended	0	0.0 %
13	Company moved/closed	0	0.0 %
14	Resigned/chose to quit	0	0.0 %
15	Didn't like working condition	0	0.0 %
16	Retired	0	0.0 %
	Missing Data		
99	Inapp	3926	99.4 %
	Total	**3,950**	**100%**

Based upon 24 valid cases out of 3,950 total cases.

- Minimum: 2.00
- Maximum: 8.00

Location: 58-59 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PB29GC: A1PB29GC: Phone questionnaire (Question B29) other specify - reason for spouse/partner's unemployment number 1

What happened - was (he/she) fired or laid off, did the company close down, did (he/she) quit, choose to retire or did something else happen?

[Do not read list]
[Select all that apply]
[Probe for others]

Value	Label	Unweighted Frequency	%
1	Disabled	0	0.0 %
2	Had a baby/child care/married/homemaker	0	0.0 %
3	Health problem/accident	0	0.0 %
4	Other	0	0.0 %
5	Schooling	0	0.0 %
6	Moved	1	0.0 %
7	Imprisoned	0	0.0 %
8	Temporary job/seasonal job/contract ended	0	0.0 %
9	Laid off	0	0.0 %
10	No work/lack of work	0	0.0 %
11	Caregiving for family	0	0.0 %
12	Graduated from school/semester ended	0	0.0 %
13	Company moved/closed	0	0.0 %
14	Resigned/chose to quit	0	0.0 %
15	Didn't like working condition	0	0.0 %
16	Retired	0	0.0 %
	Missing Data		
99	Inapp	3949	100.0 %
	Total	**3,950**	**100%**

Based upon 1 valid cases out of 3,950 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 60-61 (width: 2; decimal: 0)

A1PB371BDA: A1PB371BDA: Phone questionnaire (Question B37b) other specify - relationship with children you helped to raise for at least five years 1 number 1

Is (he/she).../what is your relationship with (him/her)?

[Read list/read list if necessary]

Value	Label	Unweighted Frequency	%
1	Stepchild	4	0.1 %
2	Adopted child	0	0.0 %
3	Foster child	0	0.0 %
4	Grandchild	50	1.3 %
5	Nephew/niece	30	0.8 %
6	Friend's child	9	0.2 %
7	Godchild	8	0.2 %
8	Other: Family member	6	0.2 %
9	Other: Non-family member	6	0.2 %
10	Other	9	0.2 %
11	Sister	5	0.1 %
12	Brother	4	0.1 %
	Missing Data		
99	Inapp	3819	96.7 %
	Total	**3,950**	**100%**

Based upon 131 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 62-63 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PB371BDB: A1PB371BDB: Phone questionnaire (Question B37b) other specify - relationship with children you helped to raise for at least five years 1 number 2

Is (he/she).../what is your relationship with (him/her)?

[Read list/read list if necessary]

Value	Label	Unweighted Frequency	%
1	Stepchild	2	0.1 %
2	Adopted child	6	0.2 %
3	Foster child	0	0.0 %
4	Grandchild	0	0.0 %
5	Nephew/niece	1	0.0 %
6	Friend's child	0	0.0 %
7	Godchild	0	0.0 %
8	Other: Family member	0	0.0 %
9	Other: Non-family member	0	0.0 %
10	Other	0	0.0 %
11	Sister	0	0.0 %
12	Brother	0	0.0 %
	Missing Data		
99	Inapp	3941	99.8 %
	Total	**3,950**	**100%**

Based upon 9 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 64-65 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PB372BDA: A1PB372BDA: Phone questionnaire (Question B37b) other specify - relationship with children you helped to raise for at least five years 2 number 1

Is (he/she).../what is your relationship with (him/her)?

[Read list/read list if necessary]

Value	Label	Unweighted Frequency	%
1	Stepchild	1	0.0 %
2	Adopted child	1	0.0 %
3	Foster child	0	0.0 %
4	Grandchild	15	0.4 %
5	Nephew/niece	15	0.4 %
6	Friend's child	5	0.1 %
7	Godchild	1	0.0 %
8	Other: Family member	1	0.0 %
9	Other: Non-family member	1	0.0 %

Value	Label	Unweighted Frequency	%
10	Other	5	0.1 %
11	Sister	3	0.1 %
12	Brother	1	0.0 %
	Missing Data		
99	Inapp	3901	98.8 %
	Total	**3,950**	**100%**

Based upon 49 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 66-67 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PB372BDB: A1PB372BDB: Phone questionnaire (Question B37b) other specify - relationship with children you helped to raise for at least five years 2 number 2

Is (he/she).../what is your relationship with (him/her)?

[Read list/read list if necessary]

Value	Label	Unweighted Frequency	%
1	Stepchild	0	0.0 %
2	Adopted child	1	0.0 %
3	Foster child	0	0.0 %
4	Grandchild	0	0.0 %
5	Nephew/niece	0	0.0 %
6	Friend's child	0	0.0 %
7	Godchild	0	0.0 %
8	Other: Family member	0	0.0 %
9	Other: Non-family member	0	0.0 %
10	Other	0	0.0 %
11	Sister	0	0.0 %
12	Brother	0	0.0 %
	Missing Data		
99	Inapp	3949	100.0 %
	Total	**3,950**	**100%**

Based upon 1 valid cases out of 3,950 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 68-69 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PB373BDA: A1PB373BDA: Phone questionnaire (Question B37b) other specify - relationship with children you helped to raise for at least five years 3 number 1

Is (he/she).../what is your relationship with (him/her)?

[Read list/read list if necessary]

Value	Label	Unweighted Frequency	%
1	Stepchild	0	0.0 %
2	Adopted child	0	0.0 %
3	Foster child	0	0.0 %
4	Grandchild	7	0.2 %
5	Nephew/niece	4	0.1 %
6	Friend's child	1	0.0 %
7	Godchild	1	0.0 %
8	Other: Family member	2	0.1 %
9	Other: Non-family member	0	0.0 %
10	Other	1	0.0 %
11	Sister	0	0.0 %
12	Brother	0	0.0 %
	Missing Data		
99	Inapp	3934	99.6 %
	Total	**3,950**	**100%**

Based upon 16 valid cases out of 3,950 total cases.

- Minimum: 4.00
- Maximum: 10.00

Location: 70-71 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PB374BDA: A1PB374BDA: Phone questionnaire (Question B37b) other specify - relationship with children you helped to raise for at least five years 4 number 1

Is (he/she).../what is your relationship with (him/her)?

[Read list/read list if necessary]

Value	Label	Unweighted Frequency	%
1	Stepchild	0	0.0 %
2	Adopted child	0	0.0 %
3	Foster child	0	0.0 %
4	Grandchild	2	0.1 %
5	Nephew/niece	4	0.1 %
6	Friend's child	0	0.0 %
7	Godchild	0	0.0 %
8	Other: Family member	1	0.0 %
9	Other: Non-family member	0	0.0 %
10	Other	1	0.0 %
11	Sister	0	0.0 %
12	Brother	0	0.0 %
	Missing Data		
99	Inapp	3942	99.8 %
	Total	**3,950**	**100%**

Based upon 8 valid cases out of 3,950 total cases.

- Minimum: 4.00
- Maximum: 10.00

Location: 72-73 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PB375BDA: A1PB375BDA: Phone questionnaire (Question B37b) other specify - relationship with children you helped to raise for at least five years 5 number 1

Is (he/she).../what is your relationship with (him/her)?

[Read list/read list if necessary]

Value	Label	Unweighted Frequency	%
1	Stepchild	0	0.0 %
2	Adopted child	0	0.0 %
3	Foster child	0	0.0 %
4	Grandchild	0	0.0 %
5	Nephew/niece	3	0.1 %
6	Friend's child	0	0.0 %
7	Godchild	0	0.0 %

Value	Label	Unweighted Frequency	%
8	Other: Family member	0	0.0 %
9	Other: Non-family member	0	0.0 %
10	Other	0	0.0 %
11	Sister	0	0.0 %
12	Brother	0	0.0 %
	Missing Data		
99	Inapp	3947	99.9 %
	Total	**3,950**	**100%**

Based upon 3 valid cases out of 3,950 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 74-75 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PB376BDA: A1PB376BDA: Phone questionnaire (Question B37b) other specify - relationship with children you helped to raise for at least five years 6 number 1

Is (he/she).../what is your relationship with (him/her)?

[Read list/read list if necessary]

Value	Label	Unweighted Frequency	%
1	Stepchild	0	0.0 %
2	Adopted child	0	0.0 %
3	Foster child	0	0.0 %
4	Grandchild	1	0.0 %
5	Nephew/niece	0	0.0 %
6	Friend's child	0	0.0 %
7	Godchild	0	0.0 %
8	Other: Family member	0	0.0 %
9	Other: Non-family member	0	0.0 %
10	Other	0	0.0 %
11	Sister	0	0.0 %
12	Brother	0	0.0 %
	Missing Data		
99	Inapp	3949	100.0 %
	Total	**3,950**	**100%**

Based upon 1 valid cases out of 3,950 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 76-77 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PB377BDA: A1PB377BDA: Phone questionnaire (Question B37b) other specify - relationship with children you helped to raise for at least five years 2 number 1

Is (he/she).../what is your relationship with (him/her)?

[Read list/read list if necessary]

Value	Label	Unweighted Frequency	%
1	Stepchild	1	0.0 %
2	Adopted child	0	0.0 %
3	Foster child	0	0.0 %
4	Grandchild	0	0.0 %
5	Nephew/niece	0	0.0 %
6	Friend's child	0	0.0 %
7	Godchild	0	0.0 %
8	Other: Family member	0	0.0 %
9	Other: Non-family member	0	0.0 %
10	Other	0	0.0 %
11	Sister	0	0.0 %
12	Brother	0	0.0 %
	Missing Data		
99	Inapp	3949	100.0 %
	Total	**3,950**	**100%**

Based upon 1 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 78-79 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PB377BDB: A1PB377BDB: Phone questionnaire (Question B37b) other specify - relationship with children you helped to raise for at least five years 2 number 2

Is (he/she).../what is your relationship with (him/her)?

[Read list/read list if necessary]

Value	Label	Unweighted Frequency	%
1	Stepchild	0	0.0 %
2	Adopted child	0	0.0 %
3	Foster child	0	0.0 %
4	Grandchild	1	0.0 %
5	Nephew/niece	0	0.0 %
6	Friend's child	0	0.0 %
7	Godchild	0	0.0 %
8	Other: Family member	0	0.0 %
9	Other: Non-family member	0	0.0 %
10	Other	0	0.0 %
11	Sister	0	0.0 %
12	Brother	0	0.0 %
	Missing Data		
99	Inapp	3949	100.0 %
	Total	**3,950**	**100%**

Based upon 1 valid cases out of 3,950 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 80-81 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PB3710BDA: A1PB3710BDA: Phone questionnaire (Question B37b) other specify - relationship with children you helped to raise for at least five years 10 number 1

Is (he/she).../what is your relationship with (him/her)?

[Read list/read list if necessary]

Value	Label	Unweighted Frequency	%
1	Stepchild	0	0.0 %
2	Adopted child	0	0.0 %
3	Foster child	0	0.0 %
4	Grandchild	0	0.0 %
5	Nephew/niece	0	0.0 %

Value	Label	Unweighted Frequency	%
6	Friend's child	0	0.0 %
7	Godchild	0	0.0 %
8	Other: Family member	0	0.0 %
9	Other: Non-family member	1	0.0 %
10	Other	0	0.0 %
11	Sister	0	0.0 %
12	Brother	0	0.0 %
	Missing Data		
99	Inapp	3949	100.0 %
	Total	**3,950**	**100%**

Based upon 1 valid cases out of 3,950 total cases.

- Minimum: 9.00
- Maximum: 9.00

Location: 82-83 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PCBGA: A1PCBGA: Phone questionnaire (Question CB) other specify - the reason participant did not live with their biological parents up until 16 years old number 1

Why didn't you live with your biological parents?

[Do not read list]
[Select all that apply]
[Do not probe for others]
[If R says who they lived with, probe: "Did your biological mother or father die, were your parents separated or divorced or was there some other reason?"]

Value	Label	Unweighted Frequency	%
1	Parents never married	0	0.0 %
2	Parents misbehavior/crime/imprisoned	0	0.0 %
3	Parents divorced/remarried	1	0.0 %
4	Parents left	23	0.6 %
5	Parents couldn't handle me	0	0.0 %
6	Other	56	1.4 %
7	Lived with only one parent	5	0.1 %
8	Parents work	8	0.2 %
9	Never knew/saw father	1	0.0 %
10	Lived at school	7	0.2 %
11	Parents moved away	0	0.0 %

Value	Label	Unweighted Frequency	%
12	Lived with one biological parent and new spouse	6	0.2 %
13	Respondent left home/didn't live together	22	0.6 %
14	Lived in foster care	13	0.3 %
15	Didn't have a good relationship with parents	0	0.0 %
16	Lived with grandparents	27	0.7 %
	Missing Data		
99	Inapp	3781	95.7 %
	Total	**3,950**	**100%**

Based upon 169 valid cases out of 3,950 total cases.

- Minimum: 3.00
- Maximum: 16.00

Location: 84-85 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PCBGB: A1PCBGB: Phone questionnaire (Question CB) other specify - the reason participant did not live with their biological parents up until 16 years old number 2

Why didn't you live with your biological parents?

[Do not read list]
[Select all that apply]
[Do not probe for others]
[If R says who they lived with, probe: "Did your biological mother or father die, were your parents separated or divorced or was there some other reason?"]

Value	Label	Unweighted Frequency	%
1	Parents never married	0	0.0 %
2	Parents misbehavior/crime/imprisoned	0	0.0 %
3	Parents divorced/remarried	0	0.0 %
4	Parents left	0	0.0 %
5	Parents couldn't handle me	0	0.0 %
6	Other	0	0.0 %
7	Lived with only one parent	0	0.0 %
8	Parents work	1	0.0 %
9	Never knew/saw father	0	0.0 %
10	Lived at school	0	0.0 %
11	Parents moved away	0	0.0 %
12	Lived with one biological parent and new spouse	0	0.0 %
13	Respondent left home/didn't live together	0	0.0 %

Value	Label	Unweighted Frequency	%
14	Lived in foster care	2	0.1 %
15	Didn't have a good relationship with parents	0	0.0 %
16	Lived with grandparents	3	0.1 %
	Missing Data		
99	Inapp	3944	99.8 %
	Total	**3,950**	**100%**

Based upon 6 valid cases out of 3,950 total cases.

- Minimum: 8.00
- Maximum: 16.00

Location: 86-87 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PC1DA: A1PC1DA: Phone questionnaire (Question C1) other specify - male head of household for most of childhood number 1

Who was the male head of your household for most of your childhood?

[Interviewer: If R says "father", probe: "Was that your biological father, adoptive father, step-father, or someone else?"]
[Interviewer: If R says it changed, probe: "Who raised you for most of the time before you turned 17?"]
[If QC1 = no male in household or don't know, go to QC7]

Value	Label	Unweighted Frequency	%
1	Grandfather	96	2.4 %
2	Brother	94	2.4 %
3	Uncle	39	1.0 %
4	Myself	0	0.0 %
5	Mother's boyfriend/husband	0	0.0 %
6	Father/stepfather/foster father	11	0.3 %
7	Mother/foster mother	0	0.0 %
8	Other	6	0.2 %
	Missing Data		
99	Inapp	3704	93.8 %
	Total	**3,950**	**100%**

Based upon 246 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 88-89 (width: 2; decimal: 0)
Variable Type: numeric

A1PC1DB: A1PC1DB: Phone questionnaire (Question C1) other specify - male head of household for most of childhood number 2

Who was the male head of your household for most of your childhood?

[Interviewer: If R says "father", probe: "Was that your biological father, adoptive father, step-father, or someone else?"]
[Interviewer: If R says it changed, probe: "Who raised you for most of the time before you turned 17?"]
[If QC1 = no male in household or don't know, go to QC7]

Value	Label	Unweighted Frequency	%
1	Grandfather	0	0.0 %
2	Brother	0	0.0 %
3	Uncle	1	0.0 %
4	Myself	0	0.0 %
5	Mother's boyfriend/husband	0	0.0 %
6	Father/stepfather/foster father	1	0.0 %
7	Mother/foster mother	0	0.0 %
8	Other	0	0.0 %
	Missing Data		
99	Inapp	3948	99.9 %
	Total	**3,950**	**100%**

Based upon 2 valid cases out of 3,950 total cases.

• Minimum: 3.00
• Maximum: 6.00

Location: 90-91 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PC3AEA: A1PC3AEA: Phone questionnaire (Question C3a) other specify - main reason male household was not working for pay during most of participant's childhood years

What was the main reason he was not working for pay during most of your childhood years?

[Do not read list]
[Select all that apply]
[Do not probe for others]
[Do not probe for main reason]
[Interviewer: If R says he was self-employed or a farmer, clarify: "Work for pay includes farming and self-employment."
F9 and reread QC3]
[Go to QC7]

Value	Label	Unweighted Frequency	%
1	Disabled	0	0.0 %
2	Retired	9	0.2 %
3	Didn't need to work	3	0.1 %
4	Health problem	0	0.0 %
5	No work available/unemployed	7	0.2 %
6	Not old enough to work	3	0.1 %
7	Criminal/drug and alcohol abuser	0	0.0 %
8	Social security income	0	0.0 %
9	Schooling	7	0.2 %
10	Other	13	0.3 %
11	Caregiving for family	0	0.0 %
12	Self-employed	1	0.0 %
	Missing Data		
99	Inapp	3907	98.9 %
	Total	**3,950**	**100%**

Based upon 43 valid cases out of 3,950 total cases.

- Minimum: 2.00
- Maximum: 12.00

Location: 92-93 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PC7DA: A1PC7DA: Phone questionnaire (Question C7) other specify - female head of household for most of childhood number 1

Who was the female head of your household for most of your childhood?

[Interviewer: If says "mother", probe: "Was that your biological mother, adoptive mother, step-mother, or someone else?"]
[Interviewer: If R says it changed, probe: "Who was it for most of the time before you turned 17?"]
[If QC7 = no female in household or don't know, go to QC14]

Value	Label	Unweighted Frequency	%
1	Grandmother	114	2.9 %
2	Foster mother/stepmother	10	0.3 %
3	Myself	0	0.0 %
4	Aunt	30	0.8 %
5	Sister	39	1.0 %
6	Other	4	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
9	Inapp	3753	95.0 %
	Total	**3,950**	**100%**

Based upon 197 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 94-94 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 7 , 8 , 9

A1PC7DB: A1PC7DB: Phone questionnaire (Question C7) other specify - female head of household for most of childhood number 2

Who was the female head of your household for most of your childhood?

[Interviewer: If says "mother", probe: "Was that your biological mother, adoptive mother, step-mother, or someone else?"]
[Interviewer: If R says it changed, probe: "Who was it for most of the time before you turned 17?"]
[If QC7 = no female in household or don't know, go to QC14]

Value	Label	Unweighted Frequency	%
1	Grandmother	0	0.0 %
2	Foster mother/stepmother	0	0.0 %
3	Myself	0	0.0 %
4	Aunt	1	0.0 %
5	Sister	0	0.0 %
6	Other	0	0.0 %
	Missing Data		
9	Inapp	3949	100.0 %
	Total	**3,950**	**100%**

Based upon 1 valid cases out of 3,950 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 95-95 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 7 , 8 , 9

A1PC9AEA: A1PC9AEA: Phone questionnaire (Question C9a) other specify - main reason female household was not working for pay during most of participant's childhood years number 1

What was the main reason she was not working for pay during most of your childhood years?

[Do not read list]
[Select all that apply]
[Do not probe for others]
[Do not probe for main reason]
[Interviewer: If R says she was self-employed, farmer, farmer's wife clarify: "Work for pay includes farming and self-employment." F9 and reread QC9]
[Go to QC14]

Value	Label	Unweighted Frequency	%
1	Child care/homemaker	5	0.1 %
2	Didn't need to work	5	0.1 %
3	Health problem	8	0.2 %
4	Retired	4	0.1 %
5	She chose not to/didn't want to work	14	0.4 %
6	Father didn't want her to work	0	0.0 %
7	Lack of skill/education	19	0.5 %
8	Cultural reason	0	0.0 %
9	Other	28	0.7 %
10	Had part-time/temporary job	0	0.0 %
11	Ambiguous response	0	0.0 %
12	Self-employed	0	0.0 %
13	No work available/unemployed	13	0.3 %
	Missing Data		
99	Inapp	3854	97.6 %
	Total	**3,950**	**100%**

Based upon 96 valid cases out of 3,950 total cases.

• Minimum: 1.00
• Maximum: 13.00

Location: 96-97 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1PC9AEB: A1PC9AEB: Phone questionnaire (Question C9a) other specify - main reason female household was not working for pay during most of participant's childhood years number 2

What was the main reason she was not working for pay during most of your childhood years?

[Do not read list]
[Select all that apply]
[Do not probe for others]

[Do not probe for main reason]

[Interviewer: If R says she was self-employed, farmer, farmer's wife clarify: "Work for pay includes farming and self-employment." F9 and reread QC9]

[Go to QC14]

Value	Label	Unweighted Frequency	%
1	Child care/homemaker	0	0.0 %
2	Didn't need to work	2	0.1 %
3	Health problem	0	0.0 %
4	Retired	0	0.0 %
5	She chose not to/didn't want to work	0	0.0 %
6	Father didn't want her to work	0	0.0 %
7	Lack of skill/education	1	0.0 %
8	Cultural reason	0	0.0 %
9	Other	0	0.0 %
10	Had part-time/temporary job	0	0.0 %
11	Ambiguous response	0	0.0 %
12	Self-employed	0	0.0 %
13	No work available/unemployed	0	0.0 %
	Missing Data		
99	Inapp	3947	99.9 %
	Total	**3,950**	**100%**

Based upon 3 valid cases out of 3,950 total cases.

- Minimum: 2.00
- Maximum: 7.00

Location: 98-99 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SA11EA: A1SA11EA: Self-administered questionnaire (Question A11) other specify - vitamin, mineral, or herbal supplements you take regularly number 1

Please indicate whether you take any of the following vitamin or mineral supplements regularly - that is, at least a couple of times a week. Any others? (please specify)

Value	Label	Unweighted Frequency	%
1	Magnesium	49	1.2 %
2	Folic Acid	73	1.8 %
3	Vitamin D	0	0.0 %
4	Melatonin	0	0.0 %
5	Potassium	40	1.0 %
6	Pre-natal vitamins	159	4.0 %

Value	Label	Unweighted Frequency	%
7	Vitamin E	297	7.5 %
8	Niacin	42	1.1 %
9	Probiotic	0	0.0 %
10	Vitamin B/B-12/B complex	225	5.7 %
11	CoQ10	0	0.0 %
12	Other	276	7.0 %
13	Zinc	67	1.7 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %
17	Lutein	22	0.6 %
18	Other vitamin	24	0.6 %
19	Beta-Carotene	0	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	19	0.5 %
23	Chromium	0	0.0 %
24	Selenium	6	0.2 %
25	Antioxidants	0	0.0 %
26	Mineral	17	0.4 %
27	Herb	0	0.0 %
28	Lysine	20	0.5 %
29	Vitamin A	0	0.0 %
30	Multi-vitamin	0	0.0 %
31	Calcium	0	0.0 %
	Missing Data		
99	Inapp	2614	66.2 %
	Total	**3,950**	**100%**

Based upon 1,336 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 28.00

Location: 100-101 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SA11EB: A1SA11EB: Self-administered questionnaire (Question A11) other specify - vitamin, mineral, or herbal supplements you take regularly number 1

Please indicate whether you take any of the following vitamin or mineral supplements regularly - that is, at least a couple of times a week. Any others? (please specify)

Value	Label	Unweighted Frequency	%
1	Magnesium	30	0.8 %
2	Folic Acid	27	0.7 %
3	Vitamin D	0	0.0 %
4	Melatonin	0	0.0 %
5	Potassium	58	1.5 %
6	Pre-natal vitamins	33	0.8 %
7	Vitamin E	155	3.9 %
8	Niacin	19	0.5 %
9	Probiotic	0	0.0 %
10	Vitamin B/B-12/B complex	93	2.4 %
11	CoQ10	0	0.0 %
12	Other	27	0.7 %
13	Zinc	14	0.4 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %
17	Lutein	6	0.2 %
18	Other vitamin	5	0.1 %
19	Beta-Carotene	0	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	9	0.2 %
23	Chromium	0	0.0 %
24	Selenium	10	0.3 %
25	Antioxidants	0	0.0 %
26	Mineral	12	0.3 %
27	Herb	0	0.0 %
28	Lysine	5	0.1 %
29	Vitamin A	0	0.0 %
30	Multi-vitamin	0	0.0 %
31	Calcium	0	0.0 %
	Missing Data		
99	Inapp	3447	87.3 %
	Total	**3,950**	**100%**

Based upon 503 valid cases out of 3,950 total cases.

• Minimum: 1.00

• Maximum: 28.00

Location: 102-103 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SA11EC: A1SA11EC: Self-administered questionnaire (Question A11) other specify - vitamin, mineral, or herbal supplements you take regularly number 1

Please indicate whether you take any of the following vitamin or mineral supplements regularly - that is, at least a couple of times a week. Any others? (please specify)

Value	Label	Unweighted Frequency	%
1	Magnesium	6	0.2 %
2	Folic Acid	14	0.4 %
3	Vitamin D	0	0.0 %
4	Melatonin	0	0.0 %
5	Potassium	18	0.5 %
6	Pre-natal vitamins	3	0.1 %
7	Vitamin E	55	1.4 %
8	Niacin	7	0.2 %
9	Probiotic	0	0.0 %
10	Vitamin B/B-12/B complex	53	1.3 %
11	CoQ10	0	0.0 %
12	Other	5	0.1 %
13	Zinc	19	0.5 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %
17	Lutein	2	0.1 %
18	Other vitamin	3	0.1 %
19	Beta-Carotene	0	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	11	0.3 %
23	Chromium	0	0.0 %
24	Selenium	7	0.2 %
25	Antioxidants	0	0.0 %
26	Mineral	7	0.2 %
27	Herb	0	0.0 %
28	Lysine	5	0.1 %
29	Vitamin A	0	0.0 %
30	Multi-vitamin	0	0.0 %

Value	Label	Unweighted Frequency	%
31	Calcium	0	0.0 %
	Missing Data		
99	Inapp	3735	94.6 %
	Total	**3,950**	**100%**

Based upon 215 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 28.00

Location: 104-105 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SA11ED: A1SA11ED: Self-administered questionnaire (Question A11) other specify - vitamin, mineral, or herbal supplements you take regularly number 1

Please indicate whether you take any of the following vitamin or mineral supplements regularly - that is, at least a couple of times a week. Any others? (please specify)

Value	Label	Unweighted Frequency	%
1	Magnesium	4	0.1 %
2	Folic Acid	11	0.3 %
3	Vitamin D	0	0.0 %
4	Melatonin	0	0.0 %
5	Potassium	8	0.2 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	32	0.8 %
8	Niacin	1	0.0 %
9	Probiotic	0	0.0 %
10	Vitamin B/B-12/B complex	15	0.4 %
11	CoQ10	0	0.0 %
12	Other	1	0.0 %
13	Zinc	10	0.3 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %
17	Lutein	3	0.1 %
18	Other vitamin	4	0.1 %
19	Beta-Carotene	0	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	2	0.1 %

Value	Label	Unweighted Frequency	%
23	Chromium	0	0.0 %
24	Selenium	9	0.2 %
25	Antioxidants	0	0.0 %
26	Mineral	5	0.1 %
27	Herb	0	0.0 %
28	Lysine	2	0.1 %
29	Vitamin A	0	0.0 %
30	Multi-vitamin	0	0.0 %
31	Calcium	0	0.0 %
	Missing Data		
99	Inapp	3843	97.3 %
	Total	**3,950**	**100%**

Based upon 107 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 28.00

Location: 106-107 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SA11EE: A1SA11EE: Self-administered questionnaire (Question A11) other specify - vitamin, mineral, or herbal supplements you take regularly number 1

Please indicate whether you take any of the following vitamin or mineral supplements regularly - that is, at least a couple of times a week. Any others? (please specify)

Value	Label	Unweighted Frequency	%
1	Magnesium	4	0.1 %
2	Folic Acid	6	0.2 %
3	Vitamin D	0	0.0 %
4	Melatonin	0	0.0 %
5	Potassium	3	0.1 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	24	0.6 %
8	Niacin	3	0.1 %
9	Probiotic	0	0.0 %
10	Vitamin B/B-12/B complex	6	0.2 %
11	CoQ10	0	0.0 %
12	Other	0	0.0 %
13	Zinc	1	0.0 %
14	Cinnamon	0	0.0 %

Value	Label	Unweighted Frequency	%
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %
17	Lutein	2	0.1 %
18	Other vitamin	0	0.0 %
19	Beta-Carotene	0	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	3	0.1 %
23	Chromium	0	0.0 %
24	Selenium	1	0.0 %
25	Antioxidants	0	0.0 %
26	Mineral	0	0.0 %
27	Herb	0	0.0 %
28	Lysine	1	0.0 %
29	Vitamin A	0	0.0 %
30	Multi-vitamin	0	0.0 %
31	Calcium	0	0.0 %
	Missing Data		
99	Inapp	3896	98.6 %
	Total	**3,950**	**100%**

Based upon 54 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 28.00

Location: 108-109 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SA11EF: A1SA11EF: Self-administered questionnaire (Question A11) other specify - vitamin, mineral, or herbal supplements you take regularly number 1

Please indicate whether you take any of the following vitamin or mineral supplements regularly - that is, at least a couple of times a week. Any others? (please specify)

Value	Label	Unweighted Frequency	%
1	Magnesium	2	0.1 %
2	Folic Acid	3	0.1 %
3	Vitamin D	0	0.0 %
4	Melatonin	0	0.0 %
5	Potassium	0	0.0 %
6	Pre-natal vitamins	0	0.0 %

Value	Label	Unweighted Frequency	%
7	Vitamin E	9	0.2 %
8	Niacin	1	0.0 %
9	Probiotic	0	0.0 %
10	Vitamin B/B-12/B complex	6	0.2 %
11	CoQ10	0	0.0 %
12	Other	0	0.0 %
13	Zinc	1	0.0 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %
17	Lutein	0	0.0 %
18	Other vitamin	0	0.0 %
19	Beta-Carotene	0	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	1	0.0 %
23	Chromium	0	0.0 %
24	Selenium	1	0.0 %
25	Antioxidants	0	0.0 %
26	Mineral	0	0.0 %
27	Herb	0	0.0 %
28	Lysine	1	0.0 %
29	Vitamin A	0	0.0 %
30	Multi-vitamin	0	0.0 %
31	Calcium	0	0.0 %
	Missing Data		
99	Inapp	3925	99.4 %
	Total	**3,950**	**100%**

Based upon 25 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 28.00

Location: 110-111 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SA11EG: A1SA11EG: Self-administered questionnaire (Question A11) other specify - vitamin, mineral, or herbal supplements you take regularly number 1

Please indicate whether you take any of the following vitamin or mineral supplements regularly - that is, at least a couple of times a week. Any others? (please specify)

Value	Label	Unweighted Frequency	%
1	Magnesium	1	0.0 %
2	Folic Acid	0	0.0 %
3	Vitamin D	0	0.0 %
4	Melatonin	0	0.0 %
5	Potassium	0	0.0 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	0	0.0 %
8	Niacin	0	0.0 %
9	Probiotic	0	0.0 %
10	Vitamin B/B-12/B complex	2	0.1 %
11	CoQ10	0	0.0 %
12	Other	0	0.0 %
13	Zinc	0	0.0 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %
17	Lutein	0	0.0 %
18	Other vitamin	0	0.0 %
19	Beta-Carotene	0	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	0	0.0 %
23	Chromium	0	0.0 %
24	Selenium	8	0.2 %
25	Antioxidants	0	0.0 %
26	Mineral	1	0.0 %
27	Herb	0	0.0 %
28	Lysine	1	0.0 %
29	Vitamin A	0	0.0 %
30	Multi-vitamin	0	0.0 %
31	Calcium	0	0.0 %
	Missing Data		
99	Inapp	3937	99.7 %
	Total	**3,950**	**100%**

Based upon 13 valid cases out of 3,950 total cases.

• Minimum: 1.00

• Maximum: 28.00

Location: 112-113 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SA11EH: A1SA11EH: Self-administered questionnaire (Question A11) other specify - vitamin, mineral, or herbal supplements you take regularly number 1

Please indicate whether you take any of the following vitamin or mineral supplements regularly - that is, at least a couple of times a week. Any others? (please specify)

Value	Label	Unweighted Frequency	%
1	Magnesium	0	0.0 %
2	Folic Acid	2	0.1 %
3	Vitamin D	0	0.0 %
4	Melatonin	0	0.0 %
5	Potassium	0	0.0 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	0	0.0 %
8	Niacin	0	0.0 %
9	Probiotic	0	0.0 %
10	Vitamin B/B-12/B complex	0	0.0 %
11	CoQ10	0	0.0 %
12	Other	0	0.0 %
13	Zinc	0	0.0 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %
17	Lutein	0	0.0 %
18	Other vitamin	0	0.0 %
19	Beta-Carotene	0	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	0	0.0 %
23	Chromium	0	0.0 %
24	Selenium	0	0.0 %
25	Antioxidants	0	0.0 %
26	Mineral	0	0.0 %
27	Herb	0	0.0 %
28	Lysine	1	0.0 %
29	Vitamin A	0	0.0 %
30	Multi-vitamin	0	0.0 %

Value	Label	Unweighted Frequency	%
31	Calcium	0	0.0 %
	Missing Data		
99	Inapp	3947	99.9 %
	Total	**3,950**	**100%**

Based upon 3 valid cases out of 3,950 total cases.

- Minimum: 2.00
- Maximum: 28.00

Location: 114-115 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SA11EI: A1SA11EI: Self-administered questionnaire (Question A11) other specify - vitamin, mineral, or herbal supplements you take regularly number 1

Please indicate whether you take any of the following vitamin or mineral supplements regularly - that is, at least a couple of times a week. Any others? (please specify)

Value	Label	Unweighted Frequency	%
1	Magnesium	0	0.0 %
2	Folic Acid	0	0.0 %
3	Vitamin D	0	0.0 %
4	Melatonin	0	0.0 %
5	Potassium	0	0.0 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	0	0.0 %
8	Niacin	0	0.0 %
9	Probiotic	0	0.0 %
10	Vitamin B/B-12/B complex	0	0.0 %
11	CoQ10	0	0.0 %
12	Other	0	0.0 %
13	Zinc	0	0.0 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %
17	Lutein	1	0.0 %
18	Other vitamin	0	0.0 %
19	Beta-Carotene	0	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	0	0.0 %

Value	Label	Unweighted Frequency	%
23	Chromium	0	0.0 %
24	Selenium	0	0.0 %
25	Antioxidants	0	0.0 %
26	Mineral	0	0.0 %
27	Herb	0	0.0 %
28	Lysine	0	0.0 %
29	Vitamin A	0	0.0 %
30	Multi-vitamin	0	0.0 %
31	Calcium	0	0.0 %
	Missing Data		
99	Inapp	3949	100.0 %
	Total	**3,950**	**100%**

Based upon 1 valid cases out of 3,950 total cases.

- Minimum: 17.00
- Maximum: 17.00

Location: 116-117 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SA30CA: A1SA30CA: Self-administered questionnaire (Question A30) other specify - reason for losing 10 pounds or more during the past 12 months number 1

During the past 12 months, did you...lose 10 pounds or more for other reasons? (please specify)

Value	Label	Unweighted Frequency	%
1	Child birth	59	1.5 %
2	Stress	25	0.6 %
3	Workout	18	0.5 %
4	Depression	5	0.1 %
5	Other	41	1.0 %
6	Stressful life event	36	0.9 %
7	Gastric bypass	0	0.0 %
8	Work/job	20	0.5 %
9	Surgery/disease	47	1.2 %
10	Medication	10	0.3 %
11	Changed eating habit	42	1.1 %
12	Eat special product	0	0.0 %
13	Weight fluctuation	0	0.0 %
14	Improved health condition	0	0.0 %

Value	Label	Unweighted Frequency	%
15	Death	18	0.5 %
16	Caregiving to others	0	0.0 %
17	Smoking	0	0.0 %
	Missing Data		
99	Inapp	3629	91.9 %
	Total	**3,950**	**100%**

Based upon 321 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 118-119 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SA30CB: A1SA30CB: Self-administered questionnaire (Question A30) other specify - reason for losing 10 pounds or more during the past 12 months number 1

During the past 12 months, did you...lose 10 pounds or more for other reasons? (please specify)

Value	Label	Unweighted Frequency	%
1	Child birth	2	0.1 %
2	Stress	1	0.0 %
3	Workout	3	0.1 %
4	Depression	4	0.1 %
5	Other	1	0.0 %
6	Stressful life event	5	0.1 %
7	Gastric bypass	0	0.0 %
8	Work/job	3	0.1 %
9	Surgery/disease	5	0.1 %
10	Medication	0	0.0 %
11	Changed eating habit	14	0.4 %
12	Eat special product	0	0.0 %
13	Weight fluctuation	0	0.0 %
14	Improved health condition	0	0.0 %
15	Death	1	0.0 %
16	Caregiving to others	0	0.0 %
17	Smoking	0	0.0 %
	Missing Data		
99	Inapp	3911	99.0 %
	Total	**3,950**	**100%**

Based upon 39 valid cases out of 3,950 total cases.

• Minimum: 1.00
• Maximum: 15.00

Location: 120-121 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SA30CC: A1SA30CC: Self-administered questionnaire (Question A30) other specify - reason for losing 10 pounds or more during the past 12 months number 1

During the past 12 months, did you...lose 10 pounds or more for other reasons? (please specify)

Value	Label	Unweighted Frequency	%
1	Child birth	2	0.1 %
2	Stress	0	0.0 %
3	Workout	0	0.0 %
4	Depression	1	0.0 %
5	Other	0	0.0 %
6	Stressful life event	1	0.0 %
7	Gastric bypass	0	0.0 %
8	Work/job	3	0.1 %
9	Surgery/disease	1	0.0 %
10	Medication	0	0.0 %
11	Changed eating habit	0	0.0 %
12	Eat special product	0	0.0 %
13	Weight fluctuation	0	0.0 %
14	Improved health condition	0	0.0 %
15	Death	0	0.0 %
16	Caregiving to others	0	0.0 %
17	Smoking	0	0.0 %
	Missing Data		
99	Inapp	3942	99.8 %
	Total	**3,950**	**100%**

Based upon 8 valid cases out of 3,950 total cases.

• Minimum: 1.00
• Maximum: 9.00

Location: 122-123 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SA30CD: A1SA30CD: Self-administered questionnaire (Question A30) other specify - reason for losing 10 pounds or more during the past 12 months number 1

During the past 12 months, did you...lose 10 pounds or more for other reasons? (please specify)

Value	Label	Unweighted Frequency	%
1	Child birth	0	0.0 %
2	Stress	0	0.0 %
3	Workout	0	0.0 %
4	Depression	0	0.0 %
5	Other	0	0.0 %
6	Stressful life event	0	0.0 %
7	Gastric bypass	0	0.0 %
8	Work/job	1	0.0 %
9	Surgery/disease	0	0.0 %
10	Medication	0	0.0 %
11	Changed eating habit	0	0.0 %
12	Eat special product	0	0.0 %
13	Weight fluctuation	0	0.0 %
14	Improved health condition	0	0.0 %
15	Death	0	0.0 %
16	Caregiving to others	0	0.0 %
17	Smoking	0	0.0 %
	Missing Data		
99	Inapp	3949	100.0 %
	Total	**3,950**	**100%**

Based upon 1 valid cases out of 3,950 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 124-125 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SA38KA: A1SA38KA: Self-administered questionnaire (Question A38) other specify - self-help, mutual help, or support group number 1

The next questions are about self-help groups, by which we mean groups organized and run by people who get together on the basis of a common experience or goal to mutually help or support one another. (Groups organized and led by doctors, psychologists, social workers, or other professionals do not qualify as self-help groups.) Please indicate in the first column whether you ever attended a meeting of one of these self-help groups at any time in your life. For each group you ever attended, record in the second column how old you were the first time you attended and record in the third column how many meetings you attended in the past 12 months. (If none in the past 12 months, enter "0").

Any other self-help group, mutual help group, or support group (please enter the name(s) of the group(s) below:)

Value	Label	Unweighted Frequency	%
1	Weight Watchers	17	0.4 %
2	Bible study/Christian group	48	1.2 %
3	Veteran support group	0	0.0 %
4	Divorce care group	11	0.3 %
5	Marriage enrichment group	15	0.4 %
6	Codependence anonymous	19	0.5 %
7	Celebrate recovery	0	0.0 %
8	Job searching group	0	0.0 %
9	Other	64	1.6 %
10	Emotion/depression related group	0	0.0 %
11	Friendship skill/networking group	0	0.0 %
12	Group for kids	7	0.2 %
13	Personal growth group	7	0.2 %
14	Mother's group	11	0.3 %
15	Women/wife group	14	0.4 %
16	Addiction recovery group	33	0.8 %
17	Disease related group	49	1.2 %
18	Parent's group	16	0.4 %
19	LGBTQ group	0	0.0 %
	Missing Data		
99	Inapp	3639	92.1 %
	Total	**3,950**	**100%**

Based upon 311 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 18.00

Location: 126-127 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SA38KB: A1SA38KB: Self-administered questionnaire (Question A38) other specify - self-help, mutual help, or support group number 1

The next questions are about self-help groups, by which we mean groups organized and run by people who get together on the basis of a common experience or goal to mutually help or support one another. (Groups organized and led by doctors, psychologists, social workers, or other professionals do not qualify as self-help groups.) Please indicate in the first column whether you ever attended a meeting of one of these self-help groups at any time in your life. For each group you ever attended, record in the second column how

old you were the first time you attended and record in the third column how many meetings
you attended in the past 12 months. (If none in the past 12 months, enter "0").

Any other self-help group, mutual help group, or support group (please enter the name(s) of the group(s) below:)

Value	Label	Unweighted Frequency	%
1	Weight Watchers	3	0.1 %
2	Bible study/Christian group	7	0.2 %
3	Veteran support group	0	0.0 %
4	Divorce care group	1	0.0 %
5	Marriage enrichment group	0	0.0 %
6	Codependence anonymous	0	0.0 %
7	Celebrate recovery	0	0.0 %
8	Job searching group	0	0.0 %
9	Other	0	0.0 %
10	Emotion/depression related group	0	0.0 %
11	Friendship skill/networking group	0	0.0 %
12	Group for kids	2	0.1 %
13	Personal growth group	1	0.0 %
14	Mother's group	0	0.0 %
15	Women/wife group	0	0.0 %
16	Addiction recovery group	1	0.0 %
17	Disease related group	1	0.0 %
18	Parent's group	4	0.1 %
19	LGBTQ group	0	0.0 %
	Missing Data		
99	Inapp	3930	99.5 %
	Total	**3,950**	**100%**

Based upon 20 valid cases out of 3,950 total cases.

• Minimum: 1.00
• Maximum: 18.00

Location: 128-129 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SA38KC: A1SA38KC: Self-administered questionnaire (Question A38) other specify - self-help, mutual help, or support group number 1

The next questions are about self-help groups, by which we mean groups organized and
run by people who get together on the basis of a common experience or goal to mutually
help or support one another. (Groups organized and led by doctors, psychologists, social

workers, or other professionals do not qualify as self-help groups.) Please indicate in
the first column whether you ever attended a meeting of one of these self-help groups at
any time in your life. For each group you ever attended, record in the second column how
old you were the first time you attended and record in the third column how many meetings
you attended in the past 12 months. (If none in the past 12 months, enter "0").

Any other self-help group, mutual help group, or support group (please enter the name(s) of the group(s) below:)

Value	Label	Unweighted Frequency	%
1	Weight Watchers	0	0.0 %
2	Bible study/Christian group	0	0.0 %
3	Veteran support group	0	0.0 %
4	Divorce care group	0	0.0 %
5	Marriage enrichment group	0	0.0 %
6	Codependence anonymous	0	0.0 %
7	Celebrate recovery	0	0.0 %
8	Job searching group	0	0.0 %
9	Other	0	0.0 %
10	Emotion/depression related group	0	0.0 %
11	Friendship skill/networking group	0	0.0 %
12	Group for kids	0	0.0 %
13	Personal growth group	1	0.0 %
14	Mother's group	0	0.0 %
15	Women/wife group	0	0.0 %
16	Addiction recovery group	0	0.0 %
17	Disease related group	0	0.0 %
18	Parent's group	0	0.0 %
19	LGBTQ group	0	0.0 %
	Missing Data		
99	Inapp	3949	100.0 %
	Total	**3,950**	**100%**

Based upon 1 valid cases out of 3,950 total cases.

- Minimum: 13.00
- Maximum: 13.00

Location: 130-131 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SA39PA: A1SA39PA: Self-administered questionnaire (Question A39) other specify - nontraditional remedy or therapy number 1

Have you used any of the following therapies in the past 12 months, either to treat a physical health problem, to treat an emotional or personal problem, to maintain or enhance your wellness, or to prevent the onset of illness?

Any other non-traditional remedy or therapy (please specify)

Value	Label	Unweighted Frequency	%
1	Spiritual practice/Reiki	5	0.1 %
2	Essential oil	0	0.0 %
3	Prayer/church	17	0.4 %
4	Exercise or movement therapy	23	0.6 %
5	Special diet	11	0.3 %
6	Vitamins	4	0.1 %
7	Aromatherapy	0	0.0 %
8	Herbal therapy	0	0.0 %
9	Pet therapy	0	0.0 %
10	Music/television	0	0.0 %
11	Laser treatment for skin	0	0.0 %
12	Muscle related therapy	14	0.4 %
13	Allergy treatment/Nambudripad's allergy elimination techniques (NAET)	0	0.0 %
14	Meditation technique	11	0.3 %
15	Colon therapy	0	0.0 %
16	Craniosacral therapy	0	0.0 %
17	Other	34	0.9 %
18	Artwork	2	0.1 %
19	Bone related therapy	4	0.1 %
20	Marijuana	0	0.0 %
21	Positive mindset	5	0.1 %
22	Accupressure	0	0.0 %
23	Cardiac rehabilitation	0	0.0 %
24	Magnetic therapy	0	0.0 %
25	Physical therapy	0	0.0 %
26	Self made program	0	0.0 %
	Missing Data		
99	Inapp	3820	96.7 %
	Total	**3,950**	**100%**

Based upon 130 valid cases out of 3,950 total cases.

• Minimum: 1.00
• Maximum: 21.00

Location: 132-133 (width: 2; decimal: 0)

A1SA39PB: A1SA39PB: Self-administered questionnaire (Question A39) other specify - nontraditional remedy or therapy number 1

Have you used any of the following therapies in the past 12 months, either to treat a physical health problem, to treat an emotional or personal problem, to maintain or enhance your wellness, or to prevent the onset of illness?

Any other non-traditional remedy or therapy (please specify)

Value	Label	Unweighted Frequency	%
1	Spiritual practice/Reiki	0	0.0 %
2	Essential oil	0	0.0 %
3	Prayer/church	2	0.1 %
4	Exercise or movement therapy	1	0.0 %
5	Special diet	0	0.0 %
6	Vitamins	0	0.0 %
7	Aromatherapy	0	0.0 %
8	Herbal therapy	0	0.0 %
9	Pet therapy	0	0.0 %
10	Music/television	0	0.0 %
11	Laser treatment for skin	0	0.0 %
12	Muscle related therapy	2	0.1 %
13	Allergy treatment/Nambudripad's allergy elimination techniques (NAET)	0	0.0 %
14	Meditation technique	5	0.1 %
15	Colon therapy	0	0.0 %
16	Craniosacral therapy	0	0.0 %
17	Other	1	0.0 %
18	Artwork	1	0.0 %
19	Bone related therapy	0	0.0 %
20	Marijuana	0	0.0 %
21	Positive mindset	0	0.0 %
22	Accupressure	0	0.0 %
23	Cardiac rehabilitation	0	0.0 %
24	Magnetic therapy	0	0.0 %
25	Physical therapy	0	0.0 %
26	Self made program	0	0.0 %
Missing Data			
99	Inapp	3938	99.7 %
Total		**3,950**	**100%**

Based upon 12 valid cases out of 3,950 total cases.

- Minimum: 3.00
- Maximum: 18.00

Location: 134-135 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SA39PC: A1SA39PC: Self-administered questionnaire (Question A39) other specify - nontraditional remedy or therapy number 1

Have you used any of the following therapies in the past 12 months, either to treat a physical health problem, to treat an emotional or personal problem, to maintain or enhance your wellness, or to prevent the onset of illness?

Any other non-traditional remedy or therapy (please specify)

Value	Label	Unweighted Frequency	%
1	Spiritual practice/Reiki	0	0.0 %
2	Essential oil	0	0.0 %
3	Prayer/church	0	0.0 %
4	Exercise or movement therapy	0	0.0 %
5	Special diet	0	0.0 %
6	Vitamins	0	0.0 %
7	Aromatherapy	0	0.0 %
8	Herbal therapy	0	0.0 %
9	Pet therapy	0	0.0 %
10	Music/television	0	0.0 %
11	Laser treatment for skin	0	0.0 %
12	Muscle related therapy	0	0.0 %
13	Allergy treatment/Nambudripad's allergy elimination techniques (NAET)	0	0.0 %
14	Meditation technique	0	0.0 %
15	Colon therapy	0	0.0 %
16	Craniosacral therapy	0	0.0 %
17	Other	1	0.0 %
18	Artwork	0	0.0 %
19	Bone related therapy	0	0.0 %
20	Marijuana	0	0.0 %
21	Positive mindset	0	0.0 %
22	Accupressure	0	0.0 %
23	Cardiac rehabilitation	0	0.0 %
24	Magnetic therapy	0	0.0 %

Value	Label	Unweighted Frequency	%
25	Physical therapy	0	0.0 %
26	Self made program	0	0.0 %
	Missing Data		
99	Inapp	3949	100.0 %
	Total	**3,950**	**100%**

Based upon 1 valid cases out of 3,950 total cases.

• Minimum: 17.00
• Maximum: 17.00

Location: 136-137 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SA39PD: A1SA39PD: Self-administered questionnaire (Question A39) other specify - nontraditional remedy or therapy number 1

Have you used any of the following therapies in the past 12 months, either to treat a physical health problem, to treat an emotional or personal problem, to maintain or enhance your wellness, or to prevent the onset of illness?

Any other non-traditional remedy or therapy (please specify)

Value	Label	Unweighted Frequency	%
1	Spiritual practice/Reiki	0	0.0 %
2	Essential oil	0	0.0 %
3	Prayer/church	0	0.0 %
4	Exercise or movement therapy	0	0.0 %
5	Special diet	0	0.0 %
6	Vitamins	0	0.0 %
7	Aromatherapy	0	0.0 %
8	Herbal therapy	0	0.0 %
9	Pet therapy	0	0.0 %
10	Music/television	0	0.0 %
11	Laser treatment for skin	0	0.0 %
12	Muscle related therapy	0	0.0 %
13	Allergy treatment/Nambudripad's allergy elimination techniques (NAET)	0	0.0 %
14	Meditation technique	1	0.0 %
15	Colon therapy	0	0.0 %
16	Craniosacral therapy	0	0.0 %
17	Other	0	0.0 %

Value	Label	Unweighted Frequency	%
18	Artwork	0	0.0 %
19	Bone related therapy	0	0.0 %
20	Marijuana	0	0.0 %
21	Positive mindset	0	0.0 %
22	Accupressure	0	0.0 %
23	Cardiac rehabilitation	0	0.0 %
24	Magnetic therapy	0	0.0 %
25	Physical therapy	0	0.0 %
26	Self made program	0	0.0 %
	Missing Data		
99	Inapp	3949	100.0 %
	Total	**3,950**	**100%**

Based upon 1 valid cases out of 3,950 total cases.

- Minimum: 14.00
- Maximum: 14.00

Location: 138-139 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SR146A: A1SR146A: Self-administered questionnaire (Question R1) other specify - religious preference

What is your religious preference? (please circle only one.) Other (please specify)

Value	Label	Unweighted Frequency	%
1	Atheist	0	0.0 %
2	Christian	5	0.1 %
3	Satanism	0	0.0 %
4	Pagan	2	0.1 %
5	Religious science	0	0.0 %
6	Christian Scientist	4	0.1 %
7	Self-realization fellowship	0	0.0 %
8	Other	40	1.0 %
9	Full Gospel	0	0.0 %
10	Jehovah's Witness	1	0.0 %
11	Anglican	0	0.0 %
12	Church of Christ	15	0.4 %
13	No religious preference	5	0.1 %
14	Hebrew Key of David	0	0.0 %

Value	Label	Unweighted Frequency	%
15	Non-denominational	11	0.3 %
16	Deism	0	0.0 %
17	Baptist	1	0.0 %
18	Freethought	0	0.0 %
19	Wicca	5	0.1 %
20	Shinto	0	0.0 %
21	African Methodist Episcopal	1	0.0 %
22	Coptic Orthodox Christian	0	0.0 %
23	Pastafarianism	0	0.0 %
24	Mormon	0	0.0 %
25	Native American belief	8	0.2 %
26	Monotheism	0	0.0 %
27	Evangelical	0	0.0 %
28	Scientology	0	0.0 %
29	Buddhist	0	0.0 %
30	Heathenism	0	0.0 %
31	Wesleyanism	0	0.0 %
32	Foursquare church	0	0.0 %
33	Unity	0	0.0 %
34	Reformed church in America	0	0.0 %
35	Presbyterian	0	0.0 %
	Missing Data		
99	Inapp	3852	97.5 %
	Total	**3,950**	**100%**

Based upon 98 valid cases out of 3,950 total cases.

- Minimum: 2.00
- Maximum: 25.00

Location: 140-141 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SR146B: A1SR146B: Self-administered questionnaire (Question R1) other specify - religious preference

What is your religious preference? (Please circle only one.)

Other (please specify)

Value	Label	Unweighted Frequency	%
1	Atheist	0	0.0 %
2	Christian	0	0.0 %
3	Satanism	0	0.0 %
4	Pagan	0	0.0 %
5	Religious science	0	0.0 %
6	Christian Scientist	0	0.0 %
7	Self-realization fellowship	0	0.0 %
8	Other	0	0.0 %
9	Full Gospel	0	0.0 %
10	Jehovah's Witness	0	0.0 %
11	Anglican	0	0.0 %
12	Church of Christ	1	0.0 %
13	No religious preference	0	0.0 %
14	Hebrew Key of David	0	0.0 %
15	Non-denominational	0	0.0 %
16	Deism	0	0.0 %
17	Baptist	0	0.0 %
18	Freethought	0	0.0 %
19	Wicca	0	0.0 %
20	Shinto	0	0.0 %
21	African Methodist Episcopal	0	0.0 %
22	Coptic Orthodox Christian	0	0.0 %
23	Pastafarianism	0	0.0 %
24	Mormon	0	0.0 %
25	Native American belief	0	0.0 %
26	Monotheism	0	0.0 %
27	Evangelical	0	0.0 %
28	Scientology	0	0.0 %
29	Buddhist	0	0.0 %
30	Heathenism	0	0.0 %
31	Wesleyanism	0	0.0 %
32	Foursquare church	0	0.0 %
33	Unity	0	0.0 %
34	Reformed church in America	0	0.0 %
35	Presbyterian	0	0.0 %
	Missing Data		
99	Inapp	3949	100.0 %
	Total	**3,950**	**100%**

Based upon 1 valid cases out of 3,950 total cases.

- Minimum: 12.00
- Maximum: 12.00

Location: 142-143 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SR130A: A1SR130A: Self-administered questionnaire (Question R1) other specify - religious preference (Protestant) number 1

What is your religious preference? (Please circle only one.)

Protestant, other (please specify)

Value	Label	Unweighted Frequency	%
1	Other	29	0.7 %
2	Calvinism	7	0.2 %
3	Unity	4	0.1 %
4	Baptist	4	0.1 %
5	Wesleyanism	3	0.1 %
6	Christian Scientist	4	0.1 %
7	Church of Christ	25	0.6 %
	Missing Data		
99	Inapp	3874	98.1 %
	Total	**3,950**	**100%**

Based upon 76 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 144-145 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SS1OA: A1SS1OA: Self-administered questionnaire (Question S1) other specify - other main ethnic background or origins number 1

Other than being American, what are your main ethnic origins? That is, what countries or continents are your ancestors from? (circle the numbers of all that apply.)

Value	Label	Unweighted Frequency	%
1	Denmark	73	1.8 %
2	American/United States	19	0.5 %
3	African American	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Caucasian	0	0.0 %
5	Netherland	23	0.6 %
6	Great Britain	0	0.0 %
7	Native American	0	0.0 %
8	Scandinavian	0	0.0 %
9	European	0	0.0 %
10	Switzerland	44	1.1 %
11	Finland	25	0.6 %
12	Asian	0	0.0 %
13	Other	144	3.6 %
14	Ukraine	0	0.0 %
15	Not specified	0	0.0 %
16	Germany	0	0.0 %
17	Lithuania	19	0.5 %
18	Jewish	0	0.0 %
19	Wales	78	2.0 %
20	Belgium	12	0.3 %
21	Austria	30	0.8 %
22	French Canadian	0	0.0 %
23	Hungary	0	0.0 %
24	Ireland	0	0.0 %
25	Pacific Islander	0	0.0 %
26	Slovakia	0	0.0 %
27	Middle Eastern	0	0.0 %
28	Spain	0	0.0 %
29	Bermuda	0	0.0 %
30	Scotland	0	0.0 %
31	France	0	0.0 %
32	England	0	0.0 %
33	Romania	14	0.4 %
	Missing Data		
99	Inapp	3469	87.8 %
	Total	**3,950**	**100%**

Based upon 481 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 33.00

Location: 146-147 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SS1OB: A1SS1OB: Self-administered questionnaire (Question S1) other specify - other main ethnic background or origins number 1

Other than being American, what are your main ethnic origins? That is, what countries or continents are your ancestors from? (circle the numbers of all that apply.)

Value	Label	Unweighted Frequency	%
1	Denmark	5	0.1 %
2	American/United States	0	0.0 %
3	African American	0	0.0 %
4	Caucasian	0	0.0 %
5	Netherland	1	0.0 %
6	Great Britain	0	0.0 %
7	Native American	0	0.0 %
8	Scandinavian	0	0.0 %
9	European	0	0.0 %
10	Switzerland	2	0.1 %
11	Finland	0	0.0 %
12	Asian	0	0.0 %
13	Other	2	0.1 %
14	Ukraine	0	0.0 %
15	Not specified	0	0.0 %
16	Germany	0	0.0 %
17	Lithuania	0	0.0 %
18	Jewish	0	0.0 %
19	Wales	4	0.1 %
20	Belgium	3	0.1 %
21	Austria	6	0.2 %
22	French Canadian	0	0.0 %
23	Hungary	0	0.0 %
24	Ireland	0	0.0 %
25	Pacific Islander	0	0.0 %
26	Slovakia	0	0.0 %
27	Middle Eastern	0	0.0 %
28	Spain	0	0.0 %
29	Bermuda	0	0.0 %
30	Scotland	0	0.0 %
31	France	0	0.0 %
32	England	0	0.0 %
33	Romania	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
99	Inapp	3927	99.4 %
	Total	**3,950**	**100%**

Based upon 23 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 21.00

Location: 148-149 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SS6EA: A1SS6EA: Self-administered questionnaire (Question S6) other specify - other main racial origins number 1

What are your main racial origins - that is, what race or races are your parents, grandparents, and other ancestors? (circle all that apply.)

Other (please specify)

Value	Label	Unweighted Frequency	%
1	White	2	0.1 %
2	Black/African American	3	0.1 %
3	Native American or Alaska Native	17	0.4 %
4	Asian	2	0.1 %
5	Native Hawaiian or Pacific Islander	0	0.0 %
6	Other	16	0.4 %
7	Hispanic/Latino	79	2.0 %
8	Mixed race	22	0.6 %
	Missing Data		
97	Don't know	2	0.1 %
99	Inapp	3807	96.4 %
	Total	**3,950**	**100%**

Based upon 141 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 150-151 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SS7EA: A1SS7EA: Self-administered questionnaire (Question S7) other specify - other which best describes racial background number 1

What race do you consider yourself to be? (please circle only one response.)

Other (please specify)

Value	Label	Unweighted Frequency	%
1	White	3	0.1 %
2	Black/African American	3	0.1 %
3	Native American or Alaska Native	1	0.0 %
4	Asian	1	0.0 %
5	Native Hawaiian or Pacific Islander	0	0.0 %
6	Other	29	0.7 %
7	Hispanic/Latino	75	1.9 %
8	Mixed race	47	1.2 %
	Missing Data		
99	Inapp	3791	96.0 %
	Total	**3,950**	**100%**

Based upon 159 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 152-153 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SS7EB: A1SS7EB: Self-administered questionnaire (Question S7) other specify - other which best describes racial background number 2

What race do you consider yourself to be? (please circle only one response.)

Multiracial (please specify)

Value	Label	Unweighted Frequency	%
1	White	0	0.0 %
2	Black/African American	0	0.0 %
3	Native American or Alaska Native	0	0.0 %
4	Asian	0	0.0 %
5	Native Hawaiian or Pacific Islander	0	0.0 %
6	Other	0	0.0 %
7	Hispanic/Latino	0	0.0 %
8	Mixed race	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
99	Inapp	3949	100.0 %
	Total	**3,950**	**100%**

Based upon 1 valid cases out of 3,950 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 154-155 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SS11AA: A1SS11AA: Self-administered questionnaire (Question S11a) other specify - country of citizenship number 1

In what country do you have citizenship?

[Go to S13, next page]

Value	Label	Unweighted Frequency	%
1	Canada	15	0.4 %
2	Argentina	0	0.0 %
3	India	4	0.1 %
4	China	3	0.1 %
5	Mexico	3	0.1 %
6	Jamaica	3	0.1 %
7	Japan	0	0.0 %
8	El Salvador	0	0.0 %
9	United Kingdom	2	0.1 %
10	Have no citizenship	0	0.0 %
11	Other	29	0.7 %
12	Liberia	2	0.1 %
13	United States	9	0.2 %
14	Malaysia	2	0.1 %
15	Russia	3	0.1 %
16	Philippines	4	0.1 %
17	Ireland	2	0.1 %
18	Germany	5	0.1 %
19	Brazil	3	0.1 %
20	Bolivia	2	0.1 %
21	Nigeria	0	0.0 %

Value	Label	Unweighted Frequency	%
22	Kenya	0	0.0 %
23	Mauritania	0	0.0 %
	Missing Data		
99	Inapp	3859	97.7 %
	Total	**3,950**	**100%**

Based upon 91 valid cases out of 3,950 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 156-157 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SS11AB: A1SS11AB: Self-administered questionnaire (Question S11a) other specify - country of citizenship number 1

In what country do you have citizenship?

[Go to S13, next page]

Value	Label	Unweighted Frequency	%
1	Canada	0	0.0 %
2	Argentina	0	0.0 %
3	India	0	0.0 %
4	China	0	0.0 %
5	Mexico	0	0.0 %
6	Jamaica	0	0.0 %
7	Japan	0	0.0 %
8	El Salvador	0	0.0 %
9	United Kingdom	1	0.0 %
10	Have no citizenship	0	0.0 %
11	Other	0	0.0 %
12	Liberia	0	0.0 %
13	United States	0	0.0 %
14	Malaysia	0	0.0 %
15	Russia	0	0.0 %
16	Philippines	0	0.0 %
17	Ireland	0	0.0 %
18	Germany	0	0.0 %
19	Brazil	0	0.0 %

Value	Label	Unweighted Frequency	%
20	Bolivia	0	0.0 %
21	Nigeria	0	0.0 %
22	Kenya	0	0.0 %
23	Mauritania	0	0.0 %
	Missing Data		
99	Inapp	3949	100.0 %
	Total	**3,950**	**100%**

Based upon 1 valid cases out of 3,950 total cases.

• Minimum: 9.00
• Maximum: 9.00

Location: 158-159 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SS15JA: A1SS15JA: Self-administered questionnaire (Question S15) other specify - main reason for discrimination number 1

What was the main reason for the discrimination you experienced? (if more than one main reason, circle all that apply.)

Some other reason for discrimination (please specify)

Value	Label	Unweighted Frequency	%
1	Affirmative action	0	0.0 %
2	Appearance	29	0.7 %
3	Didn't like me	0	0.0 %
4	Language	9	0.2 %
5	Financial status	51	1.3 %
6	Race/ethnicity/nationality	24	0.6 %
7	Gender	13	0.3 %
8	Disease/mental illness/depression	17	0.4 %
9	Marital status	16	0.4 %
10	Physical/learning disability	5	0.1 %
11	Occupation	52	1.3 %
12	Social relations	20	0.5 %
13	Residence	9	0.2 %
14	Education	28	0.7 %
15	Have children/pregnancy	18	0.5 %
16	Jealousy/retaliation	0	0.0 %

Value	Label	Unweighted Frequency	%
17	Personality/taste	20	0.5 %
18	Other	71	1.8 %
19	Religion	1	0.0 %
20	Political stance	0	0.0 %
21	Attitude	13	0.3 %
22	Age	8	0.2 %
	Missing Data		
97	Don't know	6	0.2 %
99	Inapp	3540	89.6 %
	Total	**3,950**	**100%**

Based upon 404 valid cases out of 3,950 total cases.

- Minimum: 2.00
- Maximum: 22.00

Location: 160-161 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SS15JB: A1SS15JB: Self-administered questionnaire (Question S15) other specify - main reason for discrimination number 2

What was the main reason for the discrimination you experienced? (if more than one main reason, circle all that apply.)

Some other reason for discrimination (please specify)

Value	Label	Unweighted Frequency	%
1	Affirmative action	0	0.0 %
2	Appearance	0	0.0 %
3	Didn't like me	0	0.0 %
4	Language	0	0.0 %
5	Financial status	5	0.1 %
6	Race/ethnicity/nationality	9	0.2 %
7	Gender	4	0.1 %
8	Disease/mental illness/depression	0	0.0 %
9	Marital status	2	0.1 %
10	Physical/learning disability	1	0.0 %
11	Occupation	13	0.3 %
12	Social relations	0	0.0 %
13	Residence	1	0.0 %

Value	Label	Unweighted Frequency	%
14	Education	1	0.0 %
15	Have children/pregnancy	1	0.0 %
16	Jealousy/retaliation	0	0.0 %
17	Personality/taste	4	0.1 %
18	Other	3	0.1 %
19	Religion	0	0.0 %
20	Political stance	0	0.0 %
21	Attitude	2	0.1 %
22	Age	1	0.0 %
	Missing Data		
99	Inapp	3903	98.8 %
	Total	**3,950**	**100%**

Based upon 47 valid cases out of 3,950 total cases.

- Minimum: 5.00
- Maximum: 22.00

Location: 162-163 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SS15JC: A1SS15JC: Self-administered questionnaire (Question S15) other specify - main reason for discrimination number 3

What was the main reason for the discrimination you experienced? (if more than one main reason, circle all that apply.)

Some other reason for discrimination (please specify)

Value	Label	Unweighted Frequency	%
1	Affirmative action	0	0.0 %
2	Appearance	2	0.1 %
3	Didn't like me	0	0.0 %
4	Language	0	0.0 %
5	Financial status	0	0.0 %
6	Race/ethnicity/nationality	2	0.1 %
7	Gender	0	0.0 %
8	Disease/mental illness/depression	0	0.0 %
9	Marital status	3	0.1 %
10	Physical/learning disability	0	0.0 %
11	Occupation	3	0.1 %

Value	Label	Unweighted Frequency	%
12	Social relations	0	0.0 %
13	Residence	0	0.0 %
14	Education	0	0.0 %
15	Have children/pregnancy	0	0.0 %
16	Jealousy/retaliation	0	0.0 %
17	Personality/taste	0	0.0 %
18	Other	1	0.0 %
19	Religion	0	0.0 %
20	Political stance	0	0.0 %
21	Attitude	0	0.0 %
22	Age	0	0.0 %
	Missing Data		
99	Inapp	3939	99.7 %
	Total	**3,950**	**100%**

Based upon 11 valid cases out of 3,950 total cases.

• Minimum: 2.00
• Maximum: 18.00

Location: 164-165 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

A1SS15JD: A1SS15JD: Self-administered questionnaire (Question S15) other specify - main reason for discrimination number 4

What was the main reason for the discrimination you experienced? (if more than one main reason, circle all that apply.)

Some other reason for discrimination (please specify)

Value	Label	Unweighted Frequency	%
1	Affirmative action	0	0.0 %
2	Appearance	0	0.0 %
3	Didn't like me	0	0.0 %
4	Language	0	0.0 %
5	Financial status	0	0.0 %
6	Race/ethnicity/nationality	2	0.1 %
7	Gender	0	0.0 %
8	Disease/mental illness/depression	0	0.0 %
9	Marital status	0	0.0 %

Value	Label	Unweighted Frequency	%
10	Physical/learning disability	0	0.0 %
11	Occupation	0	0.0 %
12	Social relations	0	0.0 %
13	Residence	0	0.0 %
14	Education	0	0.0 %
15	Have children/pregnancy	0	0.0 %
16	Jealousy/retaliation	0	0.0 %
17	Personality/taste	0	0.0 %
18	Other	0	0.0 %
19	Religion	0	0.0 %
20	Political stance	0	0.0 %
21	Attitude	0	0.0 %
22	Age	0	0.0 %
	Missing Data		
99	Inapp	3948	99.9 %
	Total	**3,950**	**100%**

Based upon 2 valid cases out of 3,950 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 166-167 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99