

Mock Exam

LAS

Don van den Bergh

30-09-2026

Instructions

This mock exam contains 18 questions: 12 multiple-choice questions and 6 numerical fill-in questions.

For numerical questions, follow the rounding instruction stated in the question. For multiple-choice questions, select the single best answer.

Question 1

Below are the exam grades of 9 students:

Student	1	2	3	4	5	6	7	8	9
Grade	3.1	3.9	4.8	5.1	6.0	6.4	6.4	7.8	9.5

Consider the median and variance of the grades. What happens to the median and variance if the two highest scores (7.8 and 9.5) are removed?

- A. The median decreases and the variance increases.
- B. Both the median and variance decrease.
- C. The median remains the same but the variance increases.
- D. The median decreases and the variance remains the same.

Question 2

The variable X follows a normal distribution with $\mu = 66$ and $\sigma = 14$. Which statement is true?

- A. In the population, 34% of scores lie between 66 and 80.
- B. In the population, 68% of scores lie between 38 and 94.
- C. In the population, 84% of scores lie between 52 and 80.
- D. In the population, 95% of scores lie between 52 and 94.

Question 3

A dataset has a mean of 20 and a standard deviation of 4. Suppose 10 is added to every score in the dataset.

What happens to the mean and standard deviation?

- A. The mean becomes 30 and the standard deviation remains 4.

- B. The mean remains 20 and the standard deviation becomes 14.
- C. The mean becomes 30 and the standard deviation becomes 14.
- D. Both the mean and standard deviation remain unchanged.

Question 4

Which statement is *incorrect*?

- A. About 95% of observations from a normal distribution lie within approximately two standard deviations of the mean.
- B. The standard normal distribution has mean 100 and standard deviation 15.
- C. A z -score indicates how many standard deviations an observation lies from the mean.
- D. A probability can be interpreted as the long-run proportion of times an outcome would occur under repeated identical conditions.

Question 5

Consider a study on student loans. Researchers test

$$H_0 : \mu = 330 \quad \text{against} \quad H_1 : \mu \neq 330.$$

The population standard deviation is known to be $\sigma = 73$. A random sample of $n = 25$ students has a mean monthly loan payment of 366 euros.

Researcher I uses $\alpha = .10$, Researcher II uses $\alpha = .05$, and Researcher III uses $\alpha = .01$.

Who rejects H_0 ?

- A. None of the researchers
- B. Researcher I only
- C. Researchers I and II
- D. All three researchers

Question 6

A researcher rejects the null hypothesis at a significance level of $\alpha = .05$.

Which statement must also be true, keeping everything else constant?

- A. The researcher would also reject the null hypothesis at $\alpha = .10$.
- B. The researcher would also reject the null hypothesis at $\alpha = .01$.
- C. The p -value must be exactly .05.
- D. The researcher must have made a Type I error.

Question 7

Variable W is not normally distributed in the population. It has population mean $\mu = 75$ and population standard deviation $\sigma = 24$. A random sample of $n = 36$ observations is drawn.

Which statement about the sampling distribution of the sample mean is *incorrect*?

- A. The mean of the sampling distribution is 75.
- B. The sampling distribution of the sample mean is approximately normal.
- C. The standard deviation of the sampling distribution is 24.

D. The standard error is smaller than the population standard deviation.

Question 8

Mark carried out a statistical test. Unknowingly, he made a Type I error. What happened?

- A. Mark rejected H_0 , while in reality H_0 was true.
- B. Mark rejected H_0 , while in reality H_0 was false.
- C. Mark did not reject H_0 , while in reality H_0 was true.
- D. Mark did not reject H_0 , while in reality H_0 was false.

Question 9

A researcher studies the effect of disco lights on concentration using a two-sided hypothesis test. She does *not* reject the null hypothesis.

Which is *not* a possible explanation for this result?

- A. The study did not have sufficient power.
- B. There is no effect of disco lights on concentration in the population.
- C. A Type I error occurred.
- D. A Type II error occurred.

Question 10

A manufacturer claims that bags contain 150 M&M's on average. Hailey suspects that the true population mean is *lower* than 150. The population standard deviation is known, so she performs a one-sided Z -test with $\alpha = .10$.

Using the provided Z -table, what is the *absolute value* of the critical z -value?

Round your answer to two decimal places.

- A. 1.28
- B. 1.64
- C. 1.96
- D. 2.33

Question 11

Which statement about the confidence interval for a one-sample t -test is correct?

- A. Increasing the confidence level makes the interval narrower, all else equal.
- B. Increasing the sample size makes the interval narrower, all else equal.
- C. The population mean lies exactly in the center of the confidence interval.
- D. A narrower interval indicates less precise estimation.

Question 12

A student has a z -score of -1.5 on an exam. Which interpretation is correct?

- A. The student's score is 1.5 points below the mean.
- B. The student's score is 1.5 standard deviations below the mean.
- C. The student's score is 1.5 standard deviations above the mean.
- D. The student's score is 15% below the mean.

Question 13

Suppose someone obtained the following five grades:

$$7, 6, 8, 5, 9.$$

What is the *sample variance* of these grades?

Round your answer to one decimal.

Question 14

Agreeableness is normally distributed with mean 0 and standard deviation 1. The probability of scoring *below* Maria's score is 0.961.

What is Maria's z -score? Round to two decimals.

Question 15

Daily calorie consumption is normally distributed with

$$\mu = 2250, \quad \sigma = 300.$$

What proportion of the population consumes *less than 3000 calories per day*?

Round your answer to three decimals.

Question 16

Let X be normally distributed in the population with

$$\mu = 78, \quad \sigma = 12.$$

A random sample of $n = 9$ people is drawn. What is the probability that the sample mean is *smaller than 72*?

Round your answer to three decimals.

Question 17

IQ is normally distributed in the population with

$$\mu = 100, \quad \sigma = 15.$$

Suppose we form 500 teams, each consisting of 81 randomly selected people.

Approximately how many teams would you expect to have an *average IQ greater than 97*?

Round to the nearest whole number.

Question 18

The city council tests

$$H_0 : \mu = 75 \quad \text{against} \quad H_1 : \mu > 75.$$

For a sample of $n = 53$, the one-sample t -test output reports

$$t = 1.781, \quad df = 52, \quad p_{\text{two-sided}} = .081.$$

Because the observed effect is in the direction specified by H_1 , what is the corresponding *one-sided* p -value?

Round your answer to three decimals.