

---

Maximizing returns on investing in barrier culvert removal in Washington state

Sunny L. Jardine  
University of Washington  
School of Marine and Environmental Affairs

Daniel Holland  
National Oceanic and Atmospheric Administration  
Northwest Fishery Science Center

Robert Fonner  
National Oceanic and Atmospheric Administration  
Northwest Fishery Science Center

Mark Scheuerell  
United States Geological Survey &  
University of Washington  
School of Aquatic and Fisheries Sciences

Braeden VanDeynze  
University of Washington  
School of Marine and Environmental Affairs

---

Short Title: Returns on investing in barrier culvert removal  
Project Initiation: October 18, 2021  
Project Completion: June 30, 2023  
Project Type: Integrated Socio-Ecological Systems

## 1. PROJECT NARRATIVE

### 1. Background

#### *Fish passage in Washington state*

Migratory anadromous salmon and steelhead native to Western Washington (*Oncorhynchus* spp.) rely on access to streams throughout their spawning and rearing phases of their complex life cycles. Barriers to fish passage, particularly poorly-designed culverts at road crossings, prevent fish from accessing potential habitat, hampering recovery efforts for declining populations [2]. Reconnecting isolated habitat by correcting these culverts has been long identified as a crucial stage in watershed restoration [35]. However, until fairly recently, barrier correction efforts have been limited by lack of available funds and political will.

In 2001, Washington state was sued by the United States Department of Justice on behalf of 21 Northwest tribes for violating treaty fishing rights. The plaintiffs argued that state-owned culverts restrict salmon and steelhead access to historical upstream spawning habitat, leading to declines in salmon abundance and violating the Stevens Treaties which guarantee a right to fish within usual and accustomed fishing areas [17]. The lawsuit, focused on Western Washington, hereafter the “Case Area”, resulted in a 2013 federal court injunction requiring the State remove barrier culverts under its jurisdiction such that 90% of blocked fish habitat is made accessible by 2030. The ruling mandates that the remainder of state-owned barrier culverts in the Case Area be restored for fish passage at the end of their life. The defendants filed an appeal, but after nearly two decades of legal battles, in 2018, the U.S. Supreme Court ruled in favor of the Tribes, upholding the 2013 federal injunction, ushering in a new era of fish passage policy in Western Washington.

As of 2020, the Washington State Department of Transportation (WSDOT), responsible for the vast majority of state-owned culverts within the Case Area, has corrected 87 injunction barrier culverts opening up an estimated 383.3 miles of habitat at a cost of over \$159 million. Since the ruling, WSDOT has replaced an average of 12.4 culverts per year, including 13 in 2020 [3]. To satisfy the federal injunction, the rate of culvert replacements must ramp up dramatically.

Importantly, the 2013 injunction strictly applies to state-owned culverts, whereas there exist an estimated 3,000 and 1,300 additional barrier culverts owned by counties and cities respectively, along with barrier culverts on private lands, often on the same streams as state-




Figure 1: Barriers to fish passage in the WDFW Fish Passage and Diversion Screening Inventory database by ownership type. (A) shows the entire Case Area (red dotted line) and (B) shows the diversity of barrier ownership entities in the Concrete, WA area along the Skagit River. Data from Washington Department of Fish and Wildlife (WDFW) Fish Passage and Diversion Screening Inventory (FPI) Database, Version 2.0 (2019).

owned culverts [9]. Figure 1 shows culvert barriers to fish passage recorded in the Washington Department of Fish and Wildlife (WDFW) Fish Passage and Diversion Screening Inventory (FPDSI) database, for all of the Washington Case Area (panel A) and along the Skagit River near Concrete, WA (panel B) as an example of a watershed where barriers owned by several entities exist. Specifically, for this portion of the Skagit River, 5 of 6 ownership entity types are indicated (cities, counties, federal, private, state, and other), demonstrating the complexity in salmon restoration in Washington State. The presence of multiple barrier ownership entities within a single watershed means that the benefits of any one entity's culvert restoration actions depend on the culvert restoration actions of other actors, suggesting potential gains from coordination.

While non-state entities are not subject to the 2013 injunction, counties and cities across the region are ramping up their own barrier correction efforts in order to capitalize on the opportunity to restore habitat access throughout the Case Area [9]. However, counties and other actors are largely acting independently and there are differences between and within these ownership types in terms of goals, priorities, and resources for removing barriers to fish passage. For example, some counties conduct full habitat surveys in determining which barrier culverts to replace first, while others rely on GIS-based proxies. With regards to funding, while some cities and counties are able to access direct financial resources for fish passage projects, e.g. King County has used the surface water management fee to fund culvert restoration projects, other cities and counties do not have access to dedicated funding streams, primarily relying on grant funding.

Fish passage restoration efforts in Washington state are not entirely uncoordinated. The Brian Abbott Fish Barrier Removal Board was established by the Washington State Legislature in 2014 to recommend priority projects to the Governor's Office and Legislature for funding, thereby promoting the coordinated and strategic removal of barriers to fish passage. In the 2021-2023 biennium, 87 ranked projects were recommended for funding at a total of \$61.3 million. Grant applicants include cities, counties, and non-profit organizations. There is demand from both the Legislature and grantees to better define the Board's selection criteria for potential projects and overall prioritization strategy.

#### *Optimization tools in fish passage*

There is a rich academic literature applying optimization tools to fish passage [31, 24, 25, 11], i.e. researchers have developed robust methods for identifying restoration plans (combinations of barriers to correct) that maximize the return on investment for a given budget. Recently these tools have gained traction with resource managers. Here we highlight two such applications of optimization tools used in fish passage.

In the fall of 2019 the California Fish Passage Forum announced the launch of a web-based user-friendly optimization DST called **FISHPass** to guide strategic planning around fish passage barrier removal across the state [30]. The development of **FISHPass** resulted from a collaborative effort between the California Fish Passage Forum, the National Fish Passage Program, the Pacific

States Marine Fisheries Commission, and others and is based on the mixed integer linear programming optimization framework developed by O’Hanley and Tomberlin [31]. The adoption of FISHPass in California replaced rank and score methods with stated goals of improving objectivity in recommendations, providing a systematic framework for project selection given limited financial resources, and balanced multiple and possibly competing objectives and constraints. Currently, the California Fish Passage Forum is funding research that will apply the FISHPass tool to the Smith River watershed to learn about the performance of FISHPass and identify approaches and data inputs to strengthen the model.<sup>1</sup>

A second application is FishWerks developed for the Great Lakes region as a collaboration between Cornell University and the University of Wisconsin. The FishWerks DST allows users to generate restoration plans including dam removal and barrier culvert restoration. Moody et al. [27] identify three necessary features for a DST to bring value to users. First, the underlying data must be dynamic and up-to-date. Second, maintenance must be made easy to ensure use, because organizations rarely have the resources including technical staff to support hosting and maintaining the DST beyond the initial project period. Third, due to a potential perceived black box nature of an optimization DST, the tool must offer significant improvements to the simpler planning methods to ensure adoption.

#### *Tailoring optimization for Washington fish passage prioritization*

Our proposed research will develop a data-driven optimization framework for project prioritization, within the Case Area of Washington State, that synthesizes multiple geospatial datasets with statistical economic and ecological models to identify fish passage restoration plans that maximize ecological, social, and economic objectives at a given funding level. Our project will draw on relevant features and methods from the rich literature in fish prioritization and from lessons learned from the rollout of FISHPass in California (see Letter of Support from Bob Pagliuco contributor to FISHPass).

With our framework, we will assess the tradeoffs between key management objectives (e.g. increasing salmon habitat, an equitable distribution of habitat gains across user groups, and mitigating investment risks) as well as gains from coordinating barrier culvert replacement across key actors (e.g. the state, counties, and cities) and alternative funding streams. While previous work has identified efficiency gains from coordinating barrier correction across watersheds, jurisdictional boundaries, or budget years [29, 26], to our knowledge, we will be the first to evaluate gains from coordinating barrier correction between ownership entities within watersheds or jurisdictional boundaries.

We will make the data, models, and framework accessible to users through an online decision support tool (DST) similar to FISHPass developed for California and Fishwerks developed for the Great Lakes. To our knowledge, our fish passage optimization framework will be the first to include objectives of equity and risk mitigation, allowing resource managers to compare how plans address potentially competing priorities.

Our framework presents an alternative and complement to the “rank and score” methods, or prioritization indices (PI), currently used by Washington State and various other actors (e.g. counties) for prioritizing barrier culverts for restoration. These methods, frequently variations

---

<sup>1</sup>See <https://www.cafishpassageforum.org/2020-projects> for more detail.

of WDFW's methods [1], are essentially a weighted sum of factors that drive the benefits, and sometimes costs, associated with correcting a single barrier culvert in isolation. Points for each factor are assigned based on whether specific metrics, measured via field survey or GIS tools, fall within specified ranges. For example, a PI may be increasing habitat quantity and quality metrics for all five species of salmon, decreasing in the number of barriers downstream, and decreasing in estimated project cost.

These indices typically include a significant number of component variables which vary across ownership entities. For example, a recently completed inventory of county-owned barriers in Clallam and Jefferson Counties uses a PI that incorporates species-specific intrinsic potential scores for three salmonid species, while another recent report by the City of Bellingham presents a PI that includes bonuses for proximity to WSDOT projects or scheduled roadwork. Distinct PI frameworks across barrier ownership entities prevent consistent comparisons of the relative benefits, or costs, of barrier correction across regions and ownership.

Our proposed DST will build upon existing prioritization frameworks across the Case Area in four fundamental ways:

1. The scope of our framework includes all barriers in the Washington State Case Area in contrast to barriers under the jurisdiction of a single entity. Including all barriers will facilitate coordination in planning and allow consistent comparisons of the restoration benefits and costs across entities and regions.
2. We aim to develop planning-level cost estimates for every barrier culvert such that managers can determine which barriers can be restored for a given budget. Our cost estimates are sourced from a statistical model, avoiding the need to obtain costly engineering survey estimates of individual barriers and providing a consistent cost measure across watersheds and ownership entities. Note that foundational work on barrier-level cost estimates is nearing completion (see Section 2).
3. Our tool will explicitly consider stream network structure by assuming there are no habitat gains from upstream barrier culvert correction without first correcting downstream barriers. That is, for a given budget and selection of culverts under the user's control, the tool will suggest a package of culverts to correct or a restoration plan. Any restoration plan identified by the tool will not include an upstream culvert without first including downstream culvert(s), preventing plans that "strand" projects by allowing blockages to remain downstream.
4. Users will have the ability to optimize restoration plans over multiple biological, economic, risk management, and equity objectives and evaluate the tradeoffs between various objectives, informing debate about potential alternative restoration strategies.

The utility of our framework and DST critically depends on how well real-world priorities and constraints are reflected. Thus, in the initial phase of the project we will catalog the factors included in PI scores across all relevant entities and organize a series of workshops where we elicit key objectives and constraints from user groups (see Section 3). For purposes of illustration, here we describe potential factors to be included and the data and models to support their inclusion. As the project progresses, specifics will be adapted to meet tribe and other stakeholder expectations as discussed during the workshop series.

## 2. Approach

This section is organized as follows. First we discuss our cost model, a necessary input to our optimization framework. Next, we discuss three potential objectives in restoring barrier culverts (habitat, equity, and risk mitigation). We then discuss our optimization framework and the online DST that will make our framework accessible to target users. Finally, we discuss potential applications of the DST or research questions that the DST can inform.

### *Cost model*

Barrier correction is costly and managers are budget constrained. To incorporate this constraint, we will estimate the cost of culvert restoration for all known existing fish passage-blocking culverts within the Case Area. Culverts in need of restoration will be identified using the FPDSI database maintained by WDFW. Cost estimates will utilize predictive models based on data from over 1,200 culvert projects completed between 2001 and 2015 across Oregon and Washington, documented in the Pacific Northwest Salmonid Habitat Projects (PNSHP) dataset [22, 4]. Project records are paired with several predictor variables derived through geospatial matching, including physical features of the worksite (i.e. stream slope (%), bankfull width, road class, elevation, etc.) as well as socioeconomic features (i.e. distance to urbanized areas, housing density, proximity to equipment and material suppliers, ownership of nearby land, etc.). In total, over 230 features have been identified as proxies for potential cost drivers and are linked to project records using geospatial matching methods.

Predictive cost models are currently being finalized by our research team. Figure 2 illustrates preliminary predicted cost percentiles using a fit from a boosted regression tree (BRT), one method under consideration. The BRT method builds an ensemble model of iterative regression trees fit on the residuals of earlier fits, systematically identifying variables useful for improving out-of-sample predictive power [12]. In our team’s ongoing work, we have found that such models can improve predictive accuracy (measured as training set root-mean square error) by 11% over predictions from an ordinary least squares fit with variables selected by the analysts.

For the proposed project, we will leverage the datasets and code we have already developed to explore the predictive performance of several parametric and non-parametric cost models, selecting the model that provides superior out-of-sample predictive power specifically in the Case Area. We will also seek out additional administrative data (i.e. project records) from state agencies and large private forestland owners to supplement the PNSHP with region-specific data. In doing so, we will




Figure 2: Predicted cost percentiles for barrier culverts in the Case Area. Dashed red line indicates Case Area boundary.

provide consistent and granular barrier correction cost estimates that are applicable over the full Case Area.

Importantly, our cost estimates will reflect inherent variability in correction costs between barriers. Accounting for heterogeneity in conservation/restoration costs often leads to efficiency gains, as a failure to do so implicitly assumes that all alternatives have the same costs [5, 28]. For example, a recent study found that including cost information in a conservation planning tool increased habitat gains per dollar by as much as an order of magnitude [14]. Note that no previous studies in the fish passage optimization literature have used cost estimates based on statistical learning methods such as the BRT predictions demonstrated above. Instead, such studies most frequently rely on heuristic methods that assign barriers to a handful of cost categories (e.g. [16]) or estimates during survey assessments conducted on far fewer barriers (e.g. [32, 23]), when costs are considered at all.

### *Habitat model*

A primary objective in culvert barrier correction is increased access to quality salmon habitat. For each culvert restoration plan, defined as a combination of multiple culverts restored, we will quantify the expected increase in habitat quantity, measured as lineal distance, for the five species of Pacific salmon. Spatial dependence will drive restoration benefits, because the culvert restoration downstream determines the benefits from culvert restoration upstream. Estimated habitat quantity gains will be calculated using the USGS National Hydrography Dataset, NDHPlus High Resolution, and the WDFW FPDSI database, which contains information about fish species affected by culvert blockages. Our team has developed code to estimate similar lineal distance metrics for culvert restoration projects in the PNSHP database, which will be leveraged to estimate upstream habitat gained by correcting barriers within the Case Area cataloged in the FPDSI database.

In addition to habitat quantity (measured here as lineal distance), habitat quality plays an important role in the growth and survival of salmon [33]. The quality of salmon habitat is a function of many interacting attributes, including water temperature, instream flows, the presence of coarse woody debris, and the amount of fine sediment [6, 18]. All of these features of habitat quality are further affected by climatology, watershed geomorphology, and the connectivity of different habitat areas [10, 34], which means they may vary over time. For example, Battin et al. [7] found that future climate change and coordinated habitat restoration working together are likely to cause a shift in the distribution of salmon in Puget Sound as the quality of their habitat shifts around the landscape.

In a habitat restoration context, one of the key uncertainties is relating land use and land cover characteristics to the quality of salmon habitat [6, 21]. We will use statistical models to relate measures of salmon habitat quality to features of the environment sensu Bartz et al. [6] and Jorgensen et al. [21]. Specifically, our Sea Grant Fellow will work with co-PI Scheuerell to build upon these earlier efforts to develop a unitless metric of salmon habitat quality based on instream temperature and flow data, as well as upland features related to riparian forest density and composition, road density, elevation, and watershed area. In addition, we will consult with regional experts in salmon habitat restoration (e.g., Drs. George Pess and Tim Beechie, NOAA Fisheries) to ensure that we are capturing those features of the environment most likely to reflect the quality of salmon habitat.

## *Equity*

Equity is another important dimension to consider. A prioritization framework that simply maximizes expected salmon habitat given a budget constraint could potentially lead to a culvert restoration plan that only benefits a single user group. We will explore alternative equity strategies that prioritize restoration plans that provide an equitable distribution of habitat gains across user groups, e.g. watersheds and/or counties. We will also explore various equity metrics, e.g. a Gini coefficient, using geospatial data on all salmon runs in the injunction area together with geospatial data delineating watersheds in the Case Area.

## *Risk mitigation*


Risk mitigation is yet another important factor to consider when selecting portfolios of barrier culverts to correct. Returns to investments in barrier culvert correction are risky, driven by the possibility of low salmon returns to habitat, population extinction driven by environmental shocks, and future human impacts including impacts to water quality through urbanization [13].

Additionally, climate change is expected to be a significant driver of returns to investments from barrier culvert correction. Climate change is projected to affect peak water flow during egg incubation, stream temperature during pre-spawning, and minimum flow during spawning [8], with greatest impacts in high-elevation streams where barrier culverts are less common. Climate change may also affect channel bankfull width at road crossings, which in turn may cause a previously corrected culvert to revert to barrier status as the stream expands under future climate conditions. While expanded culvert designs can prevent this, they are often more expensive [15]. Climate uncertainty will thus create risk of future culvert failure when smaller, cheaper correction designs are considered.

Drawing from the literature on restoration portfolio diversification, we will estimate the degree to which the risk in returns to barrier culvert removal plans can be mitigated through diversification. We will explore risk metrics ranging in complexity from a simple measure of the spread of investments across all salmon runs with habitat in the Case Area to increasingly complex risk metrics that utilize information on the potential negative covariance in expected returns to multiple salmon populations to exploit opportunities for portfolio diversification [36, 19, 20].

## *Optimization framework*

There are several methods for defining cost-effective restoration plans that meet multiple planning goals (e.g. salmon habitat gains, equity considerations, and risk mitigation). We will explore alternative methods, selecting the approach that is most accessible and intuitive for our target users.



One such method approach, i.e. a weighted objective function, managers specify importance weights for each of the objectives and the weighted sum of the objectives is maximized. Weights are constrained to the interval  $[0, 1]$  and sum to one, e.g. a manager solely interested in habitat would set the habitat importance weight to one and all other weights to zero. The problem will also include a budget constraint, such that expenditures on barrier restoration are less than or equal to a fixed budget  $B$ , and a hydrography constraint such that habitat gains from restoring any one barrier cannot be realized if there exist any downstream barriers to fish passage. Figure 3 demonstrates solutions to this first optimization approach with a budget constraint of \$40. Panel (a) represents a model system with ten barrier culverts (numbered red markers), 26 units of potential habitat (increments between two adjacent markers represent one unit of habitat), on three streams utilized by three salmon stocks (S1-S3), and harvested by two user groups (U1-U2). Each of the culverts 1-9 have correction cost \$10 to restore while culvert 10 has correction cost \$20 (outlined in blue).

Panel (b) represents the habitat-maximizing solution (the habitat weight is set to one and all other weights are set to zero), with 14 units of habitat gained (11 on stream 1 and three on stream 2), but all of the benefits going to a single user group. In the habitat-maximizing solution, the budget is exhausted by restoring four culverts for a total cost of \$40. Panel (c) represents the equity-maximizing approach (the equity weight is set to one and all other weights are set to zero), with nine units of habitat restored (four on stream 1 and five on stream 3). In this solution, the budget is also exhausted and the habitat gains are nearly evenly split across user groups (four for U1 and five for U2). Finally, panel (d) represents the diversification-maximizing solution (the weight on diversifying habitat gains across salmon stocks is set to one and all other weights are set to zero), with a total of eight units of habitat gained (four on stream 1, three on stream 2, and one on stream 3) spread across the three salmon stocks. Interestingly, the budget is not exhausted in the diversification-maximizing solution as total expenditures for the three culverts restored is \$30. Whenever objective functions are defined by even allocations, e.g. across user groups or salmon stocks, the budget constraint may not hold.

In an alternative approach, one objective function is maximized and lower bounds are provided for all remaining objectives. For example, the problem can be defined to maximize habitat gains subject to each user group receiving some minimum fraction of the habitat gains or some minimum fraction of total expenditures, or a constraint such that habitat gains are distributed across some minimum number of salmon stocks. We will refer to this approach as the “constraint-based” method.

Finally, we will explore methods for identifying the Pareto Frontier, or the set of restoration plans for which no individual objective can be improved without making at least one objective

worse off. Pareto Frontier analyses have been applied in the fish passage literature [e.g. 11] and, by plotting restoration plans on the frontier along with interior solutions, the analysis allows managers to visually inspect tradeoffs between various objectives, which can make tradeoffs more transparent.

All problems will be solved using R, a free software environment that supports integer programming. A growing number of modern solvers are accessible through the R software environment, e.g. powerful solvers on the NEOS server can be accessed through the R Optimization Infrastructure or ROI package in R [37].

### *Decision Support Tool (DST)*

To support the accessibility of our optimization framework for fish passage in Washington State, we will design and deploy an online user interface. While the central application DST is to determine restoration plans that maximize return on investment throughout the Case Area, given user preferences over multiple objectives and drawing from publicly-available datasets, we will also include several customizable features in the DST. For example, users will be able to input alternative culvert restoration plans to the DST to generate a report on how objectives (e.g. habitat miles, equity, and risk) compare between the user-selected restoration plan and the plan determined by our optimization framework. Users will also be able to select barrier owners (e.g. Kitsap county) and/or salmon species (e.g. Chinook) to focus the problem by excluding other owners/species.

We will also explore enabling user data edits, e.g. user information on the existence of barrier culverts missing from the FPDSI database, similar to the “Wild West” option in FishWerks, and user information on barrier culverts on private lands where the landowner is unwilling to engage in fish passage restoration. Further options for user-provided data will be discussed and determined in workshops with key user groups (Section 3).

Defining gains to objectives (e.g. habitat) consistently across all barrier culverts in the Case Area allows for comparison and coordinated restoration planning. However, we also strive to support existing efforts by cities and counties in Washington who are working on constructing prioritization indices tailored for their own specific needs. Through cataloging the methods and datasets for fish passage prioritization indices for all relevant entities in Washington, we will explore the possibility of including adopted prioritization indices in our optimization framework. In order to include these indices, we would modify the indices to remove any components of the index related to restoration costs or upstream/downstream configuration as our framework explicitly accounts for these culvert characteristics. Users could select the modified prioritization index of interest to them (e.g. the modified prioritization index from King County) and use the tool to determine the culvert restoration package in King County that maximizes the modified prioritization index (from the perspective of King County) subject to a budget constraint and the hydrography of the system.

Finally, we will incorporate a number of scenario-planning tools based on needs identified by key user groups (Section 3). These features will allow users to explore how plans identified by the optimization tool vary based on alternative futures determined by factors external to the decision-maker. For example, given that WSDOT is mandated to correct enough barriers to open 90% blocked habitat by 2030, counties and other entities may want to consider scenarios where all state-owned culverts have been fixed, or alternative subsets that represent the 90% habitat target. In doing so, users can better capitalize on the massive infrastructure investments WSDOT is expected to make in order to comply with the injunction. We will also consider, as a starting point, climate and urbanization scenarios, two factors which are likely to affect both the value and costs of specific barrier correction actions.

The online app created with the Shiny package for R and hosted on the Shiny Server. Similar tools have been built using various proprietary software programs [30, 27, 25]. Through using an open-source optimization framework coupled with an open-source user interface we maximize accessibility and customizability.

### *Research Questions and Hypotheses*

Under the mentorship and supervision of PI Jardine, mentorship of co-PI VanDeynze, and guidance from the research project team, the Sea Grant Fellow will utilize our framework to explore several research question as the basis of a masters or Ph.D. thesis, such as:

1. What environmental factors drive salmon habitat quality?
  - Hypothesis:
2. Assuming that WSDOT addresses those barrier culverts blocking 90% of habitat by 2030, what is the optimal restoration plan for all remaining barriers in the Washington Case Area?
  - Hypothesis:
3. What are the gains in benefits, e.g. habitat, equity, and risk avoidance, associated with coordination across actors (state agencies, local government, private landowners) and which of these multiple objectives is most affected by a lack of coordination across actors?
  - Hypothesis:
4. Where in Washington injunction area (sub-basins/watersheds) are culvert restoration plans associated with trade-offs between potentially competing priorities (e.g., risk versus total habitat, equity versus total habitat), and where can “win-wins” occur (i.e., plans that meet multiple objectives without reducing others)?
  - Hypothesis:
5. How do optimization approaches (described in Section 2) compare in terms of solution stability and computational efficiency, and which of the approaches is preferred by potential user groups in terms of ease of use and interpretability?
  - Hypothesis:

### *Objectives*

1. Catalog methods and datasets used in generating fish passage prioritization indices for all counties, and any other entities using prioritization indices, within the Washington State Case Area.
2. Generate consistent predicted cost estimates for all barriers to fish passage within the Washington State Case Area.
3. Generate consistent habitat quality metrics associated with all barriers to fish passage within the Washington State Case Area for all five species of Pacific salmon and steelhead.
4. Develop a data-driven optimization framework for project prioritization, within the Washington State Case Area, that synthesizes multiple geospatial datasets with statistical economic and ecological models, and incorporates feedback based on multiple workshops, to identify restoration plans that maximize ecological, social, and economic objectives at a given funding level.

5. Develop a customizable open-source online decision support tool (DST), along with a video tutorial, to make our optimization framework accessible to tribes, stakeholders, managers, and academics.

### **3. Engagement plan**

#### *Community collaborators*

Our project will be guided by a Fish Passage Policy Advisory Committee (FPPAC) (Table 1) comprised of community collaborators, who are fish passage scientists and practitioners and leaders in equity, access, and community engagement. At each phase of our engagement plan, outlined below, we will rely on advice from our Advisory Committee. Members of FPPAC will include individuals working directly in the area of barrier culvert restoration, individuals working with tribal nations impacted by fish passage in the Case Area, individuals with a history of engaging with our key stakeholder groups, and individuals generating science relevant to our study problem. The FPPAC already has committed representation from the Squaxin Island Tribe, the Tulalip Tribes, Washington State Recreation and Conservation Office, King County Fish Passage Restoration Program, and Washington Sea Grant (see Letters of Commitment). At the time of the submission of this proposal, we are actively seeking to expand this group to representation from other tribes, barrier ownership entities, and stakeholders.

In addition to community collaborators serving on our FPPAC we will collaborate with fish passage scientists at The Nature Conservancy and scientists at the National Oceanic and Atmospheric Administration involved in the creation of FISHPass (see Letters of Commitment).

Table 1: Fish Passage Policy Advisory Committee (FPPAC)

Name	Job Title	Affiliation
Jeff Dickison	Asstistant Natural Resources Director	Squaxin Island Tribe Natural Resource Center
Steve R Hinton	Conservation Scientist	Tulalip Tribes Treaty Rights & Government Affairs
Marc Duboiski	Outdoor Grants Manager	Washington State Recreation and Conservation Office
Dave Caudill	Outdoor Grants Manager	Washington State Recreation and Conservation Office
Evan Lewis	Fish Passage Projects Manager	King County Fish Passage Restoration Program
Melissa Schutten	Equity, Access & Community Engagement Lead	Washington Sea Grant

#### *Engagement activities*

In the beginning of YR1, in the initial phase of the project, we will organize a workshop, Workshop 1, intended to uncover the objectives and challenges in culvert barrier replacement for key user groups including representatives from relevant tribal nations, city and county governments, restoration funding agencies such as the Fish Barrier Removal Board, WDFW, and WSDOT. The

workshops will begin with a presentation of our proposed framework and online tool as a straw-man proposal in order to generate discussion and elicit ideas on how to capture fundamental real-world priorities and constraints in barrier culvert removal. We will gather feedback during the workshops and through post-workshop surveys. Ideas coming from Workshop 1 will be incorporated into our project to the extent possible given data and computational limitations, which will be made clear to workshop participants.

In a second phase, at the beginning of YR2, we will organize a second workshop, Workshop 2, to present preliminary results (e.g. tradeoffs between various objectives) and demonstrate the functionality of three preliminary working versions of the online tool. One version of the tool will be based on the weighted objective function, another will be based on the constraint-based method, and the third version will be based on the Pareto Frontier approach (see Section 2). This second workshop will demonstrate how feedback from Workshop 1 was incorporated in our framework and tool and provide a more in-depth discussion of our data inputs to the tool, e.g. a demonstration of the quality of our cost estimates, and a visual demonstration of results from various optimization methods. Workshop 2 will provide stakeholders with a final opportunity to guide key features of the framework and solicit feedback on the usability of the online DST and the optimization approach perceived to be most intuitive.

Finally, at the end of YR2, we will host a third workshop, Workshop 3, which will be an interactive workshop to launch our finalized online tool letting potential users directly engage with the tool. In preparation for this workshop, we will develop a video tutorial that will present content from the DST user guide in a way that is accessible and engaging. The workshop will begin with a screening of the video tutorial. Then, we will engage participants with exercises that highlight the tradeoffs between various objectives, gains from coordination, and how alternative budget/funding scenarios (defined by budget levels and their distribution across time) impact the culvert restoration packages with the highest return on investment. As with Workshop 1, participant feedback will be collected through post-workshop surveys.

### *Project Evaluation*

Our engagement activities will be focused on developing a practical DST that informs decisions regarding fish passage projects in Washington State. We will evaluate the effectiveness of our engagement through evaluating workshop attendance, post-workshop surveys collected in Workshops 1 and 3, and analytics collected through the R Shiny application (e.g. the number of unique users, length of use, user location, etc.).

## Timeline

	Oct/Dec Q1	Jan/Mar Q2	Apr/Jun Q3	Jul/Sept Q4	Oct/Dec Q5	Jan/Mar Q6	Apr/Jun Q7
Workshop 1: Gathering Input							
Catalog prioritization indices							
Generate salmon habitat quantity dataset building off existing work products							
Generate barrier removal cost estimates building off existing work products							
Generate habitat quality dataset							
Generate equity metrics and data							
Generate risk mitigation metrics and data							
Develop optimization code building off existing template code							
Analyze optimal solutions							
Workshop 2: Soliciting Feedback							
Integrate feedback from Workshop 2							
Develop the R Shiny app							
Prepare manuscripts for publication							
Workshop 3: DST Demonstration and Launch							

- [1] Fish Passage Inventory, Assessment, and Prioritization Manual. Technical report, Washington Department of Fish and Wildlife, Olympia, Washington, 2019.
- [2] 2020 State of Our Watersheds. Technical report, Northwest Indian Fisheries Commission, 2020.
- [3] WSDOT Fish Passage Performance Report. Technical report, Washington Department of Transportation, Olympia, Washington, 2020.
- [4] Pacific Northwest salmon habitat project database. Technical report, National Marine Fisheries Service, Northwest Fisheries Science Center, 2021. URL <https://www.webapps.nwfsc.noaa.gov/pnshp/>.
- [5] B. A. Babcock, P. G. Lakshminarayan, J. Wu, and D. Zilberman. Targeting Tools for the Purchase of Environmental Amenities. *Land Economics*, 73(3):325–339, 1997. ISSN 0023-7639. Publisher: [Board of Regents of the University of Wisconsin System, University of Wisconsin Press].
- [6] K. K. Bartz, K. M. Lagueux, M. D. Scheuerell, T. Beechie, A. D. Haas, and M. H. Ruckelshaus. Translating restoration scenarios into habitat conditions: an initial step in evaluating recovery strategies for chinook salmon (*oncorhynchus tshawytscha*). *Canadian Journal of Fisheries and Aquatic Sciences*, 63(7):1578–1595, jul 2006. doi: 10.1139/f06-055. URL <https://doi.org/10.1139/f06-055>.
- [7] J. Battin, M. W. Wiley, M. H. Ruckelshaus, R. N. Palmer, E. Korb, K. K. Bartz, and H. Imaki. Projected impacts of climate change on salmon habitat restoration. *Proceedings of the National Academy of Sciences*, 104(16):6720–6725, apr 2007. doi: 10.1073/pnas.0701685104. URL <https://doi.org/10.1073/pnas.0701685104>.
- [8] J. Battin, M. W. Wiley, M. H. Ruckelshaus, R. N. Palmer, E. Korb, K. K. Bartz, and H. Imaki. Projected impacts of climate change on salmon habitat restoration. *Proceedings of the national academy of sciences*, 104(16):6720–6725, 2007. Publisher: National Acad Sciences.
- [9] Brown, Alex. Coming Down the Pipe: Saving Washington’s Salmon May Require Replacing Tens of Thousands of Culverts, and Nobody Knows Where the Money Will Come From. *The Daily Chronicle*, Aug. 2019.
- [10] D. Caissie. The thermal regime of rivers: a review. *Freshwater Biology*, 51(8):1389–1406, aug 2006. doi: 10.1111/j.1365-2427.2006.01597.x. URL <https://doi.org/10.1111/j.1365-2427.2006.01597.x>.
- [11] T. B. Couto, M. L. Messager, and J. D. Olden. Safeguarding migratory fish via strategic planning of future small hydropower in Brazil. *Nature Sustainability*, pages 1–8, 2021. Publisher: Nature Publishing Group.
- [12] J. Elith, J. R. Leathwick, and T. Hastie. A working guide to boosted regression trees. *Journal of Animal Ecology*, 77(4):802–813, 2008. ISSN 1365-2656. doi: <https://doi.org/10.1111/j.1365-2656.2008.01390.x>.

- [13] A. Ettinger, E. Buhle, B. Feist, E. Howe, J. Spromberg, N. Scholz, and P. Levin. Prioritizing conservation actions in urbanizing landscapes. *Scientific reports*, 11(1):1–13, 2021. Publisher: Nature Publishing Group.
- [14] C. R. Field and C. S. Elphick. Quantifying the return on investment of social and ecological data for conservation planning. *Environmental Research Letters*, 14(12):124081, Dec. 2019. ISSN 1748-9326. Publisher: IOP Publishing.
- [15] G. Mauger, S. Lee, J. Won, K. Byun, and A. F. Hamlet. Climate robust culvert design: Probabilistic estimates of fish passage impediments. Final report for the Skagit Climate Science Consortium, Climate Impacts Group, University of Washington, Seattle.
- [16] V. Hermoso, M. Clavero, and A. F. Filipe. An accessible optimisation method for barrier removal planning in stream networks. *Science of The Total Environment*, 752:141943, Jan. 2021. ISSN 0048-9697. doi: 10.1016/j.scitotenv.2020.141943.
- [17] R. Hickey. Highway Culverts, Salmon Runs, and the Stevens Treaties: A Century of Litigating Pacific Northwest Tribal Fishing Rights. *Pub. Land & Resources L. Rev.*, 39:253, 2018. Publisher: HeinOnline.
- [18] D. J. Isaak, R. F. Thurow, B. E. Rieman, and J. B. Dunham. Chinook salmon use of spawning patches: relative roles of habitat quality, size, and connectivity. *Ecological Applications*, 17(2):352–364, mar 2007. doi: 10.1890/05-1949. URL <https://doi.org/10.1890/05-1949>.
- [19] S. L. Jardine and J. N. Sanchirico. Fishermen, markets, and population diversity. *Journal of Environmental Economics and Management*, 74:37–54, 2015. Publisher: Elsevier.
- [20] R. J. Johnston, G. Magnusson, M. J. Mazzotta, and J. J. Opaluch. Combining economic and ecological indicators to prioritize salt marsh restoration actions. *American Journal of Agricultural Economics*, 84(5):1362–1370, 2002. Publisher: JSTOR.
- [21] J. C. Jorgensen, J. M. Honea, M. M. McClure, T. D. Cooney, K. Engie, and D. M. Holzer. Linking landscape-level change to habitat quality: an evaluation of restoration actions on the freshwater habitat of spring-run chinook salmon. *Freshwater Biology*, 54(7):1560–1575, jul 2009. doi: 10.1111/j.1365-2427.2009.02207.x. URL <https://doi.org/10.1111/j.1365-2427.2009.02207.x>.
- [22] S. L. Katz, K. Barnas, R. Hicks, J. Cowen, and R. Jenkinson. Freshwater Habitat Restoration Actions in the Pacific Northwest: A Decade’s Investment in Habitat Improvement. *Restoration Ecology*, 15(3):494–505, 2007. ISSN 1526-100X. \_eprint: <https://onlinelibrary.wiley.com/doi/pdf/10.1111/j.1526-100X.2007.00245.x>.
- [23] S. King, J. R. O’Hanley, L. R. Newbold, P. S. Kemp, and M. W. Diebel. A toolkit for optimizing fish passage barrier mitigation actions. *Journal of Applied Ecology*, 54(2):599–611, 2017. ISSN 1365-2664. doi: <https://doi.org/10.1111/1365-2664.12706>.

- [24] M. J. Kuby, W. F. Fagan, C. S. ReVelle, and W. L. Graf. A multiobjective optimization model for dam removal: an example trading off salmon passage with hydropower and water storage in the Willamette basin. *Advances in Water Resources*, 28(8):845–855, 2005. Publisher: Elsevier.
- [25] R. A. McManamay, J. S. Perkin, and H. I. Jager. Commonalities in stream connectivity restoration alternatives: an attempt to simplify barrier removal optimization. *Ecosphere*, 10(2):e02596, 2019. Publisher: Wiley Online Library.
- [26] A. W. Milt, P. J. Doran, M. C. Ferris, A. T. Moody, T. M. Neeson, and P. B. McIntyre. Local-scale Benefits of River Connectivity Restoration Planning Beyond Jurisdictional Boundaries. *River Research and Applications*, 33(5):788–795, 2017. ISSN 1535-1467. \_eprint: <https://onlinelibrary.wiley.com/doi/pdf/10.1002/rra.3135>.
- [27] A. T. Moody, T. M. Neeson, S. Wangen, J. Dischler, M. W. Diebel, A. Milt, M. Herbert, M. Khoury, E. Yacobson, P. J. Doran, and others. Pet project or best project? Online decision support tools for prioritizing barrier removals in the Great Lakes and beyond. *Fisheries*, 42(1):57–65, 2017. Publisher: Taylor & Francis.
- [28] R. Naidoo, A. Balmford, P. J. Ferraro, S. Polasky, T. H. Ricketts, and M. Rouget. Integrating economic costs into conservation planning. *Trends in Ecology & Evolution*, 21(12):681–687, Dec. 2006. ISSN 0169-5347.
- [29] T. M. Neeson, M. C. Ferris, M. W. Diebel, P. J. Doran, J. R. O’Hanley, and P. B. McIntyre. Enhancing ecosystem restoration efficiency through spatial and temporal coordination. *Proceedings of the National Academy of Sciences*, 112(19):6236–6241, May 2015. ISSN 0027-8424, 1091-6490. Publisher: National Academy of Sciences Section: Biological Sciences.
- [30] J. R. O’Hanley. OptiPass: The Migratory Fish Passage Optimization Tool, Version 1.1. User Manual. Technical report, Ecointelligence LLC, 2015.
- [31] J. R. O’Hanley and D. Tomberlin. Optimizing the removal of small fish passage barriers. *Environmental Modeling & Assessment*, 10(2):85–98, 2005. Publisher: Springer.
- [32] J. R. O’Hanley, J. Wright, M. Diebel, M. A. Fedora, and C. L. Soucy. Restoring stream habitat connectivity: A proposed method for prioritizing the removal of resident fish passage barriers. *Journal of Environmental Management*, 125:19–27, Aug. 2013. ISSN 0301-4797.
- [33] G. R. Pess, P. M. Kiffney, M. C. Liermann, T. R. Bennett, J. H. Anderson, and T. P. Quinn. The influences of body size, habitat quality, and competition on the movement and survival of juvenile coho salmon during the early stages of stream recolonization. *Transactions of the American Fisheries Society*, 140(4):883–897, jul 2011. doi: 10.1080/00028487.2011.587752. URL <https://doi.org/10.1080/00028487.2011.587752>.
- [34] A. A. Rodeles, P. M. Leunda, J. Elso, J. Ardaiz, D. Galicia, and R. Miranda. Consideration of habitat quality in a river connectivity index for anadromous fishes. *Inland Waters*, 9(3):278–288, apr 2019. doi: 10.1080/20442041.2018.1544817. URL <https://doi.org/10.1080/20442041.2018.1544817>.

- [35] P. Roni, T. J. Beechie, R. E. Bilby, F. E. Leonetti, M. M. Pollock, and G. R. Pess. A Review of Stream Restoration Techniques and a Hierarchical Strategy for Prioritizing Restoration in Pacific Northwest Watersheds. *North American Journal of Fisheries Management*, 22(1): 1–20, 2002. ISSN 1548-8675.
- [36] J. N. Sanchirico, M. D. Smith, and D. W. Lipton. An empirical approach to ecosystem-based fishery management. *Ecological Economics*, 64(3):586–596, 2008. Publisher: Elsevier.
- [37] S. Theußl, F. Schwendinger, and K. Hornik. Roi: an extensible r optimization infrastructure. 2019.

## 5. ENGAGEMENT AND COMMUNICATION PLAN

### Advisory Board

Our project will be guided by a Fish Passage Policy Advisory Committee (FPPAC) (Table ??) comprised of community collaborators, who are fish passage scientists and practitioners and leaders in equity, access, and community engagement. At each phase of our engagement plan, outlined below, we will rely on advice from our Advisory Committee. Members of FPPAC will include individuals working directly in the area of barrier culvert restoration, individuals working with tribal nations impacted by fish passage in the Case Area, individuals with a history of engaging with our key stakeholder groups, and individuals generating science relevant to our study problem. The FPPAC already has committed representation from the Squaxin Island Tribe, the Tulalip Tribes, Washington State Recreation and Conservation Office, and the King County Fish Passage Restoration Program (see Letters of Commitment). At the time of the submission of this proposal, we are actively seeking to expand this group to representation from other tribes, barrier ownership entities, and stakeholders.

In addition to community collaborators serving on our FPPAC we will collaborate with fish passage scientists at The Nature Conservancy and scientists at the National Oceanic and Atmospheric Administration involved in the creation of FISHPass (see Letters of Commitment).

Table 1: Fish Passage Policy Advisory Committee (FPPAC)

Name	Job Title	Affiliation
Jeff Dickison	Assistant Natural Resources Director	Squaxin Island Tribe Natural Resource Center
Steve R Hinton	Conservation Scientist	Tulalip Tribes Treaty Rights & Government Affairs
Marc Duboiski	Outdoor Grants Manager	Washington State Recreation and Conservation Office
Dave Caudill	Outdoor Grants Manager	Washington State Recreation and Conservation Office
Evan Lewis	Fish Passage Projects Manager	King County Fish Passage Restoration Program

### Engagement activities

In the beginning of YR1, in the initial phase of the project, we will organize a workshop, Workshop 1, intended to uncover the objectives and challenges in culvert barrier replacement for key user groups including representatives from relevant tribal nations, city and county governments, restoration funding agencies such as the Fish Barrier Removal Board, WDFW, and WSDOT. The workshops will begin with a presentation of our proposed framework and online tool as a straw-man proposal in order to generate discussion and elicit ideas on how to capture fundamental real-world priorities and constraints in barrier culvert removal. We will gather feedback during the workshops and through post-workshop surveys. Ideas coming from Workshop 1 will be incorporated into our

project to the extent possible given data and computational limitations, which will be made clear to workshop participants.

In a second phase, at the beginning of YR2, we will organize a second workshop, Workshop 2, to present preliminary results (e.g. tradeoffs between various objectives) and demonstrate the functionality of three preliminary working versions of the online tool. One version of the tool will be based on the weighted objective function, another will be based on the constraint-based method, and the third version will be based on the Pareto Frontier approach. This second workshop will demonstrate how feedback from Workshop 1 was incorporated in our framework and tool and provide a more in-depth discussion of our data inputs to the tool, e.g. a demonstration of the quality of our cost estimates, and a visual demonstration of results from various optimization methods. Workshop 2 will provide stakeholders with a final opportunity to guide key features of the framework and solicit feedback on the usability of the online DST and the optimization approach perceived to be most intuitive.

Finally, at the end of YR2, we will host a third workshop, Workshop 3, which will be an interactive workshop to launch our finalized online tool letting potential users directly engage with the tool. In preparation for this workshop, we will develop a video tutorial that will present content from the DST user guide in a way that is accessible and engaging. The workshop will begin with a screening of the video tutorial. Then, we will engage participants with exercises that highlight the tradeoffs between various objectives, gains from coordination, and how alternative budget/funding scenarios (defined by budget levels and their distribution across time) impact the culvert restoration packages with the highest return on investment. As with Workshop 1, participant feedback will be collected through post-workshop surveys.

## **6. PROJECT MANAGEMENT**

The proposed project has been co-developed by the project PIs and members of the FPPAC. The PIs and FPPAC will continue to collaborate to produce an integrated project leading to both actionable and publishable science. Specific PI and FPPAC responsibilities, and the roles of the Research Assistants and the Research Scientist, are described in what follows.

**PI Jardine** will serve as the lead administrator of the grant where administrative responsibilities include organizing meetings both internally and with the scientific advisory board to ensure the project is on track to deliver work products on time, tracking project performance, facilitating project design decisions, and supervising and mentoring the postdoctoral scholar and the two Research Assistants. PI Jardine will also provide technical assistance with optimization in R and developing the R Shiny app including providing template code for various optimization algorithms along with sensitivity analyses and model selection, and providing template code for the DST user app features.

**Co-PI Fonner** will provide assistance as needed for development and deployment of the multi-criteria optimization framework and corresponding algorithm. He will also support the engagement and outreach effort, facilitating incorporation of best practices and paradigms from conservation social sciences. Additionally, co-PI Fonner will provide guidance on the institutional environment and human dimensions associated with salmon conservation and recovery.

**Co-PI Holland** will provide assistance as needed for development and deployment of the multi-criteria optimization framework and corresponding algorithm. He will also support the engagement and outreach effort, facilitating incorporation of best practices and paradigms from conservation social sciences. Additionally, co-PI Holland will provide guidance on the institutional environment and human dimensions associated with salmon conservation and recovery.

**Co-PI Scheuerell** will co-supervise the Research Scientist and provide assistance for development of the habitat quality index and measures of risk with respect to salmon. He will also support the engagement and outreach effort, focusing on the benefits to salmon and stakeholders. Additionally, co-PI Scheuerell will liaise with state and tribal co-managers regarding ongoing salmon conservation and recovery efforts.

**Co-PI Van Deynze** will co-administer the grant, with PI Jardine, where administrative responsibilities include organizing meetings both internally and with the scientific advisory board to ensure the project is on track to deliver work products on time, tracking project performance, facilitating project design decisions, and mentoring the two Research Assistants. Co-PI Van Deynze will also assist with developing and deploying the optimization algorithm and the R Shiny app. As a post-doctoral research associate, co-PI Van Deynze will receive training from PI Jardine in the development of applied optimization algorithms, in project administration, and in mentorship of students, furthering development as an independent researcher.

The **SMEA Research Assistant<sup>†</sup>** will catalog methods and datasets for fish passage prioritization indices for all counties, and any other entities using prioritization indices, within the Case Area. The RA will also determine the data availability of variables used in the prioritization index

of each entity for all barrier culverts in the Washington State injunction area. Through their work, the RA will become deeply familiar with a diverse set of prioritization methods and the practical considerations of their design (e.g. resource, information, and interpretability constraints), preparing them for a professional role in resource policy or further graduate studies.

The **SMEA/QERM Research Assistant** will utilize the optimization framework to explore gains from coordinating barrier culvert restoration efforts in Washington State, the trade-offs between various dimensions in the objective function (e.g. the trade-off between total habitat gained and mitigating investment risks in particular stocks), and the practical side of designing complex DSTs that are easy to use and understand for broad audiences. Under the supervision of PI Jardine, the Sea Grant Fellow will compose a student thesis reporting the results of these analyses, providing training in scientific writing.

The **Research Scientist** will develop the habitat quality index under the supervision of PI Scheuerell. Efforts include reviewing the relevant literature, gathering data, calculating the index, and documenting all analyses such that they are reproducible.

The **Fish Passage Policy Advisory Committee (FPPAC)** consists of Jeff Dickison (Squaxin Island Tribe), Steve Hinton (Tulalip Tribes); Marc Duboiski (Washington State Recreation and Conservation Office); Dave Caudill (Washington State Recreation and Conservation Office); and Evan Lewis (King County Fish Restoration Program). The FPPAC will guide the project and facilitate engagement with tribes, barrier owners, and other stakeholders.

<sup>†</sup>The SMEA Research Assistant will be paid for with leveraged funds provided by SMEA.

## **Sunny L. Jardine**

University of Washington, School of Marine and Environmental Affairs

3707 Brooklyn Ave NE, Seattle WA 98105, United States

206.616.4952

[jardine@uw.edu](mailto:jardine@uw.edu)

## **EDUCATION**

Ph.D., Agricultural and Resource Economics, University of California at Davis, 2013

M.A., International Development Economics, University of San Francisco, 2008

B.S., Environmental Studies, SUNY College of Environmental Science and Forestry, 2002

## **EMPLOYMENT**

Assistant Professor, School of Marine and Environmental Affairs, University of Washington, September 2016-Present

Faculty member, Quantitative Ecology and Resource Management Interdisciplinary Graduate Program, 2018-Present

Assistant Professor, School of Marine Science and Policy, University of Delaware, September 2013-August 2016

Faculty member, Department of Applied Economics and Statistics, University of Delaware, April 2014-August 2016

## **PROFESSIONAL RECOGNITION**

Associate Editor, Marine Resource Economics, July 2015-Present

Scientific and Statistical Committee, Mid-Atlantic Fisheries Management Council, 2013 - 2016

## **GRADUATE STUDENTS AND POST-DOCTORATES SUPERVISED**

### ***M.M.A., University of Washington, School of Marine and Environmental Affairs***

Graduation Expected 2021: Kathryn Bland and Stuart Jones

Graduated in 2020: Louis Forristall, Brittany Hoedemaker, Elise Lasky, Jon McVeigh, Angela Moran, Nicholas Nagengast, and Stephanie Wolek

Graduated in 2019: Katie Chicojay, Emilie Franke, Kelly Martin, Priscilla Rivas, and Alexandra Stote

Graduated in 2018: Diana Perry and Lange Solberg

### ***M.A., University of Delaware, School of Marine Science and Policy***

Graduated in 2017: Meredith Kurz

Graduated in 2016: Jefferson Flood

***Ph.D., University of Delaware, School of Marine Science and Policy***

Graduated in 2019: Lingxiao Yan

***Post-doctoral Scholars***

2019 - Present: Braeden VanDeynze and Adam L. Hayes

**PRINCIPAL PUBLICATIONS RELATED TO THIS PROPOSAL**

Fisher, M.C., Moore, S.K., Jardine, S.L., Watson, J.R., Samhouri, J.F. (2020) Climate Shock Effects and Mediation in Fisheries, *Proceedings of the National Academy of Sciences*, 118(2).

Kroetz, K., Luque, G.M., Gephart, J.A., Jardine, S.L., Lee, P., Chicojay Moore, K., Colef C., Steinkruger, A., and Donlan, C.J. (2020). Consequences of seafood mislabeling for marine populations and fisheries management, *Proceedings of the National Academy of Sciences*, 117(48), pp.30318-30323.

Jardine, S.L., Fisher, M., Moore, S., Samhouri, J. (2020). Inequality in the economic impacts from climate shocks in fisheries: the case of harmful algal blooms. *Ecological Economics*, 176, 106691.

Mao, J., and Jardine, S.L. (2020). Market Impacts of a Toxic Algae Event: The Case of California Dungeness Crab, *Marine Resource Economics*, 35(1), 1-20.

Moore, K.M., Allison, E.H., Dreyer, S.J., Ekstrom, J.A., Jardine, S.L., Klinger, T., Moore, S.K. and Norman, K.C. (2020). Harmful algal blooms: identifying effective adaptive actions used in fishery-dependent communities in response to a protracted event. *Frontiers in Marine Science*, 6, 1-12.

Tan, Y., and Jardine, S.L. (2018). Considering economic efficiency in ecosystem-based management: The case of horseshoe crabs in Delaware Bay, *Environmental and Resource Economics*, 72(2), 511-538.

Jardine, S.L., and Sanchirico, J.N. (2017). Estimating the cost of invasive species control, *Journal of Environmental Economics and Management*, 87, 242-257.

Jardine, S.L., and Sanchirico, J.N. (2015). Fishermen, markets, and population diversity. *Journal of Environmental Economics and Management*, 74, 37-54.

Jardine, S.L., C.-Y. C. Lin, and Sanchirico, J.N. (2014). Measuring the benefits from a marketing cooperative in the Copper River fishery. *American Journal of Agricultural Economics*, 96(4), 1084-1101.

Lampert, A., A. Hastings, E.D. Grosholz, Jardine, S.L., and Sanchirico, J.N. (2014). Optimal approaches for balancing invasive species eradication and endangered species management. *Science* 344(6187), 1028-1031.

**Daniel S. Holland**  
Northwest Fishery Science Center  
2725 Montlake Blvd. E., Seattle, WA 98112  
Phone: (206) 302-1752 , [dan.holland@noaa.gov](mailto:dan.holland@noaa.gov)

### Education

University of Utah	Economics	B.A.	1988
University of Illinois	Agricultural Economics	M.S.	1993
University of Rhode Island	Resource Economics	Ph.D.	1998

### Professional History

- 2017-present Senior Scientists, Supervisory Economist (ZP-V): Northwest Fishery Science Center (NWFSC), Seattle, Supervisor: Mike Ford
- 2013-present Affiliate Professor, University of Washington, School of Aquatic & Fishery Sciences.
- 2014-2017 Supervisory Economist (ZP-IV): Northwest Fishery Science Center (NWFSC), Seattle, Supervisor: Jameal Samhouri
- 2010-2014: Economist (ZP-IV): Northwest Fishery Science Center (NWFSC), Seattle, WA Supervisor: Mark Plummer
- 2005-2010 Research Scientist: Gulf of Maine Research Institute (GMRI), Portland, ME Supervisor: John Annala
- 2003-2005 Senior Economist: New Zealand Seafood Industry Council (SeaFIC), Wellington, New Zealand, Supervisor: Kevin Stokes
- 2000-2002 Assistant Professor: School for Marine Science and Technology (SMAST), University of Massachusetts Dartmouth, New Bedford, MA., Supervisor: Brian Rothschild
- 1998-2000: Industry Economist: Alaska Fisheries Science Center (AFSC), Seattle, WA. Supervisor: Joe Terry

### Professional Recognition and Service

- Vice Chair, Pacific Fishery Management Council Science and Statistical Committee (current)
- President, International Institute for Fisheries Economics and Trade (IIFET) 2014-2016
- Board Member, North American Association of Fishery Economists (NAAFE) 2009-2013
- Marine Resource Economics Foundation: Vice President 2015-present, Board 2013-2015
- Associate Editor, *Marine Resource Economics*, 2003-present
- National Research Council Committee on the Development of an Integrated Science Strategy of Ocean Acidification Monitoring, Research and Impacts Assessment 2010.
- Publication of Enduring Significance Award - *Marine Resource Economics* 2016 for 1996 article “Marine Reserves for Fisheries Management.” *Marine Resource Economics* 11(3):157-171
- Honorable Mention: Outstanding Article Award - *Marine Resource Economics* 2013. Holland, D.S. 2013. Making Cents Out of Barter Data from the British Columbia Groundfish ITQ Market. *Marine Resource Economics* 28(4):311-330.

### Post-Doctorates Supervised

Ridouan Bani, University of Washington, SAFS 2020-Present  
Kiva Oken, University of Washington, SAFS 2018-2019  
Kate Richerson, University of Washington, SAFS 2015-2017  
Pamela Woods, Nordic Centre for Research on Marine Ecosystems and Resources under Climate Change (NorMER). 2011-2013  
Sigrid Lehuta, Gulf of Maine Research Institute. 2010-2011

### **5 Publications Most Relevant to Proposal**

- Holland, D.S. and K.E. Schnier 2006. Individual Habitat Quotas for Fisheries. *Journal of Environmental Economics and Management*. 51:72-92.
- Holland, D.S. and K.E. Schnier 2006. Protecting Marine Biodiversity: A Comparison of Individual Habitat Quotas (IHQs) and Marine Protected Areas. *Canadian Journal of Fisheries and Aquatic Sciences*. 63(7):1481-1495.
- Bellanger, M., R. Fonner, D.S. Holland, G. Libecap, D. Lipton, P. Scemama, C. Speir and O. Thebaud. Cross-sectoral Externalities Related to Natural Resources and Ecosystem Services. Forthcoming in *Ecological Economics*.
- Bellanger, M., Speir, C., Blanchard, F., Brooks, K., Butler, J.R., Crosson, S., Fonner, R., Gourguet, S., Holland, D.S., Kuikka, S. and Le Gallic, B., 2020. Addressing Marine and Coastal Governance Conflicts at the Interface of Multiple Sectors and Jurisdictions. *Frontiers in Marine Science*, 7, p.743.
- Richerson, K., J. Leonard, D.S. Holland 2018. Predicting the economic impacts of the 2017 West Coast salmon troll ocean fishery closure. *Marine Policy* 95:142-152

### **5 Additional Publications**

- Holland, D.S. 2018. Collective Rights-Based Fishery Management A Path to Ecosystem-Based Fishery Management. *Annual Review of Resource Economics* 10:469-85.
- Holland, D.S., J. Agar, S. Crosson, G. DePiper, S. Kasperski, D. Kitts, L. Perruso, and C. Speir 2017. The Impact of Catch Shares on Diversification of Fishers' Income and Risk. *Proceedings of the National Academy of Sciences*. 114 (35) 9302-9307
- Holland, D.S. 2000. A bioeconomic model of marine sanctuaries on Georges Bank. *Canadian Journal of Fisheries and Aquatic Sciences* 57:1307-1319
- Holland, D.S. and J.G. Sutinen. 2000. Location Choice in New England Trawl Fisheries: Old Habits Die Hard. *Land Economics* 76(1):133-149. 47
- Kasperski, S. and D.S. Holland 2013. Income Diversification and Risk for Fishermen. *Proceedings of the National Academy of Science*. 100(6):2076-2081. doi: 10.1073/pnas.1212278110.

# ROBBY FONNER

2725 Montlake Blvd. E., Seattle, WA 98112

[robby.fonner@noaa.gov](mailto:robby.fonner@noaa.gov)

## CURRENT POSITION

---

**Economist** (August 2015 – present)  
Conservation Biology Division  
Northwest Fisheries Science Center, NOAA Fisheries

## EDUCATION

---

**Ph.D. – Economics**, *University of New Mexico* (July 2014)

**M.S. – Natural Resource Economics**, Water Resources minor, *Oregon State University* (March 2008)

**B.A. – Environmental Studies, Economics**, *University of Colorado* (August 2004)

## RESEARCH & PROFESSIONAL EXPERIENCE

---

**Senior Economist** – Oregon Public Utility Commission, Salem, OR, June 2014 – July 2015

**Research Assistant** – University College, University of New Mexico, Albuquerque, NM, January 2012 – May 2012

**Research Assistant** – Science Impact Laboratory for Policy and Economics, University of New Mexico, Albuquerque, NM, August 2010 – August 2011

**Economist** – Cardno ENTRIX Environmental Consultants, Vancouver, WA, January 2007 – August 2009

**Research Assistant** – Coastal Oregon Marine Experiment Station, Oregon State University, Newport, OR, September 2004 – December 2006

**Field Scientist** – Colorado Division of Wildlife, Denver, CO, June 2003 – August 2003

## PUBLICATIONS

---

### Peer-reviewed articles

M. Bellanger, **R. Fonner**, D.S. Holland, G.D. Libecap, D.W. Lipton, P. Scemama, C. Speir, and O. Thébaud. 2021. “Cross-sectoral Externalities Related to Natural Resources and Ecosystem Services” *Ecological Economics*, 184, 106990.

**R. Fonner**, M. Bellanger, and A. Warlick, 2020. “Economic analysis for marine protected resources management: Challenges, tools, and opportunities” *Ocean & Coastal Management*, 194, 105222

S.H. Munsch, K.S. Andrews, L.G. Crozier, **R. Fonner**, J.L. Gosselin, C.M. Greene, C.J. Harvey, J.I. Lundin, G.R. Pess, J.F. Samhouri, and W.H. Satterthwaite, 2020. “Potential for ecological nonlinearities and thresholds to inform Pacific salmon management” *Ecosphere*, 11(12), e03302.

M. Bellanger, C. Speir, F. Blanchard, K. Brooks, J.R. Butler, S. Crosson, **R. Fonner**, S. Gourguet, D.S. Holland, S. Kuikka, B. Le Gallic, R. Lent, G.D. Libecap, D.W. Lipton, P.K. Nayak, D. Reid, P. Scemama, R. Stephenson, O. Thébaud, and J.C. Young. 2020. “Addressing marine and coastal governance conflicts at the interface of multiple sectors and jurisdictions” *Frontiers in Marine Science*, 7, 743.

**R. Fonner**, A.K. Bohara, and S. Archambault. 2018. “Migration Choices during Conflict in Nepal: Pull forces and landscape interactions” *International Journal of Development and Conflict*, 8(2), 46-61.

**R. Fonner** and A.K. Bohara. 2017. “Optimal population control of wild horse populations with non-lethal methods” *Land Economics*, 93(3), 390-412.

J.T. Thorson, **R. Fonner**, M. A. Haltuch, K. Ono, and H. Winker. 2017. “Accounting for spatio-temporal variation and fisher targeting when estimating abundances from multispecies fishery data” *Canadian Journal of Fisheries and Aquatic Sciences*, 74(11), 1794-1807.

**R. Fonner** and G. Sylvia. 2015. “Willingness to pay for multiple seafood labels in a niche market” *Marine Resource Economics*, 30(1), 51-70.

**R. Fonner** and R. Berrens. 2014. “A hedonic pricing model of lift tickets for US alpine ski areas: Examining the influence of crowding” *Tourism Economics*, 20(6), 1215-1233.

## **Reports**

**R. Fonner** and A. Warlick. 2018. “Marine Protected Resources on the West Coast of the United States: current management and opportunities for applying economic analysis” U.S. Department of Commerce, NOAA Technical Memorandum NMFS-NWFSC-144. <https://doi.org/10.25923/vprp-1507>

## **ADVISEMENT & HOSTING**

---

- Advisor, Braeden Van Deynze, University of Washington / NWFSC postdoc, Jan. 2020 – present, Co-advised with Dan Holland and Sunny Jardine
- Advisor, Brittany King (Oregon State University PhD candidate), NERTO internship, Sep. 2020 – Dec. 2020
- Host Researcher, Manuel Bellanger (Ifremer), June 2018 – June 2019
- Advisor, Casey Lilley (Middlebury), NOAA Summer Internship, June 2017 – Aug. 2017

## **ACTIVITIES & AWARDS**

---

- Social Sciences Advisory Council to Puget Sound Partnership, 2018 – present
- Journal Reviewing: *Coastal Management*, *Economic Inquiry*, *Fisheries Research*, *ICES Journal of Marine Science*, *Land Economics*, *Leisure Sciences*, *Marine Policy*, *Marine Resource Economics*, *Ocean and Coastal Management*, *Tourism Economics*.
- Dissertation defense passed with distinction, University of New Mexico, 2014
- Graduate School scholarship, University of New Mexico, 2009-2013
- Alumni Scholarship, University of Colorado, 2000-2003
- Semester of upper-division coursework in ecology at University of Otago, New Zealand, 2002

**Mark D. Scheuerell**  
USGS Washington Cooperative Fish and Wildlife Research Unit  
School of Aquatic and Fishery Sciences  
University of Washington  
Seattle, WA 98195-5020  
scheuerl@uw.edu  
206.543.5997

## **Education**

- Ph.D., Zoology, University of Washington (2002)  
M.S., Fishery and Aquatic Science, Cornell University (1995)  
B.S., Zoology, University of Wisconsin (1991)

## **Employment**

<i>Assistant Unit Leader</i>	
USGS Washington Cooperative Fish and Wildlife Research Unit	2019 - present
<i>Associate Professor</i>	
School of Aquatic and Fishery Sciences, University of Washington	2019 - present
<i>Research Fisheries Biologist</i>	
Northwest Fisheries Science Center, NOAA Fisheries	2003 - 2019
<i>Affiliate Associate Professor</i>	
School of Aquatic and Fishery Sciences, University of Washington	2016 - 2019
<i>Affiliate Assistant Professor</i>	
School of Aquatic and Fishery Sciences, University of Washington	2007 - 2016

## **Professional recognition**

Presidential Early Career Award for Scientists and Engineers, White House Office of Science and Technology Policy, Washington, District of Columbia (2006)

Member, Ecological Society of America

Member, Association for the Sciences of Limnology and Oceanography

Member, American Fisheries Society

## **Graduate students and post-doctorates supervised**

### **Post-doctoral**

- Guillaume Bal (2012-2013, co-advised with EJ Ward)  
Daniel Pendleton (2010-2012, co-advised with EE Holmes)  
Jim Thorson (2011, co-advised with EE Holmes & EJ Ward)  
Daniel Pendleton (2010-2012, co-advised with EE Holmes)  
Jim Thorson (2011, co-advised with EE Holmes & EJ Ward)  
Kirstin Holsman (2007-2010)  
Eric Buhle (2007-2009)

## M.S. students

- Kelly Mistry, Univ Washington (2020-present)  
Markus Min, Univ Washington (2020-present)

## Principal publications related to this proposal

- Magel C, **Scheuerell MD**, Buhle ER, Lewis DJ, Weeber M, Hacker SD. In review. Estuary and upland habitats are equally important for the production of threatened Oregon Coast coho salmon populations
- DeFilippo LB, Buehrens TW, **Scheuerell MD**, Kendall NW, Schindler DE. In review. Improving short-term recruitment forecasts for coho salmon using a spatiotemporal integrated population model
- Scheuerell MD**, Ruff CP, Anderson JH, Beamer EM. 2021. An integrated population model for estimating the relative effects of natural and anthropogenic factors on a threatened population of steelhead trout. *Journal of Applied Ecology* 58:114-124
- Thorson JT, **Scheuerell MD**, Olden JD, Schindler DE. 2018. Spatial heterogeneity contributes more to portfolio effects than species differences in bottom-associated marine fishes. *Proceedings of the Royal Society B* 285:20180915
- Buhle ER, **Scheuerell MD**, Cooney TD, Ford MJ, Zabel RW, Thorson JT. 2018. Using Integrated Population Models to Evaluate Fishery and Environmental Impacts on Pacific Salmon Viability. U.S. Department of Commerce, NOAA Technical Memorandum NMFS-NWFSC-140.
- Ward EJ, Oken K, Rose KA, Sable S, Watkins K, Holmes EE, **Scheuerell MD**. 2018. Applying spatiotemporal models to monitoring data to quantify fish responses to the Deepwater Horizon oil spill in the Gulf of Mexico. *Environmental Monitoring and Assessment* 190:530
- Bal G, **Scheuerell MD**, Ward EJ. 2018. Characterizing the strength of density dependence in at-risk species through Bayesian model averaging. *Ecological Modelling* 381:1-9
- Ardón M, Helton AM, **Scheuerell MD**, Bernhardt ES. 2017. Fertilizer legacies meet saltwater incursion: challenges and constraints for coastal plain wetland restoration. *Elementa: Science of the Anthropocene* 5:41
- Honea JM, McClure MM, Jorgensen JC, **Scheuerell MD**. 2016. Assessing the vulnerability of freshwater life stages of Chinook salmon to climate change. *Climate Research* 71:127-137
- Scheuerell MD**, Buhle ER, Semmens BX, Ford MJ, Cooney T, Carmichael RW. 2015. Analyzing large-scale conservation interventions with Bayesian hierarchical models: A case study of supplementing threatened Pacific salmon. *Ecology and Evolution* 5:2115–2125
- Griffiths JR, Schindler DE, Armstrong JB, **Scheuerell MD**, Whited DC, Clarke RA, Hilborn R, Holt CA, Lindley ST, Stanford JA, Volk EC. 2014. Performance of salmon fishery portfolios across western North America. *Journal of Applied Ecology* 51:1554–1563
- Thorson JT, **Scheuerell MD**, Buhle ER, Copeland T. 2014. Spatial diversity buffers temporal variability in early juvenile survival for an endangered Pacific salmon. *Journal of Animal Ecology* 83:157–167

## **BRAEDEN VAN DEYNZE**

University of Washington, School of Marine and Environmental Affairs  
3707 Brooklyn Ave NE,  
Seattle, WA 98105  
(530) 220-5287  
[vandeynz@uw.edu](mailto:vandeynz@uw.edu)

## **EDUCATION**

Ph.D., Agricultural, Food, and Resource Economics, Michigan State University, 2020  
B.S., Economics, Gonzaga University, 2015  
B.A., Biology, Gonzaga University, 2015

## **EMPLOYMENT**

Postdoctoral Research Associate, School of Marine and Environmental Affairs, University of Washington (on contract with Northwest Fisheries Science Center, National Oceanic and Atmospheric Administration), January 2020-Present

Graduate Research Assistant, Kellogg Biological Station – Long-Term Ecological Research Program and Dept. of Agricultural, Food, and Resource Economics, Michigan State University, August 2015-December 2019

Instructor, Dept. of Agricultural, Food, and Resource Economics, Michigan State University, August 2018-December 2018

Research Intern, National Parks Conservation Association – Northwest Regional Office, May 2015-August 2015

## **PROFESSIONAL RECOGNITION**

Michigan State University Dept. of Agricultural, Food, and Resource Economics  
Outstanding Doctoral Dissertation Award, 2020

Kellogg Biological Station – Long-Term Ecological Research All-Scientists’ Meeting Planning Committee, 2016-2019

Kellogg Biological Station – Long-Term Ecological Research Graduate Student Representative, 2015-2019

Long-Term Ecological Research Network Graduate Student Committee, 2018-2019

Kellogg Biological Station – Long-Term Ecological Research Summer Research Fellowship, 2018 (\$5,000)

AAEA Graduate Student Case Study Competition, First Place, 2018

Referee for: Agricultural and Applied Economics Association annual meeting, 2019 & 2021;  
*Journal of Agricultural Economics; Journal of Soil and Water Conservation*

## **GRADUATE STUDENTS SUPERVISED**

*Michigan State University*: Zachary Luther (M.S. 2020, co-advised with Scott M. Swinton, current Ph.D. student at Vanderbilt University Dept. of Economics, awarded department's Outstanding Master's Thesis Award, 2020)

## **PRINCIPAL PUBLICATIONS RELATED TO THIS PROPOSAL (<sup>†</sup>advisee co-author)**

Swinton, S.M. and **B. Van Deynze**. 2017. "Hoes to Herbicides: Economics of Evolving Weed Management in the United States." *European Journal of Development Research* 29(3): 560-574.

Luther, Z.<sup>†</sup>, S.M. Swinton, and **B. Van Deynze**. 2020. "What Drives Voluntary Adoption of Farming Practices that Can Abate Nutrient Pollution?" *Journal of Soil and Water Conservation* 75(5): 640-650.

**Van Deynze, B.**, S.M. Swinton, and D.A. Hennessy. "Are Glyphosate-Resistant Weeds a Threat to Conservation Agriculture? Evidence from Tillage Practices in Soybean." Revise and resubmit at *American Journal of Agricultural Economics*.

Luther, Z.<sup>†</sup>, S.M. Swinton, and **B. Van Deynze**. "What Incentives Are Needed to Encourage Farmers to Plant Biodiversity-Promoting Prairie Strips?" Revise and resubmit at *Land Economics*.

**Van Deynze, B.**, R. Fonner, B. Feist, S. Jardine, and D. Holland. "Predicting Culvert Replacement Costs for Salmon Habitat Restoration." *In prep.*

**Van Deynze, B.**, S.M. Swinton, D.A. Hennessy, and L. Ries. "Changing Patterns of Pest Control Influence Butterfly Abundance and Diversity Across Midwestern Agricultural Landscapes." *In prep.*