

Отчет по выполнению ДЗ Р07 и Р08

Горячев Иван Сергеевич

Группа: БПИ236

Дата: 9 декабря 2025 г.

1 р07

1.1 Что сделано

- Добавлен CI

1.2 Настройки репозитория

1.3 Критерии (также они продублированы в комментариях ниже)

- **C1. Сборка и тесты**
2 - Матрица 3 версии Python + Ubuntu, кэш зависимостей, тесты + coverage
- **C2. Кэширование/конкуренция**
2 - Concurrency настроен, кэш pip через actions/setup-python
- **C3. Секреты и конфиги**
2 - Все секреты в GitHub Secrets, DB_URL, JWT_SECRET, разграничение через `{{ secrets }}`
- **C4. Артефакты/репорты**
2 - Тест-репорты (junit.xml), coverage отчеты (HTML+XML), артефакты релевантны
- **C5. CD/промоушн (эмуляция)**
1 - Эмуляция деплоя при пуше в main, базовый dry-run

Итог: 9/10 баллов

Actions secrets and variables

Secrets and variables allow you to manage reusable configuration data. Secrets are **encrypted** and are used for sensitive data. [Learn more about encrypted secrets](#). Variables are shown as plain text and are used for **non-sensitive** data. [Learn more about variables](#).

Anyone with collaborator access to this repository can use these secrets and variables for actions. They are not passed to workflows that are triggered by a pull request from a fork.

Secrets

Variables

Environment secrets

This environment has no secrets.

Manage environment secrets

Repository secrets

New repository secret

Name	Last updated
DATABASE_URL	1 minute ago
DB_NAME	1 minute ago
DB_PASSWORD	1 minute ago
DB_USER	1 minute ago
JWT_SECRET	1 minute ago

Рис. 1: Настройки репозитория

2 P08

2.1 Что сделано

Добавлена безопасность в контейнеры

2.2 Критерии

- **C1. Сборка и тесты**
2: Настроена матрица (несколько версий Python/OS), кэш зависимостей и параллельные шаги под свой стек.
- **C2. Кэширование/конкуренси**
2: Оптимизированы ключи кэша под свой проект (по `requirements.lock`, `pyproject.toml`); слой Docker или gradle/npm кэш.

- **C3. Секреты и конфиги**
1: Секреты вынесены в GitHub Secrets/Vars; вывод маскируется.
- **C4. Артефакты/репорты**
2: Артефакты релевантны своему проекту: docker-образ, wheel, HTML-отчёт тестов/линтеров; используются при релизе.
- **C5. CD/промоушн (эмуляция)**
1: Настроен стейдж-деплой/эмуляция (dry-run, staging push).

2.3 Пруфы что все завелось

```

isevoryachev@MSK-HJTXQC0Y2X course-project-vanek-goriachev % docker-compose --profile=dev up --build
Compose can now delegate builds to bake for better performance.
To do so, set COMPOSE_BAKE=true.
[+] Building 47.4s (17/17) FINISHED
=> [app internal] load build definition from Dockerfile
=> [app internal] load metadata for docker.io/library/python:3.11-slim
=> [app internal] load .dockerignore
=> [app internal] load build context
=> transferring context: 23.34kB
=> CACHED [app stage-1 2/8] WORKDIR /app
=> [app builder 3/5] RUN apt-get update && apt-get install -y gcc g++ curl && rm -rf /var/l 28.4s
=> CACHED [app stage-1 3/8] RUN apt-get update && apt-get install -y curl && rm -rf /var/lib/apt/lis 0.0s
=> CACHED [app stage-1 4/8] RUN groupadd -r appuser && useradd -r -g appuser appuser 0.0s
=> [app builder 4/5] COPY requirements.txt requirements-dev.txt ./ 0.0s
=> [app builder 5/5] RUN pip install --no-cache-dir -r requirements.txt -r requirements-dev.txt 17.0s
=> [app stage-1 5/8] COPY --from=builder /usr/local/lib/python3.11/site-packages /usr/local/lib/python3.11/s 0.3s
=> [app stage-1 6/8] COPY --from=builder /usr/local/bin /usr/local/bin 0.1s
=> [app stage-1 7/8] COPY --chown=appuser:appuser . . 0.1s
=> [app stage-1 8/8] RUN chmod -R 755 /app && find /app -type f -exec chmod 644 {} ; && chown -R app 0.4s
=> [app] exporting to image 0.4s
=> exporting layers 0.3s
=> writing image sha256:b8aa6ae20dad598eca5b576b3af1dcb4351015a5c460e4f33dc2c234ad07ee 0.0s
=> naming to docker.io/library/course-project-vanek-goriachev-app 0.0s
=> [app] resolving provenance for metadata file 0.0s
[+] Running 3/3
  ✓ app Built 0.0s
  ✓ Container postgres_db Running 0.0s
  ✓ Container myapp Recreated 0.0s
Attaching to myapp, postgres_db
myapp | INFO: Started server process [1]
myapp | INFO: Waiting for application startup.
myapp | INFO: Application startup complete.
myapp | INFO: Uvicorn running on http://0.0.0.0:8000 (Press CTRL+C to quit)
myapp | INFO: 172.20.0.1:35612 - "GET / HTTP/1.1" 404 Not Found
myapp | INFO: 172.20.0.1:35612 - "GET /favicon.ico HTTP/1.1" 404 Not Found
myapp | INFO: 172.20.0.1:35612 - "GET /health HTTP/1.1" 200 OK

```

Рис. 2: Доказательство работоспособности