Data Dictionary Codebook

Digital-IMOP-REDCap-AI-System (PID: 5027)

10/13/2026 3:36pm

Instruments	
Instrument	**Form Name**
Patient Information	patient_information
Visit Form	visit_form
Prescriptions	prescriptions
Referral Form	referral_form
Pharmacy Visit Short	pharmacy_visit_short

	#	Variable / Field Name	Field Label *Field Note*	Field Attributes (Field Type, Validation, Choices, Calculations, etc.)
Instrument: Patient Information (patient_information)				
	1	[patient_id]	Patient ID	text
	2	[triage_specialty]	Specialty {specialties_ass}	descriptive
	3	[name]	First name {patient_first_name} Last name {patient_last_name} Date of birth [YYYY-MM-DD] {date_of_birth} Age {age} Sex {sex} Site {site} Phone {phone_number} email {email} Home address {home_address}	descriptive
	4	[guardian_des] Show the field ONLY if: [age] < 18	Guardian name {guardian_name}	descriptive
	5	[patient_first_name]	Patient First Name	text, Required, Identifier
	6	[patient_last_name]	Patient Last Name	text, Required, Identifier
	7	[site]	Site	dropdown, Required 1, Site 1 2, Site 2 3, Site 3

	8	[date_of_birth]	Date of Birth [YYYY-MM-DD]	text (date_ymd), Required
	9	[age]	Age	calc, Required Calculation: rounddown((datediff([date_of_birth],"today","y","ymd")),(
	10	[sex]	Sex	dropdown (autocomplete), Required 1, Female 2, Male
	11	[phone_number]	Phone Number	text, Required
	12	[email]	e-mail Address	text, Required
	13	[home_address]	Home Address	text, Required
	14	[guardian_name] Show the field ONLY if: [age] < 18	Parent/Guardian Name	text, Required
	15	[specialties_ass]	Specialties Assigned	checkbox 1, specialties_ass___1, General Medicine 2, specialties_ass___2, Physical Therapy 3, specialties_ass___3, Occupational Therapy 4, specialties_ass___4, Ophthalmology / Optometry 5, specialties_ass___5, Dentistry
	16	[allergies]	Section Header: *TRIAGE* Allergies	notes
	17	[current_meds]	Current Medications *Example: Metformin 500 mg BID; Lisinopril 10 mg daily*	notes
	18	[chief_dental] Show the field ONLY if: [specialties_ass(5)] = '1'	Section Header: *Dental* Dental Reason of Visit	dropdown 1, Cleaning 2, Extraction 3, Composites 4, Amalgams

	19	[mouth_area_extraction] Show the field ONLY if: [chief_dental] = '2'	Tooth zone extraction?	checkbox 1 mouth_area_extraction___1 UR 2 mouth_area_extraction___2 UL 3 mouth_area_extraction___3 UF 4 mouth_area_extraction___4 LR 5 mouth_area_extraction___5 LL 6 mouth_area_extraction___6 LF Custom alignment: LH
	20	[height_ins] Show the field ONLY if: [specialties_ass(1)] = '1'	Section Header: *Anthropometrics* Height [inches]	text (integer, Min: 12, Max: 100)
	21	[weight_lbs] Show the field ONLY if: [specialties_ass(1)] = '1'	Weight [pounds] *Acceptable range: 5-700 lbs*	text (integer, Min: 0, Max: 1000)
	22	[bmi_calc_imp] Show the field ONLY if: [bmi_calc_imp] <> ""	BMI *Auto-calculated BMI*	calc Calculation: round([weight_lbs] / ([height_ins]* [height_ins]) * 703, 1)
	23	[blood_pressure_sys] Show the field ONLY if: [specialties_ass(1)] = '1' or [specialties_ass(4)] = '1' or [specialties_ass(5)] = '1'	Section Header: *Blood Pressure* Systolic Blood Pressure [mm/Hg] *Acceptable range: 60-250 mmHg*	text (integer, Min: 30, Max: 400)
	24	[blood_pressure_dia] Show the field ONLY if: [specialties_ass(1)] = '1' or [specialties_ass(4)] = '1' or [specialties_ass(5)] = '1'	Diastolic Blood Pressure [mm/Hg] *Acceptable range: 30-150 mmHg*	text (integer, Min: 10, Max: 400)
	25	[pulse] Show the field ONLY if: [specialties_ass(1)] = '1'	Section Header: *Other Vitals* Pulse [bpm] *Acceptable range: 30-220 bpm*	text (integer, Min: 10, Max: 300)

	26	[respiratory_rate] Show the field ONLY if: [specialties_ass(1)] = '1'	Respiratory Rate *Acceptable range: 6-60 breaths/min*	text (number, Min: 5, Max: 200)
	27	[temperature] Show the field ONLY if: [specialties_ass(1)] = '1'	Temperature [Fahrenheit] *Acceptable range: 95.0-107.0 F*	text (number, Min: 92, Max: 115)
	28	[blood_glucose] Show the field ONLY if: [specialties_ass(1)] = '1'	Blood Glucose [mg/dL] *Capillary blood glucose (mg/dL, 20-600)*	text (integer, Min: 20, Max: 700)
	29	[diabetic_diag] Show the field ONLY if: [specialties_ass(1)] = '1'	Diagnosed diabetic?	yesno 1, Yes 0, No
	30	[fasting] Show the field ONLY if: [specialties_ass(1)] = '1'	Fasting (Last time they ate?)	text
	31	[current_plan] Show the field ONLY if: ([diabetic_diag] = '1')	Current treatment plan	dropdown 1, Insulin only 2, Pills only 3, Insulin and Pills 4, Herbal 5, Other
	32	[cc_urgent] Show the field ONLY if: [specialties_ass(1)] = '1'	Section Header: *Chief Complaint* URGENT *Select all that apply.*	checkbox 1, cc_urgent___1, Balance issues 2, cc_urgent___2, Chest pain 3, cc_urgent___3, Difficulty walking 4, cc_urgent___4, Dizziness 5, cc_urgent___5, Fever 6, cc_urgent___6, Palpitations 7, cc_urgent___7, Seizures

				8 | cc_urgent___8 | Weakness Field Annotation: @LAYOUT-4-COLUMNS
	33	[cc_respiratory] Show the field ONLY if: [specialties_ass(1)] = '1'	RESPIRATORY / ENT *Select all that apply.*	checkbox 1 | cc_respiratory___1 | Asthma 2 | cc_respiratory___2 | Cough 3 | cc_respiratory___3 | Ear pain 4 | cc_respiratory___4 | Hearing loss 5 | cc_respiratory___5 | Nasal congestion 6 | cc_respiratory___6 | Runny nose 7 | cc_respiratory___7 | Shortness of breath 8 | cc_respiratory___8 | Sinus pain 9 | cc_respiratory___9 | Sore throat
	34	[cc_gigu] Show the field ONLY if: [specialties_ass(1)] = '1'	GASTROINTESTINAL / URINARY *Select all that apply.*	checkbox 1 | cc_gigu___1 | Abdominal bloating 2 | cc_gigu___2 | Abdominal pain 3 | cc_gigu___3 | Constipation 4 | cc_gigu___4 | Incontinence 5 | cc_gigu___5 | Painful urination 6 | cc_gigu___6 | Urinary urgency
	35	[cc_neuro] Show the field ONLY if: [specialties_ass(1)] = '1'	NEUROLOGIC / COGNITIVE *Select all that apply.*	checkbox 1 | cc_neuro___1 | Epilepsy 2 | cc_neuro___2 | Lethargy 3 | cc_neuro___3 | Memory loss 4 | cc_neuro___4 | Numbness 5 | cc_neuro___5 | Speech delay
	36	[cc_eye_vision] Show the field ONLY if:	EYE / VISION *Select all that apply.*	checkbox 1 | cc_eye_vision___1 | Blurry vision

		[specialties_ass(1)] = '1' or [specialties_ass(4)] = '1'		2 | cc_eye_vision___2 | Eye infection 3 | cc_eye_vision___3 | Eye pain 4 | cc_eye_vision___4 | Eye redness
	37	[cc_pain] Show the field ONLY if: [specialties_ass(1)] = '1'	MUSCULOSKELETAL / PAIN / MOBILITY *Select all that apply.*	checkbox 1 | cc_pain___1 | Back pain 2 | cc_pain___2 | Neck pain 3 | cc_pain___3 | Joint pain(s) 4 | cc_pain___4 | Hip pain Field Annotation: @HORIZONTAL @LAYOUT-3-COLUMN
	38	[cc_skin] Show the field ONLY if: [specialties_ass(1)] = '1'	SKIN / WOUND *Select all that apply.*	checkbox 1 | cc_skin___1 | Rash 2 | cc_skin___2 | Skin lesion 3 | cc_skin___3 | Dry skin 4 | cc_skin___4 | Itching 5 | cc_skin___5 | Swelling Field Annotation: @HORIZONTAL @LAYOUT-3-COLUMN
	39	[cc_endo_chronic] Show the field ONLY if: [specialties_ass(1)] = '1'	ENDOCRINE / CHRONIC *Select all that apply.*	checkbox 1 | cc_endo_chronic___1 | Diabetes 2 | cc_endo_chronic___2 | Heart murmur 3 | cc_endo_chronic___3 | High blood pressure 4 | cc_endo_chronic___4 | Hypothyroidism
	40	[cc_women] Show the field ONLY if: [specialties_ass(1)] = '1' and [sex] = '1'	WOMEN'S HEALTH *Select all that apply.*	checkbox 1 | cc_women___1 | Absence of menses 2 | cc_women___2 | Heavy menses 3 | cc_women___3 | Irregular menses

	41	[cc_wellness] Show the field ONLY if: [specialties_ass(1)] = '1'	GENERAL WELLNESS *Select all that apply.*	checkbox 1, cc_wellness___1, Well adult 2, cc_wellness___2, Well child
	42	[cc_other] Show the field ONLY if: [specialties_ass(1)] = '1'	OTHER COMPLAINT NOT IN LIST *If complaint does not appear in previous lists, specify.*	notes Custom alignment: LH
	43	[complaint_details]	Chief Complaint Details	notes
	44	[patient_information_complete]	Section Header: *Form Status* Complete?	dropdown 0, Incomplete 1, Unverified 2, Complete
Instrument: Visit Form (visit_form)				
	45	[import_triage]	Section Header: *Patient Information:* Name [patient_first_name] [patient_last_name] Age [age] Sex [sex] AllergiesCurrent medicationsChief complaint details [allergies][current_meds][complaint_details]	descriptive, Identifier
	46	[import_triage_genmed] Show the field ONLY if: [specialties_ass(1)] = '1'	Blood Pressure [mm/Hg] Sys / Dia [blood_pressure_sys] / [blood_pressure_dia] Pulse [bpm] Respiratory Rate [bpm] Temperature [F] [pulse] [respiratory_rate] [temperature] F Height [in]Weight [lbs]BMI [height_ins] [weight_lbs][bmi_calc_imp] Previous Diabetes DiagnosisBlood Glucose | Fasting [diabetic_diag] [blood_glucose] mg/dL | Last time they ate [fasting]	descriptive, Identifier
	47	[import_triage_cc_urgent] Show the field ONLY if: [cc_urgent(1)] = '1' or [cc_urgent(2)] = '1' or [cc_urgent(3)] = '1' or [cc_urgent(4)] = '1' or [cc_urgent(5)] = '1' or [cc_urgent(6)] = '1' or [cc_urgent(7)] = '1' or [cc_urgent(8)] = '1'	Chief complaint URGENT [cc_urgent]	descriptive, Identifier
	48	[import_triage_cc_resp]	Chief complaint RESPIRATORY [cc_respiratory]	descriptive, Identifier

		Show the field ONLY if: [cc_respiratory(1)] = '1' or [cc_respiratory(2)] = '1' or [cc_respiratory(3)] = '1' or [cc_respiratory(4)] = '1' or [cc_respiratory(5)] = '1' or [cc_respiratory(6)] = '1' or [cc_respiratory(7)] = '1' or [cc_respiratory(8)] = '1'		
	49	[import_triage_cc_gigu] Show the field ONLY if: [cc_gigu(1)] = '1' or [cc_gigu(2)] = '1' or [cc_gigu(3)] = '1' or [cc_gigu(4)] = '1' or [cc_gigu(5)] = '1' or [cc_gigu(6)] = '1'	Chief complaint GI/GU [cc_gigu]	descriptive, Identifier
	50	[import_triage_cc_neuro] Show the field ONLY if: [cc_neuro(1)] = '1' or [cc_neuro(2)] = '1' or [cc_neuro(3)] = '1' or [cc_neuro(4)] = '1' or [cc_neuro(5)] = '1'	Chief complaint NEUROLOGIC [cc_neuro]	descriptive, Identifier
	51	[import_triage_cc_eye] Show the field ONLY if: [cc_eye_vision(1)] = '1' or [cc_eye_vision(2)] = '1' or [cc_eye_vision(3)] = '1' or [cc_eye_vision(4)] = '1'	Chief complaint EYE/VISION [cc_eye_vision]	descriptive, Identifier
	52	[import_triage_cc_pain] Show the field ONLY if: [cc_pain(1)] = '1' or [cc_pain(2)] = '1' or [cc_pain(3)] = '1' or [cc_pain(4)] = '1'	Chief complaint MSK/PAIN [cc_pain]	descriptive, Identifier
	53	[import_triage_cc_skin] Show the field ONLY if: [cc_skin(2)] = '1' or [cc_skin(1)] = '1' or [cc_skin(3)] = '1' or [cc_	Chief complaint SKIN/WOUND [cc_skin]	descriptive, Identifier

		skin(4)] = '1' or [cc_skin(5)] = '1'		
	54	[import_triage_cc_endo] Show the field ONLY if: [cc_endo_chronic(1)] = '1' or [cc_endo_chronic(2)] = '1' or [cc_endo_chronic(3)] = '1' or [cc_endo_chronic(4)] = '1'	Chief complaint ENDO/CHRONIC [cc_endo_chronic]	descriptive, Identifier
	55	[import_triage_cc_women] Show the field ONLY if: [cc_women(1)] = '1' or [cc_women(2)] = '1' or [cc_women(3)] = '1'	Chief complaint WOMEN'S HEALTH [cc_women]	descriptive, Identifier
	56	[import_triage_cc_wellness] Show the field ONLY if: [cc_wellness(1)] = '1' or [cc_wellness(2)] = '1'	Chief complaint WELLNESS [cc_wellness]	descriptive, Identifier
	57	[import_triage_cc_other] Show the field ONLY if: [cc_other]<>""	Chief complaint OTHER [cc_other]	descriptive, Identifier
	58	[import_triage_dental] Show the field ONLY if: [specialties_ass(5)] = '1'	Dental procedure [chief_dental] Tooth extraction [mouth_area_extraction] Blood pressure (sys/dias) [blood_pressure_sys] / [blood_pressure_dia]	descriptive, Identifier
	59	[specialty_visit]	Specialty	dropdown, Required 1, Pediatrics 2, Occupational Therapy 3, Physical Therapy 4, Dental 5, General Medicine 6, Nutrition 7, Ophthalmology

	60	[job] Show the field ONLY if: ([specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '5') and [age] >= 14	Job	text
	61	[visual_acuity_both] Show the field ONLY if: [specialty_visit] = '7'	Presenting Visual Acuity Left {visual_acuity_left} Presenting Visual Acuity Right {visual_acuity_right}	descriptive
	62	[visual_acuity_right] Show the field ONLY if: [specialty_visit] = '7'	Presenting Visual Acuity (Right Eye)	dropdown 1, 20/20 or better 2, 20/25 3, 20/30 4, 20/40 5, 20/50 6, 20/60 7, 20/70 8, 20/80 9, 20/100 10, 20/200 or worse 11, Unable to assess
	63	[visual_acuity_left] Show the field ONLY if: [specialty_visit] = '7'	Presenting Visual Acuity (Left Eye)	dropdown 1, 20/20 or better 2, 20/25 3, 20/30 4, 20/40 5, 20/50 6, 20/60 7, 20/70 8, 20/80

				9 | 20/100 10 | 20/200 or worse 11 | Unable to assess
	64	[viz_diagnosis_1] Show the field ONLY if: [specialty_visit] = '7'	Section Header: *Primary Eye Diagnosis / Finding - Awareness* Uncorrected Refractive Error	checkbox 1 | viz_diagnosis_1___1 | Left 2 | viz_diagnosis_1___2 | Right 3 | viz_diagnosis_1___3 | Both 4 | viz_diagnosis_1___4 | Previously Aware of Condition 5 | viz_diagnosis_1___5 | Previously Not Aware 6 | viz_diagnosis_1___6 | Unsure
	65	[viz_diagnosis_2] Show the field ONLY if: [specialty_visit] = '7'	Presbyopia	checkbox 1 | viz_diagnosis_2___1 | Left 2 | viz_diagnosis_2___2 | Right 3 | viz_diagnosis_2___3 | Both 4 | viz_diagnosis_2___4 | Previously Aware of Condition 5 | viz_diagnosis_2___5 | Previously Not Aware 6 | viz_diagnosis_2___6 | Unsure
	66	[viz_diagnosis_3] Show the field ONLY if: [specialty_visit] = '7'	Cataract	checkbox 1 | viz_diagnosis_3___1 | Left 2 | viz_diagnosis_3___2 | Right 3 | viz_diagnosis_3___3 | Both 4 | viz_diagnosis_3___4 | Previously Aware of Condition 5 | viz_diagnosis_3___5 | Previously Not Aware 6 | viz_diagnosis_3___6 | Unsure
	67	[viz_diagnosis_4]	Pterygium	checkbox

		Show the field ONLY if: [specialty_visit] = '7'		1 viz_diagnosis_4___1 Left 2 viz_diagnosis_4___2 Right 3 viz_diagnosis_4___3 Both 4 viz_diagnosis_4___4 Previously Aware of Condition 5 viz_diagnosis_4___5 Previously Not Aware 6 viz_diagnosis_4___6 Unsure
	68	[viz_diagnosis_5] Show the field ONLY if: [specialty_visit] = '7'	Pinguecula	checkbox 1 viz_diagnosis_5___1 Left 2 viz_diagnosis_5___2 Right 3 viz_diagnosis_5___3 Both 4 viz_diagnosis_5___4 Previously Aware of Condition 5 viz_diagnosis_5___5 Previously Not Aware 6 viz_diagnosis_5___6 Unsure
	69	[viz_diagnosis_6] Show the field ONLY if: [specialty_visit] = '7'	Glaucoma Suspect	checkbox 1 viz_diagnosis_6___1 Left 2 viz_diagnosis_6___2 Right 3 viz_diagnosis_6___3 Both 4 viz_diagnosis_6___4 Previously Aware of Condition 5 viz_diagnosis_6___5 Previously Not Aware 6 viz_diagnosis_6___6 Unsure
	70	[viz_diagnosis_7] Show the field ONLY if: [specialty_visit] = '7'	Amblyopia	checkbox 1 viz_diagnosis_7___1 Left 2 viz_diagnosis_7___2 Right 3 viz_diagnosis_7___3 Both 4 viz_diagnosis_7___4 Previously Aware of Condition

				5 viz_diagnosis_7___5 Previously Not Aware 6 viz_diagnosis_7___6 Unsure
	71	[viz_diagnosis_8] Show the field ONLY if: [specialty_visit] = '7'	Diabetic Retinopathy	checkbox 1 viz_diagnosis_8___1 Left 2 viz_diagnosis_8___2 Right 3 viz_diagnosis_8___3 Both 4 viz_diagnosis_8___4 Previously Aware of Condition 5 viz_diagnosis_8___5 Previously Not Aware 6 viz_diagnosis_8___6 Unsure
	72	[viz_diagnosis_9] Show the field ONLY if: [specialty_visit] = '7'	Hypertensive Retinopathy	checkbox 1 viz_diagnosis_9___1 Left 2 viz_diagnosis_9___2 Right 3 viz_diagnosis_9___3 Both 4 viz_diagnosis_9___4 Previously Aware of Condition 5 viz_diagnosis_9___5 Previously Not Aware 6 viz_diagnosis_9___6 Unsure
	73	[viz_diagnosis_10] Show the field ONLY if: [specialty_visit] = '7'	Subconjunctival Hemorrhage	checkbox 1 viz_diagnosis_10___1 Left 2 viz_diagnosis_10___2 Right 3 viz_diagnosis_10___3 Both 4 viz_diagnosis_10___4 Previously Aware of Condition 5 viz_diagnosis_10___5 Previously Not Aware 6 viz_diagnosis_10___6 Unsure
	74	[viz_diagnosis_11] Show the field ONLY if:	Conjunctivitis	checkbox 1 viz_diagnosis_11___1 Left

		[specialty_visit] = '7'		2 viz_diagnosis_11___2 Right 3 viz_diagnosis_11___3 Both 4 viz_diagnosis_11___4 Previously Aware of Condition 5 viz_diagnosis_11___5 Previously Not Aware 6 viz_diagnosis_11___6 Unsure
	75	[viz_diagnosis_12] Show the field ONLY if: [specialty_visit] = '7'	Corneal Ulcer / Abrasion	checkbox 1 viz_diagnosis_12___1 Left 2 viz_diagnosis_12___2 Right 3 viz_diagnosis_12___3 Both 4 viz_diagnosis_12___4 Previously Aware of Condition 5 viz_diagnosis_12___5 Previously Not Aware 6 viz_diagnosis_12___6 Unsure
	76	[viz_diagnosis_13] Show the field ONLY if: [specialty_visit] = '7'	Trauma-Related Injury (e.g., blunt or penetrating)	checkbox 1 viz_diagnosis_13___1 Left 2 viz_diagnosis_13___2 Right 3 viz_diagnosis_13___3 Both 4 viz_diagnosis_13___4 Previously Aware of Condition 5 viz_diagnosis_13___5 Previously Not Aware 6 viz_diagnosis_13___6 Unsure
	77	[viz_diagnosis_141] Show the field ONLY if: [specialty_visit] = '7'	Chemical Injury (acid/base)	checkbox 1 viz_diagnosis_141___1 Left 2 viz_diagnosis_141___2 Right 3 viz_diagnosis_141___3 Both 4 viz_diagnosis_141___4 Previously Aware of Condition 5 viz_diagnosis_141___5 Previously Not Aware

				6 viz_diagnosis_141___6 Unsure
	78	[viz_diagnosis_15] Show the field ONLY if: [specialty_visit] = '7'	Foreign Body	checkbox 1 viz_diagnosis_15___1 Left 2 viz_diagnosis_15___2 Right 3 viz_diagnosis_15___3 Both 4 viz_diagnosis_15___4 Previously Aware of Condition 5 viz_diagnosis_15___5 Previously Not Aware 6 viz_diagnosis_15___6 Unsure
	79	[viz_diagnosis_16] Show the field ONLY if: [specialty_visit] = '7'	Uveitis / Iritis	checkbox 1 viz_diagnosis_16___1 Left 2 viz_diagnosis_16___2 Right 3 viz_diagnosis_16___3 Both 4 viz_diagnosis_16___4 Previously Aware of Condition 5 viz_diagnosis_16___5 Previously Not Aware 6 viz_diagnosis_16___6 Unsure
	80	[viz_diagnosis_17] Show the field ONLY if: [specialty_visit] = '7'	Retinal Detachment / Tear Suspected	checkbox 1 viz_diagnosis_17___1 Left 2 viz_diagnosis_17___2 Right 3 viz_diagnosis_17___3 Both 4 viz_diagnosis_17___4 Previously Aware of Condition 5 viz_diagnosis_17___5 Previously Not Aware 6 viz_diagnosis_17___6 Unsure
	81	[viz_diagnosis_18] Show the field ONLY if: [specialty_visit] = '7'	Orbital Cellulitis / Preseptal Cellulitis	checkbox 1 viz_diagnosis_18___1 Left 2 viz_diagnosis_18___2 Right

				3 viz_diagnosis_18___3 Both 4 viz_diagnosis_18___4 Previously Aware of Condition 5 viz_diagnosis_18___5 Previously Not Aware 6 viz_diagnosis_18___6 Unsure
	82	[viz_diagnosis_19] Show the field ONLY if: [specialty_visit] = '7'	Lid Abnormality (e.g., Chalazion, Hordeolum)	checkbox 1 viz_diagnosis_19___1 Left 2 viz_diagnosis_19___2 Right 3 viz_diagnosis_19___3 Both 4 viz_diagnosis_19___4 Previously Aware of Condition 5 viz_diagnosis_19___5 Previously Not Aware 6 viz_diagnosis_19___6 Unsure
	83	[viz_diagnosis_20] Show the field ONLY if: [specialty_visit] = '7'	Trichiasis / Entropion / Ectropion	checkbox 1 viz_diagnosis_20___1 Left 2 viz_diagnosis_20___2 Right 3 viz_diagnosis_20___3 Both 4 viz_diagnosis_20___4 Previously Aware of Condition 5 viz_diagnosis_20___5 Previously Not Aware 6 viz_diagnosis_20___6 Unsure

	84	[viz_diagnosis_21] Show the field ONLY if: [specialty_visit] = '7'	Other	checkbox 1, viz_diagnosis_21___1, Left 2, viz_diagnosis_21___2, Right 3, viz_diagnosis_21___3, Both 4, viz_diagnosis_21___4, Previously Aware of Condition 5, viz_diagnosis_21___5, Previously Not Aware 6, viz_diagnosis_21___6, Unsure
	85	[other_viz] Show the field ONLY if: [viz_diagnosis_21(1)] = '1' or [viz_diagnosis_21(2)] = '1' or [viz_diagnosis_21(3)] = '1' or [viz_diagnosis_21(4)] = '1' or [viz_diagnosis_21(5)] = '1' or [viz_diagnosis_21(6)] = '1'	Specify other condition	notes
	86	[viz_fam_history] Show the field ONLY if: [specialty_visit] = '7'	Does the patient have a known family history of eye disease?	dropdown 1, Yes 2, No 3, Unsure
	87	[viz_pos_fam_history] Show the field ONLY if: [viz_fam_history] = '1'	If yes, what condition?	text
	88	[viz_referral_needed] Show the field ONLY if: [specialty_visit] = '7'	Does the patient need a referral or follow-up care?	radio 1, Yes 2, No 3, Already under care 4, Not sure / needs further evaluation
	89	[type_referral] Show the field ONLY if:	Type of Referral Needed (if applicable)	checkbox 1, type_referral___1, Glasses / Optometry

		[specialty_visit] = '7'		2 type_referral___2 Ophthalmology evaluation 3 type_referral___3 Surgery 4 type_referral___4 Other
	90	[other_referral_viz] Show the field ONLY if: [type_referral(4)] = '1'	Specify other referral	text
	91	[additional_findings_viz] Show the field ONLY if: [specialty_visit] = '7'	Any additional notes or findings	notes
	92	[ot_role] Show the field ONLY if: ([specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '5') and [age] >= 14	Role (e.g. parent)	text
	93	[ot_peds_hand_dom] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '5'	Hand Dominance	radio 1 Right 2 Left Custom alignment: RH
	94	[presenting_concern] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5' or [specialty_visit] = '6'	Reason For Visit/Presenting Concern	notes
	95	[history_present_ill] Show the field ONLY if: [specialty_visit] = '5' or [specialty_visit] = '1' or [specialty_visit] = '6' or [specialty_visit] = '2' or [specialty_visit] = '3'	Section Header: *RELEVANT HISTORY* History of Present Illness	notes

	96	[ot_peds_diagnoses] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14 or [specialty_visit] = '3'	Diagnoses or Developmental Delays	notes
	97	[add_current_meds] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5'	Current Medications or Treatments	notes
	98	[history_injury] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5'	History of Injury, Surgery, or Hospitalization	notes
	99	[review_constitutional] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Section Header: *REVIEW OF SYSTEMS* Constitutional	checkbox 1 review_constitutional___1 Positive 2 review_constitutional___2 Negative Custom alignment: RH
	100	[constitutional_p] Show the field ONLY if: [review_constitutional(1)] = '1'	Constitutional Positive	notes Field Annotation: @PLACEHOLDER='DESCRIBE specific positive findings here (e.g., fever >3 days, chills, night sweats, new fatigue, unintended weight loss, poor appetite).'
	101	[constitutional_n] Show the field ONLY if: [review_constitutional(2)] = '1'	Constitutional Negative	notes Field Annotation: @PLACEHOLDER='List the negative findings you reviewed.'
	102	[review_head_eyes] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Head / Eyes	checkbox 1 review_head_eyes___1 Positive 2 review_head_eyes___2 Negative Custom alignment: RH

	103	[head_eye_positive] Show the field ONLY if: [review_head_eyes(1)] = '1'	Head / Eyes Positive	notes Field Annotation: @PLACEHOLDER='DESCRIBE specific positive findings here (e.g., headache, blurry/double vision, eye pain, redness, discharge, photophobia, floaters, visual field loss).'
	104	[head_eye_negative] Show the field ONLY if: [review_head_eyes(2)] = '1'	Head / Eyes Negative	notes Field Annotation: @PLACEHOLDER='List the negative findings you reviewed.'
	105	[review_enmt] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Ear / Nose / Mouth / Throat	checkbox 1 | review_enmt___1 | Positive 2 | review_enmt___2 | Negative Custom alignment: RH
	106	[enmt_positive] Show the field ONLY if: [review_enmt(1)] = '1'	ENMT Positive	notes Field Annotation: @PLACEHOLDER='DESCRIBE specific positive findings (e.g., ear pain, hearing loss, ear discharge, nasal congestion, sore throat, difficulty swallowing.)'
	107	[enmt_negative] Show the field ONLY if: [review_enmt(2)] = '1'	ENMT Negative	notes Field Annotation: @PLACEHOLDER='List the negative findings you reviewed.'
	108	[review_cardio] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Cardiovascular	checkbox 1 | review_cardio___1 | Positive 2 | review_cardio___2 | Negative Custom alignment: RH
	109	[cardio_positive] Show the field ONLY if: [review_cardio(1)] = '1'	Cardiovascular Positive	notes Field Annotation: @PLACEHOLDER='DESCRIBE specific positive findings (e.g., chest pain, palpitations, leg swelling, fainting, orthopnea).'
	110	[cardio_negative] Show the field ONLY if: [review_cardio(2)] = '1'	Cardiovascular Negative	notes Field Annotation: @PLACEHOLDER='List the negative findings you reviewed.'

	111	[review_respiratory] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Respiratory	checkbox 1 review_respiratory___1 Positive 2 review_respiratory___2 Negative Custom alignment: RH
	112	[respiratory_positive] Show the field ONLY if: [review_respiratory(1)] = '1'	Respiratory Positive	notes Field Annotation: @PLACEHOLDER='DESCRIBE specific positive findings (e.g., cough, shortness of breath, wheezing, sputum production, chest tightness).'
	113	[respiratory_negative] Show the field ONLY if: [review_respiratory(2)] = '1'	Respiratory Negative	notes Field Annotation: @PLACEHOLDER='List the negative findings you reviewed.'
	114	[review_abdominal] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Abdominal	checkbox 1 review_abdominal___1 Positive 2 review_abdominal___2 Negative Custom alignment: RH
	115	[abdominal_positive] Show the field ONLY if: [review_abdominal(1)] = '1'	Abdominal Positive	notes Field Annotation: @PLACEHOLDER='DESCRIBE specific positive findings (e.g., abdominal pain, nausea, vomiting, diarrhea, constipation, blood in stool).'
	116	[abdominal_negative] Show the field ONLY if: [review_abdominal(2)] = '1'	Abdominal Negative	notes Field Annotation: @PLACEHOLDER='List the negative findings you reviewed.'
	117	[review_genitourinary] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Genitourinary	checkbox 1 review_genitourinary___1 Positive 2 review_genitourinary___2 Negative Custom alignment: RH
	118	[genitourinary_positive] Show the field ONLY if: [review_genitourinary(1)] = '1'	Genitourinary Positive	notes Field Annotation: @PLACEHOLDER='DESCRIBE specific positive findings (e.g., dysuria, urinary frequency, urgency, flank pain, blood in urine).'

	119	[genitourinary_negative] Show the field ONLY if: [review_genitourinary(2)] = '1'	Genitourinary Negative	notes Field Annotation: @PLACEHOLDER='List the negative findings you reviewed.'
	120	[review_msk] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Musculoskeletal	checkbox 1, review_msk___1, Positive 2, review_msk___2, Negative Custom alignment: RH
	121	[msk_positive] Show the field ONLY if: [review_msk(1)] = '1'	Musculoskeletal Positive	notes Field Annotation: @PLACEHOLDER='DESCRIBE specific positive findings (e.g., joint pain, swelling, stiffness, muscle aches, back pain).'
	122	[msk_negative] Show the field ONLY if: [review_msk(2)] = '1'	Musculoskeletal Negative	notes Field Annotation: @PLACEHOLDER='List the negative findings you reviewed.'
	123	[review_neuro] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Neurological	checkbox 1, review_neuro___1, Positive 2, review_neuro___2, Negative Custom alignment: RH
	124	[neuro_positive] Show the field ONLY if: [review_neuro(1)] = '1'	Neurological Positive	notes Field Annotation: @PLACEHOLDER='DESCRIBE specific positive findings (e.g., dizziness, weakness, numbness, headaches, seizures, gait problems).'
	125	[neuro_negative] Show the field ONLY if: [review_neuro(2)] = '1'	Neurological Negative	notes Field Annotation: @PLACEHOLDER='List the negative findings you reviewed.'
	126	[review_psycho] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Psychological	checkbox 1, review_psycho___1, Positive 2, review_psycho___2, Negative Custom alignment: RH

	127	[psycho_positive] Show the field ONLY if: [review_psycho(1)] = '1'	Psychological Positive	notes Field Annotation: @PLACEHOLDER='DESCRIBE specific positive findings (e.g., anxiety, depression, agitation, confusion, sleep problems).'
	128	[psycho_negative] Show the field ONLY if: [review_psycho(2)] = '1'	Psychological Negative	notes Field Annotation: @PLACEHOLDER='List the negative findings you reviewed.'
	129	[review_heme_lymph] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Heme / Lymph	checkbox 1 review_heme_lymph___1 Positive 2 review_heme_lymph___2 Negative Custom alignment: RH
	130	[heme_lymph_positive] Show the field ONLY if: [review_heme_lymph(1)] = '1'	Heme / Lymph Positive	notes Field Annotation: @PLACEHOLDER='DESCRIBE specific positive findings (e.g., easy bruising, bleeding tendencies, swollen lymph nodes, recurrent infections).'
	131	[heme_lymph_negative] Show the field ONLY if: [review_heme_lymph(2)] = '1'	Heme / Lymph Negative	notes Field Annotation: @PLACEHOLDER='List the negative findings you reviewed.'
	132	[review_allerg_immuno] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Allerg / Immuno	checkbox 1 review_allerg_immuno___1 Positive 2 review_allerg_immuno___2 Negative Custom alignment: RH
	133	[allerg_immuno_positive] Show the field ONLY if: [review_allerg_immuno(1)]='1'	Allerg / Immune Positive	notes Field Annotation: @PLACEHOLDER='DESCRIBE specific positive findings (e.g., allergic reactions, hives, itching, recurrent infections, known immunodeficiency).'
	134	[allerg_immuno_negative] Show the field ONLY if: [review_allerg_immuno(2)] = '1'	Allerg / Immune Negative	notes Field Annotation: @PLACEHOLDER='List the negative findings you reviewed.'

	135	[review_integumentary] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Integumentary	checkbox 1 | review_integumentary___1 | Positive 2 | review_integumentary___2 | Negative Custom alignment: RH
	136	[integumentary_positive] Show the field ONLY if: [review_integumentary(1)] = '1'	Integumentary Positive	notes Field Annotation: @PLACEHOLDER='DESCRIBE specific positive findings (e.g., rash, itching, redness, swelling, wounds, lesions).'
	137	[integumentary_negative] Show the field ONLY if: [review_integumentary(2)] = '1'	Integumentary Negative	notes Field Annotation: @PLACEHOLDER='List the negative findings you reviewed.'
	138	[med_values_visit] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Further Medical Values	yesno 1 | Yes 0 | No Custom alignment: RH
	139	[insert_med_values_visit] Show the field ONLY if: [med_values_visit]='1'	Insert Medical Values	notes
	140	[further_test_visit] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Further order / labs	yesno 1 | Yes 0 | No Custom alignment: RH
	141	[further_med_test] Show the field ONLY if: [further_test_visit] = '1'	Test type	radio 1 | Urine Custom alignment: RH

	142	[urine_panel] Show the field ONLY if: [further_med_test] = '1'	Urine Values Color {urine_color} Clarity {urine_clarity} Glucose {urine_glucose} Biribuline {urine_biribuline} Ketones {urine_ketones} Specific gravity {urine_spec_gravity} Blood {urine_blood} Ph {urine_ph} Proteine {urine_proteine} Uribilirogen {urine_urobilinogen} Leukocytes {urine_leukocytes}	descriptive
	143	[urine_color] Show the field ONLY if: [further_med_test] = '1'	Urine Color	radio 1 Light yellow 2 Yellow 3 Dark yellow 4 Amber 5 Bloody
	144	[urine_clarity] Show the field ONLY if: [further_med_test] = '1'	Urine Clarity	radio 1 Clear 2 Cloudy 3 Hazy 4 Milky 5 Turbid
	145	[urine_glucose] Show the field ONLY if: [further_med_test] = '1'	Urine Glucose	radio 1 Negative 2 100 mg/dl 3 250 mg/dl 4 500 mg/dl 5 1000 mg/dl 6 2000> mg/dl
	146	[urine_biribuline] Show the field ONLY if: [further_med_test] = '1'	Urine Biribuline	radio 1 Negative 2 Small 3 Moderate

				4 Large
	147	[urine_ketones] Show the field ONLY if: [further_med_test] = '1'	Urine Ketones	radio 1 Negative 2 Trace 3 Small 4 Moderate 5 Large 6 Very large
	148	[urine_spec_gravity] Show the field ONLY if: [further_med_test] = '1'	Urine Specific Gravity	radio 1000 1000 1005 1005 1010 1010 1015 1015 1020 1020 1025 1025 1030 1030
	149	[urine_blood] Show the field ONLY if: [further_med_test] = '1'	Urine Blood	radio 1 Negative 2 Trace non-hem 3 Mod. non-hem 4 Trace 5 Small 6 Moderate 7 Large
	150	[urine_ph] Show the field ONLY if: [further_med_test] = '1'	Urine pH	radio 4.5 4.5 5.0 5.0

				5.5 | 5.5 6.0 | 6.0 6.5 | 6.5 7.0 | 7.0 7.5 | 7.5 8.0 | 8.0 8.5 | 8.5
	151	[urine_proteine] Show the field ONLY if: [further_med_test] = '1'	Urine Proteine	radio 1 | Negative 2 | Trace 3 | Small 4 | 1+ 5 | 2+ 6 | 3+ 7 | 4+
	152	[urine_urobilinogen] Show the field ONLY if: [further_med_test] = '1'	Urine Urobilinogen	radio 1 | Normal 2 | 2 mg/dl 3 | 4 mg/dl 4 | 8 mg/dl
	153	[urine_leukocytes] Show the field ONLY if: [further_med_test] = '1'	Urine Leukocytes	radio 1 | Negative 2 | Trace 3 | Small 4 | Moderate 5 | Large
	154	[orders_lab_visit]	Insert Results from Orders / Labs	notes

		Show the field ONLY if: [further_test_visit]='1'		
	155	[pt_stairs] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Section Header: *Patient Home Setup* Stairs	yesno 1, Yes 0, No Custom alignment: RH
	156	[pt_floors] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Number of Floors	text (integer, Min: 0)
	157	[pt_sleeping_situation] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Sleeping Situation	notes
	158	[pt_other_fam] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Other Family Members	yesno 1, Yes 0, No Custom alignment: RH
	159	[pt_other_fam_comments] Show the field ONLY if: [pt_other_fam] = '1'	Comments	notes
	160	[ot_important_activites] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Section Header: *Functional and Occupational Activities* Important Activities	notes
	161	[ot_difficult_activities] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Activities difficult or unable to do	notes

	162	[ot_pain_act] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Pain or discomfort during activites	yesno 1 Yes 0 No Custom alignment: RH
	163	[ot_pain_act_describe] Show the field ONLY if: [ot_pain_act] = '1'	If "yes" please describe	notes
	164	[ot_peds_difficulties] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Section Header: *Caregiver Reported Functional Concerns* Activities Child Has Difficulties With	notes
	165	[ot_peds_goals] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Goals (Child/Caregiver Stated or Implied)	notes
	166	[comments_func_testing] Show the field ONLY if: [specialty_visit]='1' or [specialty_visit]='2' or [specialty_visit]='3' or [specialty_visit]='5'	Section Header: *FUNCTIONAL PHYSICAL EXAMINATION* Occupational Therapy and Physical Therapy: Range of motion, sensory testing, pain maps, goals. General Medicine and Pediatrics: Pain map.	descriptive
	167	[ot_peds_sensory_concerns] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Sensory Concerns (e.g., sensitivity to noise, touch)	notes
	168	[taste] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Section Header: *Sensory Assessment* Taste	radio (Matrix) 1 Not Assessed 2 1 3 2 4 3 5 4

				6 | 5 7 | 6 8 | 7 9 | 8 10 | 9 11 | 10
	169	[vision] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Vision	radio (Matrix) 1 | Not Assessed 2 | 1 3 | 2 4 | 3 5 | 4 6 | 5 7 | 6 8 | 7 9 | 8 10 | 9 11 | 10
	170	[touch] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Touch	radio (Matrix) 1 | Not Assessed 2 | 1 3 | 2 4 | 3 5 | 4 6 | 5 7 | 6 8 | 7

				9 | 8 10 | 9 11 | 10
	171	[noise_sensitivity] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Noise Sensitivity	radio (Matrix) 1 | Not Assessed 2 | 1 3 | 2 4 | 3 5 | 4 6 | 5 7 | 6 8 | 7 9 | 8 10 | 9 11 | 10
	172	[ot_peds_communication] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Communication/Social Concerns	notes
	173	[shoulder_rom] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3'	Section Header: *Range Of Motion (ROM)* Assessed Shoulder	yesno 1 | Yes 0 | No Custom alignment: RH
	174	[shoulder_rom_comments] Show the field ONLY if: [shoulder_rom] = '1'	Assessed Elbow Comments	notes
	175	[elbow_rom] Show the field ONLY if:	Assessed Elbow	yesno 1 | Yes

		[specialty_visit] = '2' or [specialty_visit] = '3'		0, No Custom alignment: RH
	176	[elbow_rom_comments] Show the field ONLY if: [elbow_rom] = '1'	Assessed Elbow Comments	notes Custom alignment: RH
	177	[wrist_rom] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3'	Assessed Wrist	yesno 1, Yes 0, No Custom alignment: RH
	178	[wrist_rom_comments] Show the field ONLY if: [wrist_rom] = '1'	Assessed Wrist Comments	notes
	179	[fingers_rom] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3'	Assessed Fingers	yesno 1, Yes 0, No Custom alignment: RH
	180	[fingers_rom_comments] Show the field ONLY if: [fingers_rom] = '1'	Assessed Fingers Comments	notes
	181	[hip_rom] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3'	Assessed Hip	yesno 1, Yes 0, No Custom alignment: RH
	182	[hip_rom_comments] Show the field ONLY if: [hip_rom] = '1'	Assessed Hip Comments	notes
	183	[knee_rom]	Assessed Knee	yesno

		Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3'		1, Yes 0, No Custom alignment: RH
	184	[knee_rom_comments] Show the field ONLY if: [knee_rom] = '1'	Assessed Knee Comments	notes
	185	[ankle_rom] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3'	Assessed Ankle	yesno 1, Yes 0, No Custom alignment: RH
	186	[ankle_rom_comments] Show the field ONLY if: [ankle_rom] = '1'	Assessed Ankle Comments	notes
	187	[ot_peds_posture] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Posture/Tone (Impaired?)	yesno 1, Yes 0, No Custom alignment: RH
	188	[ot_light_touch] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Section Header: *Sensory Testing* Light Touch	checkbox 1, ot_light_touch___1, Left 2, ot_light_touch___2, Right 3, ot_light_touch___3, None
	189	[ot_pin] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Pinprick	checkbox 1, ot_pin___1, Left 2, ot_pin___2, Right 3, ot_pin___3, None
	190	[ot_temp] Show the field ONLY if:	Temperature	checkbox 1, ot_temp___1, Left

		[specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'		2 ot_temp___2 Right 3 ot_temp___3 None
	191	[ot_2_point] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	2-Point Discrimination	checkbox 1 ot_2_point___1 Left 2 ot_2_point___2 Right 3 ot_2_point___3 None
	192	[ot_proprioception] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Proprioception	checkbox 1 ot_proprioception___1 Left 2 ot_proprioception___2 Right 3 ot_proprioception___3 None
	193	[ot_light_touch_comments] Show the field ONLY if: [ot_light_touch(1)] = '1' or [ot_light_touch(2)] = '1' or [ot_light_touch(3)] = '1'	Comments on light touch	notes
	194	[ot_pin_comments] Show the field ONLY if: [ot_pin(1)] = '1' or [ot_pin(2)] = '1' or [ot_pin(3)] = '1'	Comments on pinprick	notes
	195	[ot_temp_comments] Show the field ONLY if: [ot_temp(1)] = '1' or [ot_temp(2)] = '1' or [ot_temp(3)] = '1'	Comments on temperature	notes
	196	[ot_2_point_comments] Show the field ONLY if: [ot_2_point(1)] = '1' or [ot_2_point(2)] = '1' or [ot_2_point(3)] = '1'	Comments on 2-points discrimination	notes
	197	[ot_proprioception_comments]	Comments on proprioception	notes

		Show the field ONLY if: [ot_proprioception(1)] = '1' or [ot_proprioception(2)] = '1' or [ot_proprioception(3)] = '1'		
	198	[ot_peds_posture_notes] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Additional Posture/Tone Notes	notes
	199	[ot_peds_fine_motor] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Fine Motor Skills	notes
	200	[ot_peds_gross_motor] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Gross Motor Skills	notes
	201	[ot_gen_appearance] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Section Header: *Therapist Observations* General appearance	notes Field Annotation: @PLACEHOLDER='(e.g., posture, mobility)'
	202	[ot_engagement] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Engagement	notes Field Annotation: @PLACEHOLDER='(e.g., alert, cooperative)'
	203	[ot_challenges] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Physical or cognitive challenges	notes
	204	[ot_other_observations] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Other observations	notes
	205	[ot_peds_play]	Play/Social Interaction	notes

		Show the field ONLY if: [specialty_visit] = '2' and [age] < 14		
	206	[ot_peds_feeding] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Feeding/Self-Care	notes
	207	[ot_peds_behavior] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Behavior/Engagement	notes
	208	[ot_peds_rom] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	ROM/MMT (as appropriate)	notes
	209	[ot_peds_sensory_response] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Sensory Response	notes
	210	[ot_peds_balance] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Balance/Coordination	notes
	211	[ot_goals] Show the field ONLY if: [specialty_visit] = '2' and [age] >= '14' or [specialty_visit] = '3'	Goals (Client Stated or Implied)	notes
	212	[show_pain_pre] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5'	SHOW PAIN MAP PRE-TREATMENT	yesno 1, Yes 0, No Custom alignment: RH

	213	[pain_map] Show the field ONLY if: [show_pain_pre]='1'	Section Header: *PRE-TREATMENT PAIN ASSESSMENT- if not pain, please specify sensation in comments*	descriptive
	214	[head_neck] Show the field ONLY if: [show_pain_pre]='1'	Head and Neck	checkbox 1, head_neck___1, 1 2, head_neck___2, 2 3, head_neck___3, 3 23, head_neck___23, 23 24, head_neck___24, 24 25, head_neck___25, 25
	215	[pain_level_head] Show the field ONLY if: [head_neck(1)] = '1' or [head_neck(2)] = '1' or [head_neck (3)] = '1' or [head_neck(23)] = '1' or [head_neck(24)] = '1' or [head_neck(25)] = '1'	Pain level *1= minimal pain; 10 = worst pain imaginable*	dropdown 1, 1 2, 2 3, 3 4, 4 5, 5 6, 6 7, 7 8, 8 9, 9 10, 10
	216	[comments_pain_head] Show the field ONLY if: [head_neck(1)] = '1' or [head_neck(2)] = '1' or [head_neck (3)] = '1' or [head_neck(23)] = '1' or [head_neck(24)] = '1' or [head_neck(25)] = '1'	Comments on pain	notes
	217	[upper_ext]	Upper Extremities	checkbox

		Show the field ONLY if: [show_pain_pre]='1'		4 | upper_ext___4 | 4 5 | upper_ext___5 | 5 6 | upper_ext___6 | 6 7 | upper_ext___7 | 7 8 | upper_ext___8 | 8 9 | upper_ext___9 | 9 10 | upper_ext___10 | 10 11 | upper_ext___11 | 11 26 | upper_ext___26 | 26 27 | upper_ext___27 | 27 28 | upper_ext___28 | 28 29 | upper_ext___29 | 29 30 | upper_ext___30 | 30 31 | upper_ext___31 | 31 32 | upper_ext___32 | 32 33 | upper_ext___33 | 33
	218	[pain_level_upp] Show the field ONLY if: [upper_ext(4)] = '1' or [upper_ext(5)] = '1' or [upper_ext(6)] = '1' or [upper_ext(7)] = '1' or [upper_ext(8)] = '1' or [upper_ext(9)] = '1' or [upper_ext(10)] = '1' or [upper_ext(11)] = '1' or [upper_ext(26)] = '1' or [upper_ext(27)] = '1' or [upper_ext(28)] = '1' or [upper_ext(29)] = '1' or [upper_ext(30)] = '1' or [upper_ext(31)] = '1' or [upper_ext(32)] = '1' or [upper_ext(33)] = '1'	Pain Level *1= minimal pain; 10 = worst pain imaginable*	dropdown 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 7 | 7 8 | 8 9 | 9 10 | 10

	219	[comments_pain_upp] Show the field ONLY if: [upper_ext(4)] = '1' or [upper_ext(6)] = '1' or [upper_ext(5)] = '1' or [upper_ext(7)] = '1' or [upper_ext(8)] = '1' or [upper_ext(9)] = '1' or [upper_ext(10)] = '1' or [upper_ext(11)] = '1' or [upper_ext(26)] = '1' or [upper_ext(27)] = '1' or [upper_ext(28)] = '1' or [upper_ext(29)] = '1' or [upper_ext(31)] = '1' or [upper_ext(32)] = '1' or [upper_ext(33)] = '1'	Comments on pain	notes
	220	[lower_ext] Show the field ONLY if: [show_pain_pre]='1'	Lower Extremities	checkbox 17, lower_ext___17, 17 18, lower_ext___18, 18 19, lower_ext___19, 19 20, lower_ext___20, 20 21, lower_ext___21, 21 22, lower_ext___22, 22 40, lower_ext___40, 40 41, lower_ext___41, 41 42, lower_ext___42, 42 43, lower_ext___43, 43 44, lower_ext___44, 44 45, lower_ext___45, 45
	221	[pain_level_low] Show the field ONLY if: [lower_ext(17)] = '1' or [lower_ext(18)] = '1' or [lower_ext(19)] = '1' or [lower_ext(20)] = '1' or [lower_ext(21)] = '1' or [low	Pain Level *1= minimal pain; 10 = worst pain imaginable*	dropdown 1, 1 2, 2 3, 3

		er_ext(22)] = '1' or [lower_ext(40)] = '1' or [lower_ext(41)] = '1' or [lower_ext(42)] = '1' or [lower_ext(43)] = '1' or [lower_ext(45)] = '1'		4 4 5 5 6 6 7 7 8 8 9 9 10 10
	222	[comments_pain_low] Show the field ONLY if: [lower_ext(17)] = '1' or [lower_ext(19)] = '1' or [lower_ext(18)] = '1' or [lower_ext(20)] = '1' or [lower_ext(21)] = '1' or [lower_ext(22)] = '1' or [lower_ext(40)] = '1' or [lower_ext(41)] = '1' or [lower_ext(42)] = '1' or [lower_ext(43)] = '1' or [lower_ext(44)] = '1' or [lower_ext(45)] = '1'	Comments on pain	notes

	223	[chest_back] Show the field ONLY if: [show_pain_pre]='1'	Chest and Back	checkbox 12, chest_back___12, 12 13, chest_back___13, 13 14, chest_back___14, 14 15, chest_back___15, 15 16, chest_back___16, 16 34, chest_back___34, 34 35, chest_back___35, 35 36, chest_back___36, 36 37, chest_back___37, 37 38, chest_back___38, 38 39, chest_back___39, 39
	224	[pain_level_chest] Show the field ONLY if: [chest_back(12)] = '1' or [chest_back(13)] = '1' or [chest_back(14)] = '1' or [chest_back(15)] = '1' or [chest_back(16)] = '1' or [chest_back(34)] = '1' or [chest_back(35)] = '1' or [chest_back(37)] = '1' or [chest_back(38)] = '1' or [chest_back(39)] = '1'	Pain Level *1= minimal pain; 10 = worst pain imaginable*	dropdown 1, 1 2, 2 3, 3 4, 4 5, 5 6, 6 7, 7 8, 8 9, 9 10, 10
	225	[comments_pain_chest] Show the field ONLY if: [chest_back(12)] = '1' or [chest_back(13)] = '1' or [chest_back(14)] = '1' or [chest_back(15)] = '1' or [chest_back(16)] = '1' o	Comments on pain	notes

		r [chest_back(34)] = '1' or [chest_back(35)] = '1' or [chest_back(36)] = '1' or [chest_back(37)] = '1' or [chest_back(38)] = '1' or [chest_back(39)] = '1'		
	226	[ot_peds_0_6_months] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Section Header: *Developmental Milestones Check* 0-6 Months	checkbox 1, ot_peds_0_6_months___1, Rolls over front to back and back to front 2, ot_peds_0_6_months___2, Reaches for and grasps objects 3, ot_peds_0_6_months___3, Responds to sounds and voices 4, ot_peds_0_6_months___4, Smiles and coos socially 5, ot_peds_0_6_months___5, Lifts head and chest while on tummy
	227	[ot_peds_0_6_1] Show the field ONLY if: [ot_peds_0_6_months(1)] = '1'	Comments on: Rolls over front to back and back to front	notes
	228	[ot_peds_0_6_2] Show the field ONLY if: [ot_peds_0_6_months(2)] = '1'	Comments on: Reaches for and grasps objects	notes
	229	[ot_peds_0_6_3] Show the field ONLY if: [ot_peds_0_6_months(3)] = '1'	Comments on: Responds to sounds and voices	notes
	230	[ot_peds_0_6_4] Show the field ONLY if: [ot_peds_0_6_months(4)] = '1'	Comments on: Smiles and coos socially	notes
	231	[ot_peds_0_6_5] Show the field ONLY if: [ot_peds_0_6_months(5)] = '1'	Comments on: Lifts head and chest while on tummy	notes

	232	[ot_peds_6_12_months] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	6-12 Months	checkbox 1, ot_peds_6_12_months___1, Sits independently 2, ot_peds_6_12_months___2, Crawls or scoots 3, ot_peds_6_12_months___3, Transfers objects between hands 4, ot_peds_6_12_months___4, Responds to name 5, ot_peds_6_12_months___5, Babbles with consonant sounds (e.g., "ba-ba")
	233	[ot_peds_6_12_months_1] Show the field ONLY if: [ot_peds_6_12_months(1)] = '1'	Comments on: Sits independently	notes
	234	[ot_peds_6_12_months_2] Show the field ONLY if: [ot_peds_6_12_months(2)] = '1'	Comments on: Crawls or scoots	notes
	235	[ot_peds_6_12_months_3] Show the field ONLY if: [ot_peds_6_12_months(3)] = '1'	Comments on: Transfers objects between hands	notes
	236	[ot_peds_6_12_months_4] Show the field ONLY if: [ot_peds_6_12_months(4)] = '1'	Comments on: Responds to name	notes
	237	[ot_peds_6_12_months_5] Show the field ONLY if: [ot_peds_6_12_months(5)] = '1'	Comments on: Babbles with consonant sounds (e.g., "ba-ba")	notes
	238	[ot_peds_12_18_months] Show the field ONLY if:	12-18 Months	checkbox 1, ot_peds_12_18_months___1, Walks with or without support

		[specialty_visit] = '2' and [age] < 14		2 ot_peds_12_18_months___2 Points to objects or pictures 3 ot_peds_12_18_months___3 Uses simple words (mama, dada) 4 ot_peds_12_18_months___4 Scribbles with crayon 5 ot_peds_12_18_months___5 Feeds self finger foods
	239	[ot_peds_12_18_months_1] Show the field ONLY if: [ot_peds_12_18_months(1)] = '1'	Comments on: Walks with or without support	notes
	240	[ot_peds_12_18_months_2] Show the field ONLY if: [ot_peds_12_18_months(2)] = '1'	Comments on: Points to objects or pictures	notes
	241	[ot_peds_12_18_months_3] Show the field ONLY if: [ot_peds_12_18_months(3)] = '1'	Comments on: Uses simple words (mama, dada)	notes
	242	[ot_peds_12_18_months_4] Show the field ONLY if: [ot_peds_12_18_months(4)] = '1'	Comments on: Scribbles with crayon	notes
	243	[ot_peds_12_18_months_5] Show the field ONLY if: [ot_peds_12_18_months(5)] = '1'	Comments on: Feeds self finger foods	notes
	244	[ot_peds_18_24_months] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	18-24 Months	checkbox 1 ot_peds_18_24_months___1 Walks well, begins to run

				2 ot_peds_18_24_months___2 Builds a tower of 2-4 blocks 3 ot_peds_18_24_months___3 Follows simple instructions 4 ot_peds_18_24_months___4 Begins pretend play 5 ot_peds_18_24_months___5 Uses 10-20 words
	245	[ot_peds_18_24_months_1] Show the field ONLY if: [ot_peds_18_24_months(1)] = '1'	Comments on: Walks well, begins to run	notes
	246	[ot_peds_18_24_months_2] Show the field ONLY if: [ot_peds_18_24_months(2)] = '1'	Comments on: Builds a tower of 2-4 blocks	notes
	247	[ot_peds_18_24_months_3] Show the field ONLY if: [ot_peds_18_24_months(3)] = '1'	Comments on: Follows simple instructions	notes
	248	[ot_peds_18_24_months_4] Show the field ONLY if: [ot_peds_18_24_months(4)] = '1'	Comments on: Begins pretend play	notes
	249	[ot_peds_18_24_months_5] Show the field ONLY if: [ot_peds_18_24_months(5)] = '1'	Comments on: Uses 10-20 words	notes
	250	[ot_peds_2_3_years] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	2-3 Years	checkbox 1 ot_peds_2_3_years___1 Runs, climbs, kicks ball 2 ot_peds_2_3_years___2 Turns pages in a book 3 ot_peds_2_3_years___3 Uses 2-3 word phrases

				4 ot_peds_2_3_years___4 Identifies body parts 5 ot_peds_2_3_years___5 Begins toilet training
	251	[ot_peds_2_3_years_1] Show the field ONLY if: [ot_peds_2_3_years(1)] = '1'	Comments on: Runs, climbs, kicks ball	notes
	252	[ot_peds_2_3_years_3] Show the field ONLY if: [ot_peds_2_3_years(3)] = '1'	Comments on: Uses 2-3 word phrases	notes
	253	[ot_peds_2_3_years_2] Show the field ONLY if: [ot_peds_2_3_years(2)] = '1'	Comments on: Turns pages in a book	notes
	254	[ot_peds_2_3_years_4] Show the field ONLY if: [ot_peds_2_3_years(4)] = '1'	Comments on: Identifies body parts	notes
	255	[ot_peds_2_3_years_5] Show the field ONLY if: [ot_peds_2_3_years(5)] = '1'	Comments on: Begins toilet training	notes
	256	[ot_peds_3_4_years] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	3-4 Years	checkbox 1 ot_peds_3_4_years___1 Hops on one foot 2 ot_peds_3_4_years___2 Draws circles and crosses 3 ot_peds_3_4_years___3 Understands concepts like big/little 4 ot_peds_3_4_years___4 Speaks in full sentences 5 ot_peds_3_4_years___5 Dresses with help
	257	[ot_peds_3_4_years_1] Show the field ONLY if: [ot_peds_3_4_years(1)] = '1'	Comments on: Hops on one foot	notes, Identifier
	258	[ot_peds_3_4_years_2] Show the field ONLY if:	Comments on: Draws circles and crosses	notes

		[ot_peds_3_4_years(2)] = '1'		
	259	[ot_peds_3_4_years_3] Show the field ONLY if: [ot_peds_3_4_years(3)] = '1'	Comments on: Understands concepts like big/little	notes
	260	[ot_peds_3_4_years_4] Show the field ONLY if: [ot_peds_3_4_years(4)] = '1'	Comments on: Speaks in full sentences	notes
	261	[ot_peds_3_4_years_5] Show the field ONLY if: [ot_peds_3_4_years(5)] = '1'	Comments on: Dresses with help	notes
	262	[ot_peds_4_5_years] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	4-5 Years	checkbox 1, ot_peds_4_5_years___1, Skips, balances on one foot 2, ot_peds_4_5_years___2, Uses scissors 3, ot_peds_4_5_years___3, Prints some letters or name 4, ot_peds_4_5_years___4, Tells stories, answers questions 5, ot_peds_4_5_years___5, Independent toileting and dressing
	263	[ot_peds_4_5_years_1] Show the field ONLY if: [ot_peds_4_5_years(1)] = '1'	Comments on: Skips, balances on one foot	notes
	264	[ot_peds_4_5_years_2] Show the field ONLY if: [ot_peds_4_5_years(2)] = '1'	Comments on: Uses scissors	notes
	265	[ot_peds_4_5_years_3] Show the field ONLY if: [ot_peds_4_5_years(3)] = '1'	Comments on: Prints some letters or name	notes
	266	[ot_peds_4_5_years_4] Show the field ONLY if:	Comments on: Tells stories, answers questions	notes

		[ot_peds_4_5_years(4)] = '1'		
	267	[ot_peds_4_5_years_5] Show the field ONLY if: [ot_peds_4_5_years(5)] = '1'	Comments on: Independent toileting and dressing	notes
	268	[pt_assesment] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5' or [specialty_visit]='6'	Section Header: *ASSESSMENT* Assessment	notes
	269	[diagnosis_gm_gc] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Section Header: *DIAGNOSES* GENERAL CONDITIONS (select all that apply)	checkbox 1, diagnosis_gm_gc___1, Abdominal pain 2, diagnosis_gm_gc___2, Constipation 3, diagnosis_gm_gc___3, Edema 4, diagnosis_gm_gc___4, Gastritis 5, diagnosis_gm_gc___5, Malnutrition 6, diagnosis_gm_gc___6, Obesity 7, diagnosis_gm_gc___7, Wellness check 8, diagnosis_gm_gc___8, Other
	270	[other_gm_gc] Show the field ONLY if: [diagnosis_gm_gc(8)]='1'	If Other, specify	text
	271	[diagnosis_gm_cardio] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	CARDIOVASCULAR (select all that apply)	checkbox 1, diagnosis_gm_cardio___1, Bradycardia 2, diagnosis_gm_cardio___2, Heart murmur 3, diagnosis_gm_cardio___3, Hypercholesterolemia 4, diagnosis_gm_cardio___4, Hypertension 5, diagnosis_gm_cardio___5, Tachycardia 6, diagnosis_gm_cardio___6, Other

	272	[other_gm_cardio] Show the field ONLY if: [diagnosis_gm_cardio(6)]='1'	If Other, specify	text
	273	[diagnosis_gm_endo] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	ENDOCRINE/METABOLIC (select all that apply)	checkbox 1, diagnosis_gm_endo___1, Diabetes Type I 2, diagnosis_gm_endo___2, Diabetes Type II 3, diagnosis_gm_endo___3, Diabetic neuropathy 4, diagnosis_gm_endo___4, Hypothyroidism 5, diagnosis_gm_endo___5, Peripheral neuropathy 6, diagnosis_gm_endo___6, Other
	274	[other_gm_endo] Show the field ONLY if: [diagnosis_gm_endo(6)]='1'	If Other, specify	text
	275	[diagnosis_gm_neuro] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	NEUROLOGICAL (select all that apply)	checkbox 1, diagnosis_gm_neuro___1, Dementia 2, diagnosis_gm_neuro___2, Developmental delay 3, diagnosis_gm_neuro___3, Epilepsy 4, diagnosis_gm_neuro___4, Headache 5, diagnosis_gm_neuro___5, Migraine 6, diagnosis_gm_neuro___6, Occipital neuralgia 7, diagnosis_gm_neuro___7, Memory loss 8, diagnosis_gm_neuro___8, Speech delay 9, diagnosis_gm_neuro___9, Vertigo 10, diagnosis_gm_neuro___10, s/p stroke/TIA 11, diagnosis_gm_neuro___11, Other

	276	[other_gm_neuro] Show the field ONLY if: [diagnosis_gm_neuro(11)]='1'	If Other, specify	text
	277	[diagnosis_gm_resp] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	RESPIRATORY (select all that apply)	checkbox 1, diagnosis_gm_resp___1, Asthma 2, diagnosis_gm_resp___2, Upper respiratory tract infection 3, diagnosis_gm_resp___3, Viral URI 4, diagnosis_gm_resp___4, Sinusitis 5, diagnosis_gm_resp___5, Other
	278	[other_gm_resp] Show the field ONLY if: [diagnosis_gm_resp(5)]='1'	If Other, specify	text
	279	[diagnosis_gm_ent] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	ENT (EAR, NOSE, THROAT) (select all that apply)	checkbox 1, diagnosis_gm_ent___1, Allergic rhinitis 2, diagnosis_gm_ent___2, Cerumen impaction 3, diagnosis_gm_ent___3, Hearing loss 4, diagnosis_gm_ent___4, Otitis externa 5, diagnosis_gm_ent___5, Otitis media 6, diagnosis_gm_ent___6, Pharyngitis 7, diagnosis_gm_ent___7, Viral pharyngitis 8, diagnosis_gm_ent___8, Stye 9, diagnosis_gm_ent___9, Other
	280	[other_gm_ent] Show the field ONLY if: [diagnosis_gm_ent(9)]='1'	If Other, specify	text
	281	[diagnosis_gm_eye] Show the field ONLY if:	EYE / VISION (select all that apply)	checkbox 1, diagnosis_gm_eye___1, Cataracts 2, diagnosis_gm_eye___2, Dry eye

		[specialty_visit] = '1' or [specialty_visit] = '5'		3 diagnosis_gm_eye___3 Presbyopia 4 diagnosis_gm_eye___4 Pterygium 5 diagnosis_gm_eye___5 Other
	282	[other_gm_eye] Show the field ONLY if: [diagnosis_gm_eye(5)]='1'	If Other, specify	text
	283	[diagnosis_gm_derma] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	INTEGUMENTARY / DERMATOLOGY (select all that apply)	checkbox 1 diagnosis_gm_derma___1 Atopic dermatitis 2 diagnosis_gm_derma___2 Dry skin 3 diagnosis_gm_derma___3 Oral candidiasis 4 diagnosis_gm_derma___4 Other
	284	[other_gm_derma] Show the field ONLY if: [diagnosis_gm_derma(4)]='1'	If Other, specify	text
	285	[diagnosis_gm_gigu] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	GI / GU / REPRODUCTIVE (select all that apply)	checkbox 1 diagnosis_gm_gigu___1 Amenorrhea 2 diagnosis_gm_gigu___2 Constipation 3 diagnosis_gm_gigu___3 Dysmenorrhea 4 diagnosis_gm_gigu___4 Menometrorrhagia 5 diagnosis_gm_gigu___5 Menorrhagia 6 diagnosis_gm_gigu___6 Metrorrhagia 7 diagnosis_gm_gigu___7 Incontinence 8 diagnosis_gm_gigu___8 Urinary tract infection 9 diagnosis_gm_gigu___9 Other
	286	[other_gm_gigu] Show the field ONLY if: [diagnosis_gm_gigu(9)]='1'	If Other, specify	text
	287	[diagnosis_gm_infect]	INFECTIOUS DISEASES (select all that apply)	checkbox

		Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'		1 diagnosis_gm_infect___1 Parasitic infection 2 diagnosis_gm_infect___2 Other
	288	[other_gm_infect] Show the field ONLY if: [diagnosis_gm_infect(2)]='1'	If Other, specify	text
	289	[diagnosis_gm_msk_pain] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	MUSCULOSKELETAL & PAIN (select all that apply)	checkbox 1 diagnosis_gm_msk_pain___1 Cervicalgia 2 diagnosis_gm_msk_pain___2 Dorsalgia 3 diagnosis_gm_msk_pain___3 Lumbago 4 diagnosis_gm_msk_pain___4 Muscle spasm 5 diagnosis_gm_msk_pain___5 Other
	290	[other_gm_msk_pain] Show the field ONLY if: [diagnosis_gm_msk_pain(5)] ='1'	If Other, specify	text
	291	[diagnosis_gm_osteo] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	OSTEOPATHIC SOMATIC DYSFUNCTIONS (select all that apply)	checkbox 1 diagnosis_gm_osteo___1 Abdomen 2 diagnosis_gm_osteo___2 Cervical spine 3 diagnosis_gm_osteo___3 Head 4 diagnosis_gm_osteo___4 Lower extremities 5 diagnosis_gm_osteo___5 Lumbar spine 6 diagnosis_gm_osteo___6 Lymphatics 7 diagnosis_gm_osteo___7 Pelvis 8 diagnosis_gm_osteo___8 Ribs 9 diagnosis_gm_osteo___9 Sacrum 10 diagnosis_gm_osteo___10 Thoracic spine 11 diagnosis_gm_osteo___11 Upper extremities 12 diagnosis_gm_osteo___12 Other

	292	[other_gm_osteo] Show the field ONLY if: [diagnosis_gm_osteo(12)]='1'	If Other, specify	text
	293	[diagnosis_gm_dev] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	DEVELOPMENTAL & PEDIATRIC (select all that apply)	checkbox 1, diagnosis_gm_dev___1, Autism 2, diagnosis_gm_dev___2, Developmental delay 3, diagnosis_gm_dev___3, Failure to thrive 4, diagnosis_gm_dev___4, Speech delay 5, diagnosis_gm_dev___5, Other
	294	[other_gm_dev] Show the field ONLY if: [diagnosis_gm_dev(5)]='1'	If Other, specify	text
	295	[diagnosis_nutrition] Show the field ONLY if: [specialty_visit] = '6'	NUTRITION (select all that apply)	checkbox 1, diagnosis_nutrition___1, Poor nutrition quality of life 2, diagnosis_nutrition___2, Food and nutrition related knowledge deficit 3, diagnosis_nutrition___3, Imbalance of nutrients 4, diagnosis_nutrition___4, Inadequate/Excessive oral intake 5, diagnosis_nutrition___5, Excessive energy intake 6, diagnosis_nutrition___6, Inadequate energy intake 7, diagnosis_nutrition___7, Inadequate fiber intake 8, diagnosis_nutrition___8, Undesirable food choices 9, diagnosis_nutrition___9, Underweight

				10	diagnosis_nutrition___10	Overweight
				11	diagnosis_nutrition___11	Obesity
				12	diagnosis_nutrition___12	Growth rate below expected
				13	diagnosis_nutrition___13	Starvation related malnutrition
				14	diagnosis_nutrition___14	Non-illness related pediatric malnutrition
				15	diagnosis_nutrition___15	Chronic disease or condition related malnutrition
				16	diagnosis_nutrition___16	Disordered eating pattern
				17	diagnosis_nutrition___17	Limited access to food
				18	diagnosis_nutrition___18	Limited access to nutrition related supplies
				19	diagnosis_nutrition___19	Limited access to potable water
				20	diagnosis_nutrition___20	Intake of unsafe food
				21	diagnosis_nutrition___21	Physical inactivity
				22	diagnosis_nutrition___22	Self feeding difficulty
				23	diagnosis_nutrition___23	Biting chewing difficulty
				24	diagnosis_nutrition___24	Swallowing difficulty
				25	diagnosis_nutrition___25	Impaired nutrient utilization
	296	[omm] Show the field ONLY if:	Osteopathic manipulation performed	yesno 1 Yes 0 No		

		[specialty_visit] = '1' or [specialty_visit] = '5'		Custom alignment: RH
	297	[omm_procedure] Show the field ONLY if: [omm]='1'	Osteopathic procedure	notes
	298	[treatment_nutrition] Show the field ONLY if: [specialty_visit] = '6'	Section Header: *TREATMENT* Treatment	checkbox
	299	[treatment] Show the field ONLY if: [specialty_visit] = '6' or [specialty_visit] = '1' or [specialty_visi	Notes to Treatment	notes

1	treatment_nutrition___1	Education on nutrition influence on health
2	treatment_nutrition___2	Modify composition of meals and snacks(M)
3	treatment_nutrition___3	Energy modified diet
4	treatment_nutrition___4	Decreased energy diet
5	treatment_nutrition___5	Increased energy diet
6	treatment_nutrition___6	Fiber modified diet
7	treatment_nutrition___7	Nutrition related skill education
8	treatment_nutrition___8	Physical activity guidance
9	treatment_nutrition___9	Accomodation or assistance eating
10	treatment_nutrition___10	Mechanically altered diet
11	treatment_nutrition___11	Individualized approach for food

		t] = '5' or [specialty_visit] = '3' or [specialty_visit] = '2'		
	300	[ot_treatment] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14	Treatment/Interventions Provided	checkbox 1, ot_treatment___1, ADL Training 2, ot_treatment___2, Therapeutic Exercise 3, ot_treatment___3, Joint Protection Techniques 4, ot_treatment___4, Home Program 5, ot_treatment___5, Assistive Device Use 6, ot_treatment___6, Caregiver Education 7, ot_treatment___7, Manual Therapy 8, ot_treatment___8, Other (please specify below):
	301	[ot_peds_treatment] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Treatment/Interventions Provided	checkbox 1, ot_peds_treatment___1, Play-Based Activity 2, ot_peds_treatment___2, ADL Training 3, ot_peds_treatment___3, Sensory Integration 4, ot_peds_treatment___4, Fine Motor Exercise 5, ot_peds_treatment___5, Caregiver Education 6, ot_peds_treatment___6, Feeding Strategies 7, ot_peds_treatment___7, Home Program Provided 8, ot_peds_treatment___8, Other (please specify below):
	302	[ot_peds_treatment_other] Show the field ONLY if: [ot_peds_treatment(8)] = '1' or [ot_treatment(8)] = '1'	For "Other", please specify	notes
	303	[ot_items] Show the field ONLY if:	Items Provided (if any)	checkbox 1, ot_items___1, Splint 2, ot_items___2, Walker

		[specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'		3 ot_items___3 Cane 4 ot_items___4 Modified Utensils 5 ot_items___5 Crutches 6 ot_items___6 Braces 7 ot_items___7 TheraBand 8 ot_items___8 Shoes 9 ot_items___9 Other (please specify below):
	304	[ot_peds_items] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Items Provided (if any)	checkbox 1 ot_peds_items___1 Adaptive Utensils 2 ot_peds_items___2 Toys 3 ot_peds_items___3 Braces 4 ot_peds_items___4 Other (please specify below):
	305	[ot_peds_items_other] Show the field ONLY if: [ot_peds_items(4)] = '1' or [ot_items(9)] = '1'	For "Other", please specify	notes
	306	[show_pain_post] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5'	SHOW PAIN MAP POST-TREATMENT	yesno 1 Yes 0 No Custom alignment: RH
	307	[pain_map_post] Show the field ONLY if: [show_pain_post]='1'	Section Header: *POST-TREATMENT PAIN ASSESSMENT*	descriptive
	308	[head_neck_post] Show the field ONLY if: [show_pain_post]='1'	Head and Neck	checkbox 1 head_neck_post___1 1 2 head_neck_post___2 2 3 head_neck_post___3 3

				23 | head_neck_post___23 | 23 24 | head_neck_post___24 | 24 25 | head_neck_post___25 | 25
	309	[pain_level_head_post] Show the field ONLY if: [head_neck(1)] = '1' or [head_neck(2)] = '1' or [head_neck(3)] = '1' or [head_neck(23)] = '1' or [head_neck(24)] = '1' or [head_neck(25)] = '1'	Pain level *1= minimal pain; 10 = worst pain imaginable*	dropdown 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 7 | 7 8 | 8 9 | 9 10 | 10
	310	[comments_pain_head_post] Show the field ONLY if: [head_neck(1)] = '1' or [head_neck(2)] = '1' or [head_neck(3)] = '1' or [head_neck(23)] = '1' or [head_neck(24)] = '1' or [head_neck(25)] = '1'	Comments on pain	notes
	311	[pain_level_upp_post] Show the field ONLY if: [upper_ext(4)] = '1' or [upper_ext(5)] = '1' or [upper_ext(6)] = '1' or [upper_ext(7)] = '1' or [upper_ext(8)] = '1' or [upper_ext(9)] = '1' or [upper_ext(10)] = '1' or [upper_ext(11)] = '1' or [upper_ext(26)] = '1' or [upper_ext(27)] = '1' or [upper_ext(2	Pain Level *1= minimal pain; 10 = worst pain imaginable*	dropdown 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6

		8)] = '1' or [upper_ext(29)] = '1' or [upper_ext(30)] = '1' or [upper_ext(31)] = '1' or [upper_ext(32)] = '1' or [upper_ext(33)] = '1'		7, 7 8, 8 9, 9 10, 10
	312	[upper_ext_post] Show the field ONLY if: [show_pain_post]='1'	Upper Extremities	checkbox 4, upper_ext_post___4, 4 5, upper_ext_post___5, 5 6, upper_ext_post___6, 6 7, upper_ext_post___7, 7 8, upper_ext_post___8, 8 9, upper_ext_post___9, 9 10, upper_ext_post___10, 10 11, upper_ext_post___11, 11 26, upper_ext_post___26, 26 27, upper_ext_post___27, 27 28, upper_ext_post___28, 28 29, upper_ext_post___29, 29 30, upper_ext_post___30, 30 31, upper_ext_post___31, 31 32, upper_ext_post___32, 32 33, upper_ext_post___33, 33
	313	[comments_pain_upp_post] Show the field ONLY if: [upper_ext(4)] = '1' or [upper_ext(6)] = '1' or [upper_ext(5)] = '1' or [upper_ext(7)] = '1' or [upper_ext(8)] = '1' or [upper_ext(9)] = '1' or [upper_ext(10)] = '1' or [upper_ext(11)] = '1' or [upper_ext(26)] = '1' or [upper	Comments on pain	notes

		_ext(27)] = '1' or [upper_ext(28)] = '1' or [upper_ext(29)] = '1' or [upper_ext(31)] = '1' or [upper_ext(32)] = '1' or [upper_ext(33)] = '1'		
	314	[lower_ext_post] Show the field ONLY if: [show_pain_post]='1'	Lower Extremities	checkbox 17, lower_ext_post___17, 17 18, lower_ext_post___18, 18 19, lower_ext_post___19, 19 20, lower_ext_post___20, 20 21, lower_ext_post___21, 21 22, lower_ext_post___22, 22 40, lower_ext_post___40, 40 41, lower_ext_post___41, 41 42, lower_ext_post___42, 42 43, lower_ext_post___43, 43 44, lower_ext_post___44, 44 45, lower_ext_post___45, 45
	315	[pain_level_low_post] Show the field ONLY if: [lower_ext(17)] = '1' or [lower_ext(18)] = '1' or [lower_ext(19)] = '1' or [lower_ext(20)] = '1' or [lower_ext(21)] = '1' or [lower_ext(22)] = '1' or [lower_ext(40)] = '1' or [lower_ext(41)] = '1' or [lower_ext(42)] = '1' or [lower_ext(43)] = '1' or [lower_ext(45)] = '1'	Pain Level *1= minimal pain; 10 = worst pain imaginable*	dropdown 1, 1 2, 2 3, 3 4, 4 5, 5 6, 6 7, 7 8, 8 9, 9 10, 10

	316	[chest_back_post] Show the field ONLY if: [show_pain_post]='1'	Chest and Back	checkbox 12, chest_back_post___12, 12 13, chest_back_post___13, 13 14, chest_back_post___14, 14 15, chest_back_post___15, 15 16, chest_back_post___16, 16 34, chest_back_post___34, 34 35, chest_back_post___35, 35 36, chest_back_post___36, 36 37, chest_back_post___37, 37 38, chest_back_post___38, 38 39, chest_back_post___39, 39
	317	[comments_pain_low_post] Show the field ONLY if: [lower_ext(17)] = '1' or [lower_ext(19)] = '1' or [lower_ext(18)] = '1' or [lower_ext(20)] = '1' or [lower_ext(21)] = '1' or [lower_ext(22)] = '1' or [lower_ext(40)] = '1' or [lower_ext(41)] = '1' or [lower_ext(42)] = '1' or [lower_ext(43)] = '1' or [lower_ext(44)] = '1' or [lower_ext(45)] = '1'	Comments on pain	notes
	318	[pain_level_chest_post] Show the field ONLY if: [chest_back(12)] = '1' or [chest_back(13)] = '1' or [chest_back(14)] = '1' or [chest_back(15)] = '1' or [chest_back(16)] = '1' or [chest_back(34)] = '1' or [chest_back(35)] = '1' or [chest_back(37)] = '1' or [chest_back(3	Pain Level *1= minimal pain; 10 = worst pain imaginable*	dropdown 1, 1 2, 2 3, 3 4, 4 5, 5 6, 6

		8)] = '1' or [chest_back(39)] = '1'		7 | 7 8 | 8 9 | 9 10 | 10
	319	[comments_pain_chest_post] Show the field ONLY if: [chest_back(12)] = '1' or [chest_back(13)] = '1' or [chest_back(14)] = '1' or [chest_back(15)] = '1' or [chest_back(16)] = '1' or [chest_back(34)] = '1' or [chest_back(35)] = '1' or [chest_back(36)] = '1' or [chest_back(37)] = '1' or [chest_back(38)] = '1' or [chest_back(39)] = '1'	Comments on pain	notes
	320	[ot_peds_recommendations] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5'	Section Header: *PLAN / RECOMMENDATIONS / FOLLOW-UP* Recommendations	notes
	321	[ot_peds_follow_up] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5'	Follow-up (if applicable)	notes
	322	[internal_referral]	Needs Internal Referral	yesno 1 | Yes 0 | No Custom alignment: RH
	323	[add_new_referral]	Add another Specialty Assigned to the already selected ones in the Patient Information form: [form-	descriptive

		Show the field ONLY if: [internal_referral]='1'	link:patient_information:Click here to go back to Patient Information form]	
	324	[ot_referred] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5'	External Referrals	checkbox 1, ot_referred___1, Physical Therapy 2, ot_referred___2, Physician (DO / MD) 3, ot_referred___3, Speech Therapy 4, ot_referred___4, School Support 5, ot_referred___5, Community Resources 6, ot_referred___6, Other (please specify below):
	325	[ot_peds_referred_other] Show the field ONLY if: [ot_referred(6)] = '1'	For "Other", please specify	notes
	326	[ot_peds_therapist_name] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3'	Section Header: *Therapist Signature* Name	text
	327	[ot_peds_therapist_sign] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3'	Signature	file (signature)
	328	[ot_peds_therapist_cred] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3'	Credentials	text
	329	[reason_dental] Show the field ONLY if: [specialty_visit] = '4'	Section Header: *Dental* Reason for Visit [chief_dental]	descriptive
	330	[location_extraction] Show the field ONLY if: [specialty_visit] = '4'	Extraction Site [mouth_area_extraction]	descriptive
	331	[tooth_number]	Universal Tooth Numbering	descriptive

		Show the field ONLY if: [specialty_visit] = '4'		
	332	[number_tooth_extracted] Show the field ONLY if: [chief_dental] = '2' and [specialty_visit] = '4'	Number(s) of Tooth/Teeth Extracted (1-32)	text
	333	[letter_tooth_extracted] Show the field ONLY if: [chief_dental] = '2' and [age] < 12 and [specialty_visit] = '4'	Letter(s) of Tooth/Teeth Extracted (A-T)	text
	334	[teeth_filled] Show the field ONLY if: [specialty_visit] = '4' and ([chief_dental] = '3' or [chief_dental] = '4')	Teeth Filled	checkbox 1, teeth_filled___1, 1-5 2, teeth_filled___2, 6-11 3, teeth_filled___3, 12-16 4, teeth_filled___4, 17-21 5, teeth_filled___5, 22-27 6, teeth_filled___6, 28-32
	335	[m] Show the field ONLY if: [specialty_visit] = '4' and ([teeth_filled(1)] = '1' or [teeth_filled(3)] = '1' or [teeth_filled(4)] = '1' or [teeth_filled(6)] = '1')	Section Header: *Teeth Surfaces Filled (1)* Mesial	radio (Matrix) 1, 1 2, 2 3, 3 4, 4 5, 5 12, 12 13, 13 14, 14 15, 15 16, 16 17, 17

				18 | 18 19 | 19 20 | 20 21 | 21 28 | 28 29 | 29 30 | 30 31 | 31 32 | 32
	336	[d] Show the field ONLY if: [specialty_visit] = '4' and ([teeth_filled(1)] = '1' or [teeth_filled(3)] = '1' or [teeth_filled(4)] = '1' or [teeth_filled(6)] = '1')	Distal	radio (Matrix) 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 12 | 12 13 | 13 14 | 14 15 | 15 16 | 16 17 | 17 18 | 18 19 | 19 20 | 20 21 | 21 28 | 28 29 | 29

				30 30 31 31 32 32
	337	[b] Show the field ONLY if: [specialty_visit] = '4' and ([teeth_filled(1)] = '1' or [teeth_filled(3)] = '1' or [teeth_filled(4)] = '1' or [teeth_filled(6)] = '1')	Buccal	radio (Matrix) 1 1 2 2 3 3 4 4 5 5 12 12 13 13 14 14 15 15 16 16 17 17 18 18 19 19 20 20 21 21 28 28 29 29 30 30 31 31 32 32
	338	[l] Show the field ONLY if: [specialty_visit] = '4' and ([teeth_filled(1)] = '1' or [teeth_filled	Lingual	radio (Matrix) 1 1 2 2

		(3)] = '1' or [teeth_filled(4)] = '1' or [teeth_filled(6)] = '1')		3, 3 4, 4 5, 5 12, 12 13, 13 14, 14 15, 15 16, 16 17, 17 18, 18 19, 19 20, 20 21, 21 28, 28 29, 29 30, 30 31, 31 32, 32
	339	[o] Show the field ONLY if: [specialty_visit] = '4' and ([teeth_filled(1)] = '1' or [teeth_filled(3)] = '1' or [teeth_filled(4)] = '1' or [teeth_filled(6)] = '1')	Occlusal	radio (Matrix) 1, 1 2, 2 3, 3 4, 4 5, 5 12, 12 13, 13 14, 14

				15, 15 16, 16 17, 17 18, 18 19, 19 20, 20 21, 21 28, 28 29, 29 30, 30 31, 31 32, 32
	340	[m1] Show the field ONLY if: [specialty_visit] = '4' and ([teeth_filled(2)] = '1' or [teeth_filled(5)] = '1')	Section Header: *Surfaces Filled (2)* Mesial	radio (Matrix) 6, 6 7, 7 8, 8 9, 9 10, 10 11, 11 22, 22 23, 23 24, 24 25, 25 26, 26 27, 27
	341	[d1] Show the field ONLY if:	Distal	radio (Matrix) 6, 6

		[specialty_visit] = '4' and ([teeth_filled(2)] = '1' or [teeth_filled(5)] = '1')		7, 7 8, 8 9, 9 10, 10 11, 11 22, 22 23, 23 24, 24 25, 25 26, 26 27, 27
	342	[f1] Show the field ONLY if: [specialty_visit] = '4' and ([teeth_filled(2)] = '1' or [teeth_filled(5)] = '1')	Facial	radio (Matrix) 6, 6 7, 7 8, 8 9, 9 10, 10 11, 11 22, 22 23, 23 24, 24 25, 25 26, 26 27, 27
	343	[l1] Show the field ONLY if: [specialty_visit] = '4' and ([teeth_filled(2)] = '1' or [teeth_filled	Lingual	radio (Matrix) 6, 6 7, 7

		(5)] = '1')		8 | 8 9 | 9 10 | 10 11 | 11 22 | 22 23 | 23 24 | 24 25 | 25 26 | 26 27 | 27
	344	[i1] Show the field ONLY if: [specialty_visit] = '4' and ([teeth_filled(2)] = '1' or [teeth_filled(5)] = '1')	Incisal	radio (Matrix) 6 | 6 7 | 7 8 | 8 9 | 9 10 | 10 11 | 11 22 | 22 23 | 23 24 | 24 25 | 25 26 | 26 27 | 27
	345	[dental_procedure] Show the field ONLY if: [specialty_visit] = '4'	Procedure	notes, Required
	346	[anesthetic] Show the field ONLY if:	Anesthetic Used	checkbox, Required 1 | anesthetic___1 | Lidocaine

		[specialty_visit] = '4' and ([chief_dental] = '2' or [chief_dental] = '3' or [chief_dental] = '4')		2 anesthetic___2 Septocaine 3 anesthetic___3 Mepivacaine
	347	[lidocaine] Show the field ONLY if: [anesthetic(1)] = '1'	Section Header: *How much Anesthetic is Used:* Lidocaine	radio (Matrix) 1 1 2 2 3 3 4 4 5 5 6 6 7 7 8 8
	348	[septocaine] Show the field ONLY if: [anesthetic(2)] = '1'	Septocaine	radio (Matrix) 1 1 2 2 3 3 4 4 5 5 6 6 7 7 8 8
	349	[mepivacaine] Show the field ONLY if: [anesthetic(3)] = '1'	Mepivacaine	radio (Matrix) 1 1 2 2 3 3 4 4 5 5 6 6

				7 | 7 8 | 8
	350	[dental_sig] Show the field ONLY if: [specialty_visit] = '4'	Dentist Signature	file (signature), Required
	351	[visit_form_complete]	Section Header: *Form Status* Complete?	dropdown 0 | Incomplete 1 | Unverified 2 | Complete
Instrument: Prescriptions (prescriptions)				
	352	[patient_info_pres]	Patient Name [patient_first_name] [patient_last_name] Age [age]	descriptive
	353	[date]	Date	text (date_ymd), Required Field Annotation: [today]
	354	[pres_antimicrobials]	Section Header: *ANTIMICROBIALS*	checkbox 1 | pres_antimicrobials___1 | Azithromycin 250 mg tabs 2 | pres_antimicrobials___2 | Cephalexin 500 mg caps 3 | pres_antimicrobials___3 | Doxycycline hyclate 100 mg tabs 4 | pres_antimicrobials___4 | Levofloxacin 500 mg tabs 5 | pres_antimicrobials___5 | Clindamycin 150 mg caps 6 | pres_antimicrobials___6 | Fluconazole 150 mg tab 7 | pres_antimicrobials___7 | Terbinafine HCL 250 mg tab 8 | pres_antimicrobials___8 | Amoxicillin 500 mg caps

				9 | pres_antimicrobials___9 | Amoxicillin oral susp 250 mg (bottle) 10 | pres_antimicrobials___10 | Azithromycin 200 mg 5 ml oral (bottle) 11 | pres_antimicrobials___11 | Cephalexin 250 mg caps 12 | pres_antimicrobials___12 | Co-trimoxazole 960 mg tabs 13 | pres_antimicrobials___13 | Mebendazole 100 mg tabs 14 | pres_antimicrobials___14 | Metronidazole 250 mg tabs 15 | pres_antimicrobials___15 | Nitrofuantoin 100 mg tabs
	355	[pres_antimicrobials_1_a] Show the field ONLY if: [pres_antimicrobials(1)] = '1'	Azithromycin 250 mg amount: *Recommended 3*	text (integer)
	356	[pres_antimicrobials_1_u] Show the field ONLY if: [pres_antimicrobials(1)] = '1'	Usage recommendation:	notes
	357	[pres_antimicrobials_1_pn] Show the field ONLY if: [pres_antimicrobials(1)] = '1'	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8

				9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	358	[pres_antimicrobials_2_a] Show the field ONLY if: [pres_antimicrobials(2)] = '1'	Cephalexin 500 mg amount: *Recommended 21, 28, 30, 40*	text (integer) Field Annotation: 1
	359	[pres_antimicrobials_2_u] Show the field ONLY if: [pres_antimicrobials(2)] = '1'	Usage recommendation:	notes Field Annotation: 1

	360	[pres_antimicrobials_2_pn] Show the field ONLY if: [pres_antimicrobials(2)] = '1'	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	361	[pres_antimicrobials_3_a] Show the field ONLY if: ([pres_antimicrobials(3)] = '1')	Doxycycline 100 mg amount: *Recommended 14, 20*	text (integer)
	362	[pres_antimicrobials_3_u] Show the field ONLY if: ([pres_antimicrobials(3)] = '1')	Usage recommendation:	notes
	363	[pres_antimicrobials_3_pn] Show the field ONLY if: [pres_antimicrobials(3)] = '1'	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5

				6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	364	[pres_antimicrobials_4_a] Show the field ONLY if: ([pres_antimicrobials(4)] = '1')	Levofloxacin 500 mg amount: *Recommended 7, 10*	text (integer)
	365	[pres_antimicrobials_4_u] Show the field ONLY if: ([pres_antimicrobials(4)] = '1')	Usage recommendation:	notes
	366	[pres_antimicrobials_4_pn] Show the field ONLY if: [pres_antimicrobials(4)] = '1'	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11

				12 Provider 12 13 Provider 13 14 Provider 14
	367	[pres_antimicrobials_5_a] Show the field ONLY if: ([pres_antimicrobials(5)] = '1')	Clindamycin 150 mg amount: *Recommended 15, 21*	text (integer)
	368	[pres_antimicrobials_5_u] Show the field ONLY if: ([pres_antimicrobials(5)] = '1')	Usage recommendation:	notes
	369	[pres_antimicrobials_5_pn] Show the field ONLY if: [pres_antimicrobials(5)] = '1'	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	370	[pres_antimicrobials_6_a] Show the field ONLY if:	Fluconazole 150mg amount: *Recommended 1*	text (integer)

		([pres_antimicrobials(6)] = '1')		
	371	[pres_antimicrobials_6_u] Show the field ONLY if: ([pres_antimicrobials(6)] = '1')	Usage recommendation:	notes
	372	[pres_antimicrobials_6_pn] Show the field ONLY if: [pres_antimicrobials(6)] = '1'	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	373	[pres_antimicrobials_7_a] Show the field ONLY if: ([pres_antimicrobials(7)] = '1')	Terbinafine HCL 250 mg tab amount: *Recommended 7, 14, 21*	text (integer)
	374	[pres_antimicrobials_7_u] Show the field ONLY if: ([pres_antimicrobials(7)] = '1')	Usage recommendation:	notes
	375	[pres_antimicrobials_7_pn]	Provider Name [INSERT]	dropdown

		Show the field ONLY if: [pres_antimicrobials(7)] = '1'		1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	376	[pres_antimicrobials_8_a] Show the field ONLY if: ([pres_antimicrobials(8)] = '1')	Amoxicillin 500 mg caps amount: *Recommended 7, 14, 21*	text (integer)
	377	[pres_antimicrobials_8_u] Show the field ONLY if: ([pres_antimicrobials(8)] = '1')	Usage recommendations:	notes
	378	[pres_antimicrobials_8_pn] Show the field ONLY if: [pres_antimicrobials(8)] = '1'	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6

				7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	379	[pres_antimicrobials_9_a] Show the field ONLY if: ([pres_antimicrobials(9)] = '1')	Amoxicillin Oral Susp 250 mg (bottle) amount: *Recommended 1*	text (integer)
	380	[pres_antimicrobials_9_u] Show the field ONLY if: ([pres_antimicrobials(9)] = '1')	Usage recommendations:	notes
	381	[pres_antimicrobials_9_pn] Show the field ONLY if: [pres_antimicrobials(9)] = '1'	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12

				13 | Provider 13 14 | Provider 14
	382	[pres_antimicrobials_10_a] Show the field ONLY if: ([pres_antimicrobials(10)] = '1')	Azithromycin 200 mg 5 ml oral (bottle) amount: *Recommended 1*	text
	383	[pres_antimicrobials_10_u] Show the field ONLY if: ([pres_antimicrobials(10)] = '1')	Usage recommendations:	notes
	384	[pres_antimicrobials_10_pn] Show the field ONLY if: [pres_antimicrobials(10)] = '1'	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	385	[pres_antimicrobials_11_a]	Cephalexin 250 mg caps amount: *Recommended 7, 14, 21*	text

		Show the field ONLY if: ([pres_antimicrobials(11)] = '1')		
	386	[pres_antimicrobials_11_u] Show the field ONLY if: ([pres_antimicrobials(11)] = '1')	Usage recommendations:	notes
	387	[pres_antimicrobials_11_pn] Show the field ONLY if: [pres_antimicrobials(11)] = '1'	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	388	[pres_antimicrobials_12_a] Show the field ONLY if: ([pres_antimicrobials(12)] = '1')	Co-trimoxazole 960 mg tabs amount: *Recommended 7, 10*	text
	389	[pres_antimicrobials_12_u] Show the field ONLY if:	Usage recommendations:	notes

		([pres_antimicrobials(12)] = '1')		
	390	[pres_antimicrobials_12_pn] Show the field ONLY if: [pres_antimicrobials(12)] = '1'	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	391	[pres_antimicrobials_13_a] Show the field ONLY if: ([pres_antimicrobials(13)] = '1')	Mebendazole 100 mg tabs amount: *Recommended 21, 28, 30, 40*	text (integer)
	392	[pres_antimicrobials_13_u] Show the field ONLY if: ([pres_antimicrobials(13)] = '1')	Usage recommendations:	notes

	393	[pres_antimicrobials_13_pn] Show the field ONLY if: [pres_antimicrobials(13)] = '1'	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	394	[pres_antimicrobials_14_a] Show the field ONLY if: ([pres_antimicrobials(14)] = '1')	Metronidazole 250 mg tabs amount: *Recommended 21, 28, 42, 56*	text (integer)
	395	[pres_antimicrobials_14_u] Show the field ONLY if: ([pres_antimicrobials(14)] = '1')	Usage recommendations:	notes
	396	[pres_antimicrobials_14_pn] Show the field ONLY if: [pres_antimicrobials(14)] = '1'	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3

				4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	397	[pres_antimicrobials_15_a] Show the field ONLY if: ([pres_antimicrobials(15)] = '1')	Nitrofuantoin 100 mg tabs amount: *Recommended 21, 28, 30, 40*	text (integer)
	398	[pres_antimicrobials_15_u] Show the field ONLY if: ([pres_antimicrobials(15)] = '1')	Usage recommendations:	notes
	399	[pres_antimicrobials_15_pn] Show the field ONLY if: [pres_antimicrobials(15)] = '1'	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7

				8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	400	[pres_analgesics]	Section Header: *ANALGESICS / COUGH AND COLD: OTC*	checkbox 1 | pres_analgesics___1 | Acetaminophen 500 mg tabs 2 | pres_analgesics___2 | Ibuprofen 200 mg tabs 3 | pres_analgesics___3 | Ibuprofen 400 mg tabs 4 | pres_analgesics___4 | Ibuprofen 600 mg tabs 5 | pres_analgesics___5 | Meloxicam 15 mg tabs 6 | pres_analgesics___6 | Naproxen 250 mg tabs 7 | pres_analgesics___7 | Cyclobenzaprine HCl 10mg tabs 8 | pres_analgesics___8 | Acetaminophen 325 mg tabs 9 | pres_analgesics___9 | Acetaminophen 650 mg caps 10 | pres_analgesics___10 | Acetaminophen 500 mg caps 11 | pres_analgesics___11 | Acetaminophen Children 80 mg 12 | pres_analgesics___12 | Paracetamol 500 mg tabs 13 | pres_analgesics___13 | Pharbinex-PE
	401	[pres_analgesics_1_a] Show the field ONLY if:	Acetaminophen 500mg amount:	text (integer)

		([pres_analgesics(1)] = '1')		
	402	[pres_analgesics_1_u] Show the field ONLY if: ([pres_analgesics(1)] = '1')	Usage recommendation:	notes
	403	[pres_analgesics_1_pn] Show the field ONLY if: ([pres_analgesics(1)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	404	[pres_analgesics_2_a] Show the field ONLY if: ([pres_analgesics(2)] = '1')	Ibuprofen 200 mg amount: *Only one option: 30*	text (integer)
	405	[pres_analgesics_2_u] Show the field ONLY if: ([pres_analgesics(2)] = '1')	Usage recommendation:	notes
	406	[pres_analgesics_2_pn] Show the field ONLY if: ([pres_analgesics(2)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2

				3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	407	[pres_analgesics_3_a] Show the field ONLY if: ([pres_analgesics(3)] = '1')	Ibuprofen 400 mg amount:	text (integer)
	408	[pres_analgesics_3_u] Show the field ONLY if: ([pres_analgesics(3)] = '1')	Usage recommendation:	notes
	409	[pres_analgesics_3_pn] Show the field ONLY if: ([pres_analgesics(3)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9

				10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	410	[pres_analgesics_4_a] Show the field ONLY if: ([pres_analgesics(4)] = '1')	Ibuprofen/Profinal [600 mg] amount:	text (integer)
	411	[pres_analgesics_4_u] Show the field ONLY if: ([pres_analgesics(4)] = '1')	Usage recommendation:	notes
	412	[pres_analgesics_4_pn] Show the field ONLY if: ([pres_analgesics(4)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	413	[pres_analgesics_5_a] Show the field ONLY if:	Meloxicam 15 mg amount: *suggested 30, 60, 90*	text (integer)

		([pres_analgesics(5)] = '1')		
	414	[pres_analgesics_5_u] Show the field ONLY if: ([pres_analgesics(5)] = '1')	Usage recommendation:	notes
	415	[pres_analgesics_5_pn] Show the field ONLY if: ([pres_analgesics(5)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	416	[pres_analgesics_6_a] Show the field ONLY if: ([pres_analgesics(6)] = '1')	Naproxen 250mg amount: *suggested 30, 60, 90*	text (integer)
	417	[pres_analgesics_6_u] Show the field ONLY if: ([pres_analgesics(6)] = '1')	Usage recommendation: *You might specify if different from suggested*	notes
	418	[pres_analgesics_6_pn] Show the field ONLY if: ([pres_analgesics(6)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2

				3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	419	[pres_analgesics_7_a] Show the field ONLY if: ([pres_analgesics(7)] = '1')	Cyclobenzaprine HCl 10mg amount: *suggested one bottle = 1*	text (integer)
	420	[pres_analgesics_7_u] Show the field ONLY if: ([pres_analgesics(7)] = '1')	Usage recommendation:	notes
	421	[pres_analgesics_7_pn] Show the field ONLY if: ([pres_analgesics(7)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9

				10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	422	[pres_analgesics_8_a] Show the field ONLY if: ([pres_analgesics(8)] = '1')	Acetaminophen 325 mg tabs amount:	text (integer)
	423	[pres_analgesics_8_u] Show the field ONLY if: ([pres_analgesics(8)] = '1')	Usage recommendations:	notes
	424	[pres_analgesics_8_pn] Show the field ONLY if: ([pres_analgesics(8)] = '1')	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	425	[pres_analgesics_9_a] Show the field ONLY if:	Acetaminophen 650 mg caps amount:	text (integer)

		([pres_analgesics(9)] = '1')		
	426	[pres_analgesics_9_u] Show the field ONLY if: ([pres_analgesics(9)] = '1')	Usage recommendations:	notes
	427	[pres_analgesics_9_pn] Show the field ONLY if: ([pres_analgesics(9)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	428	[pres_analgesics_10_a] Show the field ONLY if: ([pres_analgesics(10)] = '1')	Acetaminophen 500 mg caps amount:	text (integer)
	429	[pres_analgesics_10_u] Show the field ONLY if: ([pres_analgesics(10)] = '1')	Usage recommendations:	notes
	430	[pres_analgesics_10_pn] Show the field ONLY if: ([pres_analgesics(10)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2

				3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	431	[pres_analgesics_11_a] Show the field ONLY if: ([pres_analgesics(11)] = '1')	Acetaminophen Children 80 mg amount:	text (integer)
	432	[pres_analgesics_11_u] Show the field ONLY if: ([pres_analgesics(11)] = '1')	Usage recommendations:	notes
	433	[pres_analgesics_11_pn] Show the field ONLY if: ([pres_analgesics(11)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9

				10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	434	[pres_analgesics_12_a] Show the field ONLY if: ([pres_analgesics(12)] = '1')	Paracetamol 500 mg tabs amount:	text (integer)
	435	[pres_analgesics_12_u] Show the field ONLY if: ([pres_analgesics(12)] = '1')	Usage recommendations:	notes
	436	[pres_analgesics_12_pn] Show the field ONLY if: ([pres_analgesics(12)] = '1')	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	437	[pres_analgesics_13_a] Show the field ONLY if:	Pharbinex-PE amount:	text (integer)

		([pres_analgesics(13)] = '1')		
	438	[pres_analgesics_13_u] Show the field ONLY if: ([pres_analgesics(13)] = '1')	Usage recommendations:	notes
	439	[pres_analgesics_13_pn] Show the field ONLY if: ([pres_analgesics(13)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	440	[pres_respiratory]	Section Header: *RESPIRATORY / ALLERGY*	checkbox 1, pres_respiratory___1, Guaifenesin 400 mg with phenylephrine 2, pres_respiratory___2, Guaifenesin 100 mg with dextromethorphan 3, pres_respiratory___3, Diphenhydramine HCl 12.5 mg / 5 ml 4, pres_respiratory___4, Cetirizine HCl 10 mg tab 5, pres_respiratory___5, Loratadine 10 mg tabs

				6 | pres_respiratory___6 | Albuterol Sulfate 0.083% 2.5 mg / 3 ml 7 | pres_respiratory___7 | Diphenhydramine 25 mg caps 8 | pres_respiratory___8 | Guaifenesin 8 oz bottle 9 | pres_respiratory___9 | Prednisone 10 mg tabs 10 | pres_respiratory___10 | Azelastine 205 mcg inhaler 11 | pres_respiratory___11 | Montelukast Sodium 10 mg 12 | pres_respiratory___12 | Salbutamol 100 mcg
	441	[pres_respiratory_1_a] Show the field ONLY if: ([pres_respiratory(1)] = '1')	Guaifenesin 400mg with phenylephrine amount: *suggested one pill at night when needed = 5*	text (integer)
	442	[pres_respiratory_1_u] Show the field ONLY if: ([pres_respiratory(1)] = '1')	Usage recommendation:	notes
	443	[pres_respiratory_1_pn] Show the field ONLY if: ([pres_respiratory(1)] = '1')	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11

				12 Provider 12 13 Provider 13 14 Provider 14
	444	[pres_respiratory_2_a] Show the field ONLY if: ([pres_respiratory(2)] = '1')	Guaifenesin 100mg with dextromethorphan amount:	text (integer)
	445	[pres_respiratory_2_u] Show the field ONLY if: ([pres_respiratory(2)] = '1')	Usage recommendation:	notes
	446	[pres_respiratory_2_pn] Show the field ONLY if: ([pres_respiratory(2)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	447	[pres_respiratory_3_a] Show the field ONLY if: ([pres_respiratory(3)] = '1')	Diphenhydramine HCl 12.5mg/5ml amount: *suggested one pill every 6 hours as needed for severe allergies = 20*	text (integer)
	448	[pres_respiratory_3_u]	Usage recommendation:	notes

		Show the field ONLY if: ([pres_respiratory(3)] = '1')		
	449	[pres_respiratory_3_pn] Show the field ONLY if: ([pres_respiratory(3)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	450	[pres_respiratory_4_a] Show the field ONLY if: ([pres_respiratory(4)] = '1')	Cetirizine HCl 10mg amount:	text (integer)
	451	[pres_respiratory_4_u] Show the field ONLY if: ([pres_respiratory(4)] = '1')	Usage recommendation:	notes
	452	[pres_respiratory_4_pn] Show the field ONLY if: ([pres_respiratory(4)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5

				6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	453	[pres_respiratory_5_a] Show the field ONLY if: ([pres_respiratory(5)] = '1')	Loratadine 10mg amount: *suggested one bottle = 1*	text (integer)
	454	[pres_respiratory_5_u] Show the field ONLY if: ([pres_respiratory(5)] = '1')	Usage recommendation:	notes
	455	[pres_respiratory_5_pn] Show the field ONLY if: ([pres_respiratory(5)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12

				13 | Provider 13 14 | Provider 14
	456	[pres_respiratory_6_a] Show the field ONLY if: ([pres_respiratory(6)] = '1')	Albuterol Sulfate 0.083% 2.5 mg / 3 ml amount: *suggested one canister = 1*	text (integer)
	457	[pres_respiratory_6_u] Show the field ONLY if: ([pres_respiratory(6)] = '1')	Usage recommendation:	notes
	458	[pres_respiratory_6_pn] Show the field ONLY if: ([pres_respiratory(6)] = '1')	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	459	[pres_respiratory_7_a] Show the field ONLY if: ([pres_respiratory(7)] = '1')	Diphenhydramine 25 mg caps amount: *suggested one pill once a day = 7*	text (integer)
	460	[pres_respiratory_7_u] Show the field ONLY if:	Usage recommendation:	notes

		([pres_respiratory(7)] = '1')		
	461	[pres_respiratory_7_pn] Show the field ONLY if: ([pres_respiratory(7)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	462	[pres_respiratory_8_a] Show the field ONLY if: ([pres_respiratory(8)] = '1')	Guaifenesin 8 oz bottle amount: *suggested one bottle = 1*	text (integer)
	463	[pres_respiratory_8_u] Show the field ONLY if: ([pres_respiratory(8)] = '1')	Usage recommendation:	notes
	464	[pres_respiratory_8_pn] Show the field ONLY if: ([pres_respiratory(8)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5

				6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	465	[pres_respiratory_9_a] Show the field ONLY if: ([pres_respiratory(9)] = '1')	Prednisone 10 mg tabs amount: *suggested one or two tabs a day = 20*	text (integer)
	466	[pres_respiratory_9_u] Show the field ONLY if: ([pres_respiratory(9)] = '1')	Usage recommendation:	notes
	467	[pres_respiratory_9_pn] Show the field ONLY if: ([pres_respiratory(9)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12

				13 | Provider 13 14 | Provider 14
	468	[pres_respiratory_10_a] Show the field ONLY if: ([pres_respiratory(10)] = '1')	Azelastine 205 mcg inhaler amount: *suggested one bottle = 1*	text (integer)
	469	[pres_respiratory_10_u] Show the field ONLY if: ([pres_respiratory(10)] = '1')	Usage recommendation:	notes
	470	[pres_respiratory_10_pn] Show the field ONLY if: ([pres_respiratory(10)] = '1')	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	471	[pres_respiratory_11_a] Show the field ONLY if: ([pres_respiratory(11)] = '1')	Montelukast Sodium 10 mg amount: *suggested one tab = 14, 28*	text (integer)
	472	[pres_respiratory_11_u] Show the field ONLY if:	Usage recommendation:	notes

		([pres_respiratory(11)] = '1')		
	473	[pres_respiratory_11_pn] Show the field ONLY if: ([pres_respiratory(11)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	474	[pres_respiratory_12_a] Show the field ONLY if: ([pres_respiratory(12)] = '1')	Salbutamol 100 mcg amount:	text (integer)
	475	[pres_respiratory_12_u] Show the field ONLY if: ([pres_respiratory(12)] = '1')	Usage recommendation:	notes
	476	[pres_respiratory_12_pn] Show the field ONLY if: ([pres_respiratory(12)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5

				6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	477	[pres_ent]	Section Header: *ENT / EAR AND EYE DROPS*	checkbox 1 pres_ent___1 Nasal saline spray 2 pres_ent___2 Lubricant eye drops polyvinyl alcohol 3 pres_ent___3 Lubricant eye drops 4 pres_ent___4 Gentamicin sulfate 0.3% 5 pres_ent___5 Ofloxacin .3% ophthalmic 6 pres_ent___6 Brimonidine tartrate 0.2% 7 pres_ent___7 Oxymetazoline HCL (0.05%) spray
	478	[pres_ent_1_a] Show the field ONLY if: ([pres_ent(1)] = '1')	Nasal saline spray amount: *suggested one bottle = 1*	text (integer)
	479	[pres_ent_1_u] Show the field ONLY if: ([pres_ent(1)] = '1')	Usage recommendation:	notes
	480	[pres_ent_1_pn] Show the field ONLY if: ([pres_ent(1)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3

				4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	481	[pres_ent_2_a] Show the field ONLY if: ([pres_ent(2)] = '1')	Lubricant eye drops polyvinyl alcohol: *suggested one bottle = 1*	text (integer)
	482	[pres_ent_2_u] Show the field ONLY if: ([pres_ent(2)] = '1')	Usage recommendation:	notes
	483	[pres_ent_2_pn] Show the field ONLY if: ([pres_ent(2)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10

				11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	484	[pres_ent_3_a] Show the field ONLY if: ([pres_ent(3)] = '1')	Lubricant eye drops amount: *suggested one kit = 1*	text (integer)
	485	[pres_ent_3_u] Show the field ONLY if: ([pres_ent(3)] = '1')	Usage recommendation:	notes
	486	[pres_ent_3_pn] Show the field ONLY if: ([pres_ent(3)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	487	[pres_ent_4_a] Show the field ONLY if: ([pres_ent(4)] = '1')	Gentamicin sulfate 0.3% amount: *suggested one kit = 1*	text (integer)

	488	[pres_ent_4_u] Show the field ONLY if: ([pres_ent(4)] = '1')	Usage recommendation:	notes
	489	[pres_ent_4_pn] Show the field ONLY if: ([pres_ent(4)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	490	[pres_ent_5_a] Show the field ONLY if: ([pres_ent(5)] = '1')	Ofloxacin .3% ophthalmic amount: *suggested one kit = 1*	text (integer)
	491	[pres_ent_5_u] Show the field ONLY if: ([pres_ent(5)] = '1')	Usage recommendation:	notes
	492	[pres_ent_5_pn] Show the field ONLY if: ([pres_ent(5)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3

				4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	493	[pres_ent_6_a] Show the field ONLY if: ([pres_ent(6)] = '1')	Brimonidine tartrate 0.2% amount: *suggested one kit = 1*	text (integer)
	494	[pres_ent_6_u] Show the field ONLY if: ([pres_ent(6)] = '1')	Usage recommendation:	notes
	495	[pres_ent_6_pn] Show the field ONLY if: ([pres_ent(6)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10

				11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	496	[pres_ent_7_a] Show the field ONLY if: ([pres_ent(7)] = '1')	Oxymetazoline HCL (0.05%) spray amount: *suggested one bottle = 1*	text (integer)
	497	[pres_ent_7_u] Show the field ONLY if: ([pres_ent(7)] = '1')	Usage recommendation:	notes
	498	[pres_ent_7_pn] Show the field ONLY if: ([pres_ent(7)] = '1')	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	499	[pres_diabetics]	Section Header: *ANTIDIABETIC AGENTS*	checkbox 1 | pres_diabetics___1 | Metformin HCl 500 mg tabs

				2 pres_diabetics___2 Metformin HCl 1000 mg tabs 3 pres_diabetics___3 Glipizide 10 mg tabs
	500	[pres_diabetics_1_a] Show the field ONLY if: ([pres_diabetics(1)] = '1')	Metformin HCl 500 mg amount [once or twice a day]:	text (integer)
	501	[pres_diabetics_1_u] Show the field ONLY if: ([pres_diabetics(1)] = '1')	Usage recommendation:	notes
	502	[pres_diabetics_1_pn] Show the field ONLY if: ([pres_diabetics(1)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	503	[pres_diabetics_2_a] Show the field ONLY if: ([pres_diabetics(2)] = '1')	Metformin HCl 1000 mg amount [once or twice a day]:	text (integer)
	504	[pres_diabetics_2_u]	Usage recommendation:	notes

		Show the field ONLY if: ([pres_diabetics(2)] = '1')		
	505	[pres_diabetics_2_pn] Show the field ONLY if: ([pres_diabetics(2)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	506	[pres_diabetics_3_a] Show the field ONLY if: ([pres_diabetics(3)] = '1')	Glipizide 10 mg tabs amount:	text (integer)
	507	[pres_diabetics_3_u] Show the field ONLY if: ([pres_diabetics(3)] = '1')	Usage recommendation:	notes
	508	[pres_diabetics_3_pn] Show the field ONLY if: ([pres_diabetics(3)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5

				6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	509	[pres_cardio]	Section Header: *CARDIOVASCULAR*	checkbox 1 | pres_cardio___1 | Amlodipine 5 mg tabs 2 | pres_cardio___2 | Losartan potassium 50 mg 3 | pres_cardio___3 | Aspirin 325 mg tabs 4 | pres_cardio___4 | Aspirin 650 mg tabs 5 | pres_cardio___5 | Aspirin 81 mg tabs 6 | pres_cardio___6 | Lisinopril 10 mg tabs 7 | pres_cardio___7 | Metoprolol Tartrate 50 mg tabs 8 | pres_cardio___8 | Hydrochlorothiazide 25 mg
	510	[pres_cardio_1_a] Show the field ONLY if: ([pres_cardio(1)] = '1')	Amlodipine [5 mg] *suggested once a day = 30*	text (integer) Field Annotation: 30
	511	[pres_cardio_1_u] Show the field ONLY if: ([pres_cardio(1)] = '1')	Usage recommendation:	notes Field Annotation: 30
	512	[pres_cardio_1_pn] Show the field ONLY if: ([pres_cardio(1)] = '1')	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3

				4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	513	[pres_cardio_2_a] Show the field ONLY if: ([pres_cardio(2)] = '1')	Losartan potassium 50mg amount: *suggested one pill once a day = 30*	text (integer)
	514	[pres_cardio_2_u] Show the field ONLY if: ([pres_cardio(2)] = '1')	Usage recommendation:	notes
	515	[pres_cardio_2_pn] Show the field ONLY if: ([pres_cardio(2)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10

				11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	516	[pres_cardio_3_a] Show the field ONLY if: ([pres_cardio(3)] = '1')	Aspirin 325 mg tabs amount:	text (integer)
	517	[pres_cardio_3_u] Show the field ONLY if: ([pres_cardio(3)] = '1')	Usage recommendation:	notes
	518	[pres_cardio_3_pn] Show the field ONLY if: ([pres_cardio(3)] = '1')	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	519	[pres_cardio_4_a] Show the field ONLY if: ([pres_cardio(4)] = '1')	Aspirin 650 mg tabs amount:	text (integer)

	520	[pres_cardio_4_u] Show the field ONLY if: ([pres_cardio(4)] = '1')	Usage recommendation:	notes
	521	[pres_cardio_4_pn] Show the field ONLY if: ([pres_cardio(4)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	522	[pres_cardio_5_a] Show the field ONLY if: ([pres_cardio(5)] = '1')	Aspirin 81 mg tabs amount:	text (integer)
	523	[pres_cardio_5_u] Show the field ONLY if: ([pres_cardio(5)] = '1')	Usage recommendation:	notes
	524	[pres_cardio_5_pn] Show the field ONLY if: ([pres_cardio(5)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3

				4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	525	[pres_cardio_6_a] Show the field ONLY if: ([pres_cardio(6)] = '1')	Lisinopril 10 mg tabs amount:	text (integer)
	526	[pres_cardio_6_u] Show the field ONLY if: ([pres_cardio(6)] = '1')	Usage recommendation:	notes
	527	[pres_cardio_6_pn] Show the field ONLY if: ([pres_cardio(6)] = '1')	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10

				11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	528	[pres_cardio_7_a] Show the field ONLY if: ([pres_cardio(7)] = '1')	Metoprolol Tartrate 50 mg tabs amount:	text (integer)
	529	[pres_cardio_7_u] Show the field ONLY if: ([pres_cardio(7)] = '1')	Usage recommendation:	notes
	530	[pres_cardio_7_pn] Show the field ONLY if: ([pres_cardio(7)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	531	[pres_cardio_8_a] Show the field ONLY if: ([pres_cardio(8)] = '1')	Hydrochlorothiazide 25 mg amount:	text (integer)

	532	[pres_cardio_8_u] Show the field ONLY if: ([pres_cardio(8)] = '1')	Usage recommendation:	notes
	533	[pres_cardio_8_pn] Show the field ONLY if: ([pres_cardio(8)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	534	[pres_gi]	Section Header: *GI SYSTEM*	checkbox 1, pres_gi___1, Omeprazole 20 mg caps 2, pres_gi___2, Docusate Sodium 100 mg softgels 3, pres_gi___3, Hemorrhoidal Rectal Suppositories 4, pres_gi___4, Famotidine 20 mg 5, pres_gi___5, Loperamide 2 mg tabs 6, pres_gi___6, Meclizine 25 mg tabs 7, pres_gi___7, Meclizine Chewable tabs 8, pres_gi___8, Ondansetron 4 mg tabs
	535	[pres_gi_1_a]	Omeprazole 20mg amount:	text (integer)

		Show the field ONLY if: ([pres_gi(1)] = '1')	*suggested one pill once a day = 30*	
	536	[pres_gi_1_u] Show the field ONLY if: ([pres_gi(1)] = '1')	Usage recommendation:	notes
	537	[pres_gi_1_pn] Show the field ONLY if: ([pres_gi(1)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	538	[pres_gi_2_a] Show the field ONLY if: ([pres_gi(2)] = '1')	Docusate sodium 100mg amount: *suggested one pill once a day = 30*	text (integer)
	539	[pres_gi_2_u] Show the field ONLY if: ([pres_gi(2)] = '1')	Usage recommendation:	notes
	540	[pres_gi_2_pn] Show the field ONLY if: ([pres_gi(2)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2

				3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	541	[pres_gi_3_a] Show the field ONLY if: ([pres_gi(3)] = '1')	Hemorrhoidal rectal suppositories amount: *suggested one pill once a day = 30*	text (integer)
	542	[pres_gi_3_u] Show the field ONLY if: ([pres_gi(3)] = '1')	Usage recommendation:	notes
	543	[pres_gi_3_pn] Show the field ONLY if: ([pres_gi(3)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9

				10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	544	[pres_gi_4_a] Show the field ONLY if: ([pres_gi(4)] = '1')	Famotidine 20 mg amount:	text (integer)
	545	[pres_gi_4_u] Show the field ONLY if: ([pres_gi(4)] = '1')	Usage recommendation:	notes
	546	[pres_gi_4_pn] Show the field ONLY if: ([pres_gi(4)] = '1')	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	547	[pres_gi_5_a] Show the field ONLY if:	Loperamide 2 mg tabs amount:	text (integer)

		([pres_gi(5)] = '1')		
	548	[pres_gi_5_u] Show the field ONLY if: ([pres_gi(5)] = '1')	Usage recommendation:	notes
	549	[pres_gi_5_pn] Show the field ONLY if: ([pres_gi(5)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	550	[pres_gi_6_a] Show the field ONLY if: ([pres_gi(6)] = '1')	Meclizine 25 mg tabs amount:	text (integer)
	551	[pres_gi_6_u] Show the field ONLY if: ([pres_gi(6)] = '1')	Usage recommendation:	notes
	552	[pres_gi_6_pn] Show the field ONLY if: ([pres_gi(6)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2

				3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	553	[pres_gi_7_a] Show the field ONLY if: ([pres_gi(7)] = '1')	Meclizine Chewable tabs amount:	text (integer)
	554	[pres_gi_7_u] Show the field ONLY if: ([pres_gi(7)] = '1')	Usage recommendation:	notes
	555	[pres_gi_7_pn] Show the field ONLY if: ([pres_gi(7)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9

				10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	556	[pres_gi_8_a] Show the field ONLY if: ([pres_gi(8)] = '1')	Ondansetron 4 mg tabs amount:	text (integer)
	557	[pres_gi_8_u] Show the field ONLY if: ([pres_gi(8)] = '1')	Usage recommendation:	notes
	558	[pres_gi_8_pn] Show the field ONLY if: ([pres_gi(8)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	559	[pres_topical]	Section Header: *TOPICALS / OINTMENTS*	checkbox 1 pres_topical___1 X-Treme Freeze Gel

				2 | pres_topical___2 | Tolnaftate 1% Cream 3 | pres_topical___3 | Clotrimazole 1% Antifungal Cream 4 | pres_topical___4 | Mupirocin 2% Ointment 5 | pres_topical___5 | Bacitracin Zinc Combo Ointment 6 | pres_topical___6 | Bacitracin 500 units Ointment 7 | pres_topical___7 | Triple Antibiotic Ointment Cream (Box 1fl oz) 8 | pres_topical___8 | Triple Antibiotic Ointment Cream 15 mg 9 | pres_topical___9 | Betamethasone Valerate 0.1% Cream 15 mg 10 | pres_topical___10 | Mometasone Furoate Cream (0.1%) 11 | pres_topical___11 | Muscle Gel 12 | pres_topical___12 | Vitamins A and D (Diaper Rash) 13 | pres_topical___13 | Hydrocortisone 1%
	560	[pres_topical_1_a] Show the field ONLY if: ([pres_topical(1)] = '1')	X-Treme freeze gel amount *suggested one tube = 1*	text (integer)
	561	[pres_topical_1_u] Show the field ONLY if: ([pres_topical(1)] = '1')	Usage recommendation:	notes
	562	[pres_topical_1_pn] Show the field ONLY if: ([pres_topical(1)] = '1')	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4

				5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	563	[pres_topical_2_a] Show the field ONLY if: ([pres_topical(2)] = '1')	Tolnaftate 1% cream amount: *suggested one tube = 1*	text (integer)
	564	[pres_topical_2_u] Show the field ONLY if: ([pres_topical(2)] = '1')	Usage recommendation:	notes
	565	[pres_topical_2_pn] Show the field ONLY if: ([pres_topical(2)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11

				12 | Provider 12 13 | Provider 13 14 | Provider 14
	566	[pres_topical_3_a] Show the field ONLY if: ([pres_topical(3)] = '1')	Clotrimazole 1% antifungal cream amount: *suggested one tube = 1*	text (integer)
	567	[pres_topical_3_u] Show the field ONLY if: ([pres_topical(3)] = '1')	Usage recommendation:	notes
	568	[pres_topical_3_pn] Show the field ONLY if: ([pres_topical(3)] = '1')	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	569	[pres_topical_4_a] Show the field ONLY if: ([pres_topical(4)] = '1')	Mupirocin 2% ointment amount: *suggested one tube = 1*	text (integer)
	570	[pres_topical_4_u]	Usage recommendation:	notes

		Show the field ONLY if: ([pres_topical(4)] = '1')		
	571	[pres_topical_4_pn] Show the field ONLY if: ([pres_topical(4)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	572	[pres_topical_5_a] Show the field ONLY if: ([pres_topical(5)] = '1')	Bacitracin zinc combo ointment amount:	text (integer)
	573	[pres_topical_5_u] Show the field ONLY if: ([pres_topical(5)] = '1')	Usage recommendation:	notes
	574	[pres_topical_5_pn] Show the field ONLY if: ([pres_topical(5)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5

				6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	575	[pres_topical_6_a] Show the field ONLY if: ([pres_topical(6)] = '1')	Bacitracin 500 units ointment amount: *suggested one tube = 1*	text (integer)
	576	[pres_topical_6_u] Show the field ONLY if: ([pres_topical(6)] = '1')	Usage recommendation:	notes
	577	[pres_topical_6_pn] Show the field ONLY if: ([pres_topical(6)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12

				13 Provider 13 14 Provider 14
	578	[pres_topical_7_a] Show the field ONLY if: ([pres_topical(7)] = '1')	Triple Antibiotic Ointment Cream (Box 1fl oz) amount:	text (integer)
	579	[pres_topical_7_u] Show the field ONLY if: ([pres_topical(7)] = '1')	Usage recommendation:	notes
	580	[pres_topical_7_pn] Show the field ONLY if: ([pres_topical(7)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	581	[pres_topical_8_a] Show the field ONLY if: ([pres_topical(8)] = '1')	Triple Antibiotic Ointment Cream 15 mg amount:	text (integer)
	582	[pres_topical_8_u] Show the field ONLY if:	Usage recommendation:	notes

		([pres_topical(8)] = '1')		
	583	[pres_topical_8_pn] Show the field ONLY if: ([pres_topical(8)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	584	[pres_topical_9_a] Show the field ONLY if: ([pres_topical(9)] = '1')	Betamethasone Valerate 0.1% Cream 15 mg amount:	text (integer)
	585	[pres_topical_9_u] Show the field ONLY if: ([pres_topical(9)] = '1')	Usage recommendation:	notes
	586	[pres_topical_9_pn] Show the field ONLY if: ([pres_topical(9)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5

				6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	587	[pres_topical_10_a] Show the field ONLY if: ([pres_topical(10)] = '1')	Mometasone Furoate Cream (0.1%) amount:	text (integer)
	588	[pres_topical_10_u] Show the field ONLY if: ([pres_topical(10)] = '1')	Usage recommendation:	notes
	589	[pres_topical_10_pn] Show the field ONLY if: ([pres_topical(10)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12

				13 | Provider 13 14 | Provider 14
	590	[pres_topical_11_a] Show the field ONLY if: ([pres_topical(11)] = '1')	Muscle Gel amount:	text (integer)
	591	[pres_topical_11_u] Show the field ONLY if: ([pres_topical(11)] = '1')	Usage recommendation:	notes
	592	[pres_topical_11_pn] Show the field ONLY if: ([pres_topical(11)] = '1')	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	593	[pres_topical_12_a] Show the field ONLY if: ([pres_topical(12)] = '1')	Vitamins A and D (Diaper Rash) amount:	text (integer)
	594	[pres_topical_12_u] Show the field ONLY if:	Usage recommendation:	notes

		([pres_topical(12)] = '1')		
	595	[pres_topical_12_pn] Show the field ONLY if: ([pres_topical(12)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	596	[pres_topical_13_a] Show the field ONLY if: ([pres_topical(13)] = '1')	Hydrocortisone 1% amount:	text (integer)
	597	[pres_topical_13_u] Show the field ONLY if: ([pres_topical(13)] = '1')	Usage recommendation:	notes
	598	[pres_topical_13_pn] Show the field ONLY if: ([pres_topical(13)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5

				6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	599	[pres_vitamins]	Section Header: *VITAMINS*	checkbox 1 pres_vitamins___1 Folic Acid 800 mcg 2 pres_vitamins___2 Prenatal Vitamins with Iron 3 pres_vitamins___3 Multiple Vitamin Tabs Adults 4 pres_vitamins___4 Children' Chewable Vitamins 5 pres_vitamins___5 Children's Chewable Vitamins with Iron
	600	[pres_vitamins_1_a] Show the field ONLY if: ([pres_vitamins(1)] = '1')	Folic acid 800mcg amount: *suggested once a day = 30*	text (integer)
	601	[pres_vitamins_1_u] Show the field ONLY if: ([pres_vitamins(1)] = '1')	Usage recommendation:	notes
	602	[pres_vitamins_1_pn] Show the field ONLY if: ([pres_vitamins(1)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5

				6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	603	[pres_vitamins_2_a] Show the field ONLY if: ([pres_vitamins(2)] = '1')	Prenatal vitamins with Iron Amount: *suggested once a day = 30*	text (integer)
	604	[pres_vitamins_2_u] Show the field ONLY if: ([pres_vitamins(2)] = '1')	Usage recommendation:	notes
	605	[pres_vitamins_2_pn] Show the field ONLY if: ([pres_vitamins(2)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12

				13 | Provider 13 14 | Provider 14
	606	[pres_vitamins_3_a] Show the field ONLY if: ([pres_vitamins(3)] = '1')	Multiple vitamin amount: *suggested once a day = 30*	text (integer)
	607	[pres_vitamins_3_u] Show the field ONLY if: ([pres_vitamins(3)] = '1')	Usage recommendation:	notes
	608	[pres_vitamins_3_pn] Show the field ONLY if: ([pres_vitamins(3)] = '1')	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	609	[pres_vitamins_4_a] Show the field ONLY if: ([pres_vitamins(4)] = '1')	Children chewable vitamins amount:	text (integer)
	610	[pres_vitamins_4_u] Show the field ONLY if:	Usage recommendation:	notes

		([pres_vitamins(4)] = '1')		
	611	[pres_vitamins_4_pn] Show the field ONLY if: ([pres_vitamins(4)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	612	[pres_vitamins_5_a] Show the field ONLY if: ([pres_vitamins(5)] = '1')	Children's Multivitamin with Iron amount:	text (integer)
	613	[pres_vitamins_5_u] Show the field ONLY if: ([pres_vitamins(5)] = '1')	Usage recommendation:	notes
	614	[pres_vitamins_5_pn] Show the field ONLY if: ([pres_vitamins(5)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5

				6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	615	[pres_antihistaminic]	Section Header: *ANTIHISTAMINIC / COUGH AND COLD*	checkbox 1 pres_antihistaminic___1 Fexofenadine HCl tabs 180 mg 2 pres_antihistaminic___2 Levocetirizine Dihydrocloride tabs 5 mg 3 pres_antihistaminic___3 Guaiasorb DM
	616	[pres_antihistaminic_1_a] Show the field ONLY if: [pres_antihistaminic(1)] = '1'	Fexofenadine HCL 180 mg tabs amount:	text (integer)
	617	[pres_antihistaminic_1_u] Show the field ONLY if: [pres_antihistaminic(1)] = '1'	Usage recommendation:	notes
	618	[pres_antihistaminic_1_pn] Show the field ONLY if: [pres_antihistaminic(1)] = '1'	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5

				6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	619	[pres_antihistaminic_2_a] Show the field ONLY if: [pres_antihistaminic(2)] = '1'	Levocetirizine Dihydroclororide 5 mg amount:	text (integer)
	620	[pres_antihistaminic_2_u] Show the field ONLY if: [pres_antihistaminic(2)] = '1'	Usage recommendation:	notes
	621	[pres_antihistaminic_2_pn] Show the field ONLY if: [pres_antihistaminic(2)] = '1'	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11

				12 | Provider 12 13 | Provider 13 14 | Provider 14
	622	[pres_antihistaminic_3_a] Show the field ONLY if: [pres_antihistaminic(3)] = '1'	Guaiasorb DM amount:	text (integer)
	623	[pres_antihistaminic_3_u] Show the field ONLY if: [pres_antihistaminic(3)] = '1'	Usage recommendation:	notes
	624	[pres_antihistaminic_3_pn] Show the field ONLY if: [pres_antihistaminic(3)] = '1'	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	625	[prescriptions_complete]	Section Header: *Form Status* Complete?	dropdown 0 | Incomplete 1 | Unverified

				2 Complete
Instrument: Referral Form (referral_form)				
	626	[patientimport_from_triage]	[site] August 27th [today] Patient Details Full Legal Name [patient_first_name] [patient_last_name] Age | Date of Birth [age] | [date_of_birth] Gender (if clinically relevant) [sex] Patient ID / medical record number [patient_id] Health insurance provider and policy number Emergency contact details Referring Provider Information Referrer's full name Specialty and practice/clinic name Address and contact details (phone, fax, email) Provider ID or license number Date of referral Receiving Provider / Service Information Name of the specialist or department Facility/clinic/hospital name Contact information (phone, fax, email) Clinical Information Chief Complaint [chief_complaint] Duration and severity of the condition [complaint_details] Clinical findings (exam results, test results, observations) Provisional diagnosis (if available) Relevant medical history (chronic conditions, surgeries, hospitalizations) Medications (current prescriptions, dosage, frequency) Allergies (drug, food, environmental) Risk factors (smoking, alchohol, family history) Reason for Referral Specific purpose (diagnosis, treatment, second opinion, specialized testing, procedure, ongoing management) Urgency of referral (routine, urgent, emergency) Expected outcomes or what the referrer wants from the specialist (e.g., advice only, transfer of care, shared management) Supporting Documents Copies of recent lab results, imaging reports, and relevant clinical notes Summary of recent interventions or treatments tried Hospital discharge summaries (if applicable) Consent and Confidentiality Statement confirming patient consent for referral and transfer of medical information Patient (or guardian) signature and date Referrer's Notes Any additional comments, observations, or instructions Special considerations (e.g., language needs, disability accommodations, cultural preferences)	descriptive
	627	[referral_form_complete]	Section Header: *Form Status* Complete?	dropdown

				0 Incomplete 1 Unverified 2 Complete
Instrument: Pharmacy Visit Short (pharmacy_visit_short)				
	628	[demographic_pv_v2]	Name [patient_first_name] [patient_last_name] Age | DOB [age] | [date_of_birth] Weight [weight_lbs] lbs | [weight_kgs] kg Sex [sex] General Medicine Diagnosis, Provider, and Prescription [diagnosis_gm]	descriptive
	629	[pres_antimicrobials_1_tab] Show the field ONLY if: [pres_antimicrobials(1)] = '1'	ANTIMICROBIALS AZITHROMYCIN 250 MG TABS [pres_antimicrobials_1_a] [pres_antimicrobials_1_u] [pres_antimicrobials_1_pn]	descriptive
	630	[pres_antimicrobials_1_d] Show the field ONLY if: [pres_antimicrobials(1)] = '1'	FILLED	yesno 1 Yes 0 No
	631	[pres_antimicrobials_2_tab] Show the field ONLY if: [pres_antimicrobials(2)] = '1'	ANTIMICROBIALS CEPHALEXIN 500 MG CAPS [pres_antimicrobials_2_a] [pres_antimicrobials_2_u] [pres_antimicrobials_2_pn]	descriptive
	632	[pres_antimicrobials_2_d] Show the field ONLY if: [pres_antimicrobials(2)] = '1'	FILLED	yesno 1 Yes 0 No
	633	[pres_antimicrobials_3_tab] Show the field ONLY if: [pres_antimicrobials(3)] = '1'	ANTIMICROBIALS DOXYCYCLINE HYCLATE 100 MG TABS [pres_antimicrobials_3_a] [pres_antimicrobials_3_u] [pres_antimicrobials_3_pn]	descriptive
	634	[pres_antimicrobials_3_d] Show the field ONLY if: [pres_antimicrobials(3)] = '1'	FILLED	yesno 1 Yes 0 No

	635	[pres_antimicrobials_4_tab] Show the field ONLY if: [pres_antimicrobials(4)] = '1'	ANTIMICROBIALS LEVOFLOXACIN 500 MG TABS [pres_antimicrobials_4_a] [pres_antimicrobials_4_u] [pres_antimicrobials_4_pn]	descriptive
	636	[pres_antimicrobials_4_d] Show the field ONLY if: [pres_antimicrobials(4)] = '1'	FILLED	yesno 1 Yes 0 No
	637	[pres_antimicrobials_5_tab] Show the field ONLY if: [pres_antimicrobials(5)] = '1'	ANTIMICROBIALS CLINDAMYCIN 150 MG CAPS [pres_antimicrobials_5_a] [pres_antimicrobials_5_u] [pres_antimicrobials_5_pn]	descriptive
	638	[pres_antimicrobials_5_d] Show the field ONLY if: [pres_antimicrobials(5)] = '1'	FILLED	yesno 1 Yes 0 No
	639	[pres_antimicrobials_6_tab] Show the field ONLY if: [pres_antimicrobials(6)] = '1'	ANTIMICROBIALS FLUCONAZOLE 150 MG TABS [pres_antimicrobials_6_a] [pres_antimicrobials_6_u] [pres_antimicrobials_6_pn]	descriptive
	640	[pres_antimicrobials_6_d] Show the field ONLY if: [pres_antimicrobials(6)] = '1'	FILLED	yesno 1 Yes 0 No
	641	[pres_antimicrobials_7_tab] Show the field ONLY if: [pres_antimicrobials(7)] = '1'	ANTIMICROBIALS TERBINAFINE HCL 250 MG TABS [pres_antimicrobials_7_a] [pres_antimicrobials_7_u] [pres_antimicrobials_7_pn]	descriptive
	642	[pres_antimicrobials_7_d] Show the field ONLY if: [pres_antimicrobials(7)] = '1'	FILLED	yesno 1 Yes 0 No

	643	[pres_antimicrobials_8_tab] Show the field ONLY if: [pres_antimicrobials(8)] = '1'	ANTIMICROBIALS AMOXICILLIN 500 MG CAPS [pres_antimicrobials_8_a] [pres_antimicrobials_8_u] [pres_antimicrobials_8_pn]	descriptive
	644	[pres_antimicrobials_8_d] Show the field ONLY if: [pres_antimicrobials(8)] = '1'	FILLED	yesno 1, Yes 0, No
	645	[pres_antimicrobials_9_tab] Show the field ONLY if: [pres_antimicrobials(9)] = '1'	ANTIMICROBIALS AMOXICILLIN ORAL SUSPEN 250 MG BOTTLE [pres_antimicrobials_9_a] [pres_antimicrobials_9_u] [pres_antimicrobials_9_pn]	descriptive
	646	[pres_antimicrobials_9_d] Show the field ONLY if: [pres_antimicrobials(9)] = '1'	FILLED	yesno 1, Yes 0, No
	647	[pres_antimicrobials_10_tab] Show the field ONLY if: [pres_antimicrobials(10)] = '1'	ANTIMICROBIALS AZITHROMYCIN 200 MG 5 ML ORAL BOTTLE [pres_antimicrobials_10_a] [pres_antimicrobials_10_u] [pres_antimicrobials_10_pn]	descriptive
	648	[pres_antimicrobials_10_d] Show the field ONLY if: [pres_antimicrobials(10)] = '1'	FILLED	yesno 1, Yes 0, No
	649	[pres_antimicrobials_11_tab] Show the field ONLY if: [pres_antimicrobials(11)] = '1'	ANTIMICROBIALS CEPHALEXIN 250 MG CAPS [pres_antimicrobials_11_a] [pres_antimicrobials_11_u] [pres_antimicrobials_11_pn]	descriptive
	650	[pres_antimicrobials_11_d] Show the field ONLY if: [pres_antimicrobials(11)] = '1'	FILLED	yesno 1, Yes 0, No

	651	[pres_antimicrobials_12_tab] Show the field ONLY if: [pres_antimicrobials(12)] = '1'	ANTIMICROBIALS CO-TRIMOXAZOLE 960 MG TABS [pres_antimicrobials_12_a] [pres_antimicrobials_12_u] [pres_antimicrobials_12_pn]	descriptive
	652	[pres_antimicrobials_12_d] Show the field ONLY if: [pres_antimicrobials(12)] = '1'	FILLED	truefalse 1, True 0, False
	653	[pres_antimicrobials_13_tab] Show the field ONLY if: [pres_antimicrobials(13)] = '1'	ANTIMICROBIALS MEBENDAZOLE 100 MG TABS [pres_antimicrobials_13_a] [pres_antimicrobials_13_u] [pres_antimicrobials_13_pn]	descriptive
	654	[pres_antimicrobials_13_d] Show the field ONLY if: [pres_antimicrobials(13)] = '1'	FILLED	yesno 1, Yes 0, No
	655	[pres_antimicrobials_14_tab] Show the field ONLY if: [pres_antimicrobials(14)] = '1'	ANTIMICROBIALS METRONIDAZOLE 250 MG TABS [pres_antimicrobials_14_a] [pres_antimicrobials_14_u] [pres_antimicrobials_14_pn]	descriptive
	656	[pres_antimicrobials_14_d] Show the field ONLY if: [pres_antimicrobials(14)] = '1'	FILLED	yesno 1, Yes 0, No
	657	[pres_antimicrobials_15_tab] Show the field ONLY if: [pres_antimicrobials(15)] = '1'	ANTIMICROBIALS NITROFUANTOIN 100 MG TABS [pres_antimicrobials_15_a] [pres_antimicrobials_15_u] [pres_antimicrobials_15_pn]	descriptive
	658	[pres_antimicrobials_15_d] Show the field ONLY if: [pres_antimicrobials(15)] = '1'	FILLED	yesno 1, Yes 0, No

	659	[pres_analgesics_1_tab] Show the field ONLY if: [pres_analgesics(1)] = '1'	ANALGESICS ACETAMINOPHEN 500 MG TABS [pres_analgesics_1_a] [pres_analgesics_1_u] [pres_analgesics_1_pn]	descriptive
	660	[pres_analgesics_1_d] Show the field ONLY if: [pres_analgesics(1)] = '1'	FILLED	yesno 1 Yes 0 No
	661	[pres_analgesics_2_tab] Show the field ONLY if: [pres_analgesics(2)] = '1'	ANALGESICS IBUPROFEN 200 MG TABS [pres_analgesics_2_a] [pres_analgesics_2_u] [pres_analgesics_2_pn]	descriptive
	662	[pres_analgesics_2_d] Show the field ONLY if: [pres_analgesics(2)] = '1'	FILLED	yesno 1 Yes 0 No
	663	[pres_analgesics_3_tab] Show the field ONLY if: [pres_analgesics(3)] = '1'	ANALGESICS IBUPROFEN 400 MG TABS [pres_analgesics_3_a] [pres_analgesics_3_u] [pres_analgesics_3_pn]	descriptive
	664	[pres_analgesics_3_d] Show the field ONLY if: [pres_analgesics(3)] = '1'	FILLED	yesno 1 Yes 0 No
	665	[pres_analgesics_4_tab] Show the field ONLY if: [pres_analgesics(4)] = '1'	ANALGESICS IBUPROFEN 600 MG TABS [pres_analgesics_4_a] [pres_analgesics_4_u] [pres_analgesics_4_pn]	descriptive
	666	[pres_analgesics_4_d] Show the field ONLY if: [pres_analgesics(4)] = '1'	FILLED	yesno 1 Yes 0 No
	667	[pres_analgesics_5_tab] Show the field ONLY if: [pres_analgesics(5)] = '1'	ANALGESICS MELOXICAM 15 MG TABS [pres_analgesics_5_a] [pres_analgesics_5_u] [pres_analgesics_5_pn]	descriptive
	668	[pres_analgesics_5_d] Show the field ONLY if:	FILLED	yesno 1 Yes

		[pres_analgesics(5)] = '1'		0 No
	669	[pres_analgesics_6_tab] Show the field ONLY if: [pres_analgesics(6)] = '1'	ANALGESICS NAPROXEN 250 MG TABS [pres_analgesics_6_a] [pres_analgesics_6_u] [pres_analgesics_6_pn]	descriptive
	670	[pres_analgesics_6_d] Show the field ONLY if: [pres_analgesics(6)] = '1'	FILLED	yesno 1 Yes 0 No
	671	[pres_analgesics_7_tab] Show the field ONLY if: [pres_analgesics(7)] = '1'	ANALGESICS CYCLOBENZAPRINE HCl 250 MG TABS [pres_analgesics_7_a] [pres_analgesics_7_u] [pres_analgesics_7_pn]	descriptive
	672	[pres_analgesics_7_d] Show the field ONLY if: [pres_analgesics(7)] = '1'	FILLED	yesno 1 Yes 0 No
	673	[pres_analgesics_8_tab] Show the field ONLY if: [pres_analgesics(8)] = '1'	ANALGESICS ACETAMINOPHEN 325 MG TABS [pres_analgesics_8_a] [pres_analgesics_8_u] [pres_analgesics_8_pn]	descriptive
	674	[pres_analgesics_8_d] Show the field ONLY if: [pres_analgesics(8)] = '1'	FILLED	yesno 1 Yes 0 No
	675	[pres_analgesics_9_tab] Show the field ONLY if: [pres_analgesics(9)] = '1'	ANALGESICS ACETAMINOPHEN 650 MG TABS [pres_analgesics_9_a] [pres_analgesics_9_u] [pres_analgesics_9_pn]	descriptive
	676	[pres_analgesics_9_d] Show the field ONLY if: [pres_analgesics(9)] = '1'	FILLED	yesno 1 Yes 0 No
	677	[pres_analgesics_10_tab] Show the field ONLY if: [pres_analgesics(10)] = '1'	ANALGESICS ACETAMINOPHEN 500 MG CAPS [pres_analgesics_10_a] [pres_analgesics_10_u] [pres_analgesics_10_pn]	descriptive

	678	[pres_analgesics_10_d] Show the field ONLY if: [pres_analgesics(10)] = '1'	FILLED	yesno 1 Yes 0 No
	679	[pres_analgesics_11_tab] Show the field ONLY if: [pres_analgesics(11)] = '1'	ANALGESICS ACETAMINOPHEN CHILDREN 80 MG [pres_analgesics_11_a] [pres_analgesics_11_u] [pres_analgesics_11_pn]	descriptive
	680	[pres_analgesics_11_d] Show the field ONLY if: [pres_analgesics(11)] = '1'	FILLED	yesno 1 Yes 0 No
	681	[pres_analgesics_12_tab] Show the field ONLY if: [pres_analgesics(12)] = '1'	ANALGESICS PARACETAMOL 500 MG TABS [pres_analgesics_12_a] [pres_analgesics_12_u] [pres_analgesics_12_pn]	descriptive
	682	[pres_analgesics_12_d] Show the field ONLY if: [pres_analgesics(12)] = '1'	FILLED	yesno 1 Yes 0 No
	683	[pres_analgesics_13_tab] Show the field ONLY if: [pres_analgesics(13)] = '1'	ANALGESICS PHARBINEX-PE [pres_analgesics_13_a] [pres_analgesics_13_u] [pres_analgesics_13_pn]	descriptive
	684	[pres_analgesics_13_d] Show the field ONLY if: [pres_analgesics(13)] = '1'	FILLED	yesno 1 Yes 0 No
	685	[pres_respiratory_1_tab] Show the field ONLY if: [pres_respiratory(1)] = '1'	RESPIRATORY Guaifenesin 400 mg with phenylephrine [pres_respiratory_1_a] [pres_respiratory_1_u] [pres_respiratory_1_pn]	descriptive
	686	[pres_respiratory_1_d] Show the field ONLY if: [pres_respiratory(1)] = '1'	FILLED	yesno 1 Yes 0 No
	687	[pres_respiratory_2_tab]	RESPIRATORY Guaifenesin 100 mg with dextromethorphan [pres_respiratory_2_a] [pres_respiratory_2_u]	descriptive

		Show the field ONLY if: [pres_respiratory(2)] = '1'	[pres_respiratory_2_pn]	
	688	[pres_respiratory_2_d] Show the field ONLY if: [pres_respiratory(2)] = '1'	FILLED	yesno 1, Yes 0, No
	689	[pres_respiratory_3_tab] Show the field ONLY if: [pres_respiratory(3)] = '1'	RESPIRATORY Diphenhydramine HCl 12.5 mg / 5 ml [pres_respiratory_3_a] [pres_respiratory_3_u] [pres_respiratory_3_pn]	descriptive
	690	[pres_respiratory_3_d] Show the field ONLY if: [pres_respiratory(3)] = '1'	FILLED	yesno 1, Yes 0, No
	691	[pres_respiratory_4_tab] Show the field ONLY if: [pres_respiratory(4)] = '1'	RESPIRATORY Cetirizine HCl 10 mg tab [pres_respiratory_4_a] [pres_respiratory_4_u] [pres_respiratory_4_pn]	descriptive
	692	[pres_respiratory_4_d] Show the field ONLY if: [pres_respiratory(4)] = '1'	FILLED	yesno 1, Yes 0, No
	693	[pres_respiratory_5_tab] Show the field ONLY if: [pres_respiratory(5)] = '1'	RESPIRATORY Loratadine 10 mg tabs [pres_respiratory_5_a] [pres_respiratory_5_u] [pres_respiratory_5_pn]	descriptive
	694	[pres_respiratory_5_d] Show the field ONLY if: [pres_respiratory(5)] = '1'	FILLED	yesno 1, Yes 0, No
	695	[pres_respiratory_6_tab] Show the field ONLY if: [pres_respiratory(6)] = '1'	RESPIRATORY Albuterol Sulfate 0.083% 2.5 mg / 3 ml [pres_respiratory_6_a] [pres_respiratory_6_u] [pres_respiratory_6_pn]	descriptive
	696	[pres_respiratory_6_d] Show the field ONLY if: [pres_respiratory(6)] = '1'	FILLED	yesno 1, Yes 0, No

	697	[pres_respiratory_7_tab] Show the field ONLY if: [pres_respiratory(7)] = '1'	RESPIRATORY Diphenhydramine 25 mg caps [pres_respiratory_7_a] [pres_respiratory_7_u] [pres_respiratory_7_pn]	descriptive
	698	[pres_respiratory_7_d] Show the field ONLY if: [pres_respiratory(7)] = '1'	FILLED	yesno 1, Yes 0, No
	699	[pres_respiratory_8_tab] Show the field ONLY if: [pres_respiratory(8)] = '1'	RESPIRATORY Guaifenesin 8 oz bottle [pres_respiratory_8_a] [pres_respiratory_8_u] [pres_respiratory_8_pn]	descriptive
	700	[pres_respiratory_8_d] Show the field ONLY if: [pres_respiratory(8)] = '1'	FILLED	yesno 1, Yes 0, No
	701	[pres_respiratory_9_tab] Show the field ONLY if: [pres_respiratory(9)] = '1'	RESPIRATORY Prednisone 10 mg tabs [pres_respiratory_9_a] [pres_respiratory_9_u] [pres_respiratory_9_pn]	descriptive
	702	[pres_respiratory_9_d] Show the field ONLY if: [pres_respiratory(9)] = '1'	FILLED	yesno 1, Yes 0, No
	703	[pres_respiratory_10_tab] Show the field ONLY if: [pres_respiratory(10)] = '1'	RESPIRATORY Azelastine 205 mcg inhaler [pres_respiratory_10_a] [pres_respiratory_10_u] [pres_respiratory_10_pn]	descriptive
	704	[pres_respiratory_10_d] Show the field ONLY if: [pres_respiratory(10)] = '1'	FILLED	yesno 1, Yes 0, No
	705	[pres_respiratory_11_tab] Show the field ONLY if: [pres_respiratory(11)] = '1'	RESPIRATORY Montelukast Sodium 10 mg [pres_respiratory_11_a] [pres_respiratory_11_u] [pres_respiratory_11_pn]	descriptive

	706	[pres_respiratory_11_d] Show the field ONLY if: [pres_respiratory(11)] = '1'	FILLED	yesno 1 Yes 0 No
	707	[pres_respiratory_12_tab] Show the field ONLY if: [pres_respiratory(12)] = '1'	RESPIRATORY Guaifenesin 400 mg with phenylephrine [pres_respiratory_12_a] [pres_respiratory_12_u] [pres_respiratory_12_pn]	descriptive
	708	[pres_respiratory_12_d] Show the field ONLY if: [pres_respiratory(12)] = '1'	FILLED	yesno 1 Yes 0 No
	709	[pres_respiratory_13_tab] Show the field ONLY if: [pres_respiratory(13)] = '1'	RESPIRATORY Guaifenesin 400 mg with phenylephrine [pres_respiratory_13_a] [pres_respiratory_13_u] [pres_respiratory_13_pn]	descriptive
	710	[pres_respiratory_13_d] Show the field ONLY if: [pres_respiratory(13)] = '1'	FILLED	yesno 1 Yes 0 No
	711	[pres_ent_1_tab] Show the field ONLY if: [pres_ent(1)] = '1'	ENT / EAR & EYE DROPS Nasal/Saline Spray [pres_ent_1_a] [pres_ent_1_u] [pres_ent_1_pn]	descriptive
	712	[pres_ent_1_d] Show the field ONLY if: [pres_ent(1)] = '1'	FILLED	yesno 1 Yes 0 No
	713	[pres_ent_2_tab] Show the field ONLY if: [pres_ent(2)] = '1'	ENT / EAR & EYE DROPS Lubricant Eye Drops Polyvinyl Alcohol [pres_ent_2_a] [pres_ent_2_u] [pres_ent_2_pn]	descriptive
	714	[pres_ent_2_d] Show the field ONLY if: [pres_ent(2)] = '1'	FILLED	yesno 1 Yes 0 No

	715	[pres_ent_3_tab] Show the field ONLY if: [pres_ent(3)] = '1'	ENT / EAR & EYE DROPS Lubricant Eye Drops [pres_ent_3_a] [pres_ent_3_u] [pres_ent_3_pn]	descriptive
	716	[pres_ent_3_d] Show the field ONLY if: [pres_ent(3)] = '1'	FILLED	yesno 1 Yes 0 No
	717	[pres_ent_4_tab] Show the field ONLY if: [pres_ent(4)] = '1'	ENT / EAR & EYE DROPS Gentamicin Sulfate 0.3% [pres_ent_4_a] [pres_ent_4_u] [pres_ent_4_pn]	descriptive
	718	[pres_ent_4_d] Show the field ONLY if: [pres_ent(4)] = '1'	FILLED	yesno 1 Yes 0 No
	719	[pres_ent_5_tab] Show the field ONLY if: [pres_ent(5)] = '1'	ENT / EAR & EYE DROPS Ofloxacin .3% Ophthalmic [pres_ent_5_a] [pres_ent_5_u] [pres_ent_5_pn]	descriptive
	720	[pres_ent_5_d] Show the field ONLY if: [pres_ent(5)] = '1'	FILLED	yesno 1 Yes 0 No
	721	[pres_ent_6_tab] Show the field ONLY if: [pres_ent(6)] = '1'	ENT / EAR & EYE DROPS Brimonidine Tartrate 0.2% [pres_ent_6_a] [pres_ent_6_u] [pres_ent_6_pn]	descriptive
	722	[pres_ent_6_d] Show the field ONLY if: [pres_ent(6)] = '1'	FILLED	yesno 1 Yes 0 No
	723	[pres_ent_7_tab] Show the field ONLY if: [pres_ent(7)] = '1'	ENT / EAR & EYE DROPS Oxymetazoline HCL (0.05%) Spray [pres_ent_7_a] [pres_ent_7_u] [pres_ent_7_pn]	descriptive
	724	[pres_ent_7_d] Show the field ONLY if:	FILLED	yesno 1 Yes

		[pres_ent(7)] = '1'		0, No
	725	[pres_diabetics_1_tab] Show the field ONLY if: [pres_diabetics(1)] = '1'	ANTIDIABETIC AGENTS Metformin HCL 500 mg tabs [pres_diabetics_1_a] [pres_diabetics_1_u] [pres_diabetics_1_pn]	descriptive
	726	[pres_diabetics_1_d] Show the field ONLY if: [pres_diabetics(1)] = '1'	FILLED	yesno 1, Yes 0, No
	727	[pres_diabetics_2_tab] Show the field ONLY if: [pres_diabetics(2)] = '1'	ANTIDIABETIC AGENTS Metformin HCL 1000 mg tabs [pres_diabetics_2_a] [pres_diabetics_2_u] [pres_diabetics_2_pn]	descriptive
	728	[pres_diabetics_2_d] Show the field ONLY if: [pres_diabetics(2)] = '1'	FILLED	yesno 1, Yes 0, No
	729	[pres_diabetics_3_tab] Show the field ONLY if: [pres_diabetics(3)] = '1'	ANTIDIABETIC AGENTS Glipizide 10 mg tabs [pres_diabetics_3_a] [pres_diabetics_3_u] [pres_diabetics_3_pn]	descriptive
	730	[pres_diabetics_3_d] Show the field ONLY if: [pres_diabetics(3)] = '1'	FILLED	yesno 1, Yes 0, No
	731	[pres_cardio_1_tab] Show the field ONLY if: [pres_cardio(1)] = '1'	CARDIOVASCULAR Amlodipine 5 mg tabs [pres_cardio_1_a] [pres_cardio_1_u] [pres_cardio_1_pn]	descriptive
	732	[pres_cardio_1_d] Show the field ONLY if: [pres_cardio(1)] = '1'	FILLED	yesno 1, Yes 0, No
	733	[pres_cardio_2_tab] Show the field ONLY if: [pres_cardio(2)] = '1'	CARDIOVASCULAR Losartan Potassium 50 mg [pres_cardio_2_a] [pres_cardio_2_u] [pres_cardio_2_pn]	descriptive

	734	[pres_cardio_2_d] Show the field ONLY if: [pres_cardio(2)] = '1'	FILLED	yesno 1 Yes 0 No
	735	[pres_cardio_3_tab] Show the field ONLY if: [pres_cardio(3)] = '1'	CARDIOVASCULAR Aspirin 325 mg tabs [pres_cardio_3_a] [pres_cardio_3_u] [pres_cardio_3_pn]	descriptive
	736	[pres_cardio_3_d] Show the field ONLY if: [pres_cardio(3)] = '1'	FILLED	yesno 1 Yes 0 No
	737	[pres_cardio_4_tab] Show the field ONLY if: [pres_cardio(4)] = '1'	CARDIOVASCULAR Aspirin 650 mg tabs [pres_cardio_4_a] [pres_cardio_4_u] [pres_cardio_4_pn]	descriptive
	738	[pres_cardio_4_d] Show the field ONLY if: [pres_cardio(4)] = '1'	FILLED	yesno 1 Yes 0 No
	739	[pres_cardio_5_tab] Show the field ONLY if: [pres_cardio(5)] = '1'	CARDIOVASCULAR Aspirin 81 mg tabs [pres_cardio_5_a] [pres_cardio_5_u] [pres_cardio_5_pn]	descriptive
	740	[pres_cardio_5_d] Show the field ONLY if: [pres_cardio(5)] = '1'	FILLED	yesno 1 Yes 0 No
	741	[pres_cardio_6_tab] Show the field ONLY if: [pres_cardio(6)] = '1'	CARDIOVASCULAR Lisinopril 10 mg tabs [pres_cardio_6_a] [pres_cardio_6_u] [pres_cardio_6_pn]	descriptive
	742	[pres_cardio_6_d] Show the field ONLY if: [pres_cardio(6)] = '1'	FILLED	yesno 1 Yes 0 No
	743	[pres_cardio_7_tab]	CARDIOVASCULAR Metoprolol Tartrate 50 mg tabs [pres_cardio_7_a] [pres_cardio_7_u] [pres_cardio_7_pn]	descriptive

		Show the field ONLY if: [pres_cardio(7)] = '1'		
	744	[pres_cardio_7_d] Show the field ONLY if: [pres_cardio(7)] = '1'	FILLED	yesno 1, Yes 0, No
	745	[pres_cardio_8_tab] Show the field ONLY if: [pres_cardio(8)] = '1'	CARDIOVASCULAR Hydrochlorothiazide 25 mg [pres_cardio_8_a] [pres_cardio_8_u] [pres_cardio_8_pn]	descriptive
	746	[pres_cardio_8_d] Show the field ONLY if: [pres_cardio(8)] = '1'	FILLED	yesno 1, Yes 0, No
	747	[pres_gi_1_tab] Show the field ONLY if: [pres_gi(1)] = '1'	GI SYSTEM Omeprazole 20 mg caps [pres_gi_1_a] [pres_gi_1_u] [pres_gi_1_pn]	descriptive
	748	[pres_gi_1_d] Show the field ONLY if: [pres_gi(1)] = '1'	FILLED	yesno 1, Yes 0, No
	749	[pres_gi_2_tab] Show the field ONLY if: [pres_gi(2)] = '1'	GI SYSTEM Docusate Sodium 100 mg Softgels [pres_gi_2_a] [pres_gi_2_u] [pres_gi_2_pn]	descriptive
	750	[pres_gi_2_d] Show the field ONLY if: [pres_gi(2)] = '1'	FILLED	yesno 1, Yes 0, No
	751	[pres_gi_3_tab] Show the field ONLY if: [pres_gi(3)] = '1'	GI SYSTEM Hemorrhoidal Rectal Suppositories [pres_gi_3_a] [pres_gi_3_u] [pres_gi_3_pn]	descriptive
	752	[pres_gi_3_d] Show the field ONLY if: [pres_gi(3)] = '1'	FILLED	yesno 1, Yes 0, No

	753	[pres_gi_4_tab] Show the field ONLY if: [pres_gi(4)] = '1'	GI SYSTEM Famotidine 20 mg [pres_gi_4_a] [pres_gi_4_u] [pres_gi_4_pn]	descriptive
	754	[pres_gi_4_d] Show the field ONLY if: [pres_gi(4)] = '1'	FILLED	yesno 1 Yes 0 No
	755	[pres_gi_5_tab] Show the field ONLY if: [pres_gi(5)] = '1'	GI SYSTEM Loperamide 2 mg tabs [pres_gi_5_a] [pres_gi_5_u] [pres_gi_5_pn]	descriptive
	756	[pres_gi_5_d] Show the field ONLY if: [pres_gi(5)] = '1'	FILLED	yesno 1 Yes 0 No
	757	[pres_gi_6_tab] Show the field ONLY if: [pres_gi(6)] = '1'	GI SYSTEM Meclizine 25 mg tabs [pres_gi_6_a] [pres_gi_6_u] [pres_gi_6_pn]	descriptive
	758	[pres_gi_6_d] Show the field ONLY if: [pres_gi(6)] = '1'	FILLED	yesno 1 Yes 0 No
	759	[pres_gi_7_tab] Show the field ONLY if: [pres_gi(7)] = '1'	GI SYSTEM Meclizine Chewable tabs [pres_gi_7_a] [pres_gi_7_u] [pres_gi_7_pn]	descriptive
	760	[pres_gi_7_d] Show the field ONLY if: [pres_gi(7)] = '1'	FILLED	yesno 1 Yes 0 No
	761	[pres_gi_8_tab] Show the field ONLY if: [pres_gi(8)] = '1'	GI SYSTEM Ondansetron 4 mg tabs [pres_gi_8_a] [pres_gi_8_u] [pres_gi_8_pn]	descriptive
	762	[pres_gi_8_d] Show the field ONLY if:	FILLED	yesno 1 Yes

		[pres_gi(8)] = '1'		0, No
	763	[pres_topical_1_tab] Show the field ONLY if: [pres_topical(1)] = '1'	TOPICALS/OINTMENTS X-Treme Freeze Gel [pres_topical_1_a] [pres_topical_1_u] [pres_topical_1_pn]	descriptive
	764	[pres_topical_1_d] Show the field ONLY if: [pres_topical(1)] = '1'	FILLED	yesno 1, Yes 0, No
	765	[pres_topical_2_tab] Show the field ONLY if: [pres_topical(2)] = '1'	TOPICALS/OINTMENTS Tolnaftate 1% Cream [pres_topical_2_a] [pres_topical_2_u] [pres_topical_2_pn]	descriptive
	766	[pres_topical_2_d] Show the field ONLY if: [pres_topical(2)] = '1'	FILLED	yesno 1, Yes 0, No
	767	[pres_topical_3_tab] Show the field ONLY if: [pres_topical(3)] = '1'	TOPICALS/OINTMENTS Clotrimazole 1% Antifungal Cream [pres_topical_3_a] [pres_topical_3_u] [pres_topical_3_pn]	descriptive
	768	[pres_topical_3_d] Show the field ONLY if: [pres_topical(3)] = '1'	FILLED	yesno 1, Yes 0, No
	769	[pres_topical_4_tab] Show the field ONLY if: [pres_topical(4)] = '1'	TOPICALS/OINTMENTS Mupirocin 2% Ointment [pres_topical_4_a] [pres_topical_4_u] [pres_topical_4_pn]	descriptive
	770	[pres_topical_4_d] Show the field ONLY if: [pres_topical(4)] = '1'	FILLED	yesno 1, Yes 0, No
	771	[pres_topical_5_tab] Show the field ONLY if: [pres_topical(5)] = '1'	TOPICALS/OINTMENTS Bacitracin Zinc Combo Ointment [pres_topical_5_a] [pres_topical_5_u] [pres_topical_5_pn]	descriptive

	772	[pres_topical_5_d] Show the field ONLY if: [pres_topical(5)] = '1'	FILLED	yesno 1 Yes 0 No
	773	[pres_topical_6_tab] Show the field ONLY if: [pres_topical(6)] = '1'	TOPICALS/OINTMENTS Bacitracin 500 Units Ointment [pres_topical_6_a] [pres_topical_6_u] [pres_topical_6_pn]	descriptive
	774	[pres_topical_6_d] Show the field ONLY if: [pres_topical(6)] = '1'	FILLED	yesno 1 Yes 0 No
	775	[pres_topical_7_tab] Show the field ONLY if: [pres_topical(7)] = '1'	TOPICALS/OINTMENTS Triple Antibiotic Ointment Cream (Box 1fl oz) [pres_topical_7_a] [pres_topical_7_u] [pres_topical_7_pn]	descriptive
	776	[pres_topical_7_d] Show the field ONLY if: [pres_topical(7)] = '1'	FILLED	yesno 1 Yes 0 No
	777	[pres_topical_8_tab] Show the field ONLY if: [pres_topical(8)] = '1'	TOPICALS/OINTMENTS Triple Antibiotic Ointment Cream 15 mg [pres_topical_8_a] [pres_topical_8_u] [pres_topical_8_pn]	descriptive
	778	[pres_topical_8_d] Show the field ONLY if: [pres_topical(8)] = '1'	FILLED	yesno 1 Yes 0 No
	779	[pres_topical_9_tab] Show the field ONLY if: [pres_topical(9)] = '1'	TOPICALS/OINTMENTS Betamethasone Valerate 0.1% Cream 15 mg [pres_topical_9_a] [pres_topical_9_u] [pres_topical_9_pn]	descriptive
	780	[pres_topical_9_d] Show the field ONLY if: [pres_topical(9)] = '1'	FILLED	yesno 1 Yes 0 No
	781	[pres_topical_10_tab]	TOPICALS/OINTMENTS Mometazone Furoate Cream (0.1%) [pres_topical_10_a] [pres_topical_10_u]	descriptive

		Show the field ONLY if: [pres_topical(10)] = '1'	[pres_topical_10_pn]	
	782	[pres_topical_10_d] Show the field ONLY if: [pres_topical(10)] = '1'	FILLED	yesno 1 Yes 0 No
	783	[pres_topical_11_tab] Show the field ONLY if: [pres_topical(11)] = '1'	TOPICALS/OINTMENTS Muscle Gel [pres_topical_11_a] [pres_topical_11_u] [pres_topical_11_pn]	descriptive
	784	[pres_topical_11_d] Show the field ONLY if: [pres_topical(11)] = '1'	FILLED	yesno 1 Yes 0 No
	785	[pres_topical_12_tab] Show the field ONLY if: [pres_topical(12)] = '1'	TOPICALS/OINTMENTS Vitamins A and D (Diaper Rash) [pres_topical_12_a] [pres_topical_12_u] [pres_topical_12_pn]	descriptive
	786	[pres_topical_12_d] Show the field ONLY if: [pres_topical(12)] = '1'	FILLED	yesno 1 Yes 0 No
	787	[pres_topical_13_tab] Show the field ONLY if: [pres_topical(13)] = '1'	TOPICALS/OINTMENTS Hydrocortisone 1% [pres_topical_13_a] [pres_topical_13_u] [pres_topical_13_pn]	descriptive
	788	[pres_topical_13_d] Show the field ONLY if: [pres_topical(13)] = '1'	FILLED	yesno 1 Yes 0 No
	789	[pres_vitamins_1_tab] Show the field ONLY if: [pres_vitamins(1)] = '1'	VITAMINS Folic Acid 800 mcg [pres_vitamins_1_a] [pres_vitamins_1_u] [pres_vitamins_1_pn]	descriptive
	790	[pres_vitamins_1_d] Show the field ONLY if: [pres_vitamins(1)] = '1'	FILLED	yesno 1 Yes 0 No

	791	[pres_vitamins_2_tab] Show the field ONLY if: [pres_vitamins(2)] = '1'	VITAMINS Prenatal Vitamins with Iron [pres_vitamins_2_a] [pres_vitamins_2_u] [pres_vitamins_2_pn]	descriptive
	792	[pres_vitamins_2_d] Show the field ONLY if: [pres_vitamins(2)] = '1'	FILLED	yesno 1 Yes 0 No
	793	[pres_vitamins_3_tab] Show the field ONLY if: [pres_vitamins(3)] = '1'	VITAMINS Multiple Vitamin Tabs Adults [pres_vitamins_3_a] [pres_vitamins_3_u] [pres_vitamins_3_pn]	descriptive
	794	[pres_vitamins_3_d] Show the field ONLY if: [pres_vitamins(3)] = '1'	FILLED	yesno 1 Yes 0 No
	795	[pres_vitamins_4_tab] Show the field ONLY if: [pres_vitamins(4)] = '1'	VITAMINS Childrens' Chewable Vitamins [pres_vitamins_4_a] [pres_vitamins_4_u] [pres_vitamins_4_pn]	descriptive
	796	[pres_vitamins_4_d] Show the field ONLY if: [pres_vitamins(4)] = '1'	FILLED	yesno 1 Yes 0 No
	797	[pres_vitamins_5_tab] Show the field ONLY if: [pres_vitamins(5)] = '1'	VITAMINS Childrens' Chewable Vitamins with Iron [pres_vitamins_5_a] [pres_vitamins_5_u] [pres_vitamins_5_pn]	descriptive
	798	[pres_vitamins_5_d] Show the field ONLY if: [pres_vitamins(5)] = '1'	FILLED	yesno 1 Yes 0 No
	799	[pres_antihistaminic_1_tab] Show the field ONLY if: [pres_antihistaminic(1)] = '1'	ANTIHISTAMINIC/ COUGH AND COLD Fexofenadine HCl tabs 180 mg [pres_antihistaminic_1_a] [pres_antihistaminic_1_u] [pres_antihistaminic_1_pn]	descriptive

	800	[pres_antihistaminic_1_d] Show the field ONLY if: [pres_antihistaminic(1)] = '1'	FILLED	yesno 1, Yes 0, No
	801	[pres_antihistaminic_2_tab] Show the field ONLY if: [pres_antihistaminic(2)] = '1'	ANTIHISTAMINIC/ COUGH AND COLD Levocetirizine Dihydrocloride tabs 5 mg [pres_antihistaminic_2_a] [pres_antihistaminic_2_u] [pres_antihistaminic_2_pn]	descriptive
	802	[pres_antihistaminic_2_d] Show the field ONLY if: [pres_antihistaminic(2)] = '1'	FILLED	yesno 1, Yes 0, No
	803	[pres_antihistaminic_3_tab] Show the field ONLY if: [pres_antihistaminic(3)] = '1'	ANTIHISTAMINIC/ COUGH AND COLD Guaiasorb DM [pres_antihistaminic_3_a] [pres_antihistaminic_3_u] [pres_antihistaminic_3_pn]	descriptive
	804	[pres_antihistaminic_3_d] Show the field ONLY if: [pres_antihistaminic(3)] = '1'	FILLED	yesno 1, Yes 0, No
	805	[patient_discharged]	ALL MEDS DISPENSED TO PATIENT	yesno 1, Yes 0, No Field Annotation: @DEFAULT='0'
	806	[pharmacy_visit_short_complete]	Section Header: *Form Status* Complete?	dropdown 0, Incomplete 1, Unverified 2, Complete