Data Dictionary Codebook

Digital-IMOP-REDCap-Original-System (PID: 5034)

10/13/2026 3:32pm

Instruments	
Instrument	**Form Name**
Patient Information	patient_information
Visit Form	visit_form
Prescriptions	prescriptions
Referral Form	referral_form
Pharm Hidden	pharm_hidden_d8c6ea
_Inventory Control	inventory_control
Provider Information	provider_information
Pharmacy Visit Short	pharmacy_visit_short

	#	Variable / Field Name	Field Label *Field Note*	Field Attributes (Field Type, Validation, Choices, Calculations, etc.)
Instrument: Patient Information (patient_information)				
	1	[patient_id]	Patient ID	text
	2	[triage_demo]	Patient Name First {patient_first_name} Last {patient_last_name} Patient DOB [YEAR-MONTH-DAY] {date_of_birth} Age {age} Sex {sex} Visiting Site {site} Patient Contact Information Phone: {phone_number} email: {email} Home address: {home_address} Patient / Guardian Name {guardian_name} Specialty Assigned {specialties_ass}	descriptive
	3	[patient_first_name]	Patient First Name	text, Required, Identifier
	4	[patient_last_name]	Patient Last Name	text, Required, Identifier
	5	[site]	Site	dropdown, Required 1, Site 1 2, Site 2 3, Site 3

	6	[date_of_birth]	Date of Birth [YYYY-MM-DD]	text (date_ymd), Required
	7	[age]	Age	calc, Required Calculation: rounddown((datediff([date_of_birth],"today","y","ymd")),(
	8	[sex]	Sex	dropdown (autocomplete), Required 1, Female 2, Male
	9	[phone_number]	Phone Number	text, Required
	10	[email]	e-mail Address	text, Required
	11	[home_address]	Home Address	text, Required
	12	[guardian_name] Show the field ONLY if: [age] < 18	Parent/Guardian Name	text, Required
	13	[specialties_ass]	Specialties Assigned	checkbox 1, specialties_ass___1, General Medicine 2, specialties_ass___2, Physical Therapy 3, specialties_ass___3, Occupational Therapy 4, specialties_ass___4, Ophthalmology / Optometry 5, specialties_ass___5, Dentistry
	14	[blood_pressure_sys]	Section Header: *TRIAGE* Systolic Blood Pressure [mm/Hg]	text (integer)
	15	[blood_pressure_dia]	Diastolic Blood Pressure [mm/Hg]	text (integer)
	16	[pulse]	Pulse [bpm]	text (integer)
	17	[respiratory_rate] Show the field ONLY if: [specialties_ass(1)] = '1'	Respiratory Rate [bpm]	text (number)

	18	[temperature] Show the field ONLY if: [specialties_ass(1)] = '1'	Temperature [Fahrenheit]	text (number)
	19	[height_ins] Show the field ONLY if: [specialties_ass(1)] = '1'	Height [inches]	text (number, Min: 12, Max: 100)
	20	[weight_lbs] Show the field ONLY if: [specialties_ass(1)] = '1'	Weight [pounds]	text (integer)
	21	[bmi_calc_imp] Show the field ONLY if: [bmi_calc_imp] <> ""	BMI	calc Calculation: round([weight_lbs] / ([height_ins]* [height_ins]) * 703, 1)
	22	[diabetic_diag] Show the field ONLY if: [specialties_ass(1)] = '1'	Diagnosed diabetic?	yesno 1, Yes 0, No
	23	[blood_glucose] Show the field ONLY if: [specialties_ass(1)] = '1'	Blood Glucose [mg/dL]	text (integer)
	24	[fasting] Show the field ONLY if: [specialties_ass(1)] = '1'	Fasting (Last time they ate?)	text
	25	[current_plan] Show the field ONLY if: ([diabetic_diag] = '1')	Current treatment plan	dropdown 1, Insulin only 2, Pills only 3, Insulin and Pills 4, Herbal 5, Other
	26	[allergies]	Allergies	notes
	27	[current_meds]	Current Medications	notes

	28	[chief_complaint] Show the field ONLY if: [specialties_ass(1)] = '1'	Chief Complaint	checkbox

1	chief_complaint___1	Abdominal bloating
2	chief_complaint___2	Abdominal pain
3	chief_complaint___3	Absence of menses
4	chief_complaint___4	Allergies
5	chief_complaint___5	Asthma
6	chief_complaint___6	Autism
7	chief_complaint___7	Back pain
8	chief_complaint___8	Balance issues
9	chief_complaint___9	Blurry vision
10	chief_complaint___10	Chest pain
11	chief_complaint___11	Constipation
12	chief_complaint___12	Cough
13	chief_complaint___13	Diabetes
14	chief_complaint___14	Difficulty walking
15	chief_complaint___15	Dizziness
16	chief_complaint___16	Dry skin
17	chief_complaint___17	Ear pain
18	chief_complaint___18	Epilepsy
19	chief_complaint___19	Eye infection
20	chief_complaint___20	Eye pain
21	chief_complaint___21	Eye redness
22	chief_complaint___22	Fever
23	chief_complaint___23	Hearing loss
24	chief_complaint___24	Heart murmur
25	chief_complaint___25	Heavy menses
26	chief_complaint___26	High blood pressure

27	chief_complaint___27	Hip pain
28	chief_complaint___28	Hypothyroidism
29	chief_complaint___29	Incontinence
30	chief_complaint___30	Increased appetite
31	chief_complaint___31	Increased thirst
32	chief_complaint___32	Irregular menses
33	chief_complaint___33	Itching
34	chief_complaint___34	Joint pain(s)
35	chief_complaint___35	Lethargy
36	chief_complaint___36	Memory loss
37	chief_complaint___37	Nasal congestion
38	chief_complaint___38	Neck pain
39	chief_complaint___39	Numbness
40	chief_complaint___40	Painful urination
41	chief_complaint___41	Palpitation
42	chief_complaint___42	Rash
43	chief_complaint___43	Runny nose
44	chief_complaint___44	Seizures
45	chief_complaint___45	Shortness of breath
46	chief_complaint___46	Sinus pain
47	chief_complaint___47	Skin lesion
48	chief_complaint___48	Sore throat
49	chief_complaint___49	Speech delay
50	chief_complaint___50	Swelling
51	chief_complaint___51	Urinary urgency
52	chief_complaint___52	Weakness
53	chief_complaint___53	Well adult

				54 | chief_complaint___54 | Well child 55 | chief_complaint___55 | Other
	29	[complaint_details] Show the field ONLY if: [specialties_ass(1)] = '1'	Chief Complaint Details	notes
	30	[chief_dental] Show the field ONLY if: [specialties_ass(5)] = '1'	Dental Reason of Visit	dropdown 1 | Cleaning 2 | Extraction 3 | Composites 4 | Amalgams
	31	[mouth_area_extraction] Show the field ONLY if: [chief_dental] = '2'	Tooth zone extraction?	checkbox 1 | mouth_area_extraction___1 | UR 2 | mouth_area_extraction___2 | UL 3 | mouth_area_extraction___3 | UF 4 | mouth_area_extraction___4 | LR 5 | mouth_area_extraction___5 | LL 6 | mouth_area_extraction___6 | LF
	32	[patient_information_complete]	Section Header: *Form Status* Complete?	dropdown 0 | Incomplete 1 | Unverified 2 | Complete
Instrument: Visit Form (visit_form)				
	33	[import_triage_info]	Section Header: *Patient Information:* Patient Name [patient_first_name] [patient_last_name] Patient Age [age] Patient Sex [sex] Guardian Name [guardian_name] Chief Complaint General Medicine Details [chief_complaint][complaint_details] Dental [chief_dental][mouth_area_extraction][filling_surfaces] Blood Pressure [mm/Hg] Sys/Dia [blood_pressure_sys] / [blood_pressure_dia] Pulse [bpm] Respiratory Rate	descriptive, Required, Identifier

			[bpm] Temperature [F] [pulse] [respiratory_rate] [temperature] F Height [in]Weight [lbs]BMI [height_ins] [weight_lbs][bmi_calc_imp] Previous Diabetes DiagnosisBlood Glucose / Fasting [diabetic_diag] [blood_glucose] - Last time they ate [fasting] Current PlanCurrent MedicationsAllergies [current_plan] [current_meds][allergies]	
	34	[specialty_visit]	Specialty	dropdown, Required 1, Pediatrics 2, Occupational Therapy 3, Physical Therapy 4, Dental 5, General Medicine 6, Nutrition 7, Ophthalmology
	35	[job] Show the field ONLY if: ([specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '5') and [age] >= 14	Job	text
	36	[visual_acuity_both] Show the field ONLY if: [specialty_visit] = '7'	Presenting Visual Acuity Left {visual_acuity_left} Presenting Visual Acuity Right {visual_acuity_right}	descriptive
	37	[visual_acuity_right] Show the field ONLY if: [specialty_visit] = '7'	Presenting Visual Acuity (Right Eye)	dropdown 1, 20/20 or better 2, 20/25 3, 20/30 4, 20/40 5, 20/50 6, 20/60 7, 20/70

				8 | 20/80 9 | 20/100 10 | 20/200 or worse 11 | Unable to assess
	38	[visual_acuity_left] Show the field ONLY if: [specialty_visit] = '7'	Presenting Visual Acuity (Left Eye)	dropdown 1 | 20/20 or better 2 | 20/25 3 | 20/30 4 | 20/40 5 | 20/50 6 | 20/60 7 | 20/70 8 | 20/80 9 | 20/100 10 | 20/200 or worse 11 | Unable to assess
	39	[viz_diagnosis_1] Show the field ONLY if: [specialty_visit] = '7'	Section Header: *Primary Eye Diagnosis / Finding - Awareness* Uncorrected Refractive Error	checkbox 1 | viz_diagnosis_1___1 | Left 2 | viz_diagnosis_1___2 | Right 3 | viz_diagnosis_1___3 | Both 4 | viz_diagnosis_1___4 | Previously Aware of Condition 5 | viz_diagnosis_1___5 | Previously Not Aware 6 | viz_diagnosis_1___6 | Unsure
	40	[viz_diagnosis_2] Show the field ONLY if: [specialty_visit] = '7'	Presbyopia	checkbox 1 | viz_diagnosis_2___1 | Left 2 | viz_diagnosis_2___2 | Right 3 | viz_diagnosis_2___3 | Both

				4 viz_diagnosis_2___4 Previously Aware of Condition 5 viz_diagnosis_2___5 Previously Not Aware 6 viz_diagnosis_2___6 Unsure
	41	[viz_diagnosis_3] Show the field ONLY if: [specialty_visit] = '7'	Cataract	checkbox 1 viz_diagnosis_3___1 Left 2 viz_diagnosis_3___2 Right 3 viz_diagnosis_3___3 Both 4 viz_diagnosis_3___4 Previously Aware of Condition 5 viz_diagnosis_3___5 Previously Not Aware 6 viz_diagnosis_3___6 Unsure
	42	[viz_diagnosis_4] Show the field ONLY if: [specialty_visit] = '7'	Pterygium	checkbox 1 viz_diagnosis_4___1 Left 2 viz_diagnosis_4___2 Right 3 viz_diagnosis_4___3 Both 4 viz_diagnosis_4___4 Previously Aware of Condition 5 viz_diagnosis_4___5 Previously Not Aware 6 viz_diagnosis_4___6 Unsure
	43	[viz_diagnosis_5] Show the field ONLY if: [specialty_visit] = '7'	Pinguecula	checkbox 1 viz_diagnosis_5___1 Left 2 viz_diagnosis_5___2 Right 3 viz_diagnosis_5___3 Both 4 viz_diagnosis_5___4 Previously Aware of Condition 5 viz_diagnosis_5___5 Previously Not Aware 6 viz_diagnosis_5___6 Unsure

	44	[viz_diagnosis_6] Show the field ONLY if: [specialty_visit] = '7'	Glaucoma Suspect	checkbox 1, viz_diagnosis_6___1, Left 2, viz_diagnosis_6___2, Right 3, viz_diagnosis_6___3, Both 4, viz_diagnosis_6___4, Previously Aware of Condition 5, viz_diagnosis_6___5, Previously Not Aware 6, viz_diagnosis_6___6, Unsure
	45	[viz_diagnosis_7] Show the field ONLY if: [specialty_visit] = '7'	Amblyopia	checkbox 1, viz_diagnosis_7___1, Left 2, viz_diagnosis_7___2, Right 3, viz_diagnosis_7___3, Both 4, viz_diagnosis_7___4, Previously Aware of Condition 5, viz_diagnosis_7___5, Previously Not Aware 6, viz_diagnosis_7___6, Unsure
	46	[viz_diagnosis_8] Show the field ONLY if: [specialty_visit] = '7'	Diabetic Retinopathy	checkbox 1, viz_diagnosis_8___1, Left 2, viz_diagnosis_8___2, Right 3, viz_diagnosis_8___3, Both 4, viz_diagnosis_8___4, Previously Aware of Condition 5, viz_diagnosis_8___5, Previously Not Aware 6, viz_diagnosis_8___6, Unsure
	47	[viz_diagnosis_9] Show the field ONLY if: [specialty_visit] = '7'	Hypertensive Retinopathy	checkbox 1, viz_diagnosis_9___1, Left 2, viz_diagnosis_9___2, Right 3, viz_diagnosis_9___3, Both

				4 viz_diagnosis_9___4 Previously Aware of Condition 5 viz_diagnosis_9___5 Previously Not Aware 6 viz_diagnosis_9___6 Unsure
	48	[viz_diagnosis_10] Show the field ONLY if: [specialty_visit] = '7'	Subconjunctival Hemorrhage	checkbox 1 viz_diagnosis_10___1 Left 2 viz_diagnosis_10___2 Right 3 viz_diagnosis_10___3 Both 4 viz_diagnosis_10___4 Previously Aware of Condition 5 viz_diagnosis_10___5 Previously Not Aware 6 viz_diagnosis_10___6 Unsure
	49	[viz_diagnosis_11] Show the field ONLY if: [specialty_visit] = '7'	Conjunctivitis	checkbox 1 viz_diagnosis_11___1 Left 2 viz_diagnosis_11___2 Right 3 viz_diagnosis_11___3 Both 4 viz_diagnosis_11___4 Previously Aware of Condition 5 viz_diagnosis_11___5 Previously Not Aware 6 viz_diagnosis_11___6 Unsure
	50	[viz_diagnosis_12] Show the field ONLY if: [specialty_visit] = '7'	Corneal Ulcer / Abrasion	checkbox 1 viz_diagnosis_12___1 Left 2 viz_diagnosis_12___2 Right 3 viz_diagnosis_12___3 Both 4 viz_diagnosis_12___4 Previously Aware of Condition 5 viz_diagnosis_12___5 Previously Not Aware 6 viz_diagnosis_12___6 Unsure

	51	[viz_diagnosis_13] Show the field ONLY if: [specialty_visit] = '7'	Trauma-Related Injury (e.g., blunt or penetrating)	checkbox 1, viz_diagnosis_13___1, Left 2, viz_diagnosis_13___2, Right 3, viz_diagnosis_13___3, Both 4, viz_diagnosis_13___4, Previously Aware of Condition 5, viz_diagnosis_13___5, Previously Not Aware 6, viz_diagnosis_13___6, Unsure
	52	[viz_diagnosis_141] Show the field ONLY if: [specialty_visit] = '7'	Chemical Injury (acid/base)	checkbox 1, viz_diagnosis_141___1, Left 2, viz_diagnosis_141___2, Right 3, viz_diagnosis_141___3, Both 4, viz_diagnosis_141___4, Previously Aware of Condition 5, viz_diagnosis_141___5, Previously Not Aware 6, viz_diagnosis_141___6, Unsure
	53	[viz_diagnosis_15] Show the field ONLY if: [specialty_visit] = '7'	Foreign Body	checkbox 1, viz_diagnosis_15___1, Left 2, viz_diagnosis_15___2, Right 3, viz_diagnosis_15___3, Both 4, viz_diagnosis_15___4, Previously Aware of Condition 5, viz_diagnosis_15___5, Previously Not Aware 6, viz_diagnosis_15___6, Unsure
	54	[viz_diagnosis_16] Show the field ONLY if: [specialty_visit] = '7'	Uveitis / Iritis	checkbox 1, viz_diagnosis_16___1, Left 2, viz_diagnosis_16___2, Right 3, viz_diagnosis_16___3, Both

				4 viz_diagnosis_16___4 Previously Aware of Condition 5 viz_diagnosis_16___5 Previously Not Aware 6 viz_diagnosis_16___6 Unsure
	55	[viz_diagnosis_17] Show the field ONLY if: [specialty_visit] = '7'	Retinal Detachment / Tear Suspected	checkbox 1 viz_diagnosis_17___1 Left 2 viz_diagnosis_17___2 Right 3 viz_diagnosis_17___3 Both 4 viz_diagnosis_17___4 Previously Aware of Condition 5 viz_diagnosis_17___5 Previously Not Aware 6 viz_diagnosis_17___6 Unsure
	56	[viz_diagnosis_18] Show the field ONLY if: [specialty_visit] = '7'	Orbital Cellulitis / Preseptal Cellulitis	checkbox 1 viz_diagnosis_18___1 Left 2 viz_diagnosis_18___2 Right 3 viz_diagnosis_18___3 Both 4 viz_diagnosis_18___4 Previously Aware of Condition 5 viz_diagnosis_18___5 Previously Not Aware 6 viz_diagnosis_18___6 Unsure
	57	[viz_diagnosis_19] Show the field ONLY if: [specialty_visit] = '7'	Lid Abnormality (e.g., Chalazion, Hordeolum)	checkbox 1 viz_diagnosis_19___1 Left 2 viz_diagnosis_19___2 Right 3 viz_diagnosis_19___3 Both 4 viz_diagnosis_19___4 Previously Aware of Condition 5 viz_diagnosis_19___5 Previously Not Aware 6 viz_diagnosis_19___6 Unsure

	58	[viz_diagnosis_20] Show the field ONLY if: [specialty_visit] = '7'	Trichiasis / Entropion / Ectropion	checkbox 1, viz_diagnosis_20___1, Left 2, viz_diagnosis_20___2, Right 3, viz_diagnosis_20___3, Both 4, viz_diagnosis_20___4, Previously Aware of Condition 5, viz_diagnosis_20___5, Previously Not Aware 6, viz_diagnosis_20___6, Unsure
	59	[viz_diagnosis_21] Show the field ONLY if: [specialty_visit] = '7'	Other	checkbox 1, viz_diagnosis_21___1, Left 2, viz_diagnosis_21___2, Right 3, viz_diagnosis_21___3, Both 4, viz_diagnosis_21___4, Previously Aware of Condition 5, viz_diagnosis_21___5, Previously Not Aware 6, viz_diagnosis_21___6, Unsure
	60	[other_viz] Show the field ONLY if: [viz_diagnosis_21(1)] = '1' or [viz_diagnosis_21(2)] = '1' or [viz_diagnosis_21(3)] = '1' or [viz_diagnosis_21(4)] = '1' or [viz_diagnosis_21(5)] = '1' or [viz_diagnosis_21(6)] = '1'	Specify other condition	notes
	61	[viz_fam_history] Show the field ONLY if: [specialty_visit] = '7'	Does the patient have a known family history of eye disease?	dropdown 1, Yes 2, No 3, Unsure
	62	[viz_pos_fam_history] Show the field ONLY if:	If yes, what condition?	text

		[viz_fam_history] = '1'		
	63	[viz_referral_needed] Show the field ONLY if: [specialty_visit] = '7'	Does the patient need a referral or follow-up care?	radio 1, Yes 2, No 3, Already under care 4, Not sure / needs further evaluation
	64	[type_referral] Show the field ONLY if: [specialty_visit] = '7'	Type of Referral Needed (if applicable):	checkbox 1, type_referral___1, Glasses / Optometry 2, type_referral___2, Ophthalmology evaluation 3, type_referral___3, Surgery 4, type_referral___4, Other
	65	[other_referral_viz] Show the field ONLY if: [type_referral(4)] = '1'	Specify other referral	text
	66	[additional_findings_viz] Show the field ONLY if: [specialty_visit] = '7'	Any additional notes or findings	notes
	67	[ot_role] Show the field ONLY if: ([specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '5') and [age] >= 14	Role (e.g. parent)	text
	68	[ot_peds_hand_dom] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '5'	Hand Dominance:	radio 1, Right 2, Left
	69	[ot_peds_presenting_concern] Show the field ONLY if:	Reason For Visit/Presenting Concern:	notes

		[specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5' or [specialty_visit] = '6'		
	70	[history_present_ill] Show the field ONLY if: [specialty_visit] = '5' or [specialty_visit] = '1' or [specialty_visit] = '6'	Section Header: *Health and Functional History:* History of Present Illness	notes
	71	[ot_med_conditions] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Medical Conditions or Illnesses:	yesno 1, Yes 0, No
	72	[ot_med_conditions_list] Show the field ONLY if: [ot_med_conditions] = '1'	If "yes", list:	notes
	73	[ot_current_meds] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Current Medications or Treatments:	notes
	74	[ot_history_injury] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	History of Injury, Surgery, or Hospitalization:	notes
	75	[review_sys_title] Show the field ONLY if: [specialty_visit] = '5' or [specialty_visit] = '1'	Review of Systems Select only for those that were reviewed during the visit	descriptive
	76	[review_constitutional] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Constitutional	checkbox 1, review_constitutional___1, Positive 2, review_constitutional___2, Negative
	77	[constitutional_p]	Constitutional Positive	notes

		Show the field ONLY if: [review_constitutional(1)] = '1'		
	78	[constitutional_n] Show the field ONLY if: [review_constitutional(2)] = '1'	Constitutional Negative	notes
	79	[review_head_eyes] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Head / Eyes	checkbox 1 review_head_eyes___1 Positive 2 review_head_eyes___2 Negative
	80	[head_eye_positive] Show the field ONLY if: [review_head_eyes(1)] = '1'	Head / Eyes Positive	notes
	81	[head_eye_negative] Show the field ONLY if: [review_head_eyes(2)] = '1'	Head / Eyes Negative	notes
	82	[review_enmt] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Ear / Nose / Mouth / Throat	checkbox 1 review_enmt___1 Positive 2 review_enmt___2 Negative
	83	[enmt_positive] Show the field ONLY if: [review_enmt(1)] = '1'	ENMT Positive	notes
	84	[enmt_negative] Show the field ONLY if: [review_enmt(2)] = '1'	ENMT Negative	notes
	85	[review_cardio] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Cardiovascular	checkbox 1 review_cardio___1 Positive 2 review_cardio___2 Negative

	86	[cardio_positive] Show the field ONLY if: [review_cardio(1)] = '1'	Cardiovascular Positive	notes
	87	[cardio_negative] Show the field ONLY if: [review_cardio(2)] = '1'	Cardiovascular Negative	notes
	88	[review_respiratory] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Respiratory	checkbox 1 review_respiratory___1 Positive 2 review_respiratory___2 Negative
	89	[respiratory_positive] Show the field ONLY if: [review_respiratory(1)] = '1'	Respiratory Positive	notes
	90	[respiratory_negative] Show the field ONLY if: [review_respiratory(2)] = '1'	Respiratory Negative	notes
	91	[review_abdominal] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Abdominal	checkbox 1 review_abdominal___1 Positive 2 review_abdominal___2 Negative
	92	[abdominal_positive] Show the field ONLY if: [review_abdominal(1)] = '1'	Abdominal Positive	notes
	93	[abdominal_negative] Show the field ONLY if: [review_abdominal(2)] = '1'	Abdominal Negative	notes
	94	[review_genitourinary] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Genitourinary	checkbox 1 review_genitourinary___1 Positive 2 review_genitourinary___2 Negative
	95	[genitourinary_positive]	Genitourinary Positive	notes

		Show the field ONLY if: [review_genitourinary(1)] = '1'		
	96	[genitourinary_negative] Show the field ONLY if: [review_genitourinary(2)] = '1'	Genitourinary Negative	notes
	97	[review_msk] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Musculoskeletal	checkbox 1 review_msk___1 Positive 2 review_msk___2 Negative
	98	[msk_positive] Show the field ONLY if: [review_msk(1)] = '1'	Musculoskeletal Positive	notes
	99	[msk_negative] Show the field ONLY if: [review_msk(2)] = '1'	Musculoskeletal Negative	notes
	100	[review_neuro] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Neurological	checkbox 1 review_neuro___1 Positive 2 review_neuro___2 Negative
	101	[neuro_positive] Show the field ONLY if: [review_neuro(1)] = '1'	Neurological Positive	notes
	102	[neuro_negative] Show the field ONLY if: [review_neuro(2)] = '1'	Neurological Negative	notes
	103	[review_psycho] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Psychological	checkbox 1 review_psycho___1 Positive 2 review_psycho___2 Negative

	104	[psycho_positive] Show the field ONLY if: [review_psycho(1)] = '1'	Psychological Positive	notes
	105	[psycho_negative] Show the field ONLY if: [review_psycho(2)] = '1'	Psychological Negative	notes
	106	[review_heme_lymph] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Heme / Lymph	checkbox 1 review_heme_lymph___1 Positive 2 review_heme_lymph___2 Negative
	107	[heme_lymph_positive] Show the field ONLY if: [review_heme_lymph(1)] = '1'	Heme / Lymph Positive	notes
	108	[heme_lymph_negative] Show the field ONLY if: [review_heme_lymph(2)] = '1'	Heme / Lymph Negative	notes
	109	[review_allerg_immuno] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Allerg / Immuno	checkbox 1 review_allerg_immuno___1 Positive 2 review_allerg_immuno___2 Negative
	110	[allerg_immuno_positive] Show the field ONLY if: [review_allerg_immuno(1)] = '1'	Allerg / Immune Positive	notes
	111	[allerg_immuno_negative] Show the field ONLY if: [review_allerg_immuno(2)] = '1'	Allerg / Immune Negative	notes
	112	[review_integumentary] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Integumentary	checkbox 1 review_integumentary___1 Positive 2 review_integumentary___2 Negative

	113	[integumentary_positive] Show the field ONLY if: [review_integumentary(1)] = '1'	Integumentary Positive	notes
	114	[integumentary_negative] Show the field ONLY if: [review_integumentary(2)] = '1'	Integumentary Negative	notes
	115	[med_values_visit] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Further Medical Values	yesno 1 Yes 0 No
	116	[insert_med_values_visit] Show the field ONLY if: [med_values_visit]='1'	Insert Medical Values	notes
	117	[further_test_visit] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Further order / labs	yesno 1 Yes 0 No
	118	[further_med_test] Show the field ONLY if: [further_test_visit] = '1'	Test type	radio 1 Urine
	119	[urine_color] Show the field ONLY if: [further_med_test] = '1'	Urine Color	radio 1 Light yellow 2 Yellow 3 Dark yellow 4 Amber 5 Bloody
	120	[urine_clarity] Show the field ONLY if:	Urine Clarity	radio 1 Clear

		[further_med_test] = '1'		2 Cloudy 3 Hazy 4 Milky 5 Turbid
	121	[urine_glucose] Show the field ONLY if: [further_med_test] = '1'	Urine Glucose	radio 1 Negative 2 100 mg/dl 3 250 mg/dl 4 500 mg/dl 5 1000 mg/dl 6 2000> mg/dl
	122	[urine_biribuline] Show the field ONLY if: [further_med_test] = '1'	Urine Biribuline	radio 1 Negative 2 Small 3 Moderate 4 Large
	123	[urine_ketones] Show the field ONLY if: [further_med_test] = '1'	Urine Ketones	radio 1 Negative 2 Trace 3 Small 4 Moderate 5 Large 6 Very large
	124	[urine_spec_gravity] Show the field ONLY if: [further_med_test] = '1'	Urine Specific Gravity	radio 1000 1000 1005 1005 1010 1010

				1015 | 1015 1020 | 1020 1025 | 1025 1030 | 1030
	125	[urine_blood] Show the field ONLY if: [further_med_test] = '1'	Urine Blood	radio 1 | Negative 2 | Trace non-hem 3 | Mod. non-hem 4 | Trace 5 | Small 6 | Moderate 7 | Large
	126	[urine_ph] Show the field ONLY if: [further_med_test] = '1'	Urine pH	radio 4.5 | 4.5 5.0 | 5.0 5.5 | 5.5 6.0 | 6.0 6.5 | 6.5 7.0 | 7.0 7.5 | 7.5 8.0 | 8.0 8.5 | 8.5
	127	[urine_proteine] Show the field ONLY if: [further_med_test] = '1'	Urine Proteine	radio 1 | Negative 2 | Trace 3 | Small 4 | 1+

				5 | 2+ 6 | 3+ 7 | 4+
	128	[urine_urobilinogen] Show the field ONLY if: [further_med_test] = '1'	Urine Urobilinogen	radio 1 | Normal 2 | 2 mg/dl 3 | 4 mg/dl 4 | 8 mg/dl
	129	[urine_leukocytes] Show the field ONLY if: [further_med_test] = '1'	Urine Leukocytes	radio 1 | Negative 2 | Trace 3 | Small 4 | Moderate 5 | Large
	130	[orders_lab_visit] Show the field ONLY if: [further_test_visit]='1'	Insert Results from Orders / Labs	notes
	131	[general_assessment] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5' or [specialty_visit]='6'	General Assessment	notes
	132	[diagnosis_gm] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Diagnosis (select all that apply)	checkbox 1 | diagnosis_gm___1 | Abdominal pain 2 | diagnosis_gm___2 | Allergic rhinitis 3 | diagnosis_gm___3 | Amenorrhea 4 | diagnosis_gm___4 | Asthma 5 | diagnosis_gm___5 | Atopic dermatitis

6	diagnosis_gm___6	Autism
7	diagnosis_gm___7	Bradycardia
8	diagnosis_gm___8	Cataracts
9	diagnosis_gm___9	Cerumen impaction
10	diagnosis_gm___10	Cervicalgia
11	diagnosis_gm___11	Constipation
12	diagnosis_gm___12	Dementia
13	diagnosis_gm___13	Develop mental delay
14	diagnosis_gm___14	Diabetes Type I
15	diagnosis_gm___15	Diabetes Type II
16	diagnosis_gm___16	Diabetic neuropathy
17	diagnosis_gm___17	Dorsalgia
18	diagnosis_gm___18	Dry eye
19	diagnosis_gm___19	Dry skin
20	diagnosis_gm___20	Dysmenorrhea
21	diagnosis_gm___21	Edema
22	diagnosis_gm___22	Epilepsy
23	diagnosis_gm___23	Failure to thrive
24	diagnosis_gm___24	Gastritis
25	diagnosis_gm___25	Headache
26	diagnosis_gm___26	Hearing loss
27	diagnosis_gm___27	Heart murmur
28	diagnosis_gm___28	Hypercholesterolemia
29	diagnosis_gm___29	Hypertension
30	diagnosis_gm___30	Hypothyroidism
31	diagnosis_gm___31	Incontinence
32	diagnosis_gm___32	Lumbago

33	diagnosis_gm___33	Malnutrition
34	diagnosis_gm___34	Memory loss
35	diagnosis_gm___35	Menometrorrhagia
36	diagnosis_gm___36	Menorrhagia
37	diagnosis_gm___37	Metrorrhagia
38	diagnosis_gm___38	Migraine headache
39	diagnosis_gm___39	Muscle spasm
40	diagnosis_gm___40	Obesity
41	diagnosis_gm___41	Occipital neuralgia
42	diagnosis_gm___42	Oral candidiasis
43	diagnosis_gm___43	Otitis externa
44	diagnosis_gm___44	Otitis media
45	diagnosis_gm___45	Parisitic infection
46	diagnosis_gm___46	Peripheral neuropathy
47	diagnosis_gm___47	Pharyngitis
48	diagnosis_gm___48	Presbyopia
49	diagnosis_gm___49	Pterygium
50	diagnosis_gm___50	Rheumatoid arthritis
51	diagnosis_gm___51	s/p stroke/TIA
52	diagnosis_gm___52	Sinusitis
53	diagnosis_gm___53	Somatic dysfunction abdomen
54	diagnosis_gm___54	Somatic dysfunction cervical spine
55	diagnosis_gm___55	Somatic dysfunction head
56	diagnosis_gm___56	Somatic dysfunction lower extremities
57	diagnosis_gm___57	Somatic dysfunction lumbar spine

				58 diagnosis_gm___58 Somatic dysfunction lympathics 59 diagnosis_gm___59 Somatic dysfunction pelvis 60 diagnosis_gm___60 Somatic dysfunction ribs 61 diagnosis_gm___61 Somatic dysfunction sacrum 62 diagnosis_gm___62 Somatic dysfunction thoracic spine 63 diagnosis_gm___63 Somatic dysfunction upper extremities 64 diagnosis_gm___64 Speech delay 65 diagnosis_gm___65 Stye 66 diagnosis_gm___66 Tachycardia 67 diagnosis_gm___67 Tension headache 68 diagnosis_gm___68 Upper respiratory tract infection 69 diagnosis_gm___69 Urinary tract infection 70 diagnosis_gm___70 Vertigo 71 diagnosis_gm___71 Viral pharyngitis 72 diagnosis_gm___72 Viral URI 73 diagnosis_gm___73 Wellness check 74 diagnosis_gm___74 Other
	133	[other_gm] Show the field ONLY if: [diagnosis_gm(74)]='1'	If Other, specify	notes
	134	[diagnosis_nutrition] Show the field ONLY if: [specialty_visit] = '6'	Diagnosis (select all that apply)	checkbox 1 diagnosis_nutrition___1 Poor nutrition quality of life 2 diagnosis_nutrition___2 Food and nutrition related knowledge

		deficit
3	diagnosis_nutrition___3	Imbalance of nutrients
4	diagnosis_nutrition___4	Inadequate/Excessive oral intake
5	diagnosis_nutrition___5	Excessive energy intake
6	diagnosis_nutrition___6	Inadequate energy intake
7	diagnosis_nutrition___7	Inadequate fiber intake
8	diagnosis_nutrition___8	Undesirable food choices
9	diagnosis_nutrition___9	Underweight
10	diagnosis_nutrition___10	Overweight
11	diagnosis_nutrition___11	Obesity
12	diagnosis_nutrition___12	Growth rate below expected
13	diagnosis_nutrition___13	Starvation related malnutrition
14	diagnosis_nutrition___14	Non-illness related pediatric malnutrition
15	diagnosis_nutrition___15	Chronic disease or condition related malnutrition
16	diagnosis_nutrition___16	Inadequate fiber intake
17	diagnosis_nutrition___17	Disordered eating pattern
18	diagnosis_nutrition___18	Limited access to food

				19 diagnosis_nutrition___19 Limited access to nutrition related supplies 20 diagnosis_nutrition___20 Limited access to potable water 21 diagnosis_nutrition___21 Intake of unsafe food 22 diagnosis_nutrition___22 Physical inactivity 23 diagnosis_nutrition___23 Self feeding difficulty 24 diagnosis_nutrition___24 Biting chewing difficulty 25 diagnosis_nutrition___25 Swallowing difficulty 26 diagnosis_nutrition___26 Impaired nutrient utilization
	135	[omm] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Osteopathic manipulation performed	yesno 1 Yes 0 No
	136	[omm_procedure] Show the field ONLY if: [omm]='1'	Osteopathic procedure	notes
	137	[treatment_gm] Show the field ONLY if: [specialty_visit] = '1' or [specialty_visit] = '5'	Treatment	notes
	138	[treatment_nutrition] Show the field ONLY if: [specialty_visit] = '6'	Treatment	checkbox 1 treatment_nutrition___1 Education on nutrition influence on health 2 treatment_nutrition___2 Modify composition of meals and snacks(M)

				3 | treatment_nutrition___3 | Energy modified diet 4 | treatment_nutrition___4 | Decreased energy diet 5 | treatment_nutrition___5 | Increased energy diet 6 | treatment_nutrition___6 | Fiber modified diet 7 | treatment_nutrition___7 | Nutrition related skill education 8 | treatment_nutrition___8 | Physical activity guidance 9 | treatment_nutrition___9 | Accomodation or assistance eating 10 | treatment_nutrition___10 | Mechanically altered diet 11 | treatment_nutrition___11 | Individualized approach for food
	139	[notes_treatment_nutrition] Show the field ONLY if: [specialty_visit] = '6'	Notes to Treatment	notes
	140	[pt_stairs] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Section Header: *Patient Home Setup:* Stairs:	yesno 1 | Yes 0 | No
	141	[pt_floors] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Number of Floors:	text (integer, Min: 0)
	142	[pt_sleeping_situation] Show the field ONLY if:	Sleeping Situation:	notes

		[specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'		
	143	[pt_other_fam] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Other Family Members:	yesno 1, Yes 0, No
	144	[pt_other_fam_comments] Show the field ONLY if: [pt_other_fam] = '1'	Comments:	notes
	145	[ot_important_activites] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Section Header: *Functional and occupational activities:* Important Activities:	notes
	146	[ot_difficult_activities] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Activities difficult or unable to do:	notes
	147	[ot_pain_act] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Pain or discomfort during activites:	yesno 1, Yes 0, No
	148	[ot_pain_act_describe] Show the field ONLY if: [ot_pain_act] = '1'	If "yes" please describe:	notes
	149	[ot_peds_diagnoses] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14 or [specialty_visit] = '3'	Section Header: *Medical/Developmental History* Diagnoses or Developmental Delays:	notes
	150	[ot_peds_medication] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14 or [specialty_visit] = '3'	Medications:	notes

	151	[ot_peds_injury_history] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14 and [specialty_visit] = '3'	Relevant Injury/Surgery History:	notes
	152	[ot_peds_difficulties] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Section Header: *Caregiver Reported Functional Concerns:* Activities Child Has Difficulties With:	notes
	153	[ot_peds_goals] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Goals (Child/Caregiver Stated or Implied):	notes
	154	[ot_peds_sensory_concerns] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Sensory Concerns (e.g., sensitivity to noise, touch):	notes
	155	[taste] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Section Header: *Sensory Assessment* Taste	radio (Matrix) 1, Not Assessed 2, 1 3, 2 4, 3 5, 4 6, 5 7, 6 8, 7 9, 8 10, 9 11, 10
	156	[vision]	Vision	radio (Matrix)

		Show the field ONLY if: [specialty_visit] = '2' and [age] < 14		1, Not Assessed 2, 1 3, 2 4, 3 5, 4 6, 5 7, 6 8, 7 9, 8 10, 9 11, 10
	157	[touch] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Touch	radio (Matrix) 1, Not Assessed 2, 1 3, 2 4, 3 5, 4 6, 5 7, 6 8, 7 9, 8 10, 9 11, 10
	158	[noise_sensitivity] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Noise Sensitivity	radio (Matrix) 1, Not Assessed 2, 1 3, 2

				4 | 3 5 | 4 6 | 5 7 | 6 8 | 7 9 | 8 10 | 9 11 | 10
	159	[ot_peds_communication] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Communication/Social Concerns:	notes
	160	[shoulder_rom] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3'	Section Header: *Range Of Motion (ROM)* Assessed Shoulder:	yesno 1 | Yes 0 | No
	161	[shoulder_rom_comments] Show the field ONLY if: [shoulder_rom] = '1'	Assessed Elbow Comments:	notes
	162	[elbow_rom] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3'	Assessed Elbow:	yesno 1 | Yes 0 | No
	163	[elbow_rom_comments] Show the field ONLY if: [elbow_rom] = '1'	Assessed Elbow Comments:	notes
	164	[wrist_rom] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3'	Assessed Wrist:	yesno 1 | Yes 0 | No

	165	[wrist_rom_comments] Show the field ONLY if: [wrist_rom] = '1'	Assessed Wrist Comments:	notes
	166	[fingers_rom] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3'	Assessed Fingers:	yesno 1, Yes 0, No
	167	[fingers_rom_comments] Show the field ONLY if: [fingers_rom] = '1'	Assessed Fingers Comments:	notes
	168	[hip_rom] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3'	Assessed Hip:	yesno 1, Yes 0, No
	169	[hip_rom_comments] Show the field ONLY if: [hip_rom] = '1'	Assessed Hip Comments:	notes
	170	[knee_rom] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3'	Assessed Knee:	yesno 1, Yes 0, No
	171	[knee_rom_comments] Show the field ONLY if: [knee_rom] = '1'	Assessed Knee Comments:	notes
	172	[ankle_rom] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3'	Assessed Ankle:	yesno 1, Yes 0, No
	173	[ankle_rom_comments] Show the field ONLY if: [ankle_rom] = '1'	Assessed Ankle Comments:	notes

	174	[ot_peds_posture] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Posture/Tone (Impaired?):	yesno 1, Yes 0, No
	175	[ot_light_touch] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Section Header: *Sensory Testing:* Light Touch:	checkbox 1, ot_light_touch___1, Left: 2, ot_light_touch___2, Right: 3, ot_light_touch___3, None:
	176	[ot_pin] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Pinprick:	checkbox 1, ot_pin___1, Left: 2, ot_pin___2, Right: 3, ot_pin___3, None:
	177	[ot_temp] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Temperature:	checkbox 1, ot_temp___1, Left: 2, ot_temp___2, Right: 3, ot_temp___3, None:
	178	[ot_2_point] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	2-Point Discrimination:	checkbox 1, ot_2_point___1, Left: 2, ot_2_point___2, Right: 3, ot_2_point___3, None:
	179	[ot_proprioception] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Proprioception:	checkbox 1, ot_proprioception___1, Left: 2, ot_proprioception___2, Right: 3, ot_proprioception___3, None:
	180	[ot_light_touch_comments] Show the field ONLY if: [ot_light_touch(1)] = '1' or [ot_light_touch(2)] = '1' or [ot_ligh	Comments on light touch:	notes

		t_touch(3)] = '1'		
	181	[ot_pin_comments] Show the field ONLY if: [ot_pin(1)] = '1' or [ot_pin(2)] = '1' or [ot_pin(3)] = '1'	Comments on pinprick:	notes
	182	[ot_temp_comments] Show the field ONLY if: [ot_temp(1)] = '1' or [ot_temp(2)] = '1' or [ot_temp(3)] = '1'	Comments on temperature:	notes
	183	[ot_2_point_comments] Show the field ONLY if: [ot_2_point(1)] = '1' or [ot_2_point(2)] = '1' or [ot_2_point(3)] = '1'	Comments on 2-points discrimination:	notes
	184	[ot_proprioception_comments] Show the field ONLY if: [ot_proprioception(1)] = '1' or [ot_proprioception(2)] = '1' or [ot_proprioception(3)] = '1'	Comments on proprioception:	notes
	185	[ot_peds_posture_notes] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Additional Posture/Tone Notes:	notes
	186	[ot_peds_fine_motor] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Fine Motor Skills:	notes
	187	[ot_peds_gross_motor] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Gross Motor Skills:	notes
	188	[ot_gen_appearance]	Section Header: *Therapist Observations:*	notes

		Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	General appearance (e.g., posture, mobility):	
	189	[ot_engagement] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Engagement (e.g., alert, cooperative):	notes
	190	[ot_challenges] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Physical or cognitive challenges:	notes
	191	[ot_other_observations] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Other observations:	notes
	192	[ot_peds_play] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Play/Social Interaction:	notes
	193	[ot_peds_feeding] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Feeding/Self-Care:	notes
	194	[ot_peds_behavior] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Behavior/Engagement:	notes
	195	[ot_peds_rom] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Section Header: *Screenings/Physical Assessment:* ROM/MMT (as appropriate):	notes
	196	[ot_peds_sensory_response]	Sensory Response:	notes

		Show the field ONLY if: [specialty_visit] = '2' and [age] < 14		
	197	[ot_peds_balance] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Balance/Coordination:	notes
	198	[ot_goals] Show the field ONLY if: [specialty_visit] = '2' and [age] >= '14' or [specialty_visit] = '3'	Section Header: *Pre-Treatment Pain Assessment- if not pain, please specify sensation in comments* Goals (Client Stated or Implied):	notes
	199	[pain_map] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5'		descriptive
	200	[head_neck] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5'	Section Header: *Pain Areas- Head and Neck* Head and Neck	checkbox 1, head_neck___1, 1 2, head_neck___2, 2 3, head_neck___3, 3 23, head_neck___23, 23 24, head_neck___24, 24 25, head_neck___25, 25
	201	[pain_level_head] Show the field ONLY if: [head_neck(1)] = '1' or [head_neck(2)] = '1' or [head_neck(3)] = '1' or [head_neck(23)] = '1' or [head_neck(24)] = '1' or [head_neck(25)] = '1'	Pain level: *1= minimal pain; 10 = worst pain imaginable*	dropdown 1, 1 2, 2 3, 3 4, 4 5, 5 6, 6

				7 | 7 8 | 8 9 | 9 10 | 10
	202	[comments_pain_head] Show the field ONLY if: [head_neck(1)] = '1' or [head_neck(2)] = '1' or [head_neck(3)] = '1' or [head_neck(23)] = '1' or [head_neck(24)] = '1' or [head_neck(25)] = '1'	Comments on pain:	notes
	203	[upper_ext] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5'	Section Header: *Pain Areas- Upper Extremities* Upper Extremities	checkbox 4 | upper_ext___4 | 4 5 | upper_ext___5 | 5 6 | upper_ext___6 | 6 7 | upper_ext___7 | 7 8 | upper_ext___8 | 8 9 | upper_ext___9 | 9 10 | upper_ext___10 | 10 11 | upper_ext___11 | 11 26 | upper_ext___26 | 26 27 | upper_ext___27 | 27 28 | upper_ext___28 | 28 29 | upper_ext___29 | 29 30 | upper_ext___30 | 30 31 | upper_ext___31 | 31 32 | upper_ext___32 | 32 33 | upper_ext___33 | 33
	204	[pain_level_upp]	Pain Level:	dropdown

		Show the field ONLY if: [upper_ext(4)] = '1' or [upper_ext(5)] = '1' or [upper_ext(6)] = '1' or [upper_ext(7)] = '1' or [upper_ext(8)] = '1' or [upper_ext(9)] = '1' or [upper_ext(10)] = '1' or [upper_ext(11)] = '1' or [upper_ext(26)] = '1' or [upper_ext(27)] = '1' or [upper_ext(28)] = '1' or [upper_ext(29)] = '1' or [upper_ext(30)] = '1' or [upper_ext(31)] = '1' or [upper_ext(32)] = '1' or [upper_ext(33)] = '1'	*1= minimal pain; 10 = worst pain imaginable*	1, 1 2, 2 3, 3 4, 4 5, 5 6, 6 7, 7 8, 8 9, 9 10, 10
	205	[comments_pain_upp] Show the field ONLY if: [upper_ext(4)] = '1' or [upper_ext(6)] = '1' or [upper_ext(5)] = '1' or [upper_ext(7)] = '1' or [upper_ext(8)] = '1' or [upper_ext(9)] = '1' or [upper_ext(10)] = '1' or [upper_ext(11)] = '1' or [upper_ext(26)] = '1' or [upper_ext(27)] = '1' or [upper_ext(28)] = '1' or [upper_ext(29)] = '1' or [upper_ext(31)] = '1' or [upper_ext(32)] = '1' or [upper_ext(33)] = '1'	Comments on pain:	notes
	206	[lower_ext] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5'	Section Header: *Pain Areas- Lower Extremities* Lower Extremities	checkbox 17, lower_ext___17, 17 18, lower_ext___18, 18 19, lower_ext___19, 19 20, lower_ext___20, 20 21, lower_ext___21, 21 22, lower_ext___22, 22

				40 | lower_ext___40 | 40 41 | lower_ext___41 | 41 42 | lower_ext___42 | 42 43 | lower_ext___43 | 43 44 | lower_ext___44 | 44 45 | lower_ext___45 | 45
	207	[pain_level_low] Show the field ONLY if: [lower_ext(17)] = '1' or [lower_ext(18)] = '1' or [lower_ext(19)] = '1' or [lower_ext(20)] = '1' or [lower_ext(21)] = '1' or [lower_ext(22)] = '1' or [lower_ext(40)] = '1' or [lower_ext(41)] = '1' or [lower_ext(42)] = '1' or [lower_ext(43)] = '1' or [lower_ext(45)] = '1'	Pain Level: *1= minimal pain; 10 = worst pain imaginable*	dropdown 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 7 | 7 8 | 8 9 | 9 10 | 10
	208	[comments_pain_low] Show the field ONLY if: [lower_ext(17)] = '1' or [lower_ext(19)] = '1' or [lower_ext(18)] = '1' or [lower_ext(20)] = '1' or [lower_ext(21)] = '1' or [lower_ext(22)] = '1' or [lower_ext(40)] = '1' or [lower_ext(41)] = '1' or [lower_ext(42)] = '1' or [lower_ext(43)] = '1' or [lower_ext(44)] = '1' or [lower_ext(45)] = '1'	Comments on pain:	notes
	209	[chest_back] Show the field ONLY if:	Section Header: *Pain Areas- Chest and Back* Chest and Back	checkbox 12 | chest_back___12 | 12

		[specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5'		13 chest_back___13 13 14 chest_back___14 14 15 chest_back___15 15 16 chest_back___16 16 34 chest_back___34 34 35 chest_back___35 35 36 chest_back___36 36 37 chest_back___37 37 38 chest_back___38 38 39 chest_back___39 39
	210	[pain_level_chest] Show the field ONLY if: [chest_back(12)] = '1' or [chest_back(13)] = '1' or [chest_back(14)] = '1' or [chest_back(15)] = '1' or [chest_back(16)] = '1' or [chest_back(34)] = '1' or [chest_back(35)] = '1' or [chest_back(37)] = '1' or [chest_back(38)] = '1' or [chest_back(39)] = '1'	Pain Level: *1= minimal pain; 10 = worst pain imaginable*	dropdown 1 1 2 2 3 3 4 4 5 5 6 6 7 7 8 8 9 9 10 10
	211	[comments_pain_chest] Show the field ONLY if: [chest_back(12)] = '1' or [chest_back(13)] = '1' or [chest_back(14)] = '1' or [chest_back(15)] = '1' or [chest_back(16)] = '1' or [chest_back(34)] = '1' or [chest_back(35)] = '1' or [chest_back(36)] = '1' or [chest_back(3	Comments on pain:	notes

		7)] = '1' or [chest_back(38)] = '1' or [chest_back(39)] = '1'		
	212	[develop_checklist] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Developmental Milestones Checklist	descriptive
	213	[ot_peds_0_6_months] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	0-6 Months:	checkbox 1, ot_peds_0_6_months___1, Rolls over front to back and back to front 2, ot_peds_0_6_months___2, Reaches for and grasps objects 3, ot_peds_0_6_months___3, Responds to sounds and voices 4, ot_peds_0_6_months___4, Smiles and coos socially 5, ot_peds_0_6_months___5, Lifts head and chest while on tummy
	214	[ot_peds_0_6_1] Show the field ONLY if: [ot_peds_0_6_months(1)] = '1'	Rolls over front to back and back to front comments:	notes
	215	[ot_peds_0_6_2] Show the field ONLY if: [ot_peds_0_6_months(2)] = '1'	Reaches for and grasps objects comments:	notes
	216	[ot_peds_0_6_3] Show the field ONLY if: [ot_peds_0_6_months(3)] = '1'	Responds to sounds and voices comments:	notes
	217	[ot_peds_0_6_4] Show the field ONLY if: [ot_peds_0_6_months(4)] = '1'	Smiles and coos socially comments:	notes
	218	[ot_peds_0_6_5] Show the field ONLY if:	Lifts head and chest while on tummy comments:	notes

		[ot_peds_0_6_months(5)] = '1'		
	219	[ot_peds_6_12_months] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	6-12 Months:	checkbox 1, ot_peds_6_12_months___1, Sits independently 2, ot_peds_6_12_months___2, Crawls or scoots 3, ot_peds_6_12_months___3, Transfers objects between hands 4, ot_peds_6_12_months___4, Responds to name 5, ot_peds_6_12_months___5, Babbles with consonant sounds (e.g., "ba-ba")
	220	[ot_peds_6_12_months_1] Show the field ONLY if: [ot_peds_6_12_months(1)] = '1'	Sits independently comments:	notes
	221	[ot_peds_6_12_months_2] Show the field ONLY if: [ot_peds_6_12_months(2)] = '1'	Crawls or scoots comments:	notes
	222	[ot_peds_6_12_months_3] Show the field ONLY if: [ot_peds_6_12_months(3)] = '1'	Transfers objects between hands comments:	notes
	223	[ot_peds_6_12_months_4] Show the field ONLY if: [ot_peds_6_12_months(4)] = '1'	Responds to name comments:	notes
	224	[ot_peds_6_12_months_5] Show the field ONLY if: [ot_peds_6_12_months(5)] = '1'	Babbles with consonant sounds (e.g., "ba-ba") comments:	notes
	225	[ot_peds_12_18_months] Show the field ONLY if:	12-18 Months:	checkbox

		[specialty_visit] = '2' and [age] < 14		1 ot_peds_12_18_months___1 Walks with or without support 2 ot_peds_12_18_months___2 Points to objects or pictures 3 ot_peds_12_18_months___3 Uses simple words (mama, dada) 4 ot_peds_12_18_months___4 Scribbles with crayon 5 ot_peds_12_18_months___5 Feeds self finger foods
	226	[ot_peds_12_18_months_1] Show the field ONLY if: [ot_peds_12_18_months(1)] = '1'	Walks with or without support comments:	notes
	227	[ot_peds_12_18_months_2] Show the field ONLY if: [ot_peds_12_18_months(2)] = '1'	Points to objects or pictures comments:	notes
	228	[ot_peds_12_18_months_3] Show the field ONLY if: [ot_peds_12_18_months(3)] = '1'	Uses simple words (mama, dada) comments:	notes
	229	[ot_peds_12_18_months_4] Show the field ONLY if: [ot_peds_12_18_months(4)] = '1'	Scribbles with crayon comments:	notes
	230	[ot_peds_12_18_months_5] Show the field ONLY if: [ot_peds_12_18_months(5)] = '1'	Feeds self finger foods comments:	notes
	231	[ot_peds_18_24_months] Show the field ONLY if:	18-24 Months:	checkbox

		[specialty_visit] = '2' and [age] < 14		1, ot_peds_18_24_months___1, Walks well, begins to run 2, ot_peds_18_24_months___2, Builds a tower of 2-4 blocks 3, ot_peds_18_24_months___3, Follows simple instructions 4, ot_peds_18_24_months___4, Begins pretend play 5, ot_peds_18_24_months___5, Uses 10-20 words
	232	[ot_peds_18_24_months_1] Show the field ONLY if: [ot_peds_18_24_months(1)] = '1'	Walks well, begins to run comments:	notes
	233	[ot_peds_18_24_months_2] Show the field ONLY if: [ot_peds_18_24_months(2)] = '1'	Builds a tower of 2-4 blocks comments:	notes
	234	[ot_peds_18_24_months_3] Show the field ONLY if: [ot_peds_18_24_months(3)] = '1'	Follows simple instructions comments:	notes
	235	[ot_peds_18_24_months_4] Show the field ONLY if: [ot_peds_18_24_months(4)] = '1'	Begins pretend play comments:	notes
	236	[ot_peds_18_24_months_5] Show the field ONLY if: [ot_peds_18_24_months(5)] = '1'	Uses 10-20 words comments:	notes
	237	[ot_peds_2_3_years] Show the field ONLY if:	2-3 Years:	checkbox 1, ot_peds_2_3_years___1, Runs, climbs, kicks ball 2, ot_peds_2_3_years___2, Turns pages in a book

		[specialty_visit] = '2' and [age] < 14		3 ot_peds_2_3_years___3 Uses 2-3 word phrases 4 ot_peds_2_3_years___4 Identifies body parts 5 ot_peds_2_3_years___5 Begins toilet training
	238	[ot_peds_2_3_years_1] Show the field ONLY if: [ot_peds_2_3_years(1)] = '1'	Runs, climbs, kicks ball comments:	notes
	239	[ot_peds_2_3_years_3] Show the field ONLY if: [ot_peds_2_3_years(3)] = '1'	Uses 2-3 word phrases comments:	notes
	240	[ot_peds_2_3_years_2] Show the field ONLY if: [ot_peds_2_3_years(2)] = '1'	Turns pages in a book comments:	notes
	241	[ot_peds_2_3_years_4] Show the field ONLY if: [ot_peds_2_3_years(4)] = '1'	Identifies body parts comments:	notes
	242	[ot_peds_2_3_years_5] Show the field ONLY if: [ot_peds_2_3_years(5)] = '1'	Begins toilet training comments:	notes
	243	[ot_peds_3_4_years] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	3-4 Years:	checkbox 1 ot_peds_3_4_years___1 Hops on one foot 2 ot_peds_3_4_years___2 Draws circles and crosses 3 ot_peds_3_4_years___3 Understands concepts like big/little 4 ot_peds_3_4_years___4 Speaks in full sentences 5 ot_peds_3_4_years___5 Dresses with help
	244	[ot_peds_3_4_years_1] Show the field ONLY if: [ot_peds_3_4_years(1)] = '1'	Hops on one foot comments:	notes
	245	[ot_peds_3_4_years_2]	Draws circles and crosses comments:	notes

		Show the field ONLY if: [ot_peds_3_4_years(2)] = '1'		
	246	[ot_peds_3_4_years_3] Show the field ONLY if: [ot_peds_3_4_years(3)] = '1'	Understands concepts like big/little comments:	notes
	247	[ot_peds_3_4_years_4] Show the field ONLY if: [ot_peds_3_4_years(4)] = '1'	Speaks in full sentences comments:	notes
	248	[ot_peds_3_4_years_5] Show the field ONLY if: [ot_peds_3_4_years(5)] = '1'	Dresses with help comments:	notes
	249	[ot_peds_4_5_years] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	4-5 Years:	checkbox 1 ot_peds_4_5_years___1 Skips, balances on one foot 2 ot_peds_4_5_years___2 Uses scissors 3 ot_peds_4_5_years___3 Prints some letters or name 4 ot_peds_4_5_years___4 Tells stories, answers questions 5 ot_peds_4_5_years___5 Independent toileting and dressing
	250	[ot_peds_4_5_years_1] Show the field ONLY if: [ot_peds_4_5_years(1)] = '1'	Skips, balances on one foot comments:	notes
	251	[ot_peds_4_5_years_2] Show the field ONLY if: [ot_peds_4_5_years(2)] = '1'	Uses scissors comments:	notes
	252	[ot_peds_4_5_years_3] Show the field ONLY if: [ot_peds_4_5_years(3)] = '1'	Prints some letters or name comments:	notes
	253	[ot_peds_4_5_years_4]	Tells stories, answers questions comments:	notes

		Show the field ONLY if: [ot_peds_4_5_years(4)] = '1'		
	254	[ot_peds_4_5_years_5] Show the field ONLY if: [ot_peds_4_5_years(5)] = '1'	Independent toileting and dressing comments:	notes
	255	[pt_assesment] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5'	Section Header: *Assessment:* Assessment:	notes
	256	[ot_treatment] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14	Treatment/Interventions Provided:	checkbox 1 ot_treatment___1 ADL Training 2 ot_treatment___2 Therapeutic Exercise 3 ot_treatment___3 Joint Protection Techniques 4 ot_treatment___4 Home Program 5 ot_treatment___5 Assistive Device Use 6 ot_treatment___6 Caregiver Education 7 ot_treatment___7 Manual Therapy 8 ot_treatment___8 Other (please specify below):
	257	[ot_peds_treatment] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Treatment/Interventions Provided:	checkbox 1 ot_peds_treatment___1 Play-Based Activity 2 ot_peds_treatment___2 ADL Training 3 ot_peds_treatment___3 Sensory Integration 4 ot_peds_treatment___4 Fine Motor Exercise 5 ot_peds_treatment___5 Caregiver Education 6 ot_peds_treatment___6 Feeding Strategies 7 ot_peds_treatment___7 Home Program Provided 8 ot_peds_treatment___8 Other (please specify below):

	258	[ot_peds_treatment_other] Show the field ONLY if: [ot_peds_treatment(8)] = '1' or [ot_treatment(8)] = '1'	For "Other", please specify:	notes
	259	[ot_items] Show the field ONLY if: [specialty_visit] = '2' and [age] >= 14 or [specialty_visit] = '3'	Items Provided (if any):	checkbox 1, ot_items___1, Splint 2, ot_items___2, Walker 3, ot_items___3, Cane 4, ot_items___4, Modified Utensils 5, ot_items___5, Crutches 6, ot_items___6, Braces 7, ot_items___7, TheraBand 8, ot_items___8, Shoes 9, ot_items___9, Other (please specify below):
	260	[ot_peds_items] Show the field ONLY if: [specialty_visit] = '2' and [age] < 14	Items Provided (if any):	checkbox 1, ot_peds_items___1, Adaptive Utensils 2, ot_peds_items___2, Toys 3, ot_peds_items___3, Braces 4, ot_peds_items___4, Other (please specify below):
	261	[ot_peds_items_other] Show the field ONLY if: [ot_peds_items(4)] = '1' or [ot_items(9)] = '1'	For "Other", please specify:	notes
	262	[pain_map_post] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5'	Section Header: *Post- Treatment Pain Assessment*	descriptive

	263	[head_neck_post] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5'	Section Header: *Post Treatment Pain Areas- Head and Neck* Head and Neck	checkbox 1, head_neck_post___1, 1 2, head_neck_post___2, 2 3, head_neck_post___3, 3 23, head_neck_post___23, 23 24, head_neck_post___24, 24 25, head_neck_post___25, 25
	264	[pain_level_head_post] Show the field ONLY if: [head_neck(1)] = '1' or [head_neck(2)] = '1' or [head_neck(3)] = '1' or [head_neck(23)] = '1' or [head_neck(24)] = '1' or [head_neck(25)] = '1'	Pain level: *1= minimal pain; 10 = worst pain imaginable*	dropdown 1, 1 2, 2 3, 3 4, 4 5, 5 6, 6 7, 7 8, 8 9, 9 10, 10
	265	[comments_pain_head_post] Show the field ONLY if: [head_neck(1)] = '1' or [head_neck(2)] = '1' or [head_neck(3)] = '1' or [head_neck(23)] = '1' or [head_neck(24)] = '1' or [head_neck(25)] = '1'	Comments on pain:	notes
	266	[upper_ext_post] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visi	Section Header: *Post Treatment Pain Areas- Upper Extremities* Upper Extremities	checkbox 4, upper_ext_post___4, 4 5, upper_ext_post___5, 5

		t] = '1' or [specialty_visit] = '5'		6 | upper_ext_post___6 | 6 7 | upper_ext_post___7 | 7 8 | upper_ext_post___8 | 8 9 | upper_ext_post___9 | 9 10 | upper_ext_post___10 | 10 11 | upper_ext_post___11 | 11 26 | upper_ext_post___26 | 26 27 | upper_ext_post___27 | 27 28 | upper_ext_post___28 | 28 29 | upper_ext_post___29 | 29 30 | upper_ext_post___30 | 30 31 | upper_ext_post___31 | 31 32 | upper_ext_post___32 | 32 33 | upper_ext_post___33 | 33
	267	[pain_level_upp_post] Show the field ONLY if: [upper_ext(4)] = '1' or [upper_ext(5)] = '1' or [upper_ext(6)] = '1' or [upper_ext(7)] = '1' or [upper_ext(8)] = '1' or [upper_ext(9)] = '1' or [upper_ext(10)] = '1' or [upper_ext(11)] = '1' or [upper_ext(26)] = '1' or [upper_ext(27)] = '1' or [upper_ext(28)] = '1' or [upper_ext(29)] = '1' or [upper_ext(30)] = '1' or [upper_ext(31)] = '1' or [upper_ext(32)] = '1' or [upper_ext(33)] = '1'	Pain Level: *1= minimal pain; 10 = worst pain imaginable*	dropdown 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 7 | 7 8 | 8 9 | 9 10 | 10
	268	[comments_pain_upp_post] Show the field ONLY if:	Comments on pain:	notes

		[upper_ext(4)] = '1' or [upper_ext(6)] = '1' or [upper_ext(5)] = '1' or [upper_ext(7)] = '1' or [upper_ext(8)] = '1' or [upper_ext(9)] = '1' or [upper_ext(10)] = '1' or [upper_ext(11)] = '1' or [upper_ext(26)] = '1' or [upper_ext(27)] = '1' or [upper_ext(28)] = '1' or [upper_ext(29)] = '1' or [upper_ext(31)] = '1' or [upper_ext(32)] = '1' or [upper_ext(33)] = '1'		
	269	[lower_ext_post] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5'	Section Header: *Pain Areas- Lower Extremities* Lower Extremities	checkbox 17, lower_ext_post___17, 17 18, lower_ext_post___18, 18 19, lower_ext_post___19, 19 20, lower_ext_post___20, 20 21, lower_ext_post___21, 21 22, lower_ext_post___22, 22 40, lower_ext_post___40, 40 41, lower_ext_post___41, 41 42, lower_ext_post___42, 42 43, lower_ext_post___43, 43 44, lower_ext_post___44, 44 45, lower_ext_post___45, 45
	270	[pain_level_low_post] Show the field ONLY if: [lower_ext(17)] = '1' or [lower_ext(18)] = '1' or [lower_ext(19)] = '1' or [lower_ext(20)] = '1' or [lower_ext(21)] = '1' or [lower_ext(22)] = '1' or [lower_ext(40)] = '1' or [lower_ext(41)] = '1' or [lower_ext(42)] = '1' or [l	Pain Level: *1= minimal pain; 10 = worst pain imaginable*	dropdown 1, 1 2, 2 3, 3 4, 4 5, 5

		ower_ext(43)] = '1' or [lower_ext(45)] = '1'		6 | 6 7 | 7 8 | 8 9 | 9 10 | 10
	271	[chest_back_post] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5'	Section Header: *Post Treatment Pain Areas- Chest and Back* Chest and Back	checkbox 12 | chest_back_post___12 | 12 13 | chest_back_post___13 | 13 14 | chest_back_post___14 | 14 15 | chest_back_post___15 | 15 16 | chest_back_post___16 | 16 34 | chest_back_post___34 | 34 35 | chest_back_post___35 | 35 36 | chest_back_post___36 | 36 37 | chest_back_post___37 | 37 38 | chest_back_post___38 | 38 39 | chest_back_post___39 | 39
	272	[comments_pain_low_post] Show the field ONLY if: [lower_ext(17)] = '1' or [lower_ext(19)] = '1' or [lower_ext(18)] = '1' or [lower_ext(20)] = '1' or [lower_ext(21)] = '1' or [lower_ext(22)] = '1' or [lower_ext(40)] = '1' or [lower_ext(41)] = '1' or [lower_ext(42)] = '1' or [lower_ext(43)] = '1' or [lower_ext(44)] = '1' or [lower_ext(45)] = '1'	Comments on pain:	notes
	273	[pain_level_chest_post] Show the field ONLY if:	Pain Level: *1= minimal pain; 10 = worst pain imaginable*	dropdown 1 | 1

		[chest_back(12)] = '1' or [chest_back(13)] = '1' or [chest_back(14)] = '1' or [chest_back(15)] = '1' or [chest_back(16)] = '1' or [chest_back(34)] = '1' or [chest_back(35)] = '1' or [chest_back(37)] = '1' or [chest_back(38)] = '1' or [chest_back(39)] = '1'		2, 2 3, 3 4, 4 5, 5 6, 6 7, 7 8, 8 9, 9 10, 10
	274	[comments_pain_chest_post] Show the field ONLY if: [chest_back(12)] = '1' or [chest_back(13)] = '1' or [chest_back(14)] = '1' or [chest_back(15)] = '1' or [chest_back(16)] = '1' or [chest_back(34)] = '1' or [chest_back(35)] = '1' or [chest_back(36)] = '1' or [chest_back(37)] = '1' or [chest_back(38)] = '1' or [chest_back(39)] = '1'	Comments on pain:	notes
	275	[ot_peds_recommendations] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5'	Section Header: *Plan/Recommendations/Follow-Up:* Recommendations:	notes
	276	[ot_peds_follow_up] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5'	Follow-up (if applicable):	notes
	277	[internal_referral]	Needs Internal Referral	yesno

				1 Yes 0 No
	278	[add_new_referral] Show the field ONLY if: [internal_referral]='1'	Add another Specialty Assigned to the already selected ones in the Patient Information form: [form-link:patient_information:Click here to go back to Patient Information form]	descriptive
	279	[ot_referred] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3' or [specialty_visit] = '1' or [specialty_visit] = '5'	External Referrals:	checkbox 1 ot_referred___1 Physical Therapy 2 ot_referred___2 Physician (DO / MD) 3 ot_referred___3 Speech Therapy 4 ot_referred___4 School Support 5 ot_referred___5 Community Resources 6 ot_referred___6 Other (please specify below):
	280	[ot_peds_referred_other] Show the field ONLY if: [ot_referred(6)] = '1'	For "Other", please specify:	notes
	281	[ot_peds_therapist_name] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3'	Section Header: *Therapist Signature:* Name:	text
	282	[ot_peds_therapist_sign] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3'	Signature:	file (signature)
	283	[ot_peds_therapist_cred] Show the field ONLY if: [specialty_visit] = '2' or [specialty_visit] = '3'	Credentials:	notes
	284	[reason_dental] Show the field ONLY if: [specialty_visit] = '4'	Section Header: *Dental* Reason for Visit: [chief_dental]	descriptive, Required

	285	[location_extraction] Show the field ONLY if: [specialty_visit] = '4'	Extraction Site: [mouth_area_extraction]	descriptive
	286	[tooth_number] Show the field ONLY if: [specialty_visit] = '4'	Universal Tooth Numbering:	descriptive
	287	[number_tooth_extracted] Show the field ONLY if: [chief_dental] = '2' and [specialty_visit] = '4'	Number(s) of Tooth/Teeth Extracted (1-32):	text
	288	[letter_tooth_extracted] Show the field ONLY if: [chief_dental] = '2' and [age] < 12 and [specialty_visit] = '4'	Letter(s) of Tooth/Teeth Extracted (A-T):	text
	289	[teeth_filled] Show the field ONLY if: [specialty_visit] = '4' and ([chief_dental] = '3' or [chief_dental] = '4')	Teeth Filled:	checkbox 1, teeth_filled___1, 1-5 2, teeth_filled___2, 6-11 3, teeth_filled___3, 12-16 4, teeth_filled___4, 17-21 5, teeth_filled___5, 22-27 6, teeth_filled___6, 28-32
	290	[m] Show the field ONLY if: [specialty_visit] = '4' and ([teeth_filled(1)] = '1' or [teeth_filled(3)] = '1' or [teeth_filled(4)] = '1' or [teeth_filled(6)] = '1')	Section Header: *Teeth Surfaces Filled (1)* Mesial	radio (Matrix) 1, 1 2, 2 3, 3 4, 4 5, 5 12, 12 13, 13

				14, 14 15, 15 16, 16 17, 17 18, 18 19, 19 20, 20 21, 21 28, 28 29, 29 30, 30 31, 31 32, 32
	291	[d] Show the field ONLY if: [specialty_visit] = '4' and ([teeth_filled(1)] = '1' or [teeth_filled(3)] = '1' or [teeth_filled(4)] = '1' or [teeth_filled(6)] = '1')	Distal	radio (Matrix) 1, 1 2, 2 3, 3 4, 4 5, 5 12, 12 13, 13 14, 14 15, 15 16, 16 17, 17 18, 18 19, 19

				20 | 20 21 | 21 28 | 28 29 | 29 30 | 30 31 | 31 32 | 32
	292	[b] Show the field ONLY if: [specialty_visit] = '4' and ([teeth_filled(1)] = '1' or [teeth_filled(3)] = '1' or [teeth_filled(4)] = '1' or [teeth_filled(6)] = '1')	Buccal	radio (Matrix) 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 12 | 12 13 | 13 14 | 14 15 | 15 16 | 16 17 | 17 18 | 18 19 | 19 20 | 20 21 | 21 28 | 28 29 | 29 30 | 30 31 | 31

				32 | 32
	293	[l] Show the field ONLY if: [specialty_visit] = '4' and ([teeth_filled(1)] = '1' or [teeth_filled(3)] = '1' or [teeth_filled(4)] = '1' or [teeth_filled(6)] = '1')	Lingual	radio (Matrix) 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 12 | 12 13 | 13 14 | 14 15 | 15 16 | 16 17 | 17 18 | 18 19 | 19 20 | 20 21 | 21 28 | 28 29 | 29 30 | 30 31 | 31 32 | 32
	294	[o] Show the field ONLY if: [specialty_visit] = '4' and ([teeth_filled(1)] = '1' or [teeth_filled(3)] = '1' or [teeth_filled(4)] = '1' or [teeth_filled(6)] = '1')	Occlusal	radio (Matrix) 1 | 1 2 | 2 3 | 3 4 | 4

				5, 5 12, 12 13, 13 14, 14 15, 15 16, 16 17, 17 18, 18 19, 19 20, 20 21, 21 28, 28 29, 29 30, 30 31, 31 32, 32
	295	[m1] Show the field ONLY if: [specialty_visit] = '4' and ([teeth_filled(2)] = '1' or [teeth_filled(5)] = '1')	Section Header: *Surfaces Filled (2)* Mesial	radio (Matrix) 6, 6 7, 7 8, 8 9, 9 10, 10 11, 11 22, 22 23, 23 24, 24 25, 25

				26 | 26 27 | 27
	296	[d1] Show the field ONLY if: [specialty_visit] = '4' and ([teeth_filled(2)] = '1' or [teeth_filled(5)] = '1')	Distal	radio (Matrix) 6 | 6 7 | 7 8 | 8 9 | 9 10 | 10 11 | 11 22 | 22 23 | 23 24 | 24 25 | 25 26 | 26 27 | 27
	297	[f1] Show the field ONLY if: [specialty_visit] = '4' and ([teeth_filled(2)] = '1' or [teeth_filled(5)] = '1')	Facial	radio (Matrix) 6 | 6 7 | 7 8 | 8 9 | 9 10 | 10 11 | 11 22 | 22 23 | 23 24 | 24 25 | 25 26 | 26

				27 | 27
	298	[l1] Show the field ONLY if: [specialty_visit] = '4' and ([teeth_filled(2)] = '1' or [teeth_filled(5)] = '1')	Lingual	radio (Matrix) 6 | 6 7 | 7 8 | 8 9 | 9 10 | 10 11 | 11 22 | 22 23 | 23 24 | 24 25 | 25 26 | 26 27 | 27
	299	[i1] Show the field ONLY if: [specialty_visit] = '4' and ([teeth_filled(2)] = '1' or [teeth_filled(5)] = '1')	Incisal	radio (Matrix) 6 | 6 7 | 7 8 | 8 9 | 9 10 | 10 11 | 11 22 | 22 23 | 23 24 | 24 25 | 25 26 | 26 27 | 27

	300	[dental_procedure] Show the field ONLY if: [specialty_visit] = '4'	Procedure:	notes, Required
	301	[anesthetic] Show the field ONLY if: [specialty_visit] = '4' and ([chief_dental] = '2' or [chief_dental] = '3' or [chief_dental] = '4')	Anesthetic Used:	checkbox, Required 1, anesthetic___1, Lidocaine 2, anesthetic___2, Septocaine 3, anesthetic___3, Mepivacaine
	302	[lidocaine] Show the field ONLY if: [anesthetic(1)] = '1'	Section Header: *How much Anesthetic is Used:* Lidocaine	radio (Matrix) 1, 1 2, 2 3, 3 4, 4 5, 5 6, 6 7, 7 8, 8
	303	[septocaine] Show the field ONLY if: [anesthetic(2)] = '1'	Septocaine	radio (Matrix) 1, 1 2, 2 3, 3 4, 4 5, 5 6, 6 7, 7 8, 8
	304	[mepivacaine] Show the field ONLY if: [anesthetic(3)] = '1'	Mepivacaine	radio (Matrix) 1, 1 2, 2

				3 | 3 4 | 4 5 | 5 6 | 6 7 | 7 8 | 8
	305	[dental_sig] Show the field ONLY if: [specialty_visit] = '4'	Dentist Signature	file (signature), Required
	306	[visit_form_complete]	Section Header: *Form Status* Complete?	dropdown 0 | Incomplete 1 | Unverified 2 | Complete
Instrument: Prescriptions (prescriptions)				
	307	[patient_info_pres]	Patient Name [patient_first_name] [patient_last_name] Age [age]	descriptive
	308	[date]	Date	text (date_ymd), Required Field Annotation: [today]
	309	[antimicrobial_header]	ANTIMICROBIALS	descriptive
	310	[pres_antimicrobials]		checkbox 1 | pres_antimicrobials___1 | Azithromycin 250 mg tabs 2 | pres_antimicrobials___2 | Cephalexin 500 mg caps 3 | pres_antimicrobials___3 | Doxycycline hyclate 100 mg tabs 4 | pres_antimicrobials___4 | Levofloxacin 500 mg tabs 5 | pres_antimicrobials___5 | Clindamycin 150 mg caps

				6 pres_antimicrobials___6 Fluconazole 150 mg tab 7 pres_antimicrobials___7 Terbinafine HCL 250 mg tab 8 pres_antimicrobials___8 Amoxicillin 500 mg caps 9 pres_antimicrobials___9 Amoxicillin oral susp 250 mg (bottle) 10 pres_antimicrobials___10 Azithromycin 200 mg 5 ml oral (bottle) 11 pres_antimicrobials___11 Cephalexin 250 mg caps 12 pres_antimicrobials___12 Co-trimoxazole 960 mg tabs 13 pres_antimicrobials___13 Mebendazole 100 mg tabs 14 pres_antimicrobials___14 Metronidazole 250 mg tabs 15 pres_antimicrobials___15 Nitrofuantoin 100 mg tabs
	311	[pres_antimicrobials_1_na] Show the field ONLY if: ([pres_antimicrobials(1)] = '1') AND ([aggregate-sum:pres_antimicrobials_1_a] > 1000)	Azithromycin 250 mg tabs not available	descriptive
	312	[pres_antimicrobials_2_na] Show the field ONLY if: ([pres_antimicrobials(2)] = '1') AND ([aggregate-min:pres_antimicrobials_2_r] < 20)	Cephalexin 500 mg caps not available	descriptive
	313	[pres_antimicrobials_3_na]	Doxycycline hyclate 100 mg tabs not available	descriptive

		Show the field ONLY if: ([pres_antimicrobials(3)] = '1') AND ([aggregate-min:pres_antimicrobials_3_r] < 20)		
	314	[pres_antimicrobials_4_na] Show the field ONLY if: ([pres_antimicrobials(4)] = '1') AND ([aggregate-min:pres_antimicrobials_4_r] < 20)	Levofloxacin 500 mg tabs not available	descriptive
	315	[pres_antimicrobials_5_na] Show the field ONLY if: ([pres_antimicrobials(5)] = '1') AND ([aggregate-min:pres_antimicrobials_5_r] < 1)	Clindamycin 150 mg caps not available	descriptive
	316	[pres_antimicrobials_6_na] Show the field ONLY if: ([pres_antimicrobials(6)] = '1') AND ([aggregate-min:pres_antimicrobials_6_r] < 20)	Fluconazole 150 mg tab not available	descriptive
	317	[pres_antimicrobials_7_na] Show the field ONLY if: ([pres_antimicrobials(7)] = '1') AND ([aggregate-min:pres_antimicrobials_7_r] < 20)	Terbinafine HCL 250 mg tab not available	descriptive
	318	[pres_antimicrobials_8_na] Show the field ONLY if: ([pres_antimicrobials(8)] = '1') AND ([aggregate-min:pres_antimicrobials_8_r] < 20)	Amoxicillin 500 mg caps not available	descriptive

	319	[pres_antimicrobials_9_na] Show the field ONLY if: ([pres_antimicrobials(9)] = '1') AND ([aggregate-min:pres_antimicrobials_9_r] < 20)	Amoxicillin oral susp 250 mg (bottle) not available	descriptive
	320	[pres_antimicrobials_10_na] Show the field ONLY if: ([pres_antimicrobials(10)] = '1') AND ([aggregate-min:pres_antimicrobials_10_r] < 20)	Azithromycin 200 mg 5 ml oral (bottle) not available	descriptive
	321	[pres_antimicrobials_11_na] Show the field ONLY if: ([pres_antimicrobials(11)] = '1') AND ([aggregate-min:pres_antimicrobials_11_r] < 20)	Cephalexin 250 mg caps not available	descriptive
	322	[pres_antimicrobials_12_na] Show the field ONLY if: ([pres_antimicrobials(12)] = '1') AND ([aggregate-min:pres_antimicrobials_12_r] < 20)	Co-trimoxazole 960 mg tabs not available	descriptive
	323	[pres_antimicrobials_13_na] Show the field ONLY if: ([pres_antimicrobials(13)] = '1') AND ([aggregate-min:pres_antimicrobials_13_r] < 20)	Mebendazole 100 mg tabs not available	descriptive
	324	[pres_antimicrobials_14_na] Show the field ONLY if: ([pres_antimicrobials(14)] = '1') AND ([aggregate-min:pres	Metronidazole 250 mg tabs not available	descriptive

		_antimicrobials_14_r] < 20)		
	325	[pres_antimicrobials_15_na] Show the field ONLY if: ([pres_antimicrobials(15)] = '1') AND ([aggregate-min:pres_antimicrobials_15_r] < 20)	Nitrofuantoin 100 mg tabs not available	descriptive
	326	[pres_antimicrobials_1_a] Show the field ONLY if: [pres_antimicrobials(1)] = '1'	Azithromycin 250 mg amount: *Recommended 3*	text (integer)
	327	[pres_antimicrobials_1_u] Show the field ONLY if: [pres_antimicrobials(1)] = '1'	Usage recommendation:	notes
	328	[pres_antimicrobials_1_pn] Show the field ONLY if: [pres_antimicrobials(1)] = '1'	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14

	329	[pres_antimicrobials_2_a] Show the field ONLY if: [pres_antimicrobials(2)] = '1'	Cephalexin 500 mg amount: *Recommended 21, 28, 30, 40*	text (integer) Field Annotation: 1
	330	[pres_antimicrobials_2_u] Show the field ONLY if: [pres_antimicrobials(2)] = '1'	Usage recommendation:	notes Field Annotation: 1
	331	[pres_antimicrobials_2_pn] Show the field ONLY if: [pres_antimicrobials(2)] = '1'	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	332	[pres_antimicrobials_3_a] Show the field ONLY if: ([pres_antimicrobials(3)] = '1')	Doxycycline 100 mg amount: *Recommended 14, 20*	text (integer)
	333	[pres_antimicrobials_3_u] Show the field ONLY if:	Usage recommendation:	notes

		([pres_antimicrobials(3)] = '1')		
	334	[pres_antimicrobials_3_pn] Show the field ONLY if: [pres_antimicrobials(3)] = '1'	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	335	[pres_antimicrobials_4_a] Show the field ONLY if: ([pres_antimicrobials(4)] = '1')	Levofloxacin 500 mg amount: *Recommended 7, 10*	text (integer)
	336	[pres_antimicrobials_4_u] Show the field ONLY if: ([pres_antimicrobials(4)] = '1')	Usage recommendation:	notes
	337	[pres_antimicrobials_4_pn] Show the field ONLY if: [pres_antimicrobials(4)] = '1'	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4

				5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	338	[pres_antimicrobials_5_a] Show the field ONLY if: ([pres_antimicrobials(5)] = '1')	Clindamycin 150 mg amount: *Recommended 15, 21*	text (integer)
	339	[pres_antimicrobials_5_u] Show the field ONLY if: ([pres_antimicrobials(5)] = '1')	Usage recommendation:	notes
	340	[pres_antimicrobials_5_pn] Show the field ONLY if: [pres_antimicrobials(5)] = '1'	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10

				11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	341	[pres_antimicrobials_6_a] Show the field ONLY if: ([pres_antimicrobials(6)] = '1')	Fluconazole 150mg amount: *Recommended 1*	text (integer)
	342	[pres_antimicrobials_6_u] Show the field ONLY if: ([pres_antimicrobials(6)] = '1')	Usage recommendation:	notes
	343	[pres_antimicrobials_6_pn] Show the field ONLY if: [pres_antimicrobials(6)] = '1'	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	344	[pres_antimicrobials_7_a]	Terbinafine HCL 250 mg tab amount: *Recommended 7, 14, 21*	text (integer)

		Show the field ONLY if: ([pres_antimicrobials(7)] = '1')		
	345	[pres_antimicrobials_7_u] Show the field ONLY if: ([pres_antimicrobials(7)] = '1')	Usage recommendation:	notes
	346	[pres_antimicrobials_7_pn] Show the field ONLY if: [pres_antimicrobials(7)] = '1'	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	347	[pres_antimicrobials_8_a] Show the field ONLY if: ([pres_antimicrobials(8)] = '1')	Amoxicillin 500 mg caps amount: *Recommended 7, 14, 21*	text (integer)
	348	[pres_antimicrobials_8_u] Show the field ONLY if: ([pres_antimicrobials(8)] = '1')	Usage recommendations:	notes

	349	[pres_antimicrobials_8_pn] Show the field ONLY if: [pres_antimicrobials(8)] = '1'	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	350	[pres_antimicrobials_9_a] Show the field ONLY if: ([pres_antimicrobials(9)] = '1')	Amoxicillin Oral Susp 250 mg (bottle) amount: *Recommended 1*	text (integer)
	351	[pres_antimicrobials_9_u] Show the field ONLY if: ([pres_antimicrobials(9)] = '1')	Usage recommendations:	notes
	352	[pres_antimicrobials_9_pn] Show the field ONLY if: [pres_antimicrobials(9)] = '1'	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5

				6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	353	[pres_antimicrobials_10_a] Show the field ONLY if: ([pres_antimicrobials(10)] = '1')	Azithromycin 200 mg 5 ml oral (bottle) amount: *Recommended 1*	text
	354	[pres_antimicrobials_10_u] Show the field ONLY if: ([pres_antimicrobials(10)] = '1')	Usage recommendations:	notes
	355	[pres_antimicrobials_10_pn] Show the field ONLY if: [pres_antimicrobials(10)] = '1'	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9

				10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	356	[pres_antimicrobials_11_a] Show the field ONLY if: ([pres_antimicrobials(11)] = '1')	Cephalexin 250 mg caps amount: *Recommended 7, 14, 21*	text
	357	[pres_antimicrobials_11_u] Show the field ONLY if: ([pres_antimicrobials(11)] = '1')	Usage recommendations:	notes
	358	[pres_antimicrobials_11_pn] Show the field ONLY if: [pres_antimicrobials(11)] = '1'	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13

				14 | Provider 14
	359	[pres_antimicrobials_12_a] Show the field ONLY if: ([pres_antimicrobials(12)] = '1')	Co-trimoxazole 960 mg tabs amount: *Recommended 7, 10*	text
	360	[pres_antimicrobials_12_u] Show the field ONLY if: ([pres_antimicrobials(12)] = '1')	Usage recommendations:	notes
	361	[pres_antimicrobials_12_pn] Show the field ONLY if: [pres_antimicrobials(12)] = '1'	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	362	[pres_antimicrobials_13_a] Show the field ONLY if:	Mebendazole 100 mg tabs amount: *Recommended 21, 28, 30, 40*	text (integer)

		([pres_antimicrobials(13)] = '1')		
	363	[pres_antimicrobials_13_u] Show the field ONLY if: ([pres_antimicrobials(13)] = '1')	Usage recommendations:	notes
	364	[pres_antimicrobials_13_pn] Show the field ONLY if: [pres_antimicrobials(13)] = '1'	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	365	[pres_antimicrobials_14_a] Show the field ONLY if: ([pres_antimicrobials(14)] = '1')	Metronidazole 250 mg tabs amount: *Recommended 21, 28, 42, 56*	text (integer)
	366	[pres_antimicrobials_14_u] Show the field ONLY if:	Usage recommendations:	notes

		([pres_antimicrobials(14)] = '1')		
	367	[pres_antimicrobials_14_pn] Show the field ONLY if: [pres_antimicrobials(14)] = '1'	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	368	[pres_antimicrobials_15_a] Show the field ONLY if: ([pres_antimicrobials(15)] = '1')	Nitrofuantoin 100 mg tabs amount: *Recommended 21, 28, 30, 40*	text (integer)
	369	[pres_antimicrobials_15_u] Show the field ONLY if: ([pres_antimicrobials(15)] = '1')	Usage recommendations:	notes

	370	[pres_antimicrobials_15_pn] Show the field ONLY if: [pres_antimicrobials(15)] = '1'	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	371	[otc_header]	ANALGESICS / COUGH&COLD: OTC	descriptive
	372	[pres_analgesics]		checkbox 1, pres_analgesics___1, Acetaminophen 500 mg tabs 2, pres_analgesics___2, Ibuprofen 200 mg tabs 3, pres_analgesics___3, Ibuprofen 400 mg tabs 4, pres_analgesics___4, Ibuprofen 600 mg tabs 5, pres_analgesics___5, Meloxicam 15 mg tabs 6, pres_analgesics___6, Naproxen 250 mg tabs 7, pres_analgesics___7, Cyclobenzaprine HCl 10mg tabs 8, pres_analgesics___8, Acetaminophen 325 mg tabs

				9 | pres_analgesics___9 | Acetaminophen 650 mg caps 10 | pres_analgesics___10 | Acetaminophen 500 mg caps 11 | pres_analgesics___11 | Acetaminophen Children 80 mg 12 | pres_analgesics___12 | Paracetamol 500 mg tabs 13 | pres_analgesics___13 | Pharbinex-PE
	373	[pres_analgesics_1_na] Show the field ONLY if: ([pres_analgesics(1)] = '1') AND ([aggregate-min:pres_analgesics_1_r] < 20)	Acetaminophen 500mg not available	descriptive
	374	[pres_analgesics_1_a] Show the field ONLY if: ([pres_analgesics(1)] = '1')	Acetaminophen 500mg amount:	text (integer)
	375	[pres_analgesics_1_u] Show the field ONLY if: ([pres_analgesics(1)] = '1')	Usage recommendation:	notes
	376	[pres_analgesics_1_pn] Show the field ONLY if: ([pres_analgesics(1)] = '1')	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9

				10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	377	[pres_analgesics_2_na] Show the field ONLY if: ([pres_analgesics(2)] = '1') AND ([aggregate-min:pres_analgesics_2_r] < 20)	Ibuprofen 200mg not available	descriptive
	378	[pres_analgesics_2_a] Show the field ONLY if: ([pres_analgesics(2)] = '1')	Ibuprofen 200 mg amount: *Only one option: 30*	text (integer)
	379	[pres_analgesics_2_u] Show the field ONLY if: ([pres_analgesics(2)] = '1')	Usage recommendation:	notes
	380	[pres_analgesics_2_pn] Show the field ONLY if: ([pres_analgesics(2)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12

				13 | Provider 13 14 | Provider 14
	381	[pres_analgesics_3_na] Show the field ONLY if: ([pres_analgesics(3)] = '1') AND ([aggregate-min:pres_analgesics_3_r] < 20)	Ibuprofen 400mg not available	descriptive
	382	[pres_analgesics_3_a] Show the field ONLY if: ([pres_analgesics(3)] = '1')	Ibuprofen 400 mg amount:	text (integer)
	383	[pres_analgesics_3_u] Show the field ONLY if: ([pres_analgesics(3)] = '1')	Usage recommendation:	notes
	384	[pres_analgesics_3_pn] Show the field ONLY if: ([pres_analgesics(3)] = '1')	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	385	[pres_analgesics_4_na]	Ibuprofen/Profinal flash [600 mg] not available	descriptive

		Show the field ONLY if: ([pres_analgesics(4)] = '1') AND ([aggregate-min:pres_analgesics_4_r] < 20)		
	386	[pres_analgesics_4_a] Show the field ONLY if: ([pres_analgesics(4)] = '1')	Ibuprofen/Profinal [600 mg] amount:	text (integer)
	387	[pres_analgesics_4_u] Show the field ONLY if: ([pres_analgesics(4)] = '1')	Usage recommendation:	notes
	388	[pres_analgesics_4_pn] Show the field ONLY if: ([pres_analgesics(4)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	389	[pres_analgesics_5_na] Show the field ONLY if: ([pres_analgesics(5)] = '1') AND ([aggregate-min:pres_analgesics_5_r] < 20)	Meloxicam 15 mg not available	descriptive

	390	[pres_analgesics_5_a] Show the field ONLY if: ([pres_analgesics(5)] = '1')	Meloxicam 15 mg amount: *suggested 30, 60, 90*	text (integer)
	391	[pres_analgesics_5_u] Show the field ONLY if: ([pres_analgesics(5)] = '1')	Usage recommendation:	notes
	392	[pres_analgesics_5_pn] Show the field ONLY if: ([pres_analgesics(5)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	393	[pres_analgesics_6_na] Show the field ONLY if: ([pres_analgesics(6)] = '1') AND ([aggregate-min:pres_analgesics_6_r] < 20)	Naproxen 250mg not available	descriptive
	394	[pres_analgesics_6_a] Show the field ONLY if: ([pres_analgesics(6)] = '1')	Naproxen 250mg amount: *suggested 30, 60, 90*	text (integer)

	395	[pres_analgesics_6_u] Show the field ONLY if: ([pres_analgesics(6)] = '1')	Usage recommendation: *You might specify if different from suggested*	notes
	396	[pres_analgesics_6_pn] Show the field ONLY if: ([pres_analgesics(6)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	397	[pres_analgesics_7_na] Show the field ONLY if: ([pres_analgesics(7)] = '1') AND ([aggregate-min:pres_analgesics_7_r] < 20)	Cyclobenzaprine HCl 10mg not available	descriptive
	398	[pres_analgesics_7_a] Show the field ONLY if: ([pres_analgesics(7)] = '1')	Cyclobenzaprine HCl 10mg amount: *suggested one bottle = 1*	text (integer)
	399	[pres_analgesics_7_u] Show the field ONLY if: ([pres_analgesics(7)] = '1')	Usage recommendation:	notes

	400	[pres_analgesics_7_pn] Show the field ONLY if: ([pres_analgesics(7)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	401	[pres_analgesics_8_na] Show the field ONLY if: ([pres_analgesics(8)] = '1') AND ([aggregate-min:pres_analgesics_8_r] < 20)	Acetaminophen 325 mg tabs not available	descriptive
	402	[pres_analgesics_8_a] Show the field ONLY if: ([pres_analgesics(8)] = '1')	Acetaminophen 325 mg tabs amount:	text (integer)
	403	[pres_analgesics_8_u] Show the field ONLY if: ([pres_analgesics(8)] = '1')	Usage recommendations:	notes
	404	[pres_analgesics_8_pn] Show the field ONLY if: ([pres_analgesics(8)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2

				3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	405	[pres_analgesics_9_na] Show the field ONLY if: ([pres_analgesics(9)] = '1') AND ([aggregate-min:pres_analgesics_9_r] < 20)	Acetaminophen 650 mg caps not available	descriptive
	406	[pres_analgesics_9_a] Show the field ONLY if: ([pres_analgesics(9)] = '1')	Acetaminophen 650 mg caps amount:	text (integer)
	407	[pres_analgesics_9_u] Show the field ONLY if: ([pres_analgesics(9)] = '1')	Usage recommendations:	notes
	408	[pres_analgesics_9_pn] Show the field ONLY if: ([pres_analgesics(9)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5

				6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	409	[pres_analgesics_10_na] Show the field ONLY if: ([pres_analgesics(10)] = '1') AND ([aggregate-min:pres_analgesics_10_r] < 20)	Acetaminophen 500 mg caps not available	descriptive
	410	[pres_analgesics_10_a] Show the field ONLY if: ([pres_analgesics(10)] = '1')	Acetaminophen 500 mg caps amount:	text (integer)
	411	[pres_analgesics_10_u] Show the field ONLY if: ([pres_analgesics(10)] = '1')	Usage recommendations:	notes
	412	[pres_analgesics_10_pn] Show the field ONLY if: ([pres_analgesics(10)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8

				9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	413	[pres_analgesics_11_na] Show the field ONLY if: ([pres_analgesics(11)] = '1') AND ([aggregate-min:pres_analgesics_11_r] < 20)	Acetaminophen Children 80 mg not available	descriptive
	414	[pres_analgesics_11_a] Show the field ONLY if: ([pres_analgesics(11)] = '1')	Acetaminophen Children 80 mg amount:	text (integer)
	415	[pres_analgesics_11_u] Show the field ONLY if: ([pres_analgesics(11)] = '1')	Usage recommendations:	notes
	416	[pres_analgesics_11_pn] Show the field ONLY if: ([pres_analgesics(11)] = '1')	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11

				12 Provider 12 13 Provider 13 14 Provider 14
	417	[pres_analgesics_12_na] Show the field ONLY if: ([pres_analgesics(12)] = '1') AND ([aggregate-min:pres_analgesics_12_r] < 20)	Paracetamol 500 mg tabs not available	descriptive
	418	[pres_analgesics_12_a] Show the field ONLY if: ([pres_analgesics(12)] = '1')	Paracetamol 500 mg tabs amount:	text (integer)
	419	[pres_analgesics_12_u] Show the field ONLY if: ([pres_analgesics(12)] = '1')	Usage recommendations:	notes
	420	[pres_analgesics_12_pn] Show the field ONLY if: ([pres_analgesics(12)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14

	421	[pres_analgesics_13_na] Show the field ONLY if: ([pres_analgesics(13)] = '1') AND ([aggregate-min:pres_analgesics_13_r] < 20)	Pharbinex-PE not available	descriptive
	422	[pres_analgesics_13_a] Show the field ONLY if: ([pres_analgesics(13)] = '1')	Pharbinex-PE amount:	text (integer)
	423	[pres_analgesics_13_u] Show the field ONLY if: ([pres_analgesics(13)] = '1')	Usage recommendations:	notes
	424	[pres_analgesics_13_pn] Show the field ONLY if: ([pres_analgesics(13)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	425	[resp_allergy_header]	RESPIRATORY / ALLERGY	descriptive
	426	[pres_respiratory]		checkbox

				1 pres_respiratory___1 Guaifenesin 400 mg with phenylephrine 2 pres_respiratory___2 Guaifenesin 100 mg with dextromethorphan 3 pres_respiratory___3 Diphenhydramine HCl 12.5 mg / 5 ml 4 pres_respiratory___4 Cetirizine HCl 10 mg tab 5 pres_respiratory___5 Loratadine 10 mg tabs 6 pres_respiratory___6 Albuterol Sulfate 0.083% 2.5 mg / 3 ml 7 pres_respiratory___7 Diphenhydramine 25 mg caps 8 pres_respiratory___8 Guaifenesin 8 oz bottle 9 pres_respiratory___9 Prednisone 10 mg tabs 10 pres_respiratory___10 Azelastine 205 mcg inhaler 11 pres_respiratory___11 Montelukast Sodium 10 mg 12 pres_respiratory___12 Salbutamol 100 mcg
	427	[pres_respiratory_1_na] Show the field ONLY if: ([pres_respiratory(1)] = '1') AND ([aggregate-min:pres_respiratory_1_r] < 20)	Guaifenesin 400mg with phenylephrine not available	descriptive
	428	[pres_respiratory_1_a] Show the field ONLY if: ([pres_respiratory(1)] = '1')	Guaifenesin 400mg with phenylephrine amount: *suggested one pill at night when needed = 5*	text (integer)
	429	[pres_respiratory_1_u] Show the field ONLY if: ([pres_respiratory(1)] = '1')	Usage recommendation:	notes
	430	[pres_respiratory_1_pn]	Provider Name [INSERT]	dropdown

		Show the field ONLY if: ([pres_respiratory(1)] = '1')		1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	431	[pres_respiratory_2_na] Show the field ONLY if: ([pres_respiratory(2)] = '1') AND ([aggregate-min:pres_respiratory_2_r] < 20)	Guaifenesin 100mg with dextromethorphan not available	descriptive
	432	[pres_respiratory_2_a] Show the field ONLY if: ([pres_respiratory(2)] = '1')	Guaifenesin 100mg with dextromethorphan amount:	text (integer)
	433	[pres_respiratory_2_u] Show the field ONLY if: ([pres_respiratory(2)] = '1')	Usage recommendation:	notes
	434	[pres_respiratory_2_pn] Show the field ONLY if: ([pres_respiratory(2)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3

				4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	435	[pres_respiratory_3_na] Show the field ONLY if: ([pres_respiratory(3)] = '1') AND ([aggregate-min:pres_respiratory_3_r] < 20)	Diphenhydramine HCl 12.5mg/5ml not available	descriptive
	436	[pres_respiratory_3_a] Show the field ONLY if: ([pres_respiratory(3)] = '1')	Diphenhydramine HCl 12.5mg/5ml amount: *suggested one pill every 6 hours as needed for severe allergies = 20*	text (integer)
	437	[pres_respiratory_3_u] Show the field ONLY if: ([pres_respiratory(3)] = '1')	Usage recommendation:	notes
	438	[pres_respiratory_3_pn] Show the field ONLY if: ([pres_respiratory(3)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6

				7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	439	[pres_respiratory_4_na] Show the field ONLY if: ([pres_respiratory(4)] = '1') AND ([aggregate-min:pres_respiratory_4_r] < 20)	Cetirizine HCl 10mg not available	descriptive
	440	[pres_respiratory_4_a] Show the field ONLY if: ([pres_respiratory(4)] = '1')	Cetirizine HCl 10mg amount:	text (integer)
	441	[pres_respiratory_4_u] Show the field ONLY if: ([pres_respiratory(4)] = '1')	Usage recommendation:	notes
	442	[pres_respiratory_4_pn] Show the field ONLY if: ([pres_respiratory(4)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9

				10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	443	[pres_respiratory_5_na] Show the field ONLY if: ([pres_respiratory(5)] = '1') AND ([aggregate-min:pres_respiratory_5_r] < 1)	Loratadine 10mg not available	descriptive
	444	[pres_respiratory_5_a] Show the field ONLY if: ([pres_respiratory(5)] = '1')	Loratadine 10mg amount: *suggested one bottle = 1*	text (integer)
	445	[pres_respiratory_5_u] Show the field ONLY if: ([pres_respiratory(5)] = '1')	Usage recommendation:	notes
	446	[pres_respiratory_5_pn] Show the field ONLY if: ([pres_respiratory(5)] = '1')	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12

				13 Provider 13 14 Provider 14
	447	[pres_respiratory_6_na] Show the field ONLY if: ([pres_respiratory(6)] = '1') AND ([aggregate-min:pres_respiratory_6_r] < 1)	Albuterol Sulfate 0.083% 2.5 mg / 3 ml not available	descriptive
	448	[pres_respiratory_6_a] Show the field ONLY if: ([pres_respiratory(6)] = '1')	Albuterol Sulfate 0.083% 2.5 mg / 3 ml amount: *suggested one canister = 1*	text (integer)
	449	[pres_respiratory_6_u] Show the field ONLY if: ([pres_respiratory(6)] = '1')	Usage recommendation:	notes
	450	[pres_respiratory_6_pn] Show the field ONLY if: ([pres_respiratory(6)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	451	[pres_respiratory_7_na]	Diphenhydramine 25 mg caps not available	descriptive

		Show the field ONLY if: ([pres_respiratory(7)] = '1') AND ([aggregate-min:pres_respiratory_7_r] < 1)		
	452	[pres_respiratory_7_a] Show the field ONLY if: ([pres_respiratory(7)] = '1')	Diphenhydramine 25 mg caps amount: *suggested one pill once a day = 7*	text (integer)
	453	[pres_respiratory_7_u] Show the field ONLY if: ([pres_respiratory(7)] = '1')	Usage recommendation:	notes
	454	[pres_respiratory_7_pn] Show the field ONLY if: ([pres_respiratory(7)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	455	[pres_respiratory_8_na] Show the field ONLY if: ([pres_respiratory(8)] = '1') AND ([aggregate-min:pres_respiratory_8_r] < 1)	Guaifenesin 8 oz bottle not available	descriptive

	456	[pres_respiratory_8_a] Show the field ONLY if: ([pres_respiratory(8)] = '1')	Guaifenesin 8 oz bottle amount: *suggested one bottle = 1*	text (integer)
	457	[pres_respiratory_8_u] Show the field ONLY if: ([pres_respiratory(8)] = '1')	Usage recommendation:	notes
	458	[pres_respiratory_8_pn] Show the field ONLY if: ([pres_respiratory(8)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	459	[pres_respiratory_9_na] Show the field ONLY if: ([pres_respiratory(9)] = '1') AND ([aggregate-min:pres_respiratory_9_r] < 1)	Prednisone 10 mg tabs not available	descriptive
	460	[pres_respiratory_9_a] Show the field ONLY if: ([pres_respiratory(9)] = '1')	Prednisone 10 mg tabs amount: *suggested one or two tabs a day = 20*	text (integer)

	461	[pres_respiratory_9_u] Show the field ONLY if: ([pres_respiratory(9)] = '1')	Usage recommendation:	notes
	462	[pres_respiratory_9_pn] Show the field ONLY if: ([pres_respiratory(9)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	463	[pres_respiratory_10_na] Show the field ONLY if: ([pres_respiratory(10)] = '1') AND ([aggregate-min:pres_respiratory_10_r] < 1)	Azelastine 205 mcg inhaler not available	descriptive
	464	[pres_respiratory_10_a] Show the field ONLY if: ([pres_respiratory(10)] = '1')	Azelastine 205 mcg inhaler amount: *suggested one bottle = 1*	text (integer)
	465	[pres_respiratory_10_u] Show the field ONLY if: ([pres_respiratory(10)] = '1')	Usage recommendation:	notes

	466	[pres_respiratory_10_pn] Show the field ONLY if: ([pres_respiratory(10)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	467	[pres_respiratory_11_na] Show the field ONLY if: ([pres_respiratory(11)] = '1') AND ([aggregate-min:pres_respiratory_11_r] < 1)	Montelukast Sodium 10 mg not available	descriptive
	468	[pres_respiratory_11_a] Show the field ONLY if: ([pres_respiratory(11)] = '1')	Montelukast Sodium 10 mg amount: *suggested one tab = 14, 28*	text (integer)
	469	[pres_respiratory_11_u] Show the field ONLY if: ([pres_respiratory(11)] = '1')	Usage recommendation:	notes
	470	[pres_respiratory_11_pn] Show the field ONLY if: ([pres_respiratory(11)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2

				3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	471	[pres_respiratory_12_na] Show the field ONLY if: ([pres_respiratory(12)] = '1') AND ([aggregate-min:pres_respiratory_12_r] < 1)	Salbutamol 100 mcg not available	descriptive
	472	[pres_respiratory_12_a] Show the field ONLY if: ([pres_respiratory(12)] = '1')	Salbutamol 100 mcg amount:	text (integer)
	473	[pres_respiratory_12_u] Show the field ONLY if: ([pres_respiratory(12)] = '1')	Usage recommendation:	notes
	474	[pres_respiratory_12_pn] Show the field ONLY if: ([pres_respiratory(12)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5

				6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	475	[ent_header]	ENT / EAR & EYE DROPS	descriptive
	476	[pres_ent]		checkbox 1 pres_ent___1 Nasal saline spray 2 pres_ent___2 Lubricant eye drops polyvinyl alcohol 3 pres_ent___3 Lubricant eye drops 4 pres_ent___4 Gentamicin sulfate 0.3% 5 pres_ent___5 Ofloxacin .3% ophthalmic 6 pres_ent___6 Brimonidine tartrate 0.2% 7 pres_ent___7 Oxymetazoline HCL (0.05%) spray
	477	[pres_ent_1_na] Show the field ONLY if: ([pres_ent(1)] = '1') AND ([aggregate-min:pres_ent_1_r] < 1)	Nasal saline spray not available	descriptive
	478	[pres_ent_1_a] Show the field ONLY if: ([pres_ent(1)] = '1')	Nasal saline spray amount: *suggested one bottle = 1*	text (integer)
	479	[pres_ent_1_u] Show the field ONLY if: ([pres_ent(1)] = '1')	Usage recommendation:	notes

	480	[pres_ent_1_pn] Show the field ONLY if: ([pres_ent(1)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	481	[pres_ent_2_na] Show the field ONLY if: ([pres_ent(2)] = '1') AND ([aggregate-min:pres_ent_2_r] < 1)	Lubricant eye drops polyvinyl alcohol not available	descriptive
	482	[pres_ent_2_a] Show the field ONLY if: ([pres_ent(2)] = '1')	Lubricant eye drops polyvinyl alcohol: *suggested one bottle = 1*	text (integer)
	483	[pres_ent_2_u] Show the field ONLY if: ([pres_ent(2)] = '1')	Usage recommendation:	notes
	484	[pres_ent_2_pn] Show the field ONLY if: ([pres_ent(2)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3

				4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	485	[pres_ent_3_na] Show the field ONLY if: ([pres_ent(3)] = '1') AND ([aggregate-min:pres_ent_3_r] < 1)	Lubricant eye drops not available	descriptive
	486	[pres_ent_3_a] Show the field ONLY if: ([pres_ent(3)] = '1')	Lubricant eye drops amount: *suggested one kit = 1*	text (integer)
	487	[pres_ent_3_u] Show the field ONLY if: ([pres_ent(3)] = '1')	Usage recommendation:	notes
	488	[pres_ent_3_pn] Show the field ONLY if: ([pres_ent(3)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7

				8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	489	[pres_ent_4_na] Show the field ONLY if: ([pres_ent(4)] = '1') AND ([aggregate-min:pres_ent_4_r] < 1)	Gentamicin sulfate 0.3% not available	descriptive
	490	[pres_ent_4_a] Show the field ONLY if: ([pres_ent(4)] = '1')	Gentamicin sulfate 0.3% amount: *suggested one kit = 1*	text (integer)
	491	[pres_ent_4_u] Show the field ONLY if: ([pres_ent(4)] = '1')	Usage recommendation:	notes
	492	[pres_ent_4_pn] Show the field ONLY if: ([pres_ent(4)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11

				12 Provider 12 13 Provider 13 14 Provider 14
	493	[pres_ent_5_na] Show the field ONLY if: ([pres_ent(5)] = '1') AND ([aggregate-min:pres_ent_5_r] < 1)	Ofloxacin .3% ophthalmic not available	descriptive
	494	[pres_ent_5_a] Show the field ONLY if: ([pres_ent(5)] = '1')	Ofloxacin .3% ophthalmic amount: *suggested one kit = 1*	text (integer)
	495	[pres_ent_5_u] Show the field ONLY if: ([pres_ent(5)] = '1')	Usage recommendation:	notes
	496	[pres_ent_5_pn] Show the field ONLY if: ([pres_ent(5)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14

	497	[pres_ent_6_na] Show the field ONLY if: ([pres_ent(6)] = '1') AND ([aggregate-min:pres_ent_6_r] < 1)	Brimonidine tartrate 0.2% not available	descriptive
	498	[pres_ent_6_a] Show the field ONLY if: ([pres_ent(6)] = '1')	Brimonidine tartrate 0.2% amount: *suggested one kit = 1*	text (integer)
	499	[pres_ent_6_u] Show the field ONLY if: ([pres_ent(6)] = '1')	Usage recommendation:	notes
	500	[pres_ent_6_pn] Show the field ONLY if: ([pres_ent(6)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	501	[pres_ent_7_na] Show the field ONLY if: ([pres_ent(7)] = '1') AND ([aggregate-min:pres_ent_7_r] < 1)	Oxymetazoline HCL (0.05%) spray not available	descriptive

	502	[pres_ent_7_a] Show the field ONLY if: ([pres_ent(7)] = '1')	Oxymetazoline HCL (0.05%) spray amount: *suggested one bottle = 1*	text (integer)
	503	[pres_ent_7_u] Show the field ONLY if: ([pres_ent(7)] = '1')	Usage recommendation:	notes
	504	[pres_ent_7_pn] Show the field ONLY if: ([pres_ent(7)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	505	[antidiabetic_header]	ANTIDIABETIC AGENTS	descriptive
	506	[pres_diabetics]		checkbox 1, pres_diabetics___1, Metformin HCl 500 mg tabs 2, pres_diabetics___2, Metformin HCl 1000 mg tabs 3, pres_diabetics___3, Glipizide 10 mg tabs
	507	[pres_diabetics_1_na]	Metformin HCl 500mg not available	descriptive

		Show the field ONLY if: ([pres_diabetics(1)] = '1') AND ([aggregate-min:pres_diabetics_1_r] < 20)		
	508	[pres_diabetics_1_a] Show the field ONLY if: ([pres_diabetics(1)] = '1')	Metformin HCl 500 mg amount [once or twice a day]:	text (integer)
	509	[pres_diabetics_1_u] Show the field ONLY if: ([pres_diabetics(1)] = '1')	Usage recommendation:	notes
	510	[pres_diabetics_1_pn] Show the field ONLY if: ([pres_diabetics(1)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	511	[pres_diabetics_2_na] Show the field ONLY if: ([pres_diabetics(2)] = '1') AND ([aggregate-min:pres_diabetics_2_r] < 20)	Metformin HCl 1000mg not available	descriptive

	512	[pres_diabetics_2_a] Show the field ONLY if: ([pres_diabetics(2)] = '1')	Metformin HCl 1000 mg amount [once or twice a day]:	text (integer)
	513	[pres_diabetics_2_u] Show the field ONLY if: ([pres_diabetics(2)] = '1')	Usage recommendation:	notes
	514	[pres_diabetics_2_pn] Show the field ONLY if: ([pres_diabetics(2)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	515	[pres_diabetics_3_na] Show the field ONLY if: ([pres_diabetics(3)] = '1') AND ([aggregate-min:pres_diabetics_3_r] < 20)	Glipizide 10 mg tabs not available	descriptive
	516	[pres_diabetics_3_a] Show the field ONLY if: ([pres_diabetics(3)] = '1')	Glipizide 10 mg tabs amount:	text (integer)

	517	[pres_diabetics_3_u] Show the field ONLY if: ([pres_diabetics(3)] = '1')	Usage recommendation:	notes
	518	[pres_diabetics_3_pn] Show the field ONLY if: ([pres_diabetics(3)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	519	[cardiovascular_header]	CARDIOVASCULAR	descriptive
	520	[pres_cardio]		checkbox 1, pres_cardio___1, Amlodipine 5 mg tabs 2, pres_cardio___2, Losartan potassium 50 mg 3, pres_cardio___3, Aspirin 325 mg tabs 4, pres_cardio___4, Aspirin 650 mg tabs 5, pres_cardio___5, Aspirin 81 mg tabs 6, pres_cardio___6, Lisinopril 10 mg tabs 7, pres_cardio___7, Metoprolol Tartrate 50 mg tabs 8, pres_cardio___8, Hydrochlorothiazide 25 mg

	521	[pres_cardio_1_na] Show the field ONLY if: ([pres_cardio(1)] = '1') AND ([aggregate-min:pres_cardio_1_r] < 20)	Amlodipine [5 mg] not available	descriptive
	522	[pres_cardio_1_a] Show the field ONLY if: ([pres_cardio(1)] = '1')	Amlodipine [5 mg] *suggested once a day = 30*	text (integer) Field Annotation: 30
	523	[pres_cardio_1_u] Show the field ONLY if: ([pres_cardio(1)] = '1')	Usage recommendation:	notes Field Annotation: 30
	524	[pres_cardio_1_pn] Show the field ONLY if: ([pres_cardio(1)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	525	[pres_cardio_2_na] Show the field ONLY if: ([pres_cardio(2)] = '1') AND ([aggregate-min:pres_cardio_2_	Losartan potassium 50mg not available	descriptive

		r] < 20)		
	526	[pres_cardio_2_a] Show the field ONLY if: ([pres_cardio(2)] = '1')	Losartan potassium 50mg amount: *suggested one pill once a day = 30*	text (integer)
	527	[pres_cardio_2_u] Show the field ONLY if: ([pres_cardio(2)] = '1')	Usage recommendation:	notes
	528	[pres_cardio_2_pn] Show the field ONLY if: ([pres_cardio(2)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	529	[pres_cardio_3_na] Show the field ONLY if: ([pres_cardio(3)] = '1') AND ([aggregate-min:pres_cardio_3_r] < 20)	Aspirin 325 mg tabs not available	descriptive
	530	[pres_cardio_3_a] Show the field ONLY if:	Aspirin 325 mg tabs amount:	text (integer)

		([pres_cardio(3)] = '1')		
	531	[pres_cardio_3_u] Show the field ONLY if: ([pres_cardio(3)] = '1')	Usage recommendation:	notes
	532	[pres_cardio_3_pn] Show the field ONLY if: ([pres_cardio(3)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	533	[pres_cardio_4_na] Show the field ONLY if: ([pres_cardio(4)] = '1') AND ([aggregate-min:pres_cardio_4_r] < 20)	Aspirin 650 mg tabs not available	descriptive
	534	[pres_cardio_4_a] Show the field ONLY if: ([pres_cardio(4)] = '1')	Aspirin 650 mg tabs amount:	text (integer)
	535	[pres_cardio_4_u] Show the field ONLY if:	Usage recommendation:	notes

		([pres_cardio(4)] = '1')		
	536	[pres_cardio_4_pn] Show the field ONLY if: ([pres_cardio(4)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	537	[pres_cardio_5_na] Show the field ONLY if: ([pres_cardio(5)] = '1') AND ([aggregate-min:pres_cardio_5_r] < 20)	Aspirin 81 mg tabs not available	descriptive
	538	[pres_cardio_5_a] Show the field ONLY if: ([pres_cardio(5)] = '1')	Aspirin 81 mg tabs amount:	text (integer)
	539	[pres_cardio_5_u] Show the field ONLY if: ([pres_cardio(5)] = '1')	Usage recommendation:	notes
	540	[pres_cardio_5_pn] Show the field ONLY if:	Provider Name [INSERT]	dropdown 1, Provider 1

		([pres_cardio(5)] = '1')		2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	541	[pres_cardio_6_na] Show the field ONLY if: ([pres_cardio(6)] = '1') AND ([aggregate-min:pres_cardio_6_r] < 20)	Lisinopril 10 mg tabs not available	descriptive
	542	[pres_cardio_6_a] Show the field ONLY if: ([pres_cardio(6)] = '1')	Lisinopril 10 mg tabs amount:	text (integer)
	543	[pres_cardio_6_u] Show the field ONLY if: ([pres_cardio(6)] = '1')	Usage recommendation:	notes
	544	[pres_cardio_6_pn] Show the field ONLY if: ([pres_cardio(6)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4

				5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	545	[pres_cardio_7_na] Show the field ONLY if: ([pres_cardio(7)] = '1') AND ([aggregate-min:pres_cardio_7_r] < 20)	Metoprolol Tartrate 50 mg tabs not available	descriptive
	546	[pres_cardio_7_a] Show the field ONLY if: ([pres_cardio(7)] = '1')	Metoprolol Tartrate 50 mg tabs amount:	text (integer)
	547	[pres_cardio_7_u] Show the field ONLY if: ([pres_cardio(7)] = '1')	Usage recommendation:	notes
	548	[pres_cardio_7_pn] Show the field ONLY if: ([pres_cardio(7)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7

				8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	549	[pres_cardio_8_a] Show the field ONLY if: ([pres_cardio(8)] = '1')	Hydrochlorothiazide 25 mg amount:	text (integer)
	550	[pres_cardio_8_u] Show the field ONLY if: ([pres_cardio(8)] = '1')	Usage recommendation:	notes
	551	[pres_cardio_8_pn] Show the field ONLY if: ([pres_cardio(8)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14

	552	[gi_header]	GI SYSTEM	descriptive
	553	[pres_gi]		checkbox 1, pres_gi___1, Omeprazole 20 mg caps 2, pres_gi___2, Docusate Sodium 100 mg softgels 3, pres_gi___3, Hemorrhoidal Rectal Suppositories 4, pres_gi___4, Famotidine 20 mg 5, pres_gi___5, Loperamide 2 mg tabs 6, pres_gi___6, Meclizine 25 mg tabs 7, pres_gi___7, Meclizine Chewable tabs 8, pres_gi___8, Ondansetron 4 mg tabs
	554	[pres_gi_1_na] Show the field ONLY if: ([pres_gi(1)] = '1') AND ([aggregate-min:pres_gi_1_r] < 20)	Omeprazole 20mg not available	descriptive
	555	[pres_gi_1_a] Show the field ONLY if: ([pres_gi(1)] = '1')	Omeprazole 20mg amount: *suggested one pill once a day = 30*	text (integer)
	556	[pres_gi_1_u] Show the field ONLY if: ([pres_gi(1)] = '1')	Usage recommendation:	notes
	557	[pres_gi_1_pn] Show the field ONLY if: ([pres_gi(1)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8

				9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	558	[pres_gi_2_na] Show the field ONLY if: ([pres_gi(2)] = '1') AND ([aggregate-min:pres_gi_2_r] < 20)	Docusate sodium 100mg not available	descriptive
	559	[pres_gi_2_a] Show the field ONLY if: ([pres_gi(2)] = '1')	Docusate sodium 100mg amount: *suggested one pill once a day = 30*	text (integer)
	560	[pres_gi_2_u] Show the field ONLY if: ([pres_gi(2)] = '1')	Usage recommendation:	notes
	561	[pres_gi_2_pn] Show the field ONLY if: ([pres_gi(2)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12

				13 Provider 13 14 Provider 14
	562	[pres_gi_3_na] Show the field ONLY if: ([pres_gi(3)] = '1') AND ([aggregate-min:pres_gi_3_r] < 20)	Hemorrhoidal rectal suppositories not available	descriptive
	563	[pres_gi_3_a] Show the field ONLY if: ([pres_gi(3)] = '1')	Hemorrhoidal rectal suppositories amount: *suggested one pill once a day = 30*	text (integer)
	564	[pres_gi_3_u] Show the field ONLY if: ([pres_gi(3)] = '1')	Usage recommendation:	notes
	565	[pres_gi_3_pn] Show the field ONLY if: ([pres_gi(3)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	566	[pres_gi_4_na]	Famotidine 20 mg not available	descriptive

		Show the field ONLY if: ([pres_gi(4)] = '1') AND ([aggregate-min:pres_gi_4_r] < 20)		
	567	[pres_gi_4_a] Show the field ONLY if: ([pres_gi(4)] = '1')	Famotidine 20 mg amount:	text (integer)
	568	[pres_gi_4_u] Show the field ONLY if: ([pres_gi(4)] = '1')	Usage recommendation:	notes
	569	[pres_gi_4_pn] Show the field ONLY if: ([pres_gi(4)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	570	[pres_gi_5_na] Show the field ONLY if: ([pres_gi(5)] = '1') AND ([aggregate-min:pres_gi_5_r] < 20)	Loperamide 2 mg tabs not available	descriptive
	571	[pres_gi_5_a]	Loperamide 2 mg tabs amount:	text (integer)

		Show the field ONLY if: ([pres_gi(5)] = '1')		
	572	[pres_gi_5_u] Show the field ONLY if: ([pres_gi(5)] = '1')	Usage recommendation:	notes
	573	[pres_gi_5_pn] Show the field ONLY if: ([pres_gi(5)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	574	[pres_gi_6_na] Show the field ONLY if: ([pres_gi(6)] = '1') AND ([aggregate-min:pres_gi_6_r] < 20)	Meclizine 25 mg tabs not available	descriptive
	575	[pres_gi_6_a] Show the field ONLY if: ([pres_gi(6)] = '1')	Meclizine 25 mg tabs amount:	text (integer)
	576	[pres_gi_6_u] Show the field ONLY if:	Usage recommendation:	notes

		([pres_gi(6)] = '1')		
	577	[pres_gi_6_pn] Show the field ONLY if: ([pres_gi(6)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	578	[pres_gi_7_na] Show the field ONLY if: ([pres_gi(7)] = '1') AND ([aggregate-min:pres_gi_7_r] < 20)	Meclizine Chewable tabs not available	descriptive
	579	[pres_gi_7_a] Show the field ONLY if: ([pres_gi(7)] = '1')	Meclizine Chewable tabs amount:	text (integer)
	580	[pres_gi_7_u] Show the field ONLY if: ([pres_gi(7)] = '1')	Usage recommendation:	notes
	581	[pres_gi_7_pn] Show the field ONLY if: ([pres_gi(7)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2

				3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	582	[pres_gi_8_na] Show the field ONLY if: ([pres_gi(8)] = '1') AND ([aggregate-min:pres_gi_8_r] < 20)	Ondansetron 4 mg tabs not available	descriptive
	583	[pres_gi_8_a] Show the field ONLY if: ([pres_gi(8)] = '1')	Ondansetron 4 mg tabs amount:	text (integer)
	584	[pres_gi_8_u] Show the field ONLY if: ([pres_gi(8)] = '1')	Usage recommendation:	notes
	585	[pres_gi_8_pn] Show the field ONLY if: ([pres_gi(8)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6

				7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	586	[topical_header]	TOPICALS/OINTMENTS	descriptive
	587	[pres_topical]		checkbox 1 pres_topical___1 X-Treme Freeze Gel 2 pres_topical___2 Tolnaftate 1% Cream 3 pres_topical___3 Clotrimazole 1% Antifungal Cream 4 pres_topical___4 Mupirocin 2% Ointment 5 pres_topical___5 Bacitracin Zinc Combo Ointment 6 pres_topical___6 Bacitracin 500 units Ointment 7 pres_topical___7 Triple Antibiotic Ointment Cream (Box 1fl oz) 8 pres_topical___8 Triple Antibiotic Ointment Cream 15 mg 9 pres_topical___9 Betamethasone Valerate 0.1% Cream 15 mg 10 pres_topical___10 Mometasone Furoate Cream (0.1%) 11 pres_topical___11 Muscle Gel 12 pres_topical___12 Vitamins A and D (Diaper Rash)

				13 | pres_topical___13 | Hydrocortisone 1%
	588	[pres_topical_1_na] Show the field ONLY if: ([pres_topical(1)] = '1') AND ([aggregate-min:pres_topical_1_r] < 1)	X-Treme freeze gel not available	descriptive
	589	[pres_topical_1_a] Show the field ONLY if: ([pres_topical(1)] = '1')	X-Treme freeze gel amount *suggested one tube = 1*	text (integer)
	590	[pres_topical_1_u] Show the field ONLY if: ([pres_topical(1)] = '1')	Usage recommendation:	notes
	591	[pres_topical_1_pn] Show the field ONLY if: ([pres_topical(1)] = '1')	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	592	[pres_topical_2_na] Show the field ONLY if:	Tolnaftate 1% cream not available	descriptive

		([pres_topical(2)] = '1') AND ([aggregate-min:pres_topical_2_r] < 1)		
	593	[pres_topical_2_a] Show the field ONLY if: ([pres_topical(2)] = '1')	Tolnaftate 1% cream amount: *suggested one tube = 1*	text (integer)
	594	[pres_topical_2_u] Show the field ONLY if: ([pres_topical(2)] = '1')	Usage recommendation:	notes
	595	[pres_topical_2_pn] Show the field ONLY if: ([pres_topical(2)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	596	[pres_topical_3_na] Show the field ONLY if: ([pres_topical(3)] = '1') AND ([aggregate-min:pres_topical_3_r] < 1)	Clotrimazole 1% antifungal cream not available	descriptive
	597	[pres_topical_3_a]	Clotrimazole 1% antifungal cream amount:	text (integer)

		Show the field ONLY if: ([pres_topical(3)] = '1')	*suggested one tube = 1*	
	598	[pres_topical_3_u] Show the field ONLY if: ([pres_topical(3)] = '1')	Usage recommendation:	notes
	599	[pres_topical_3_pn] Show the field ONLY if: ([pres_topical(3)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	600	[pres_topical_4_na] Show the field ONLY if: ([pres_topical(4)] = '1') AND ([aggregate-min:pres_topical_4_r] < 1)	Mupirocin 2% ointment not available	descriptive
	601	[pres_topical_4_a] Show the field ONLY if: ([pres_topical(4)] = '1')	Mupirocin 2% ointment amount: *suggested one tube = 1*	text (integer)
	602	[pres_topical_4_u]	Usage recommendation:	notes

		Show the field ONLY if: ([pres_topical(4)] = '1')		
	603	[pres_topical_4_pn] Show the field ONLY if: ([pres_topical(4)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	604	[pres_topical_5_na] Show the field ONLY if: ([pres_topical(5)] = '1') AND ([aggregate-min:pres_topical_5_r] < 1)	Bacitracin zinc combo ointment not available	descriptive
	605	[pres_topical_5_a] Show the field ONLY if: ([pres_topical(5)] = '1')	Bacitracin zinc combo ointment amount:	text (integer)
	606	[pres_topical_5_u] Show the field ONLY if: ([pres_topical(5)] = '1')	Usage recommendation:	notes
	607	[pres_topical_5_pn]	Provider Name [INSERT]	dropdown

		Show the field ONLY if: ([pres_topical(5)] = '1')		1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	608	[pres_topical_6_na] Show the field ONLY if: ([pres_topical(6)] = '1') AND ([aggregate-min:pres_topical_6_r] < 1)	Bacitracin 500 units ointment not available	descriptive
	609	[pres_topical_6_a] Show the field ONLY if: ([pres_topical(6)] = '1')	Bacitracin 500 units ointment amount: *suggested one tube = 1*	text (integer)
	610	[pres_topical_6_u] Show the field ONLY if: ([pres_topical(6)] = '1')	Usage recommendation:	notes
	611	[pres_topical_6_pn] Show the field ONLY if: ([pres_topical(6)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3

				4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	612	[pres_topical_7_na] Show the field ONLY if: ([pres_topical(7)] = '1') AND ([aggregate-min:pres_topical_7_r] < 1)	Triple Antibiotic Ointment Cream (Box 1fl oz) not available	descriptive
	613	[pres_topical_7_a] Show the field ONLY if: ([pres_topical(7)] = '1')	Triple Antibiotic Ointment Cream (Box 1fl oz) amount:	text (integer)
	614	[pres_topical_7_u] Show the field ONLY if: ([pres_topical(7)] = '1')	Usage recommendation:	notes
	615	[pres_topical_7_pn] Show the field ONLY if: ([pres_topical(7)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6

				7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	616	[pres_topical_8_na] Show the field ONLY if: ([pres_topical(8)] = '1') AND ([aggregate-min:pres_topical_8_r] < 1)	Triple Antibiotic Ointment Cream 15 mg not available	descriptive
	617	[pres_topical_8_a] Show the field ONLY if: ([pres_topical(8)] = '1')	Triple Antibiotic Ointment Cream 15 mg amount:	text (integer)
	618	[pres_topical_8_u] Show the field ONLY if: ([pres_topical(8)] = '1')	Usage recommendation:	notes
	619	[pres_topical_8_pn] Show the field ONLY if: ([pres_topical(8)] = '1')	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9

				10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	620	[pres_topical_9_na] Show the field ONLY if: ([pres_topical(9)] = '1') AND ([aggregate-min:pres_topical_9_r] < 1)	Betamethasone Valerate 0.1% Cream 15 mg not available	descriptive
	621	[pres_topical_9_a] Show the field ONLY if: ([pres_topical(9)] = '1')	Betamethasone Valerate 0.1% Cream 15 mg amount:	text (integer)
	622	[pres_topical_9_u] Show the field ONLY if: ([pres_topical(9)] = '1')	Usage recommendation:	notes
	623	[pres_topical_9_pn] Show the field ONLY if: ([pres_topical(9)] = '1')	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12

				13 Provider 13 14 Provider 14
	624	[pres_topical_10_na] Show the field ONLY if: ([pres_topical(10)] = '1') AND ([aggregate-min:pres_topical_10_r] < 1)	Mometasone Furoate Cream (0.1%) not available	descriptive
	625	[pres_topical_10_a] Show the field ONLY if: ([pres_topical(10)] = '1')	Mometasone Furoate Cream (0.1%) amount:	text (integer)
	626	[pres_topical_10_u] Show the field ONLY if: ([pres_topical(10)] = '1')	Usage recommendation:	notes
	627	[pres_topical_10_pn] Show the field ONLY if: ([pres_topical(10)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	628	[pres_topical_11_na]	Muscle Gel not available	descriptive

		Show the field ONLY if: ([pres_topical(11)] = '1') AND ([aggregate-min:pres_topical_11_r] < 1)		
	629	[pres_topical_11_a] Show the field ONLY if: ([pres_topical(11)] = '1')	Muscle Gel amount:	text (integer)
	630	[pres_topical_11_u] Show the field ONLY if: ([pres_topical(11)] = '1')	Usage recommendation:	notes
	631	[pres_topical_11_pn] Show the field ONLY if: ([pres_topical(11)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	632	[pres_topical_12_na] Show the field ONLY if: ([pres_topical(12)] = '1') AND ([aggregate-min:pres_topical_12_r] < 1)	Vitamins A and D (Diaper Rash) not available	descriptive

	633	[pres_topical_12_a] Show the field ONLY if: ([pres_topical(12)] = '1')	Vitamins A and D (Diaper Rash) amount:	text (integer)
	634	[pres_topical_12_u] Show the field ONLY if: ([pres_topical(12)] = '1')	Usage recommendation:	notes
	635	[pres_topical_12_pn] Show the field ONLY if: ([pres_topical(12)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	636	[pres_topical_13_a] Show the field ONLY if: ([pres_topical(13)] = '1')	Hydrocortisone 1% amount:	text (integer)
	637	[pres_topical_13_u] Show the field ONLY if: ([pres_topical(13)] = '1')	Usage recommendation:	notes
	638	[pres_topical_13_pn] Show the field ONLY if:	Provider Name [INSERT]	dropdown 1, Provider 1

		([pres_topical(13)] = '1')		2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	639	[vitamins_header]	VITAMINS	descriptive
	640	[pres_vitamins]		checkbox 1, pres_vitamins___1, Folic Acid 800 mcg 2, pres_vitamins___2, Prenatal Vitamins with Iron 3, pres_vitamins___3, Multiple Vitamin Tabs Adults 4, pres_vitamins___4, Children' Chewable Vitamins 5, pres_vitamins___5, Children's Chewable Vitamins with Iron
	641	[pres_vitamins_1_na] Show the field ONLY if: ([pres_vitamins(1)] = '1') AND ([aggregate-min:pres_vitamins_1_r] < 20)	Folic acid 800mcg not available	descriptive
	642	[pres_vitamins_1_a] Show the field ONLY if: ([pres_vitamins(1)] = '1')	Folic acid 800mcg amount: *suggested once a day = 30*	text (integer)

	643	[pres_vitamins_1_u] Show the field ONLY if: ([pres_vitamins(1)] = '1')	Usage recommendation:	notes
	644	[pres_vitamins_1_pn] Show the field ONLY if: ([pres_vitamins(1)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	645	[pres_vitamins_2_na] Show the field ONLY if: ([pres_vitamins(2)] = '1') AND ([aggregate-min:pres_vitamins_2_r] < 20)	Prenatal vitamins with Iron not available	descriptive
	646	[pres_vitamins_2_a] Show the field ONLY if: ([pres_vitamins(2)] = '1')	Prenatal vitamins with Iron Amount: *suggested once a day = 30*	text (integer)
	647	[pres_vitamins_2_u] Show the field ONLY if: ([pres_vitamins(2)] = '1')	Usage recommendation:	notes

	648	[pres_vitamins_2_pn] Show the field ONLY if: ([pres_vitamins(2)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	649	[pres_vitamins_3_na] Show the field ONLY if: ([pres_vitamins(3)] = '1') AND ([aggregate-min:pres_vitamins_3_r] < 20)	Multiple vitamin not available	descriptive
	650	[pres_vitamins_3_a] Show the field ONLY if: ([pres_vitamins(3)] = '1')	Multiple vitamin amount: *suggested once a day = 30*	text (integer)
	651	[pres_vitamins_3_u] Show the field ONLY if: ([pres_vitamins(3)] = '1')	Usage recommendation:	notes
	652	[pres_vitamins_3_pn] Show the field ONLY if: ([pres_vitamins(3)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2

				3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	653	[pres_vitamins_4_na] Show the field ONLY if: ([pres_vitamins(4)] = '1') AND ([aggregate-min:pres_vitamins_4_r] < 20)	Children chewable vitamins not available	descriptive
	654	[pres_vitamins_4_a] Show the field ONLY if: ([pres_vitamins(4)] = '1')	Children chewable vitamins amount:	text (integer)
	655	[pres_vitamins_4_u] Show the field ONLY if: ([pres_vitamins(4)] = '1')	Usage recommendation:	notes
	656	[pres_vitamins_4_pn] Show the field ONLY if: ([pres_vitamins(4)] = '1')	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5

				6, Provider 6 7, Provider 7 8, Provider 8 9, Provider 9 10, Provider 10 11, Provider 11 12, Provider 12 13, Provider 13 14, Provider 14
	657	[pres_vitamins_5_na] Show the field ONLY if: ([pres_vitamins(5)] = '1') AND ([aggregate-min:pres_vitamins_5_r] < 20)	Children's Multivitamin with Iron not available	descriptive
	658	[pres_vitamins_5_a] Show the field ONLY if: ([pres_vitamins(5)] = '1')	Children's Multivitamin with Iron amount:	text (integer)
	659	[pres_vitamins_5_u] Show the field ONLY if: ([pres_vitamins(5)] = '1')	Usage recommendation:	notes
	660	[pres_vitamins_5_pn] Show the field ONLY if: ([pres_vitamins(5)] = '1')	Provider Name [INSERT]	dropdown 1, Provider 1 2, Provider 2 3, Provider 3 4, Provider 4 5, Provider 5 6, Provider 6 7, Provider 7 8, Provider 8

				9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	661	[antihistaminic_header]	ANTIHISTAMINIC / COUGH AND COLD	descriptive
	662	[pres_antihistaminic]		checkbox 1 pres_antihistaminic___1 Fexofenadine HCl tabs 180 mg 2 pres_antihistaminic___2 Levocetirizine Dihydrocloride tabs 5 mg 3 pres_antihistaminic___3 Guaiasorb DM
	663	[pres_antihistaminic_1_a] Show the field ONLY if: [pres_antihistaminic(1)] = '1'	Fexofenadine HCL 180 mg tabs amount:	text (integer)
	664	[pres_antihistaminic_1_u] Show the field ONLY if: [pres_antihistaminic(1)] = '1'	Usage recommendation:	notes
	665	[pres_antihistaminic_1_pn] Show the field ONLY if: [pres_antihistaminic(1)] = '1'	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7

				8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13 14 Provider 14
	666	[pres_antihistaminic_2_a] Show the field ONLY if: [pres_antihistaminic(2)] = '1'	Levocetirizine Dihydroclororide 5 mg amount:	text (integer)
	667	[pres_antihistaminic_2_u] Show the field ONLY if: [pres_antihistaminic(2)] = '1'	Usage recommendation:	notes
	668	[pres_antihistaminic_2_pn] Show the field ONLY if: [pres_antihistaminic(2)] = '1'	Provider Name [INSERT]	dropdown 1 Provider 1 2 Provider 2 3 Provider 3 4 Provider 4 5 Provider 5 6 Provider 6 7 Provider 7 8 Provider 8 9 Provider 9 10 Provider 10 11 Provider 11 12 Provider 12 13 Provider 13

				14 | Provider 14
	669	[pres_antihistaminic_3_a] Show the field ONLY if: [pres_antihistaminic(3)] = '1'	Guaiasorb DM amount:	text (integer)
	670	[pres_antihistaminic_3_u] Show the field ONLY if: [pres_antihistaminic(3)] = '1'	Usage recommendation:	notes
	671	[pres_antihistaminic_3_pn] Show the field ONLY if: [pres_antihistaminic(3)] = '1'	Provider Name [INSERT]	dropdown 1 | Provider 1 2 | Provider 2 3 | Provider 3 4 | Provider 4 5 | Provider 5 6 | Provider 6 7 | Provider 7 8 | Provider 8 9 | Provider 9 10 | Provider 10 11 | Provider 11 12 | Provider 12 13 | Provider 13 14 | Provider 14
	672	[prescriptions_complete]	Section Header: *Form Status* Complete?	dropdown 0 | Incomplete 1 | Unverified 2 | Complete

Instrument: Referral Form (referral_form)

	673	[patientimport_from_triage]	[site] August 27th [today] Patient Details Full Legal Name [patient_first_name] [patient_last_name] Age | Date of Birth [age] | [date_of_birth] Gender (if clinically relevant) [sex] Patient ID / medical record number [patient_id] Health insurance provider and policy number Emergency contact details Referring Provider Information Referrer's full name Specialty and practice/clinic name Address and contact details (phone, fax, email) Provider ID or license number Date of referral Receiving Provider / Service Information Name of the specialist or department Facility/clinic/hospital name Contact information (phone, fax, email) Clinical Information Chief Complaint [chief_complaint] Duration and severity of the condition [complaint_details] Clinical findings (exam results, test results, observations) Provisional diagnosis (if available) Relevant medical history (chronic conditions, surgeries, hospitalizations) Medications (current prescriptions, dosage, frequency) Allergies (drug, food, environmental) Risk factors (smoking, alchohol, family history) Reason for Referral Specific purpose (diagnosis, treatment, second opinion, specialized testing, procedure, ongoing management) Urgency of referral (routine, urgent, emergency) Expected outcomes or what the referrer wants from the specialist (e.g., advice only, transfer of care, shared management) Supporting Documents Copies of recent lab results, imaging reports, and relevant clinical notes Summary of recent interventions or treatments tried Hospital discharge summaries (if applicable) Consent and Confidentiality Statement confirming patient consent for referral and transfer of medical information Patient (or guardian) signature and date Referrer's Notes Any additional comments, observations, or instructions Special considerations (e.g., language needs, disability accommodations, cultural preferences)	descriptive
	674	[referral_form_complete]	Section Header: *Form Status* Complete?	dropdown 0 Incomplete 1 Unverified

				2 Complete
Instrument: Pharm Hidden (pharm_hidden_d8c6ea)				
	675	[pres_analgesics_1_ba]	Acetaminophen 500 mg tabs	calc Calculation: if ([pres_analgesics_1_d]='1', "", [pres_analgesics_1_a])
	676	[pres_analgesics_2_ba]	Ibuprofen 200 mg tabs	calc Calculation: if ([pres_analgesics_2_d]='1', "", [pres_analgesics_2_a])
	677	[pres_analgesics_3_ba]	Ibuprofen 400 mg tabs	calc Calculation: if ([pres_analgesics_3_d]='1', "", [pres_analgesics_3_a])
	678	[pres_analgesics_4_ba]	Ibuprofen 600 mg tabs	calc Calculation: if ([pres_analgesics_4_d]='1', "", [pres_analgesics_4_a])
	679	[pres_analgesics_5_ba]	Meloxicam 15 mg tabs	calc Calculation: if ([pres_analgesics_5_d]='1', "", [pres_analgesics_5_a])
	680	[pres_analgesics_6_ba]	Naproxen 250 mg tabs	calc Calculation: if ([pres_analgesics_6_d]='1', "", [pres_analgesics_6_a])
	681	[pres_analgesics_7_ba]	Cyclobenzaprine HCl 10mg tabs	calc Calculation: if ([pres_analgesics_7_d]='1', "", [pres_analgesics_7_a])
	682	[pres_analgesics_8_ba]	Acetaminophen 325 mg tabs	calc Calculation: if ([pres_analgesics_8_d]='1', "", [pres_analgesics_8_a])
	683	[pres_analgesics_9_ba]	Acetaminophen 650 mg caps	calc Calculation: if ([pres_analgesics_9_d]='1', "", [pres_analgesics_9_a])
	684	[pres_analgesics_10_ba]	Acetaminophen 500 mg caps	calc Calculation: if ([pres_analgesics_10_d]='1', "", [pres_analgesics_10_a])
	685	[pres_analgesics_11_ba]	Acetaminophen Children 80 mg	calc Calculation: if ([pres_analgesics_11_d]='1', "",

				[pres_analgesics_11_a])
	686	[pres_analgesics_12_ba]	Paracetamol 500 mg tabs	calc Calculation: if ([pres_analgesics_12_d]='1', "", [pres_analgesics_12_a])
	687	[pres_analgesics_13_ba]	Pharbinex-PE	calc Calculation: if ([pres_analgesics_13_d]='1', "", [pres_analgesics_13_a])
	688	[pres_antimicrobials_1_ba]	Azithromycin 250 mg tabs	calc Calculation: if ([pres_antimicrobials_1_d]='1', "", [pres_antimicrobials_1_a])
	689	[pres_antimicrobials_2_ba]	Cephalexin 500 mg caps	calc Calculation: if ([pres_antimicrobials_2_d]='1', "", [pres_antimicrobials_2_a])
	690	[pres_antimicrobials_3_ba]	Doxycycline hyclate 100 mg tabs	calc Calculation: if ([pres_antimicrobials_3_d]='1', "", [pres_antimicrobials_3_a])
	691	[pres_antimicrobials_4_ba]	Levofloxacin 500 mg tabs	calc Calculation: if ([pres_antimicrobials_4_d]='1', "", [pres_antimicrobials_4_a])
	692	[pres_antimicrobials_5_ba]	Clindamycin 150 mg caps	calc Calculation: if ([pres_antimicrobials_5_d]='1', "", [pres_antimicrobials_5_a])
	693	[pres_antimicrobials_6_ba]	Fluconazole 150 mg tab	calc Calculation: if ([pres_antimicrobials_6_d]='1', "", [pres_antimicrobials_6_a])
	694	[pres_antimicrobials_7_ba]	Terbinafine HCL 250 mg tab	calc Calculation: if ([pres_antimicrobials_7_d]='1', "", [pres_antimicrobials_7_a])
	695	[pres_antimicrobials_8_ba]	Amoxicillin 500 mg caps	calc Calculation: if ([pres_antimicrobials_8_d]='1', "", [pres_antimicrobials_8_a])
	696	[pres_antimicrobials_9_ba]	Amoxicillin oral susp 250 mg (bottle)	calc Calculation: if ([pres_antimicrobials_9_d]='1', "", [pres_antimicrobials_9_a])

	697	[pres_antimicrobials_10_ba]	Azithromycin 200 mg 5 ml oral (bottle)	calc Calculation: if ([pres_antimicrobials_10_d]='1', "", [pres_antimicrobials_10_a])
	698	[pres_antimicrobials_11_ba]	Cephalexin 250 mg caps	calc Calculation: if ([pres_antimicrobials_11_d]='1', "", [pres_antimicrobials_11_a])
	699	[pres_antimicrobials_12_ba]	Co-trimoxazole 960 mg tabs	calc Calculation: if ([pres_antimicrobials_12_d]='1', "", [pres_antimicrobials_12_a])
	700	[pres_antimicrobials_13_ba]	Mebendazole 100 mg tabs	calc Calculation: if ([pres_antimicrobials_13_d]='1', "", [pres_antimicrobials_13_a])
	701	[pres_antimicrobials_14_ba]	Metronidazole 250 mg tabs	calc Calculation: if ([pres_antimicrobials_14_d]='1', "", [pres_antimicrobials_14_a])
	702	[pres_antimicrobials_15_ba]	Nitrofuantoin 100 mg tabs	calc Calculation: if ([pres_antimicrobials_15_d]='1', "", [pres_antimicrobials_15_a])
	703	[pres_respiratory_1_ba]	Guaifenesin 400 mg with phenylephrine	calc Calculation: if ([pres_respiratory_1_d]='1', "", [pres_respiratory_1_a])
	704	[pres_respiratory_2_ba]	Guaifenesin 100 mg with dextromethorphan	calc Calculation: if ([pres_respiratory_2_d]='1', "", [pres_respiratory_2_a])
	705	[pres_respiratory_3_ba]	Diphenhydramine HCl 12.5 mg / 5 ml	calc Calculation: if ([pres_respiratory_3_d]='1', "", [pres_respiratory_3_a])
	706	[pres_respiratory_4_ba]	Cetirizine HCl 10 mg tab	calc Calculation: if ([pres_respiratory_4_d]='1', "", [pres_respiratory_4_a])
	707	[pres_respiratory_5_ba]	Loratadine 10 mg tabs	calc Calculation: if ([pres_respiratory_5_d]='1', "", [pres_respiratory_5_a])
	708	[pres_respiratory_6_ba]	Albuterol Sulfate 0.083% 2.5 mg / 3 ml	calc Calculation: if ([pres_respiratory_6_d]='1', "",

				[pres_respiratory_6_a])
	709	[pres_respiratory_7_ba]	Diphenhydramine 25 mg caps	calc Calculation: if ([pres_respiratory_7_d]='1', "", [pres_respiratory_7_a])
	710	[pres_respiratory_8_ba]	Guaifenesin 8 oz bottle	calc Calculation: if ([pres_respiratory_8_d]='1', "", [pres_respiratory_8_a])
	711	[pres_respiratory_9_ba]	Prednisone 10 mg tabs	calc Calculation: if ([pres_respiratory_9_d]='1', "", [pres_respiratory_9_a])
	712	[pres_respiratory_10_ba]	Azelastine 205 mcg inhaler	calc Calculation: if ([pres_respiratory_10_d]='1', "", [pres_respiratory_10_a])
	713	[pres_respiratory_11_ba]	Montelukast Sodium 10 mg	calc Calculation: if ([pres_respiratory_11_d]='1', "", [pres_respiratory_11_a])
	714	[pres_respiratory_12_ba]	Salbutamol 100 mcg	calc Calculation: if ([pres_respiratory_12_d]='1', "", [pres_respiratory_12_a])
	715	[pres_ent_1_ba]	Nasal saline spray	calc Calculation: if ([pres_ent_1_d]='1', "", [pres_ent_1_a])
	716	[pres_ent_2_ba]	Lubricant eye drops polyvinyl alcohol	calc Calculation: if ([pres_ent_2_d]='1', "", [pres_ent_2_a])
	717	[pres_ent_3_ba]	Lubricant eye drops	calc Calculation: if ([pres_ent_3_d]='1', "", [pres_ent_3_a])
	718	[pres_ent_4_ba]	Gentamicin sulfate 0.3%	calc Calculation: if ([pres_ent_4_d]='1', "", [pres_ent_4_a])
	719	[pres_ent_5_ba]	Ofloxacin .3% ophthalmic	calc Calculation: if ([pres_ent_5_d]='1', "", [pres_ent_5_a])
	720	[pres_ent_6_ba]	Brimonidine tartrate 0.2%	calc Calculation: if ([pres_ent_6_d]='1', "", [pres_ent_6_a])
	721	[pres_ent_7_ba]	Oxymetazoline HCL (0.05%) spray	calc Calculation: if ([pres_ent_7_d]='1', "", [pres_ent_7_a])

	722	[pres_diabetics_1_ba]	Metformin HCl 500 mg tabs	calc Calculation: if ([pres_diabetics_1_d]='1', "", [pres_diabetics_1_a])
	723	[pres_diabetics_2_ba]	Metformin HCl 1000 mg tabs	calc Calculation: if ([pres_diabetics_2_d]='1', "", [pres_diabetics_2_a])
	724	[pres_diabetics_3_ba]	Glipizide 10 mg tabs	calc Calculation: if ([pres_diabetics_3_d]='1', "", [pres_diabetics_3_a])
	725	[pres_cardio_1_ba]	Amlodipine 5 mg tabs	calc Calculation: if ([pres_cardio_1_d]='1', "", [pres_cardio_1_a])
	726	[pres_cardio_2_ba]	Losartan potassium 50 mg	calc Calculation: if ([pres_cardio_2_d]='1', "", [pres_cardio_2_a])
	727	[pres_cardio_3_ba]	Aspirin 325 mg tabs	calc Calculation: if ([pres_cardio_3_d]='1', "", [pres_cardio_3_a])
	728	[pres_cardio_4_ba]	Aspirin 650 mg tabs	calc Calculation: if ([pres_cardio_4_d]='1', "", [pres_cardio_4_a])
	729	[pres_cardio_5_ba]	Aspirin 81 mg tabs	calc Calculation: if ([pres_cardio_5_d]='1', "", [pres_cardio_5_a])
	730	[pres_cardio_6_ba]	Lisinopril 10 mg tabs	calc Calculation: if ([pres_cardio_6_d]='1', "", [pres_cardio_6_a])
	731	[pres_cardio_7_ba]	Metoprolol Tartrate 50 mg tabs	calc Calculation: if ([pres_cardio_7_d]='1', "", [pres_cardio_7_a])
	732	[pres_cardio_8_ba]	Hydrochlorothiazide 25 mg	calc Calculation: if ([pres_cardio_8_d]='1', "", [pres_cardio_8_a])
	733	[pres_gi_1_ba]	Omeprazole 20 mg caps	calc Calculation: if ([pres_gi_1_d]='1', "", [pres_gi_1_a])

	734	[pres_gi_2_ba]	Docusate Sodium 100 mg softgels	calc Calculation: if ([pres_gi_2_d]='1', "", [pres_gi_2_a])
	735	[pres_gi_3_ba]	Hemorrhoidal Rectal Suppositories	calc Calculation: if ([pres_gi_3_d]='1', "", [pres_gi_3_a])
	736	[pres_gi_4_ba]	Famotidine 20 mg	calc Calculation: if ([pres_gi_4_d]='1', "", [pres_gi_4_a])
	737	[pres_gi_5_ba]	Loperamide 2 mg tabs	calc Calculation: if ([pres_gi_5_d]='1', "", [pres_gi_5_a])
	738	[pres_gi_6_ba]	Meclizine 25 mg tabs	calc Calculation: if ([pres_gi_6_d]='1', "", [pres_gi_6_a])
	739	[pres_gi_7_ba]	Meclizine Chewable tabs	calc Calculation: if ([pres_gi_7_d]='1', "", [pres_gi_7_a])
	740	[pres_gi_8_ba]	Ondansetron 4 mg tabs	calc Calculation: if ([pres_gi_8_d]='1', "", [pres_gi_8_a])
	741	[pres_topical_1_ba]	X-Treme Freeze Gel	calc Calculation: if ([pres_topical_1_d]='1', "", [pres_topical_1_a])
	742	[pres_topical_2_ba]	Tolnaftate 1% Cream	calc Calculation: if ([pres_topical_2_d]='1', "", [pres_topical_2_a])
	743	[pres_topical_3_ba]	Clotrimazole 1% Antifungal Cream	calc Calculation: if ([pres_topical_3_d]='1', "", [pres_topical_3_a])
	744	[pres_topical_4_ba]	Mupirocin 2% Ointment	calc Calculation: if ([pres_topical_4_d]='1', "", [pres_topical_4_a])
	745	[pres_topical_5_ba]	Bacitracin Zinc Combo Ointment	calc Calculation: if ([pres_topical_5_d]='1', "", [pres_topical_5_a])
	746	[pres_topical_6_ba]	Bacitracin 500 units Ointment	calc Calculation: if ([pres_topical_6_d]='1', "", [pres_topical_6_a])
	747	[pres_topical_7_ba]	Triple Antibiotic Ointment Cream (Box 1fl oz)	calc Calculation: if ([pres_topical_7_d]='1', "",

				[pres_topical_7_a])
	748	[pres_topical_8_ba]	Triple Antibiotic Ointment Cream 15 mg	calc Calculation: if ([pres_topical_8_d]='1', "", [pres_topical_8_a])
	749	[pres_topical_9_ba]	Betamethasone Valerate 0.1% Cream 15 mg	calc Calculation: if ([pres_topical_9_d]='1', "", [pres_topical_9_a])
	750	[pres_topical_10_ba]	Mometasone Furoate Cream (0.1%)	calc Calculation: if ([pres_topical_10_d]='1', "", [pres_topical_10_a])
	751	[pres_topical_11_ba]	Muscle Gel	calc Calculation: if ([pres_topical_11_d]='1', "", [pres_topical_11_a])
	752	[pres_topical_12_ba]	Vitamins A and D (Diaper Rash)	calc Calculation: if ([pres_topical_12_d]='1', "", [pres_topical_12_a])
	753	[pres_topical_13_ba]	Hydrocortisone 1%	calc Calculation: if ([pres_topical_13_d]='1', "", [pres_topical_13_a])
	754	[pres_vitamins_1_ba]	Folic Acid 800 mcg	calc Calculation: if ([pres_vitamins_1_d]='1', "", [pres_vitamins_1_a])
	755	[pres_vitamins_2_ba]	Prenatal Vitamins with Iron	calc Calculation: if ([pres_vitamins_2_d]='1', "", [pres_vitamins_2_a])
	756	[pres_vitamins_3_ba]	Multiple Vitamin Tabs Adults	calc Calculation: if ([pres_vitamins_3_d]='1', "", [pres_vitamins_3_a])
	757	[pres_vitamins_4_ba]	Children' Chewable Vitamins	calc Calculation: if ([pres_vitamins_4_d]='1', "", [pres_vitamins_4_a])
	758	[pres_vitamins_5_ba]	Children's Chewable Vitamins with Iron	calc Calculation: if ([pres_vitamins_5_d]='1', "", [pres_vitamins_5_a])

	759	[pres_antihistaminic_1_ba]	Fexofenadine HCl tabs 180 mg	calc Calculation: if ([pres_antihistaminic_1_d]='1', "", [pres_antihistaminic_1_a])
	760	[pres_antihistaminic_2_ba]	Levocetirizine Dihydrocloride tabs 5 mg	calc Calculation: if ([pres_antihistaminic_2_d]='1', "", [pres_antihistaminic_2_a])
	761	[pres_antihistaminic_3_ba]	Guaiasorb DM	calc Calculation: if ([pres_antihistaminic_3_d]='1', "", [pres_antihistaminic_3_a])
	762	[pharm_hidden_d8c6ea_complete]	Section Header: *Form Status* Complete?	dropdown 0, Incomplete 1, Unverified 2, Complete
Instrument: _Inventory Control (inventory_control)				
	763	[antimicrobials_inventory]	Antimicrobials	descriptive
	764	[pres_antimicrobials_1_s]	Azithromycin 250mg tabs Starting	text (integer) Field Annotation: @DEFAULT='250'
	765	[pres_antimicrobials_1_r]	Remaining Azithromycin 250mg tabs	calc Calculation: [aggregate-max:pres_antimicrobials_1_s]-[aggregate-sum:pres_antimicrobials_1_a]
	766	[pres_antimicrobials_2_s]	Cephalexin 500mg caps Starting	text (integer) Field Annotation: @DEFAULT='280'
	767	[pres_antimicrobials_2_r]	Remaining Cephalexin 500mg caps	calc Calculation: [aggregate-max:pres_antimicrobials_2_s]-[aggregate-sum:pres_antimicrobials_2_a]
	768	[pres_antimicrobials_3_s]	Doxycycline hyclate 100mg tabs Starting	text (integer) Field Annotation: @DEFAULT='1000'
	769	[pres_antimicrobials_3_r]	Remaining Doxycycline hyclate 100mg tabs	calc Calculation: [aggregate-max:pres_antimicrobials_3_s]-[aggregate-sum:pres_antimicrobials_3_a]
	770	[pres_antimicrobials_4_s]	Levofloxacin 500mg tabs Starting	text (integer) Field Annotation: @DEFAULT='100'

	771	[pres_antimicrobials_4_r]	Remaining Levofloxacin 500mg tabs	calc Calculation: [aggregate-max:pres_antimicrobials_4_s]-[aggregate-sum:pres_antimicrobials_4_a]
	772	[pres_antimicrobials_5_s]	Clindamycin 150mg caps Starting	text (integer) Field Annotation: @DEFAULT='381'
	773	[pres_antimicrobials_5_r]	Remaining Clindamycin 150mg caps	calc Calculation: [aggregate-max:pres_antimicrobials_5_s]-[aggregate-sum:pres_antimicrobials_5_a]
	774	[pres_antimicrobials_6_s]	Fluconazole 150mg tab Starting	text (integer) Field Annotation: @DEFAULT='100'
	775	[pres_antimicrobials_6_r]	Remaining Fluconazole 150mg tab	calc Calculation: [aggregate-max:pres_antimicrobials_6_s]-[aggregate-sum:pres_antimicrobials_6_a]
	776	[pres_antimicrobials_7_s]	Terbinafine HCL 250mg tab Starting	text (integer) Field Annotation: @DEFAULT='100'
	777	[pres_antimicrobials_7_r]	Remaining Terbinafine HCL 250mg tab	calc Calculation: [aggregate-max:pres_antimicrobials_7_s]-[aggregate-sum:pres_antimicrobials_7_a]
	778	[pres_antimicrobials_8_s]	Amoxicillin 500 mg caps Starting	text (integer) Field Annotation: @DEFAULT='2133'
	779	[pres_antimicrobials_8_r]	Remaining Amoxicillin 500 mg caps	calc Calculation: [aggregate-max:pres_antimicrobials_8_s]-[aggregate-sum:pres_antimicrobials_8_a]
	780	[pres_antimicrobials_9_s]	Amoxicillin oral susp 250 mg (bottle) Starting	text (integer) Field Annotation: @DEFAULT='16'
	781	[pres_antimicrobials_9_r]	Remaining Amoxicillin oral susp 250 mg (bottle)	calc Calculation: [aggregate-max:pres_antimicrobials_9_s]-[aggregate-sum:pres_antimicrobials_9_a]
	782	[pres_antimicrobials_10_s]	Azithromycin 200 mg 5 ml oral (bottle) Starting	text (integer) Field Annotation: @DEFAULT='10'
	783	[pres_antimicrobials_10_r]	Remaining Azithromycin 200 mg 5 ml oral (bottle)	calc Calculation: [aggregate-max:pres_antimicrobials_10_s]-[aggregate-sum:pres_antimicrobials_10_a]

	784	[pres_antimicrobials_11_s]	Cephalexin 250 mg caps Starting	text (integer) Field Annotation: @DEFAULT='680'
	785	[pres_antimicrobials_11_r]	Remaining Cephalexin 250 mg caps	calc Calculation: [aggregate-max:pres_antimicrobials_11_s]-[aggregate-sum:pres_antimicrobials_11_a]
	786	[pres_antimicrobials_12_s]	Co-trimoxazole 960 mg tabs Starting	text (integer) Field Annotation: @DEFAULT='923'
	787	[pres_antimicrobials_12_r]	Remaining Co-trimoxazole 960 mg tabs	calc Calculation: [aggregate-max:pres_antimicrobials_12_s]-[aggregate-sum:pres_antimicrobials_12_a]
	788	[pres_antimicrobials_13_s]	Mebendazole 100 mg tabs Starting	text (integer) Field Annotation: @DEFAULT='497'
	789	[pres_antimicrobials_13_r]	Remaining Mebendazole 100 mg tabs	calc Calculation: [aggregate-max:pres_antimicrobials_13_s]-[aggregate-sum:pres_antimicrobials_13_a]
	790	[pres_antimicrobials_14_s]	Metronidazole 250 mg tabs Starting	text (integer) Field Annotation: @DEFAULT='2282'
	791	[pres_antimicrobials_14_r]	Remaining Metronidazole 250 mg tabs	calc Calculation: [aggregate-max:pres_antimicrobials_14_s]-[aggregate-sum:pres_antimicrobials_14_a]
	792	[pres_antimicrobials_15_s]	Nitrofuantoin 100 mg tabs Starting	text (integer) Field Annotation: @DEFAULT='324'
	793	[pres_antimicrobials_15_r]	Remaining Nitrofuantoin 100 mg tabs	calc Calculation: [aggregate-max:pres_antimicrobials_15_s]-[aggregate-sum:pres_antimicrobials_15_a]
	794	[pres_antimicrobials_16_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='100'
	795	[pres_antimicrobials_16_r]	Remaining ____	calc Calculation: [aggregate-

				max:pres_antimicrobials_16_s]-[aggregate-sum:pres_antimicrobials_16_a]
	796	[pres_antimicrobials_17_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='100'
	797	[pres_antimicrobials_17_r]	Remaining ____	calc Calculation: [aggregate-max:pres_antimicrobials_17_s]-[aggregate-sum:pres_antimicrobials_17_a]
	798	[pres_antimicrobials_18_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='100'
	799	[pres_antimicrobials_18_r]	Remaining ____	calc Calculation: [aggregate-max:pres_antimicrobials_18_s]-[aggregate-sum:pres_antimicrobials_18_a]
	800	[pres_antimicrobials_19_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='100'
	801	[pres_antimicrobials_19_r]	Remaining ____	calc Calculation: [aggregate-max:pres_antimicrobials_19_s]-[aggregate-sum:pres_antimicrobials_19_a]
	802	[pres_antimicrobials_20_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='100'
	803	[pres_antimicrobials_20_r]	Remaining ____	calc Calculation: [aggregate-max:pres_antimicrobials_20_s]-[aggregate-sum:pres_antimicrobials_20_a]
	804	[analgesics_inventory]	Analgesics / Cough & Cold: OTC	descriptive
	805	[pres_analgesics_1_s]	Acetaminophen 500mg tabs Starting	text (integer) Field Annotation: @DEFAULT='1000'
	806	[pres_analgesics_1_r]	Remaining Acetaminophen 500mg tabs	calc Calculation: [aggregate-max:pres_analgesics_1_s]-[aggregate-sum:pres_analgesics_1_a]
	807	[pres_analgesics_2_s]	Ibuprofen 200mg tabs Starting	text (number) Field Annotation: @DEFAULT='2230'

	808	[pres_analgesics_2_r]	Remaining Ibuprofen 200mg tabs	calc Calculation: [aggregate-max:pres_analgesics_2_s]-[aggregate-sum:pres_analgesics_2_a]
	809	[pres_analgesics_3_s]	Ibuprofen 400mg tabs Starting	text (integer) Field Annotation: @DEFAULT='2350'
	810	[pres_analgesics_3_r]	Remaining Ibuprofen 400mg tabs	calc Calculation: [aggregate-max:pres_analgesics_3_s]-[aggregate-sum:pres_analgesics_3_a]
	811	[pres_analgesics_4_s]	Ibuprofen / Profinal [600 mg] Starting	text (integer) Field Annotation: @DEFAULT='500'
	812	[pres_analgesics_4_r]	Remaining Ibuprofen / Profinal [600 mg]	calc Calculation: [aggregate-max:pres_analgesics_4_s]-[aggregate-sum:pres_analgesics_4_a]
	813	[pres_analgesics_5_s]	Meloxicam 15 mg tabs Starting	text (integer) Field Annotation: @DEFAULT='693'
	814	[pres_analgesics_5_r]	Remaining Meloxicam 15 mg tabs	calc Calculation: [aggregate-max:pres_analgesics_5_s]-[aggregate-sum:pres_analgesics_5_a]
	815	[pres_analgesics_6_s]	Naproxen 250mg tabs Starting	text (integer) Field Annotation: @DEFAULT='500'
	816	[pres_analgesics_6_r]	Remaining Naproxen 250mg tabs	calc Calculation: [aggregate-max:pres_analgesics_6_s]-[aggregate-sum:pres_analgesics_6_a]
	817	[pres_analgesics_7_s]	Cyclobenzaprine HCl 10mg tabs Starting	text (integer) Field Annotation: @DEFAULT='1000'
	818	[pres_analgesics_7_r]	Remaining Cyclobenzaprine HCl 10mg tabs	calc Calculation: [aggregate-max:pres_analgesics_7_s]-[aggregate-sum:pres_analgesics_7_a]
	819	[pres_analgesics_8_s]	Acetaminophen 325 mg tabs Starting	text (integer) Field Annotation: @DEFAULT='2950'
	820	[pres_analgesics_8_r]	Remaining Acetaminophen 325 mg tabs	calc Calculation: [aggregate-max:pres_analgesics_8_s]-[aggregate-sum:pres_analgesics_8_a]

	821	[pres_analgesics_9_s]	Acetaminophen 650 mg caps Starting	text (integer) Field Annotation: @DEFAULT='100'
	822	[pres_analgesics_9_r]	Remaining Acetaminophen 650 mg caps	calc Calculation: [aggregate-max:pres_analgesics_9_s]-[aggregate-sum:pres_analgesics_9_a]
	823	[pres_analgesics_10_s]	Acetaminophen 500 mg caps Starting	text (integer) Field Annotation: @DEFAULT='2000'
	824	[pres_analgesics_10_r]	Remaining Acetaminophen 500 mg caps	calc Calculation: [aggregate-max:pres_analgesics_10_s]-[aggregate-sum:pres_analgesics_10_a]
	825	[pres_analgesics_11_s]	Acetaminophen Children 80 mg Starting	text (integer) Field Annotation: @DEFAULT='52'
	826	[pres_analgesics_11_r]	Remaining Acetaminophen Children 80 mg	calc Calculation: [aggregate-max:pres_analgesics_11_s]-[aggregate-sum:pres_analgesics_11_a]
	827	[pres_analgesics_12_s]	Paracetamol 500 mg tabs Starting	text (integer) Field Annotation: @DEFAULT='377'
	828	[pres_analgesics_12_r]	Remaining Paracetamol 500 mg tabs	calc Calculation: [aggregate-max:pres_analgesics_12_s]-[aggregate-sum:pres_analgesics_12_a]
	829	[pres_analgesics_13_s]	Pharbinex-PE Starting	text (integer) Field Annotation: @DEFAULT='420'
	830	[pres_analgesics_13_r]	Remaining Pharbinex-PE tabs	calc Calculation: [aggregate-max:pres_analgesics_13_s]-[aggregate-sum:pres_analgesics_13_a]
	831	[pres_analgesics_14_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='1000'
	832	[pres_analgesics_14_r]	Remaining ____	calc Calculation: [aggregate-max:pres_analgesics_14_s]-[aggregate-sum:pres_analgesics_14_a]
	833	[pres_analgesics_15_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='1000'
	834	[pres_analgesics_15_r]	Remaining ____	calc Calculation: [aggregate-max:pres_analgesics_15_s]-

				[aggregate-sum:pres_analgesics_15_a]
	835	[pres_analgesics_16_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='1000'
	836	[pres_analgesics_16_r]	Remaining ____	calc Calculation: [aggregate-max:pres_analgesics_16_s]-[aggregate-sum:pres_analgesics_16_a]
	837	[pres_analgesics_17_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='1000'
	838	[pres_analgesics_17_r]	Remaining ____	calc Calculation: [aggregate-max:pres_analgesics_17_s]-[aggregate-sum:pres_analgesics_17_a]
	839	[pres_analgesics_18_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='1000'
	840	[pres_analgesics_18_r]	Remaining ____	calc Calculation: [aggregate-max:pres_analgesics_18_s]-[aggregate-sum:pres_analgesics_18_a]
	841	[respiratory_inventory]	Respiratory / Allergy	descriptive
	842	[pres_respiratory_1_s]	Guaifenesin 400mg with phenylephrine Starting	text (integer) Field Annotation: @DEFAULT='120'
	843	[pres_respiratory_1_r]	Remaining Guaifenesin 400mg with phenylephrine	calc Calculation: [aggregate-max:pres_respiratory_1_s]-[aggregate-sum:pres_respiratory_1_a]
	844	[pres_respiratory_2_s]	Guaifenesin 100mg with dextromethorphan Starting	text (integer) Field Annotation: @DEFAULT='8'
	845	[pres_respiratory_2_r]	Remaining Guaifenesin 100mg with dextromethorphan	calc Calculation: [aggregate-max:pres_respiratory_2_s]-[aggregate-sum:pres_respiratory_2_a]
	846	[pres_respiratory_3_s]	Diphenhydramine HCl 12.5mg/5ml Starting	text (integer) Field Annotation: @DEFAULT='4'
	847	[pres_respiratory_3_r]	Remaining Diphenhydramine HCl 12.5mg/5ml	calc Calculation: [aggregate-max:pres_respiratory_3_s]-[aggregate-sum:pres_respiratory_3_a]
	848	[pres_respiratory_4_s]	Cetirizine HCl 10mg tab Starting	text (integer) Field Annotation: @DEFAULT='1878'

	849	[pres_respiratory_4_r]	Remaining Cetirizine HCl 10mg tab	calc Calculation: [aggregate-max:pres_respiratory_4_s]-[aggregate-sum:pres_respiratory_4_a]
	850	[pres_respiratory_5_s]	Loratadine 10mg tabs Starting	text (integer) Field Annotation: @DEFAULT='728'
	851	[pres_respiratory_5_r]	Remaining Loratadine 10mg tabs	calc Calculation: [aggregate-max:pres_respiratory_5_s]-[aggregate-sum:pres_respiratory_5_a]
	852	[pres_respiratory_6_s]	Albuterol Sulfate 0.083% 2.5 mg / 3 ml Starting	text (integer) Field Annotation: @DEFAULT='10'
	853	[pres_respiratory_6_r]	Remaining Albuterol Sulfate 0.083% 2.5 mg / 3 ml	calc Calculation: [aggregate-max:pres_respiratory_6_s]-[aggregate-sum:pres_respiratory_6_a]
	854	[pres_respiratory_7_s]	Diphenhydramine 25 mg caps Starting	text (integer) Field Annotation: @DEFAULT='950'
	855	[pres_respiratory_7_r]	Remaining Diphenhydramine 25 mg caps	calc Calculation: [aggregate-max:pres_respiratory_7_s]-[aggregate-sum:pres_respiratory_7_a]
	856	[pres_respiratory_8_s]	Guaifenesin 8 oz bottle Starting	text (integer) Field Annotation: @DEFAULT='1'
	857	[pres_respiratory_8_r]	Remaining Guaifenesin 8 oz bottle	calc Calculation: [aggregate-max:pres_respiratory_8_s]-[aggregate-sum:pres_respiratory_8_a]
	858	[pres_respiratory_9_s]	Prednisone 10 mg tabs Starting	text (integer) Field Annotation: @DEFAULT='490'
	859	[pres_respiratory_9_r]	Remaining Prednisone 10 mg tabs	calc Calculation: [aggregate-max:pres_respiratory_9_s]-[aggregate-sum:pres_respiratory_9_a]
	860	[pres_respiratory_10_s]	Azelastine 205 mcg inhaler Starting	text (integer) Field Annotation: @DEFAULT='1'
	861	[pres_respiratory_10_r]	Remaining Azelastine 205 mcg inhaler	calc Calculation: [aggregate-max:pres_respiratory_10_s]-[aggregate-sum:pres_respiratory_10_a]

	862	[pres_respiratory_11_s]	Montelukast Sodium 10 mg Starting	text (integer) Field Annotation: @DEFAULT='90'
	863	[pres_respiratory_11_r]	Remaining Montelukast Sodium 10 mg	calc Calculation: [aggregate-max:pres_respiratory_11_s]-[aggregate-sum:pres_respiratory_11_a]
	864	[pres_respiratory_12_s]	Salbutamol 100 mcg Starting	text (integer) Field Annotation: @DEFAULT='5'
	865	[pres_respiratory_12_r]	Remaining Salbutamol 100 mcg	calc Calculation: [aggregate-max:pres_respiratory_12_s]-[aggregate-sum:pres_respiratory_12_a]
	866	[pres_respiratory_13_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='500'
	867	[pres_respiratory_13_r]	Remaining ____	calc Calculation: [aggregate-max:pres_respiratory_13_s]-[aggregate-sum:pres_respiratory_13_a]
	868	[pres_respiratory_14_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='500'
	869	[pres_respiratory_14_r]	Remaining ____	calc Calculation: [aggregate-max:pres_respiratory_14_s]-[aggregate-sum:pres_respiratory_14_a]
	870	[pres_respiratory_15_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='500'
	871	[pres_respiratory_15_r]	Remaining ____	calc Calculation: [aggregate-max:pres_respiratory_15_s]-[aggregate-sum:pres_respiratory_15_a]
	872	[pres_respiratory_16_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='500'
	873	[pres_respiratory_16_r]	Remaining ____	calc Calculation: [aggregate-max:pres_respiratory_16_s]-[aggregate-sum:pres_respiratory_16_a]
	874	[pres_respiratory_17_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='500'
	875	[pres_respiratory_17_r]	Remaining ____	calc Calculation: [aggregate-max:pres_respiratory_17_s]-

				[aggregate-sum:pres_respiratory_17_a]
	876	[pres_respiratory_18_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='500'
	877	[pres_respiratory_18_r]	Remaining ____	calc Calculation: [aggregate-max:pres_respiratory_18_s]-[aggregate-sum:pres_respiratory_18_a]
	878	[ent_inventory]	Ent / Ear and Eye Drops	descriptive
	879	[pres_ent_1_s]	Nasal saline spray Starting	text (integer) Field Annotation: @DEFAULT='10'
	880	[pres_ent_1_r]	Remaining Nasal saline spray	calc Calculation: [aggregate-max:pres_ent_1_s]-[aggregate-sum:pres_ent_1_a]
	881	[pres_ent_2_s]	Lubricant eye drops polyvinyl alcohol Starting	text (integer) Field Annotation: @DEFAULT='40'
	882	[pres_ent_2_r]	Remaining Lubricant eye drops polyvinyl alcohol	calc Calculation: [aggregate-max:pres_ent_2_s]-[aggregate-sum:pres_ent_2_a]
	883	[pres_ent_3_s]	Lubricant eye drops Starting	text (integer) Field Annotation: @DEFAULT='600'
	884	[pres_ent_3_r]	Remaining Lubricant eye drops	calc Calculation: [aggregate-max:pres_ent_3_s]-[aggregate-sum:pres_ent_3_a]
	885	[pres_ent_4_s]	Gentaminic Ophtalmic Solution [0.3%] Starting	text (integer) Field Annotation: @DEFAULT='10'
	886	[pres_ent_4_r]	Remaining Gentaminic Ophtalmic Solution [0.3%]	calc Calculation: [aggregate-max:pres_ent_4_s]-[aggregate-sum:pres_ent_4_a]
	887	[pres_ent_5_s]	Ofloxacin .3% ophthalmic Starting	text (integer) Field Annotation: @DEFAULT='20'
	888	[pres_ent_5_r]	Remaining Ofloxacin .3% ophthalmic	calc Calculation: [aggregate-max:pres_ent_5_s]-[aggregate-sum:pres_ent_5_a]
	889	[pres_ent_6_s]	Brimonidine tartrate 0.2% Starting	text (integer) Field Annotation: @DEFAULT='1'

	890	[pres_ent_6_r]	Remaining Brimonidine tartrate 0.2%	calc Calculation: [aggregate-max:pres_ent_6_s]-[aggregate-sum:pres_ent_6_a]
	891	[pres_ent_7_s]	Oxymetazoline HCL (0.05%) spray Starting	text (integer) Field Annotation: @DEFAULT='8'
	892	[pres_ent_7_r]	Remaining Oxymetazoline HCL (0.05%) spray	calc Calculation: [aggregate-max:pres_ent_7_s]-[aggregate-sum:pres_ent_7_a]
	893	[pres_ent_8_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='1'
	894	[pres_ent_8_r]	Remaining ____	calc Calculation: [aggregate-max:pres_ent_8_s]-[aggregate-sum:pres_ent_8_a]
	895	[pres_ent_9_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='1'
	896	[pres_ent_9_r]	Remaining ____	calc Calculation: [aggregate-max:pres_ent_9_s]-[aggregate-sum:pres_ent_9_a]
	897	[pres_ent_10_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='1'
	898	[pres_ent_10_r]	Remaining ____	calc Calculation: [aggregate-max:pres_ent_10_s]-[aggregate-sum:pres_ent_10_a]
	899	[pres_ent_11_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='1'
	900	[pres_ent_11_r]	Remaining ____	calc Calculation: [aggregate-max:pres_ent_11_s]-[aggregate-sum:pres_ent_11_a]
	901	[pres_ent_12_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='1'
	902	[pres_ent_12_r]	Remaining ____	calc Calculation: [aggregate-max:pres_ent_12_s]-[aggregate-sum:pres_ent_12_a]
	903	[antidiabetic_inventory]	Antidiabetic agent	descriptive

	904	[pres_diabetics_1_s]	Metformin [500 mg tabs] Starting	text (integer) Field Annotation: @DEFAULT='2000'
	905	[pres_diabetics_1_r]	Remaining Metformin [500 mg tabs]	calc Calculation: [aggregate-max:pres_diabetics_1_s]-[aggregate-sum:pres_diabetics_1_a]
	906	[pres_diabetics_2_s]	Metformin [1000 mg tabs] Starting	text (integer) Field Annotation: @DEFAULT='500'
	907	[pres_diabetics_2_r]	Remaining Metformin [1000 mg tabs]	calc Calculation: [aggregate-max:pres_diabetics_2_s]-[aggregate-sum:pres_diabetics_2_a]
	908	[pres_diabetics_3_s]	Glipizide 10 mg tabs Starting	text (integer) Field Annotation: @DEFAULT='793'
	909	[pres_diabetics_3_r]	Remaining Glipizide 10 mg tabs	calc Calculation: [aggregate-max:pres_diabetics_3_s]-[aggregate-sum:pres_diabetics_3_a]
	910	[pres_diabetics_4_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='500'
	911	[pres_diabetics_4_r]	Remaining ____	calc Calculation: [aggregate-max:pres_diabetics_4_s]-[aggregate-sum:pres_diabetics_4_a]
	912	[pres_diabetics_5_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='500'
	913	[pres_diabetics_5_r]	Remaining ____	calc Calculation: [aggregate-max:pres_diabetics_5_s]-[aggregate-sum:pres_diabetics_5_a]
	914	[pres_diabetics_6_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='500'
	915	[pres_diabetics_6_r]	Remaining ____	calc Calculation: [aggregate-max:pres_diabetics_6_s]-[aggregate-sum:pres_diabetics_6_a]
	916	[cardiovascular_inventory]	Cardiovascular	descriptive
	917	[pres_cardio_1_s]	Amlodipine [5 mg] Starting	text (integer) Field Annotation: @DEFAULT='1400'

	918	[pres_cardio_1_r]	Remaining Amlodipine [5 mg]	calc Calculation: [aggregate-max:pres_cardio_1_s]-[aggregate-sum:pres_cardio_1_a]
	919	[pres_cardio_2_s]	Losartan potassium 50mg Starting	text (integer) Field Annotation: @DEFAULT='500'
	920	[pres_cardio_2_r]	Remaining Losartan potassium 50mg	calc Calculation: [aggregate-max:pres_cardio_2_s]-[aggregate-sum:pres_cardio_2_a]
	921	[pres_cardio_3_s]	Aspirin 325 mg tabs Starting	text (integer) Field Annotation: @DEFAULT='100'
	922	[pres_cardio_3_r]	Remaining Aspirin 325 mg tabs	calc Calculation: [aggregate-max:pres_cardio_3_s]-[aggregate-sum:pres_cardio_3_a]
	923	[pres_cardio_4_s]	Aspirin 650 mg tabs Starting	text (integer) Field Annotation: @DEFAULT='0'
	924	[pres_cardio_4_r]	Remaining Aspirin 650 mg tabs	calc Calculation: [aggregate-max:pres_cardio_4_s]-[aggregate-sum:pres_cardio_4_a]
	925	[pres_cardio_5_s]	Aspirin 81 mg tabs Starting	text (integer) Field Annotation: @DEFAULT='2457'
	926	[pres_cardio_5_r]	Remaining Aspirin 81 mg tabs	calc Calculation: [aggregate-max:pres_cardio_5_s]-[aggregate-sum:pres_cardio_5_a]
	927	[pres_cardio_6_s]	Lisinopril 10 mg tabs Starting	text (integer) Field Annotation: @DEFAULT='589'
	928	[pres_cardio_6_r]	Remaining Lisinopril 10 mg tabs	calc Calculation: [aggregate-max:pres_cardio_6_s]-[aggregate-sum:pres_cardio_6_a]
	929	[pres_cardio_7_s]	Metoprolol Tartrate 50 mg tabs Starting	text (integer) Field Annotation: @DEFAULT='1850'
	930	[pres_cardio_7_r]	Remaining Metoprolol Tartrate 50 mg tabs	calc Calculation: [aggregate-max:pres_cardio_7_s]-[aggregate-sum:pres_cardio_7_a]

	931	[pres_cardio_8_s]	Hydrochlorothiazide 25 mg Starting	text (integer) Field Annotation: @DEFAULT='1790'
	932	[pres_cardio_8_r]	Remaining Hydrochlorothiazide 25 mg	calc Calculation: [aggregate-max:pres_cardio_8_s]-[aggregate-sum:pres_cardio_8_a]
	933	[pres_cardio_9_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='500'
	934	[pres_cardio_9_r]	Remaining ____	calc Calculation: [aggregate-max:pres_cardio_9_s]-[aggregate-sum:pres_cardio_9_a]
	935	[pres_cardio_10_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='500'
	936	[pres_cardio_10_r]	Remaining ____	calc Calculation: [aggregate-max:pres_cardio_10_s]-[aggregate-sum:pres_cardio_10_a]
	937	[pres_cardio_11_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='500'
	938	[pres_cardio_11_r]	Remaining ____	calc Calculation: [aggregate-max:pres_cardio_11_s]-[aggregate-sum:pres_cardio_11_a]
	939	[pres_cardio_12_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='500'
	940	[pres_cardio_12_r]	Remaining ____	calc Calculation: [aggregate-max:pres_cardio_12_s]-[aggregate-sum:pres_cardio_12_a]
	941	[gi_inventory]	GI system	descriptive
	942	[pres_gi_1_s]	Omeprazole 20mg caps Starting	text (integer) Field Annotation: @DEFAULT='700'
	943	[pres_gi_1_r]	Remaining Omeprazole 20mg caps	calc Calculation: [aggregate-max:pres_gi_1_s]-[aggregate-sum:pres_gi_1_a]
	944	[pres_gi_2_s]	Docusate sodium 100mg softgels Starting	text (integer) Field Annotation: @DEFAULT='1170'

	945	[pres_gi_2_r]	Remaining Docusate sodium 100mg softgels	calc Calculation: [aggregate-max:pres_gi_2_s]-[aggregate-sum:pres_gi_2_a]
	946	[pres_gi_3_s]	Hemorrhoidal rectal suppositories Starting	text (integer) Field Annotation: @DEFAULT='24'
	947	[pres_gi_3_r]	Remaining Hemorrhoidal rectal suppositories	calc Calculation: [aggregate-max:pres_gi_3_s]-[aggregate-sum:pres_gi_3_a]
	948	[pres_gi_4_s]	Famotidine 20 mg Starting	text (integer) Field Annotation: @DEFAULT='1700'
	949	[pres_gi_4_r]	Remaining Famotidine 20 mg	calc Calculation: [aggregate-max:pres_gi_4_s]-[aggregate-sum:pres_gi_4_a]
	950	[pres_gi_5_s]	Loperamide 2 mg tabs Starting	text (integer) Field Annotation: @DEFAULT='143'
	951	[pres_gi_5_r]	Remaining Loperamide 2 mg tabs	calc Calculation: [aggregate-max:pres_gi_5_s]-[aggregate-sum:pres_gi_5_a]
	952	[pres_gi_6_s]	Meclizine 25 mg tabs Starting	text (integer) Field Annotation: @DEFAULT='24'
	953	[pres_gi_6_r]	Remaining Meclizine 25 mg tabs	calc Calculation: [aggregate-max:pres_gi_6_s]-[aggregate-sum:pres_gi_6_a]
	954	[pres_gi_7_s]	Meclizine Chewable tabs Starting	text (integer) Field Annotation: @DEFAULT='260'
	955	[pres_gi_7_r]	Remaining Meclizine Chewable tabs	calc Calculation: [aggregate-max:pres_gi_7_s]-[aggregate-sum:pres_gi_7_a]
	956	[pres_gi_8_s]	Ondansetron 4 mg tabs Starting	text (integer) Field Annotation: @DEFAULT='107'
	957	[pres_gi_8_r]	Remaining Ondansetron 4 mg tabs	calc Calculation: [aggregate-max:pres_gi_8_s]-[aggregate-sum:pres_gi_8_a]

	958	[pres_gi_9_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='24'
	959	[pres_gi_9_r]	Remaining ____	calc Calculation: [aggregate-max:pres_gi_9_s]-[aggregate-sum:pres_gi_9_a]
	960	[pres_gi_10_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='24'
	961	[pres_gi_10_r]	Remaining ____	calc Calculation: [aggregate-max:pres_gi_10_s]-[aggregate-sum:pres_gi_10_a]
	962	[pres_gi_11_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='24'
	963	[pres_gi_11_r]	Remaining ____	calc Calculation: [aggregate-max:pres_gi_11_s]-[aggregate-sum:pres_gi_11_a]
	964	[pres_gi_12_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='24'
	965	[pres_gi_12_r]	Remaining ____	calc Calculation: [aggregate-max:pres_gi_12_s]-[aggregate-sum:pres_gi_12_a]
	966	[topicals_inventory]	Topicals / Ointments	descriptive
	967	[pres_topical_1_s]	X-Treme freeze gel Starting	text (integer) Field Annotation: @DEFAULT='400'
	968	[pres_topical_1_r]	Remaining X-Treme freeze gel	calc Calculation: [aggregate-max:pres_topical_1_s]-[aggregate-sum:pres_topical_1_a]
	969	[pres_topical_2_s]	Tolnaftate 1% cream Starting	text (integer) Field Annotation: @DEFAULT='21'
	970	[pres_topical_2_r]	Remaining Tolnaftate 1% cream	calc Calculation: [aggregate-max:pres_topical_2_s]-[aggregate-sum:pres_topical_2_a]
	971	[pres_topical_3_s]	Clotrimazole 1% antifungal cream Starting	text (integer) Field Annotation: @DEFAULT='28'

	972	[pres_topical_3_r]	Remaining Clotrimazole 1% antifungal cream	calc Calculation: [aggregate-max:pres_topical_3_s]-[aggregate-sum:pres_topical_3_a]
	973	[pres_topical_4_s]	Mupirocin 2% ointment Starting	text (integer) Field Annotation: @DEFAULT='1'
	974	[pres_topical_4_r]	Remaining Mupirocin 2% ointment	calc Calculation: [aggregate-max:pres_topical_4_s]-[aggregate-sum:pres_topical_4_a]
	975	[pres_topical_5_s]	Bacitracin zinc combo ointment Starting	text (integer) Field Annotation: @DEFAULT='288'
	976	[pres_topical_5_r]	Remaining Bacitracin zinc combo ointment	calc Calculation: [aggregate-max:pres_topical_5_s]-[aggregate-sum:pres_topical_5_a]
	977	[pres_topical_6_s]	Bacitracin 500 units ointment Starting	text (integer) Field Annotation: @DEFAULT='453'
	978	[pres_topical_6_r]	Remaining Bacitracin 500 units ointment	calc Calculation: [aggregate-max:pres_topical_6_s]-[aggregate-sum:pres_topical_6_a]
	979	[pres_topical_7_s]	Triple Antibiotic Ointment Cream (Box 1fl oz) Starting	text (integer) Field Annotation: @DEFAULT='1'
	980	[pres_topical_7_r]	Triple Antibiotic Ointment Cream (Box 1fl oz) ointment	calc Calculation: [aggregate-max:pres_topical_7_s]-[aggregate-sum:pres_topical_7_a]
	981	[pres_topical_8_s]	Triple Antibiotic Ointment Cream 15 mg Starting	text (integer) Field Annotation: @DEFAULT='4'
	982	[pres_topical_8_r]	Remaining Triple Antibiotic Ointment Cream 15 mg	calc Calculation: [aggregate-max:pres_topical_8_s]-[aggregate-sum:pres_topical_8_a]
	983	[pres_topical_9_s]	Betamethasone Valerate 0.1% Cream 15 mg Starting	text (integer) Field Annotation: @DEFAULT='1'
	984	[pres_topical_9_r]	Remaining Betamethasone Valerate 0.1% Cream 15 mg	calc Calculation: [aggregate-max:pres_topical_9_s]-[aggregate-sum:pres_topical_9_a]

	985	[pres_topical_10_s]	Mometasone Furoate Cream (0.1%) Starting	text (integer) Field Annotation: @DEFAULT='5'
	986	[pres_topical_10_r]	Remaining Mometasone Furoate Cream (0.1%)	calc Calculation: [aggregate-max:pres_topical_10_s]-[aggregate-sum:pres_topical_10_a]
	987	[pres_topical_11_s]	Muscle Gel Starting	text (integer) Field Annotation: @DEFAULT='98'
	988	[pres_topical_11_r]	Remaining Muscle Gel	calc Calculation: [aggregate-max:pres_topical_11_s]-[aggregate-sum:pres_topical_11_a]
	989	[pres_topical_12_s]	Vitamins A and D (Diaper Rash) Starting	text (integer) Field Annotation: @DEFAULT='200'
	990	[pres_topical_12_r]	Remaining Vitamins A and D (Diaper Rash)	calc Calculation: [aggregate-max:pres_topical_12_s]-[aggregate-sum:pres_topical_12_a]
	991	[pres_topical_13_s]	Hydrocortisone 1% Starting	text (integer) Field Annotation: @DEFAULT='7'
	992	[pres_topical_13_r]	Remaining Hydrocortisone 1%	calc Calculation: [aggregate-max:pres_topical_13_s]-[aggregate-sum:pres_topical_13_a]
	993	[pres_topical_14_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='288'
	994	[pres_topical_14_r]	Remaining ____	calc Calculation: [aggregate-max:pres_topical_14_s]-[aggregate-sum:pres_topical_14_a]
	995	[pres_topical_15_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='288'
	996	[pres_topical_15_r]	Remaining ____	calc Calculation: [aggregate-max:pres_topical_15_s]-[aggregate-sum:pres_topical_15_a]
	997	[pres_topical_16_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='288'
	998	[pres_topical_16_r]	Remaining ____	calc Calculation: [aggregate-max:pres_topical_16_s]-

				[aggregate-sum:pres_topical_16_a]
	999	[vitamins_inventory]	Vitamins	descriptive
	1000	[pres_vitamins_1_s]	Folic acid 800mcg Starting	text (integer) Field Annotation: @DEFAULT='210'
	1001	[pres_vitamins_1_r]	Remaining Folic acid 800mcg	calc Calculation: [aggregate-max:pres_vitamins_1_s]-[aggregate-sum:pres_vitamins_1_a]
	1002	[pres_vitamins_2_s]	Prenatal vitamins with Iron Starting	text (integer) Field Annotation: @DEFAULT='1000'
	1003	[pres_vitamins_2_r]	Remaining Prenatal vitamins with Iron	calc Calculation: [aggregate-max:pres_vitamins_2_s]-[aggregate-sum:pres_vitamins_2_a]
	1004	[pres_vitamins_3_s]	Multiple vitamin tabs Starting	text (integer) Field Annotation: @DEFAULT='2210'
	1005	[pres_vitamins_3_r]	Remaining Multiple vitamin tabs	calc Calculation: [aggregate-max:pres_vitamins_3_s]-[aggregate-sum:pres_vitamins_3_a]
	1006	[pres_vitamins_4_s]	Vitamins Kids Chewable Starting	text (integer) Field Annotation: @DEFAULT='3060'
	1007	[pres_vitamins_4_r]	Remaining Vitamins Kids Chewable	calc Calculation: [aggregate-max:pres_vitamins_4_s]-[aggregate-sum:pres_vitamins_4_a]
	1008	[pres_vitamins_5_s]	Children's Multivitamin with Iron Starting	text (integer) Field Annotation: @DEFAULT='1500'
	1009	[pres_vitamins_5_r]	Remaining Children's Multivitamin with Iron	calc Calculation: [aggregate-max:pres_vitamins_5_s]-[aggregate-sum:pres_vitamins_5_a]
	1010	[pres_vitamins_6_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='1000'
	1011	[pres_vitamins_6_r]	Remaining ____	calc Calculation: [aggregate-max:pres_vitamins_6_s]-[aggregate-sum:pres_vitamins_6_a]
	1012	[pres_vitamins_7_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='1000'

	1013	[pres_vitamins_7_r]	Remaining ____	calc Calculation: [aggregate-max:pres_vitamins_7_s]-[aggregate-sum:pres_vitamins_7_a]
	1014	[pres_vitamins_8_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='1000'
	1015	[pres_vitamins_8_r]	Remaining ____	calc Calculation: [aggregate-max:pres_vitamins_8_s]-[aggregate-sum:pres_vitamins_8_a]
	1016	[pres_vitamins_9_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='1000'
	1017	[pres_vitamins_9_r]	Remaining ____	calc Calculation: [aggregate-max:pres_vitamins_9_s]-[aggregate-sum:pres_vitamins_9_a]
	1018	[pres_vitamins_10_s]	____ Starting	text (integer) Field Annotation: @DEFAULT='1000'
	1019	[pres_vitamins_10_r]	Remaining ____	calc Calculation: [aggregate-max:pres_vitamins_10_s]-[aggregate-sum:pres_vitamins_10_a]
	1020	[pres_antihistaminic_1_s]	Fexofenadine HCl Starting	text (integer) Field Annotation: @DEFAULT='80'
	1021	[pres_antihistaminic_1_r]	Remaining Fexofenadine HCl	calc Calculation: [aggregate-max:pres_antihistaminic_1_s]-[aggregate-sum:pres_antihistaminic_1_a]
	1022	[pres_antihistaminic_2_s]	Levocetirizine Dihydrochloride Starting	text (integer) Field Annotation: @DEFAULT='105'
	1023	[pres_antihistaminic_2_r]	Remaining Levocetirizine	calc Calculation: [aggregate-max:pres_antihistaminic_2_s]-[aggregate-sum:pres_antihistaminic_2_a]
	1024	[pres_antihistaminic_3_s]	Guaiasorb DM Starting	text (integer) Field Annotation: @DEFAULT='2'
	1025	[pres_antihistaminic_3_r]	Remaining Guaiasorb DM	calc Calculation: [aggregate-max:pres_antihistaminic_3_s]-[aggregate-sum:pres_antihistaminic_3_a]

	1026	[inventory_control_complete]	Section Header: *Form Status* Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete
Instrument: Provider Information (provider_information)				
	1027	[provider_name_1]	Section Header: *Provider 1 Information:* Provider Name 1:	text
	1028	[npi_1]	NPI 1:	text
	1029	[provider_contact_1]	Contact Information 1 (Phone Number & Email):	text
	1030	[provider_name_2]	Section Header: *Provider 2 Information:* Provider Name 2:	text
	1031	[npi_2]	NPI 2:	text
	1032	[provider_contact_2]	Contact Information 2 (Phone Number & Email):	text
	1033	[provider_name_3]	Section Header: *Provider Information 3:* Provider Name 3:	text
	1034	[npi_3]	NPI 3:	text
	1035	[provider_contact_3]	Contact Information 3 (Phone Number & Email):	text
	1036	[provider_information_complete]	Section Header: *Form Status* Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete
Instrument: Pharmacy Visit Short (pharmacy_visit_short)				
	1037	[demographic_pv_v2]	Name [patient_first_name] [patient_last_name] Age | DOB [age] | [date_of_birth] Weight [weight_lbs] lbs | [weight_kgs] kg Sex [sex] General Medicine Diagnosis, Provider, and Prescription [diagnosis_gm]	descriptive
	1038	[pres_antimicrobials_1_tab] Show the field ONLY if:	ANTIMICROBIALS AZITHROMYCIN 250 MG TABS [pres_antimicrobials_1_a] [pres_antimicrobials_1_u] [pres_antimicrobials_1_pn]	descriptive

		[pres_antimicrobials(1)] = '1'		
	1039	[pres_antimicrobials_1_d] Show the field ONLY if: [pres_antimicrobials(1)] = '1'	FILLED	yesno 1, Yes 0, No
	1040	[pres_antimicrobials_2_tab] Show the field ONLY if: [pres_antimicrobials(2)] = '1'	ANTIMICROBIALS CEPHALEXIN 500 MG CAPS [pres_antimicrobials_2_a] [pres_antimicrobials_2_u] [pres_antimicrobials_2_pn]	descriptive
	1041	[pres_antimicrobials_2_d] Show the field ONLY if: [pres_antimicrobials(2)] = '1'	FILLED	yesno 1, Yes 0, No
	1042	[pres_antimicrobials_3_tab] Show the field ONLY if: [pres_antimicrobials(3)] = '1'	ANTIMICROBIALS DOXYCYCLINE HYCLATE 100 MG TABS [pres_antimicrobials_3_a] [pres_antimicrobials_3_u] [pres_antimicrobials_3_pn]	descriptive
	1043	[pres_antimicrobials_3_d] Show the field ONLY if: [pres_antimicrobials(3)] = '1'	FILLED	yesno 1, Yes 0, No
	1044	[pres_antimicrobials_4_tab] Show the field ONLY if: [pres_antimicrobials(4)] = '1'	ANTIMICROBIALS LEVOFLOXACIN 500 MG TABS [pres_antimicrobials_4_a] [pres_antimicrobials_4_u] [pres_antimicrobials_4_pn]	descriptive
	1045	[pres_antimicrobials_4_d] Show the field ONLY if: [pres_antimicrobials(4)] = '1'	FILLED	yesno 1, Yes 0, No
	1046	[pres_antimicrobials_5_tab] Show the field ONLY if: [pres_antimicrobials(5)] = '1'	ANTIMICROBIALS CLINDAMYCIN 150 MG CAPS [pres_antimicrobials_5_a] [pres_antimicrobials_5_u] [pres_antimicrobials_5_pn]	descriptive

	1047	[pres_antimicrobials_5_d] Show the field ONLY if: [pres_antimicrobials(5)] = '1'	FILLED	yesno 1, Yes 0, No
	1048	[pres_antimicrobials_6_tab] Show the field ONLY if: [pres_antimicrobials(6)] = '1'	ANTIMICROBIALS FLUCONAZOLE 150 MG TABS [pres_antimicrobials_6_a] [pres_antimicrobials_6_u] [pres_antimicrobials_6_pn]	descriptive
	1049	[pres_antimicrobials_6_d] Show the field ONLY if: [pres_antimicrobials(6)] = '1'	FILLED	yesno 1, Yes 0, No
	1050	[pres_antimicrobials_7_tab] Show the field ONLY if: [pres_antimicrobials(7)] = '1'	ANTIMICROBIALS TERBINAFINE HCL 250 MG TABS [pres_antimicrobials_7_a] [pres_antimicrobials_7_u] [pres_antimicrobials_7_pn]	descriptive
	1051	[pres_antimicrobials_7_d] Show the field ONLY if: [pres_antimicrobials(7)] = '1'	FILLED	yesno 1, Yes 0, No
	1052	[pres_antimicrobials_8_tab] Show the field ONLY if: [pres_antimicrobials(8)] = '1'	ANTIMICROBIALS AMOXICILLIN 500 MG CAPS [pres_antimicrobials_8_a] [pres_antimicrobials_8_u] [pres_antimicrobials_8_pn]	descriptive
	1053	[pres_antimicrobials_8_d] Show the field ONLY if: [pres_antimicrobials(8)] = '1'	FILLED	yesno 1, Yes 0, No
	1054	[pres_antimicrobials_9_tab] Show the field ONLY if: [pres_antimicrobials(9)] = '1'	ANTIMICROBIALS AMOXICILLIN ORAL SUSPEN 250 MG BOTTLE [pres_antimicrobials_9_a] [pres_antimicrobials_9_u] [pres_antimicrobials_9_pn]	descriptive

	1055	[pres_antimicrobials_9_d] Show the field ONLY if: [pres_antimicrobials(9)] = '1'	FILLED	yesno 1, Yes 0, No
	1056	[pres_antimicrobials_10_tab] Show the field ONLY if: [pres_antimicrobials(10)] = '1'	ANTIMICROBIALS AZITHROMYCIN 200 MG 5 ML ORAL BOTTLE [pres_antimicrobials_10_a] [pres_antimicrobials_10_u] [pres_antimicrobials_10_pn]	descriptive
	1057	[pres_antimicrobials_10_d] Show the field ONLY if: [pres_antimicrobials(10)] = '1'	FILLED	yesno 1, Yes 0, No
	1058	[pres_antimicrobials_11_tab] Show the field ONLY if: [pres_antimicrobials(11)] = '1'	ANTIMICROBIALS CEPHALEXIN 250 MG CAPS [pres_antimicrobials_11_a] [pres_antimicrobials_11_u] [pres_antimicrobials_11_pn]	descriptive
	1059	[pres_antimicrobials_11_d] Show the field ONLY if: [pres_antimicrobials(11)] = '1'	FILLED	yesno 1, Yes 0, No
	1060	[pres_antimicrobials_12_tab] Show the field ONLY if: [pres_antimicrobials(12)] = '1'	ANTIMICROBIALS CO-TRIMOXAZOLE 960 MG TABS [pres_antimicrobials_12_a] [pres_antimicrobials_12_u] [pres_antimicrobials_12_pn]	descriptive
	1061	[pres_antimicrobials_12_d] Show the field ONLY if: [pres_antimicrobials(12)] = '1'	FILLED	truefalse 1, True 0, False
	1062	[pres_antimicrobials_13_tab] Show the field ONLY if: [pres_antimicrobials(13)] = '1'	ANTIMICROBIALS MEBENDAZOLE 100 MG TABS [pres_antimicrobials_13_a] [pres_antimicrobials_13_u] [pres_antimicrobials_13_pn]	descriptive

	1063	[pres_antimicrobials_13_d] Show the field ONLY if: [pres_antimicrobials(13)] = '1'	FILLED	yesno 1 Yes 0 No
	1064	[pres_antimicrobials_14_tab] Show the field ONLY if: [pres_antimicrobials(14)] = '1'	ANTIMICROBIALS METRONIDAZOLE 250 MG TABS [pres_antimicrobials_14_a] [pres_antimicrobials_14_u] [pres_antimicrobials_14_pn]	descriptive
	1065	[pres_antimicrobials_14_d] Show the field ONLY if: [pres_antimicrobials(14)] = '1'	FILLED	yesno 1 Yes 0 No
	1066	[pres_antimicrobials_15_tab] Show the field ONLY if: [pres_antimicrobials(15)] = '1'	ANTIMICROBIALS NITROFUANTOIN 100 MG TABS [pres_antimicrobials_15_a] [pres_antimicrobials_15_u] [pres_antimicrobials_15_pn]	descriptive
	1067	[pres_antimicrobials_15_d] Show the field ONLY if: [pres_antimicrobials(15)] = '1'	FILLED	yesno 1 Yes 0 No
	1068	[pres_analgesics_1_tab] Show the field ONLY if: [pres_analgesics(1)] = '1'	ANALGESICS ACETAMINOPHEN 500 MG TABS [pres_analgesics_1_a] [pres_analgesics_1_u] [pres_analgesics_1_pn]	descriptive
	1069	[pres_analgesics_1_d] Show the field ONLY if: [pres_analgesics(1)] = '1'	FILLED	yesno 1 Yes 0 No
	1070	[pres_analgesics_2_tab] Show the field ONLY if: [pres_analgesics(2)] = '1'	ANALGESICS IBUPROFEN 200 MG TABS [pres_analgesics_2_a] [pres_analgesics_2_u] [pres_analgesics_2_pn]	descriptive
	1071	[pres_analgesics_2_d] Show the field ONLY if:	FILLED	yesno 1 Yes

		[pres_analgesics(2)] = '1'		0 No
	1072	[pres_analgesics_3_tab] Show the field ONLY if: [pres_analgesics(3)] = '1'	ANALGESICS IBUPROFEN 400 MG TABS [pres_analgesics_3_a] [pres_analgesics_3_u] [pres_analgesics_3_pn]	descriptive
	1073	[pres_analgesics_3_d] Show the field ONLY if: [pres_analgesics(3)] = '1'	FILLED	yesno 1 Yes 0 No
	1074	[pres_analgesics_4_tab] Show the field ONLY if: [pres_analgesics(4)] = '1'	ANALGESICS IBUPROFEN 600 MG TABS [pres_analgesics_4_a] [pres_analgesics_4_u] [pres_analgesics_4_pn]	descriptive
	1075	[pres_analgesics_4_d] Show the field ONLY if: [pres_analgesics(4)] = '1'	FILLED	yesno 1 Yes 0 No
	1076	[pres_analgesics_5_tab] Show the field ONLY if: [pres_analgesics(5)] = '1'	ANALGESICS MELOXICAM 15 MG TABS [pres_analgesics_5_a] [pres_analgesics_5_u] [pres_analgesics_5_pn]	descriptive
	1077	[pres_analgesics_5_d] Show the field ONLY if: [pres_analgesics(5)] = '1'	FILLED	yesno 1 Yes 0 No
	1078	[pres_analgesics_6_tab] Show the field ONLY if: [pres_analgesics(6)] = '1'	ANALGESICS NAPROXEN 250 MG TABS [pres_analgesics_6_a] [pres_analgesics_6_u] [pres_analgesics_6_pn]	descriptive
	1079	[pres_analgesics_6_d] Show the field ONLY if: [pres_analgesics(6)] = '1'	FILLED	yesno 1 Yes 0 No
	1080	[pres_analgesics_7_tab] Show the field ONLY if: [pres_analgesics(7)] = '1'	ANALGESICS CYCLOBENZAPRINE HCl 250 MG TABS [pres_analgesics_7_a] [pres_analgesics_7_u] [pres_analgesics_7_pn]	descriptive

	1081	[pres_analgesics_7_d] Show the field ONLY if: [pres_analgesics(7)] = '1'	FILLED	yesno 1 Yes 0 No
	1082	[pres_analgesics_8_tab] Show the field ONLY if: [pres_analgesics(8)] = '1'	ANALGESICS ACETAMINOPHEN 325 MG TABS [pres_analgesics_8_a] [pres_analgesics_8_u] [pres_analgesics_8_pn]	descriptive
	1083	[pres_analgesics_8_d] Show the field ONLY if: [pres_analgesics(8)] = '1'	FILLED	yesno 1 Yes 0 No
	1084	[pres_analgesics_9_tab] Show the field ONLY if: [pres_analgesics(9)] = '1'	ANALGESICS ACETAMINOPHEN 650 MG TABS [pres_analgesics_9_a] [pres_analgesics_9_u] [pres_analgesics_9_pn]	descriptive
	1085	[pres_analgesics_9_d] Show the field ONLY if: [pres_analgesics(9)] = '1'	FILLED	yesno 1 Yes 0 No
	1086	[pres_analgesics_10_tab] Show the field ONLY if: [pres_analgesics(10)] = '1'	ANALGESICS ACETAMINOPHEN 500 MG CAPS [pres_analgesics_10_a] [pres_analgesics_10_u] [pres_analgesics_10_pn]	descriptive
	1087	[pres_analgesics_10_d] Show the field ONLY if: [pres_analgesics(10)] = '1'	FILLED	yesno 1 Yes 0 No
	1088	[pres_analgesics_11_tab] Show the field ONLY if: [pres_analgesics(11)] = '1'	ANALGESICS ACETAMINOPHEN CHILDREN 80 MG [pres_analgesics_11_a] [pres_analgesics_11_u] [pres_analgesics_11_pn]	descriptive
	1089	[pres_analgesics_11_d] Show the field ONLY if: [pres_analgesics(11)] = '1'	FILLED	yesno 1 Yes 0 No
	1090	[pres_analgesics_12_tab]	ANALGESICS PARACETAMOL 500 MG TABS [pres_analgesics_12_a] [pres_analgesics_12_u]	descriptive

		Show the field ONLY if: [pres_analgesics(12)] = '1'	[pres_analgesics_12_pn]	
	1091	[pres_analgesics_12_d] Show the field ONLY if: [pres_analgesics(12)] = '1'	FILLED	yesno 1, Yes 0, No
	1092	[pres_analgesics_13_tab] Show the field ONLY if: [pres_analgesics(13)] = '1'	ANALGESICS PHARBINEX-PE [pres_analgesics_13_a] [pres_analgesics_13_u] [pres_analgesics_13_pn]	descriptive
	1093	[pres_analgesics_13_d] Show the field ONLY if: [pres_analgesics(13)] = '1'	FILLED	yesno 1, Yes 0, No
	1094	[pres_respiratory_1_tab] Show the field ONLY if: [pres_respiratory(1)] = '1'	RESPIRATORY Guaifenesin 400 mg with phenylephrine [pres_respiratory_1_a] [pres_respiratory_1_u] [pres_respiratory_1_pn]	descriptive
	1095	[pres_respiratory_1_d] Show the field ONLY if: [pres_respiratory(1)] = '1'	FILLED	yesno 1, Yes 0, No
	1096	[pres_respiratory_2_tab] Show the field ONLY if: [pres_respiratory(2)] = '1'	RESPIRATORY Guaifenesin 100 mg with dextromethorphan [pres_respiratory_2_a] [pres_respiratory_2_u] [pres_respiratory_2_pn]	descriptive
	1097	[pres_respiratory_2_d] Show the field ONLY if: [pres_respiratory(2)] = '1'	FILLED	yesno 1, Yes 0, No
	1098	[pres_respiratory_3_tab] Show the field ONLY if: [pres_respiratory(3)] = '1'	RESPIRATORY Diphenhydramine HCl 12.5 mg / 5 ml [pres_respiratory_3_a] [pres_respiratory_3_u] [pres_respiratory_3_pn]	descriptive
	1099	[pres_respiratory_3_d] Show the field ONLY if: [pres_respiratory(3)] = '1'	FILLED	yesno 1, Yes 0, No

	1100	[pres_respiratory_4_tab] Show the field ONLY if: [pres_respiratory(4)] = '1'	RESPIRATORY Cetirizine HCl 10 mg tab [pres_respiratory_4_a] [pres_respiratory_4_u] [pres_respiratory_4_pn]	descriptive
	1101	[pres_respiratory_4_d] Show the field ONLY if: [pres_respiratory(4)] = '1'	FILLED	yesno 1 Yes 0 No
	1102	[pres_respiratory_5_tab] Show the field ONLY if: [pres_respiratory(5)] = '1'	RESPIRATORY Loratadine 10 mg tabs [pres_respiratory_5_a] [pres_respiratory_5_u] [pres_respiratory_5_pn]	descriptive
	1103	[pres_respiratory_5_d] Show the field ONLY if: [pres_respiratory(5)] = '1'	FILLED	yesno 1 Yes 0 No
	1104	[pres_respiratory_6_tab] Show the field ONLY if: [pres_respiratory(6)] = '1'	RESPIRATORY Albuterol Sulfate 0.083% 2.5 mg / 3 ml [pres_respiratory_6_a] [pres_respiratory_6_u] [pres_respiratory_6_pn]	descriptive
	1105	[pres_respiratory_6_d] Show the field ONLY if: [pres_respiratory(6)] = '1'	FILLED	yesno 1 Yes 0 No
	1106	[pres_respiratory_7_tab] Show the field ONLY if: [pres_respiratory(7)] = '1'	RESPIRATORY Diphenhydramine 25 mg caps [pres_respiratory_7_a] [pres_respiratory_7_u] [pres_respiratory_7_pn]	descriptive
	1107	[pres_respiratory_7_d] Show the field ONLY if: [pres_respiratory(7)] = '1'	FILLED	yesno 1 Yes 0 No
	1108	[pres_respiratory_8_tab] Show the field ONLY if: [pres_respiratory(8)] = '1'	RESPIRATORY Guaifenesin 8 oz bottle [pres_respiratory_8_a] [pres_respiratory_8_u] [pres_respiratory_8_pn]	descriptive
	1109	[pres_respiratory_8_d] Show the field ONLY if:	FILLED	yesno 1 Yes

		[pres_respiratory(8)] = '1'		0, No
	1110	[pres_respiratory_9_tab] Show the field ONLY if: [pres_respiratory(9)] = '1'	RESPIRATORY Prednisone 10 mg tabs [pres_respiratory_9_a] [pres_respiratory_9_u] [pres_respiratory_9_pn]	descriptive
	1111	[pres_respiratory_9_d] Show the field ONLY if: [pres_respiratory(9)] = '1'	FILLED	yesno 1, Yes 0, No
	1112	[pres_respiratory_10_tab] Show the field ONLY if: [pres_respiratory(10)] = '1'	RESPIRATORY Azelastine 205 mcg inhaler [pres_respiratory_10_a] [pres_respiratory_10_u] [pres_respiratory_10_pn]	descriptive
	1113	[pres_respiratory_10_d] Show the field ONLY if: [pres_respiratory(10)] = '1'	FILLED	yesno 1, Yes 0, No
	1114	[pres_respiratory_11_tab] Show the field ONLY if: [pres_respiratory(11)] = '1'	RESPIRATORY Montelukast Sodium 10 mg [pres_respiratory_11_a] [pres_respiratory_11_u] [pres_respiratory_11_pn]	descriptive
	1115	[pres_respiratory_11_d] Show the field ONLY if: [pres_respiratory(11)] = '1'	FILLED	yesno 1, Yes 0, No
	1116	[pres_respiratory_12_tab] Show the field ONLY if: [pres_respiratory(12)] = '1'	RESPIRATORY Guaifenesin 400 mg with phenylephrine [pres_respiratory_12_a] [pres_respiratory_12_u] [pres_respiratory_12_pn]	descriptive
	1117	[pres_respiratory_12_d] Show the field ONLY if: [pres_respiratory(12)] = '1'	FILLED	yesno 1, Yes 0, No
	1118	[pres_respiratory_13_tab]	RESPIRATORY Guaifenesin 400 mg with phenylephrine [pres_respiratory_13_a] [pres_respiratory_13_u]	descriptive

		Show the field ONLY if: [pres_respiratory(13)] = '1'	[pres_respiratory_13_pn]	
	1119	[pres_respiratory_13_d] Show the field ONLY if: [pres_respiratory(13)] = '1'	FILLED	yesno 1, Yes 0, No
	1120	[pres_ent_1_tab] Show the field ONLY if: [pres_ent(1)] = '1'	ENT / EAR & EYE DROPS Nasal/Saline Spray [pres_ent_1_a] [pres_ent_1_u] [pres_ent_1_pn]	descriptive
	1121	[pres_ent_1_d] Show the field ONLY if: [pres_ent(1)] = '1'	FILLED	yesno 1, Yes 0, No
	1122	[pres_ent_2_tab] Show the field ONLY if: [pres_ent(2)] = '1'	ENT / EAR & EYE DROPS Lubricant Eye Drops Polyvinyl Alcohol [pres_ent_2_a] [pres_ent_2_u] [pres_ent_2_pn]	descriptive
	1123	[pres_ent_2_d] Show the field ONLY if: [pres_ent(2)] = '1'	FILLED	yesno 1, Yes 0, No
	1124	[pres_ent_3_tab] Show the field ONLY if: [pres_ent(3)] = '1'	ENT / EAR & EYE DROPS Lubricant Eye Drops [pres_ent_3_a] [pres_ent_3_u] [pres_ent_3_pn]	descriptive
	1125	[pres_ent_3_d] Show the field ONLY if: [pres_ent(3)] = '1'	FILLED	yesno 1, Yes 0, No
	1126	[pres_ent_4_tab] Show the field ONLY if: [pres_ent(4)] = '1'	ENT / EAR & EYE DROPS Gentamicin Sulfate 0.3% [pres_ent_4_a] [pres_ent_4_u] [pres_ent_4_pn]	descriptive
	1127	[pres_ent_4_d] Show the field ONLY if: [pres_ent(4)] = '1'	FILLED	yesno 1, Yes 0, No

	1128	[pres_ent_5_tab] Show the field ONLY if: [pres_ent(5)] = '1'	ENT / EAR & EYE DROPS Ofloxacin .3% Ophthalmic [pres_ent_5_a] [pres_ent_5_u] [pres_ent_5_pn]	descriptive
	1129	[pres_ent_5_d] Show the field ONLY if: [pres_ent(5)] = '1'	FILLED	yesno 1 Yes 0 No
	1130	[pres_ent_6_tab] Show the field ONLY if: [pres_ent(6)] = '1'	ENT / EAR & EYE DROPS Brimonidine Tartrate 0.2% [pres_ent_6_a] [pres_ent_6_u] [pres_ent_6_pn]	descriptive
	1131	[pres_ent_6_d] Show the field ONLY if: [pres_ent(6)] = '1'	FILLED	yesno 1 Yes 0 No
	1132	[pres_ent_7_tab] Show the field ONLY if: [pres_ent(7)] = '1'	ENT / EAR & EYE DROPS Oxymetazoline HCL (0.05%) Spray [pres_ent_7_a] [pres_ent_7_u] [pres_ent_7_pn]	descriptive
	1133	[pres_ent_7_d] Show the field ONLY if: [pres_ent(7)] = '1'	FILLED	yesno 1 Yes 0 No
	1134	[pres_diabetics_1_tab] Show the field ONLY if: [pres_diabetics(1)] = '1'	ANTIDIABETIC AGENTS Metformin HCL 500 mg tabs [pres_diabetics_1_a] [pres_diabetics_1_u] [pres_diabetics_1_pn]	descriptive
	1135	[pres_diabetics_1_d] Show the field ONLY if: [pres_diabetics(1)] = '1'	FILLED	yesno 1 Yes 0 No
	1136	[pres_diabetics_2_tab] Show the field ONLY if: [pres_diabetics(2)] = '1'	ANTIDIABETIC AGENTS Metformin HCL 1000 mg tabs [pres_diabetics_2_a] [pres_diabetics_2_u] [pres_diabetics_2_pn]	descriptive
	1137	[pres_diabetics_2_d] Show the field ONLY if:	FILLED	yesno 1 Yes

		[pres_diabetics(2)] = '1'		0, No
	1138	[pres_diabetics_3_tab] Show the field ONLY if: [pres_diabetics(3)] = '1'	ANTIDIABETIC AGENTS Glipizide 10 mg tabs [pres_diabetics_3_a] [pres_diabetics_3_u] [pres_diabetics_3_pn]	descriptive
	1139	[pres_diabetics_3_d] Show the field ONLY if: [pres_diabetics(3)] = '1'	FILLED	yesno 1, Yes 0, No
	1140	[pres_cardio_1_tab] Show the field ONLY if: [pres_cardio(1)] = '1'	CARDIOVASCULAR Amlodipine 5 mg tabs [pres_cardio_1_a] [pres_cardio_1_u] [pres_cardio_1_pn]	descriptive
	1141	[pres_cardio_1_d] Show the field ONLY if: [pres_cardio(1)] = '1'	FILLED	yesno 1, Yes 0, No
	1142	[pres_cardio_2_tab] Show the field ONLY if: [pres_cardio(2)] = '1'	CARDIOVASCULAR Losartan Potassium 50 mg [pres_cardio_2_a] [pres_cardio_2_u] [pres_cardio_2_pn]	descriptive
	1143	[pres_cardio_2_d] Show the field ONLY if: [pres_cardio(2)] = '1'	FILLED	yesno 1, Yes 0, No
	1144	[pres_cardio_3_tab] Show the field ONLY if: [pres_cardio(3)] = '1'	CARDIOVASCULAR Aspirin 325 mg tabs [pres_cardio_3_a] [pres_cardio_3_u] [pres_cardio_3_pn]	descriptive
	1145	[pres_cardio_3_d] Show the field ONLY if: [pres_cardio(3)] = '1'	FILLED	yesno 1, Yes 0, No
	1146	[pres_cardio_4_tab] Show the field ONLY if: [pres_cardio(4)] = '1'	CARDIOVASCULAR Aspirin 650 mg tabs [pres_cardio_4_a] [pres_cardio_4_u] [pres_cardio_4_pn]	descriptive

	1147	[pres_cardio_4_d] Show the field ONLY if: [pres_cardio(4)] = '1'	FILLED	yesno 1 Yes 0 No
	1148	[pres_cardio_5_tab] Show the field ONLY if: [pres_cardio(5)] = '1'	CARDIOVASCULAR Aspirin 81 mg tabs [pres_cardio_5_a] [pres_cardio_5_u] [pres_cardio_5_pn]	descriptive
	1149	[pres_cardio_5_d] Show the field ONLY if: [pres_cardio(5)] = '1'	FILLED	yesno 1 Yes 0 No
	1150	[pres_cardio_6_tab] Show the field ONLY if: [pres_cardio(6)] = '1'	CARDIOVASCULAR Lisinopril 10 mg tabs [pres_cardio_6_a] [pres_cardio_6_u] [pres_cardio_6_pn]	descriptive
	1151	[pres_cardio_6_d] Show the field ONLY if: [pres_cardio(6)] = '1'	FILLED	yesno 1 Yes 0 No
	1152	[pres_cardio_7_tab] Show the field ONLY if: [pres_cardio(7)] = '1'	CARDIOVASCULAR Metoprolol Tartrate 50 mg tabs [pres_cardio_7_a] [pres_cardio_7_u] [pres_cardio_7_pn]	descriptive
	1153	[pres_cardio_7_d] Show the field ONLY if: [pres_cardio(7)] = '1'	FILLED	yesno 1 Yes 0 No
	1154	[pres_cardio_8_tab] Show the field ONLY if: [pres_cardio(8)] = '1'	CARDIOVASCULAR Hydrochlorothiazide 25 mg [pres_cardio_8_a] [pres_cardio_8_u] [pres_cardio_8_pn]	descriptive
	1155	[pres_cardio_8_d] Show the field ONLY if: [pres_cardio(8)] = '1'	FILLED	yesno 1 Yes 0 No
	1156	[pres_gi_1_tab]	GI SYSTEM Omeprazole 20 mg caps [pres_gi_1_a] [pres_gi_1_u] [pres_gi_1_pn]	descriptive

		Show the field ONLY if: [pres_gi(1)] = '1'		
	1157	[pres_gi_1_d] Show the field ONLY if: [pres_gi(1)] = '1'	FILLED	yesno 1, Yes 0, No
	1158	[pres_gi_2_tab] Show the field ONLY if: [pres_gi(2)] = '1'	GI SYSTEM Docusate Sodium 100 mg Softgels [pres_gi_2_a] [pres_gi_2_u] [pres_gi_2_pn]	descriptive
	1159	[pres_gi_2_d] Show the field ONLY if: [pres_gi(2)] = '1'	FILLED	yesno 1, Yes 0, No
	1160	[pres_gi_3_tab] Show the field ONLY if: [pres_gi(3)] = '1'	GI SYSTEM Hemorrhoidal Rectal Suppositories [pres_gi_3_a] [pres_gi_3_u] [pres_gi_3_pn]	descriptive
	1161	[pres_gi_3_d] Show the field ONLY if: [pres_gi(3)] = '1'	FILLED	yesno 1, Yes 0, No
	1162	[pres_gi_4_tab] Show the field ONLY if: [pres_gi(4)] = '1'	GI SYSTEM Famotidine 20 mg [pres_gi_4_a] [pres_gi_4_u] [pres_gi_4_pn]	descriptive
	1163	[pres_gi_4_d] Show the field ONLY if: [pres_gi(4)] = '1'	FILLED	yesno 1, Yes 0, No
	1164	[pres_gi_5_tab] Show the field ONLY if: [pres_gi(5)] = '1'	GI SYSTEM Loperamide 2 mg tabs [pres_gi_5_a] [pres_gi_5_u] [pres_gi_5_pn]	descriptive
	1165	[pres_gi_5_d] Show the field ONLY if: [pres_gi(5)] = '1'	FILLED	yesno 1, Yes 0, No

	1166	[pres_gi_6_tab] Show the field ONLY if: [pres_gi(6)] = '1'	GI SYSTEM Meclizine 25 mg tabs [pres_gi_6_a] [pres_gi_6_u] [pres_gi_6_pn]	descriptive
	1167	[pres_gi_6_d] Show the field ONLY if: [pres_gi(6)] = '1'	FILLED	yesno 1 Yes 0 No
	1168	[pres_gi_7_tab] Show the field ONLY if: [pres_gi(7)] = '1'	GI SYSTEM Meclizine Chewable tabs [pres_gi_7_a] [pres_gi_7_u] [pres_gi_7_pn]	descriptive
	1169	[pres_gi_7_d] Show the field ONLY if: [pres_gi(7)] = '1'	FILLED	yesno 1 Yes 0 No
	1170	[pres_gi_8_tab] Show the field ONLY if: [pres_gi(8)] = '1'	GI SYSTEM Ondansetron 4 mg tabs [pres_gi_8_a] [pres_gi_8_u] [pres_gi_8_pn]	descriptive
	1171	[pres_gi_8_d] Show the field ONLY if: [pres_gi(8)] = '1'	FILLED	yesno 1 Yes 0 No
	1172	[pres_topical_1_tab] Show the field ONLY if: [pres_topical(1)] = '1'	TOPICALS/OINTMENTS X-Treme Freeze Gel [pres_topical_1_a] [pres_topical_1_u] [pres_topical_1_pn]	descriptive
	1173	[pres_topical_1_d] Show the field ONLY if: [pres_topical(1)] = '1'	FILLED	yesno 1 Yes 0 No
	1174	[pres_topical_2_tab] Show the field ONLY if: [pres_topical(2)] = '1'	TOPICALS/OINTMENTS Tolnaftate 1% Cream [pres_topical_2_a] [pres_topical_2_u] [pres_topical_2_pn]	descriptive
	1175	[pres_topical_2_d] Show the field ONLY if:	FILLED	yesno 1 Yes

		[pres_topical(2)] = '1'		0, No
	1176	[pres_topical_3_tab] Show the field ONLY if: [pres_topical(3)] = '1'	TOPICALS/OINTMENTS Clotrimazole 1% Antifungal Cream [pres_topical_3_a] [pres_topical_3_u] [pres_topical_3_pn]	descriptive
	1177	[pres_topical_3_d] Show the field ONLY if: [pres_topical(3)] = '1'	FILLED	yesno 1, Yes 0, No
	1178	[pres_topical_4_tab] Show the field ONLY if: [pres_topical(4)] = '1'	TOPICALS/OINTMENTS Mupirocin 2% Ointment [pres_topical_4_a] [pres_topical_4_u] [pres_topical_4_pn]	descriptive
	1179	[pres_topical_4_d] Show the field ONLY if: [pres_topical(4)] = '1'	FILLED	yesno 1, Yes 0, No
	1180	[pres_topical_5_tab] Show the field ONLY if: [pres_topical(5)] = '1'	TOPICALS/OINTMENTS Bacitracin Zinc Combo Ointment [pres_topical_5_a] [pres_topical_5_u] [pres_topical_5_pn]	descriptive
	1181	[pres_topical_5_d] Show the field ONLY if: [pres_topical(5)] = '1'	FILLED	yesno 1, Yes 0, No
	1182	[pres_topical_6_tab] Show the field ONLY if: [pres_topical(6)] = '1'	TOPICALS/OINTMENTS Bacitracin 500 Units Ointment [pres_topical_6_a] [pres_topical_6_u] [pres_topical_6_pn]	descriptive
	1183	[pres_topical_6_d] Show the field ONLY if: [pres_topical(6)] = '1'	FILLED	yesno 1, Yes 0, No
	1184	[pres_topical_7_tab] Show the field ONLY if: [pres_topical(7)] = '1'	TOPICALS/OINTMENTS Triple Antibiotic Ointment Cream (Box 1fl oz) [pres_topical_7_a] [pres_topical_7_u] [pres_topical_7_pn]	descriptive

	1185	[pres_topical_7_d] Show the field ONLY if: [pres_topical(7)] = '1'	FILLED	yesno 1 Yes 0 No
	1186	[pres_topical_8_tab] Show the field ONLY if: [pres_topical(8)] = '1'	TOPICALS/OINTMENTS Triple Antibiotic Ointment Cream 15 mg [pres_topical_8_a] [pres_topical_8_u] [pres_topical_8_pn]	descriptive
	1187	[pres_topical_8_d] Show the field ONLY if: [pres_topical(8)] = '1'	FILLED	yesno 1 Yes 0 No
	1188	[pres_topical_9_tab] Show the field ONLY if: [pres_topical(9)] = '1'	TOPICALS/OINTMENTS Betamethasone Valerate 0.1% Cream 15 mg [pres_topical_9_a] [pres_topical_9_u] [pres_topical_9_pn]	descriptive
	1189	[pres_topical_9_d] Show the field ONLY if: [pres_topical(9)] = '1'	FILLED	yesno 1 Yes 0 No
	1190	[pres_topical_10_tab] Show the field ONLY if: [pres_topical(10)] = '1'	TOPICALS/OINTMENTS Mometazone Furoate Cream (0.1%) [pres_topical_10_a] [pres_topical_10_u] [pres_topical_10_pn]	descriptive
	1191	[pres_topical_10_d] Show the field ONLY if: [pres_topical(10)] = '1'	FILLED	yesno 1 Yes 0 No
	1192	[pres_topical_11_tab] Show the field ONLY if: [pres_topical(11)] = '1'	TOPICALS/OINTMENTS Muscle Gel [pres_topical_11_a] [pres_topical_11_u] [pres_topical_11_pn]	descriptive
	1193	[pres_topical_11_d] Show the field ONLY if: [pres_topical(11)] = '1'	FILLED	yesno 1 Yes 0 No
	1194	[pres_topical_12_tab]	TOPICALS/OINTMENTS Vitamins A and D (Diaper Rash) [pres_topical_12_a] [pres_topical_12_u]	descriptive

		Show the field ONLY if: [pres_topical(12)] = '1'	[pres_topical_12_pn]	
	1195	[pres_topical_12_d] Show the field ONLY if: [pres_topical(12)] = '1'	FILLED	yesno 1, Yes 0, No
	1196	[pres_topical_13_tab] Show the field ONLY if: [pres_topical(13)] = '1'	TOPICALS/OINTMENTS Hydrocortisone 1% [pres_topical_13_a] [pres_topical_13_u] [pres_topical_13_pn]	descriptive
	1197	[pres_topical_13_d] Show the field ONLY if: [pres_topical(13)] = '1'	FILLED	yesno 1, Yes 0, No
	1198	[pres_vitamins_1_tab] Show the field ONLY if: [pres_vitamins(1)] = '1'	VITAMINS Folic Acid 800 mcg [pres_vitamins_1_a] [pres_vitamins_1_u] [pres_vitamins_1_pn]	descriptive
	1199	[pres_vitamins_1_d] Show the field ONLY if: [pres_vitamins(1)] = '1'	FILLED	yesno 1, Yes 0, No
	1200	[pres_vitamins_2_tab] Show the field ONLY if: [pres_vitamins(2)] = '1'	VITAMINS Prenatal Vitamins with Iron [pres_vitamins_2_a] [pres_vitamins_2_u] [pres_vitamins_2_pn]	descriptive
	1201	[pres_vitamins_2_d] Show the field ONLY if: [pres_vitamins(2)] = '1'	FILLED	yesno 1, Yes 0, No
	1202	[pres_vitamins_3_tab] Show the field ONLY if: [pres_vitamins(3)] = '1'	VITAMINS Multiple Vitamin Tabs Adults [pres_vitamins_3_a] [pres_vitamins_3_u] [pres_vitamins_3_pn]	descriptive
	1203	[pres_vitamins_3_d] Show the field ONLY if: [pres_vitamins(3)] = '1'	FILLED	yesno 1, Yes 0, No

	1204	[pres_vitamins_4_tab] Show the field ONLY if: [pres_vitamins(4)] = '1'	VITAMINS Childrens' Chewable Vitamins [pres_vitamins_4_a] [pres_vitamins_4_u] [pres_vitamins_4_pn]	descriptive
	1205	[pres_vitamins_4_d] Show the field ONLY if: [pres_vitamins(4)] = '1'	FILLED	yesno 1 Yes 0 No
	1206	[pres_vitamins_5_tab] Show the field ONLY if: [pres_vitamins(5)] = '1'	VITAMINS Childrens' Chewable Vitamins with Iron [pres_vitamins_5_a] [pres_vitamins_5_u] [pres_vitamins_5_pn]	descriptive
	1207	[pres_vitamins_5_d] Show the field ONLY if: [pres_vitamins(5)] = '1'	FILLED	yesno 1 Yes 0 No
	1208	[pres_antihistaminic_1_tab] Show the field ONLY if: [pres_antihistaminic(1)] = '1'	ANTIHISTAMINIC/ COUGH AND COLD Fexofenadine HCl tabs 180 mg [pres_antihistaminic_1_a] [pres_antihistaminic_1_u] [pres_antihistaminic_1_pn]	descriptive
	1209	[pres_antihistaminic_1_d] Show the field ONLY if: [pres_antihistaminic(1)] = '1'	FILLED	yesno 1 Yes 0 No
	1210	[pres_antihistaminic_2_tab] Show the field ONLY if: [pres_antihistaminic(2)] = '1'	ANTIHISTAMINIC/ COUGH AND COLD Levocetirizine Dihydrocloride tabs 5 mg [pres_antihistaminic_2_a] [pres_antihistaminic_2_u] [pres_antihistaminic_2_pn]	descriptive
	1211	[pres_antihistaminic_2_d] Show the field ONLY if: [pres_antihistaminic(2)] = '1'	FILLED	yesno 1 Yes 0 No
	1212	[pres_antihistaminic_3_tab] Show the field ONLY if:	ANTIHISTAMINIC/ COUGH AND COLD Guaiasorb DM [pres_antihistaminic_3_a] [pres_antihistaminic_3_u] [pres_antihistaminic_3_pn]	descriptive

		[pres_antihistaminic(3)] = '1'		
	1213	[pres_antihistaminic_3_d] Show the field ONLY if: [pres_antihistaminic(3)] = '1'	FILLED	yesno 1, Yes 0, No
	1214	[patient_discharged]	ALL MEDS DISPENSED TO PATIENT	yesno 1, Yes 0, No Field Annotation: @DEFAULT='0'
	1215	[pharmacy_visit_short_complete]	Section Header: *Form Status* Complete?	dropdown 0, Incomplete 1, Unverified 2, Complete