Realizando el escaneo de la máquina Debian mediante nmap, obtenemos la siguiente información:

```
┌──(kali㉿kali)-[~]
└─$ nmap 192.168.1.203
Starting Nmap 7.99 ( https://nmap.org ) at 2026-04-21 21:46 -0400
Nmap scan report for 192.168.1.203
Host is up (0.00041s latency).
Not shown: 999 closed tcp ports (reset)
PORT   STATE SERVICE
80/tcp open  http
MAC Address: 08:00:27:D1:65:C7 (Oracle VirtualBox virtual NIC)

Nmap done: 1 IP address (1 host up) scanned in 3.78 seconds

┌──(kali㉿kali)-[~]
└─$ nmap -sV 192.168.1.203
Starting Nmap 7.99 ( https://nmap.org ) at 2026-04-21 21:48 -0400
Nmap scan report for 192.168.1.203
Host is up (0.00059s latency).
Not shown: 999 closed tcp ports (reset)
PORT   STATE SERVICE VERSION
80/tcp open  http    Apache httpd 2.4.66 ((Debian))
MAC Address: 08:00:27:D1:65:C7 (Oracle VirtualBox virtual NIC)

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 10.51 seconds

┌──(kali㉿kali)-[~]
└─$ nmap -sV --script=vuln 192.168.1.203
Starting Nmap 7.99 ( https://nmap.org ) at 2026-04-21 21:50 -0400
Nmap scan report for 192.168.1.203
Host is up (0.00047s latency).
Not shown: 999 closed tcp ports (reset)
PORT   STATE SERVICE VERSION
80/tcp open  http    Apache httpd 2.4.66 ((Debian))
|_http-dombased-xss: Couldn't find any DOM based XSS.
|_http-stored-xss: Couldn't find any stored XSS vulnerabilities.
|_http-server-header: Apache/2.4.66 (Debian)
|_http-csrf: Couldn't find any CSRF vulnerabilities.
| http-enum:
|   /wordpress/: Blog
|_  /wordpress/wp-login.php: Wordpress login page.
MAC Address: 08:00:27:D1:65:C7 (Oracle VirtualBox virtual NIC)

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 42.31 seconds
```

Considerando los servicios que el scanner detecta, se hace el reporte de las siguientes vulnerabilidades:

NOTA: Solo se añadieron el top 10 de vulnerabilidades, para no hacer este documento tan extenso:

Número	Puerto	Servicio	Versión	Vulnerabilidad	Descripción	Referencia
1	80	HTTP	Apache 2.4.66	CVE-2025-66200	mod_userdir+suexec bypass via AllowOve	Link NIST

					rride FileInfo vulnerability in Apache HTTP Server.	
2	80	HTTP	Apache 2.4.0 - 2.4.65	CVE-2025-65082	Improper Neutralization of Escape, Meta, or Control Sequences vulnerability in Apache HTTP Server through environment variables set via the Apache configuration unexpectedly superseding variables calculated by the server for CGI programs.	Link NIST
3	80	HTTP	Apache 2.4.0 - 2.4.65	CVE-2025-59775	Server-Side Request Forgery (SSRF) vulnerability in Apache HTTP Server on Windows with AllowEncodedSlashe	Link NIST

					s On and MergeSlashes Off allows to potentially leak NTLM hashes to a malicious server via SSRF and malicious requests or content	
4	80	HTTP	Apache 2.4.0 - 2.4.65	CVE-2025-58098	Apache HTTP Server 2.4.65 and earlier with Server Side Includes (SSI) enabled and mod_cgid (but not mod_cgi) passes the shell-escaped query string to #exec cmd="..." directives.	Link NIST
5	80	HTTP	Apache 2.4.30 - 2.4.65	CVE-2025-55753	An integer overflow in the case of failed ACME certificate renewal leads, after a number of failures (~30 days in default configurations), to the backoff	Link NIST

					timer becoming 0. Attempts to renew the certificate then are repeated without delays until it succeeds.	