RecebimentoService.java

```
package net.originmobi.pdv.service;
3
      import java.util.ArrayList;
4
      import java.util.List;
5
      import java.util.Optional;
      import org.springframework.beans.factory.annotation.Autowired;
8
      import org.springframework.stereotype.Service;
      import org.springframework.transaction.annotation.Propagation;
10
      import org.springframework.transaction.annotation.Transactional;
12
      import com.ibm.icu.text.DecimalFormat;
13
14
      import net.originmobi.pdv.controller.TituloService;
15
      import net.originmobi.pdv.enumerado.TituloTipoEnum;
16
      import net.originmobi.pdv.enumerado.caixa.EstiloLancamento;
      import net.originmobi.pdv.enumerado.caixa.TipoLancamento;
17
18
      import net.originmobi.pdv.model.Caixa;
19
      import net.originmobi.pdv.model.CaixaLancamento;
20
      import net.originmobi.pdv.model.Parcela;
      import net.originmobi.pdv.model.Pessoa;
22
      import net.originmobi.pdv.model.Recebimento;
23
      import net.originmobi.pdv.model.Titulo;
24
      import net.originmobi.pdv.model.Usuario;
25
      import net.originmobi.pdv.repository.RecebimentoRepository;
      import net.originmobi.pdv.service.cartao.CartaoLancamentoService;
27
      import net.originmobi.pdv.singleton.Aplicacao;
28
      import net.originmobi.pdv.utilitarios.DataAtual;
29
30
31
      public class RecebimentoService {
32
33
              @Autowired
34
              private RecebimentoRepository recebimentos;
35
36
              @Autowired
37
              private PessoaService pessoas:
38
39
              @Autowired
40
              private RecebimentoParcelaService receParcelas;
41
42
              @Autowired
43
              private ParcelaService parcelas;
11
45
46
              private CaixaService caixas;
47
48
              @Autowired
49
              private UsuarioService usuarios;
50
51
              @Autowired
52
              private CaixaLancamentoService lancamentos;
53
54
              @Autowired
55
              private TituloService titulos;
56
57
              @Autowired
58
              private CartaoLancamentoService cartaoLancamentos;
59
60
              public String abrirRecebimento(Long codpes, String[] arrayParcelas) {
                      List<Parcela> lista = new ArrayList<>();
61 <u>1</u>
62
63
                      DataAtual dataAtual = new DataAtual();
                      Double vlTotal = 0.0;
64
   6
65
                      for (int i = 0; i < arrayParcelas.length; i++) {</pre>
66
   19
                               Parcela parcela = parcelas.busca(Long.decode(arrayParcelas[i]));
67
   7
68
69 <u>15</u>
                               if (parcela.getQuitado() == 1)
70 <u>8</u>
                                       throw new RuntimeException("Parcela " + parcela.getCodigo() + " já esta quitada, v
71
72 <u>7</u>
                               if (parcela.getReceber().getPessoa().getCodigo() != codpes)
73
   8
                                       throw new RuntimeException("A parcela " + parcela.getCodigo() + " não pertence ao
74
75
                               try {
76 <u>1</u>
                                       lista.add(parcela);
77
```

```
78 11
                                        vlTotal = vlTotal + parcela.getValor_restante();
79
80
                                } catch (Exception e) {
81
                                        e.getMessage():
   1
                                        throw new RuntimeException("Erro ao receber, chame o suporte");
82 1
83
                                }
84
85
86
                       Optional<Pessoa> pessoa = pessoas.buscaPessoa(codpes);
   1
87
88 9
                       if (!pessoa.isPresent())
89
   1
                                throw new RuntimeException("Cliente não encontrado");
90
91 3
                       Recebimento recebimento = new Recebimento(vlTotal, dataAtual.dataAtualTimeStamp(), pessoa.get(), l
92
93
                       try {
94
   2
                                recebimentos.save(recebimento);
95
                       } catch (Exception e) {
96
   1
                                e.getMessage();
97
   1
                                throw new RuntimeException("Erro ao receber, chame o suporte");
98
99
1004
                       return recebimento.getCodigo().toString();
101
              }
102
103
               @Transactional(readOnly = false, propagation = Propagation.REQUIRED)
104
              public String receber(Long codreceber, Double vlrecebido, Double vlacrescimo, Double vldesconto, Long codt
                       Optional<Recebimento> recebimento = recebimentos.findById(codreceber);
105 1
106 1
                       Optional<Titulo> titulo = titulos.busca(codtitulo);
107
108 18
                       if (codtitulo == 0 || codtitulo == null)
109 1
                                throw new RuntimeException("Selecione um título para realizar o recebimento");
110
111 11
                       if (recebimento.map(Recebimento::getData_processamento).isPresent())
112 <u>1</u>
                                throw new RuntimeException("Recebimento já esta fechado");
113
114
                       // vincula o titulo ao recebimento
115 <u>3</u>
                       recebimento.get().setTitulo(titulo.get());
116
117 <u>1</u>
                       DecimalFormat formata = new DecimalFormat("0.00");
                       Double vlrecebimento = Double
118
119 8
                                        .valueOf(formata.format(recebimento.map(Recebimento::getValor_total).get()).replac
120
121 11
                       if (vlrecebido > vlrecebimento)
122 1
                                throw new RuntimeException("Valor de recebimento é superior aos títulos");
123
124 <u>1</u>
                       List<Parcela> listParcelas = receParcelas.parcelasDoReceber(codreceber);
125
126 9
                       if (listParcelas.isEmpty())
127 <u>1</u>
                                throw new RuntimeException("Recebimento não possue parcelas");
128
129 15
                       if (vlrecebido <= 0.0)
                                throw new RuntimeException("Valor de recebimento inválido");
130 1
131
132
                       // guarda o valor do lançamento de caixa
133
                       Double vllancamento = vlrecebido;
134
135
                       // verifica cada parcela que veio e realiza o seu recebimento individual
136 <u>20</u>
                       for (int i = 0; i < listParcelas.size(); i++) {</pre>
137
138 <u>15</u>
                                if (vlrecebido > 0) {
                                        Double vlsobra = vlrecebido - listParcelas.get(i).getValor_restante();
139 17
140 <u>22</u>
                                        vlsobra = vlsobra < 0 ? 0 : vlsobra;
141
142 <u>10</u>
                                        Double vlquitado = vlsobra - vlrecebido;
                                        vlquitado = vlquitado < 0 ? vlquitado * -1 : vlquitado;</pre>
143 <u>31</u>
144
145
                                        vlrecebido = vlsobra;
146
147 <u>7</u>
                                        Long parcela = listParcelas.get(i).getCodigo();
148
149
                                        try {
150
151 <u>13</u>
                                                 parcelas.receber(parcela, vlquitado, 0.00, 0.00);
152
                                        } catch (Exception e) {
153 <u>1</u>
                                                 e.getMessage();
154 <u>1</u>
                                                 throw new RuntimeException("Ocorreu um erro ao realizar o recebimento, cha
155
                                        }
156
                                }
157
                       }
158
```

```
159
160 1
                                            Aplicacao aplicacao = new Aplicacao();
161 <u>2</u>
                                            Usuario usuario = usuarios.buscaUsuario(aplicacao.getUsuarioAtual());
162
                                            // pega a sigla do titulo
163
164 <u>4</u>
                                            String sigla = titulo.map(Titulo::getTipo).get().getSigla();
165
166
                                            // verifica se é um lançamento do tipo cartão para lançar o cartao_lancamento
                                            if \ (sigla.equals(TituloTipoEnum.CARTDEB.toString()) \ || \ sigla.equals(TituloTipoEnum.CARTCRED.toString()) \ || \ sigla.equals(TituloTipo
167 20
168 1
                                                             cartaoLancamentos.lancamento(vllancamento, titulo);
169
170
                                            } else {
171 <u>1</u>
                                                             Optional<Caixa> caixa = caixas.caixaAberto();
                                                             CaixaLancamento lancamento = new CaixaLancamento("Referente ao recebimento " + codreceber,
172 5
173 1
                                                                                             TipoLancamento.RECEBIMENTO, EstiloLancamento.ENTRADA, caixa.get(), usuario
174
175
                                                             // vincula o recebimento ao caixa_lancamento
176 <u>2</u>
                                                             lancamento.setRecebimento(recebimento.get());
177
178
                                                             // Faz um caixa lançamento no valor do receber;
179
                                                             try {
180 1
                                                                             lancamentos.lancamento(lancamento);
181
                                                             } catch (Exception e) {
182<sub>1</sub>
                                                                             e.getMessage();
183 <u>1</u>
                                                                             throw new RuntimeException("Ocorreu um erro ao realizar o recebimento, chame o sup
184
                                                             }
185
                                            }
186
187
                                            try {
188 <u>1</u>
                                                             DataAtual dataAtual = new DataAtual();
189
190 2
                                                             recebimento.get().setValor_recebido(vllancamento);
                                                             recebimento.get().setValor_acrescimo(vlacrescimo);
191 2
192<sub>2</sub>
                                                             recebimento.get().setValor desconto(vldesconto);
193 <u>3</u>
                                                             recebimento.get().setData_processamento(dataAtual.dataAtualTimeStamp());
194
195 <u>3</u>
                                                             recebimentos.save(recebimento.get());
196
                                            } catch (Exception e) {
197 1
                                                             e.getMessage();
198 1
                                                             throw new RuntimeException("Ocorreu um erro ao realizar o recebimento, chame o suporte");
199
                                            }
200
                                            return "Recebimento realizado com sucesso";
201 2
202
                            }
203
204
                            public String remover(Long codigo) {
205 1
                                            Optional<Recebimento> recebimento = recebimentos.findBvId(codigo):
206
207 11
                                            if (recebimento.map(Recebimento::getData_processamento).isPresent())
208 1
                                                             throw new RuntimeException("Esse recebimento não pode ser removido, pois ele já esta proce
209
210
                                            try {
211 1
                                                             recebimentos.deleteById(codigo);
212
                                            } catch (Exception e) {
                                                             System.out.println(e.getMessage());
213 <sup>2</sup>
214 1
                                                             throw new RuntimeException("Erro ao remover orçamento, chame o suporte");
215
                                            }
216
217 2
                                            return "removido com sucesso";
218
                            }
219
220
           }
            Mutations
            1. removed call to java/util/ArrayList::<init> → KILLED
61
63

    removed call to net/originmobi/pdv/utilitarios/DataAtual::<init> → KILLED

                 Substituted 0.0 with 1.0 → SURVIVED
removed call to java/lang/Double::valueOf → KILLED
Substituted 0.0 with 1.0 → SURVIVED
Substituted 0.0 with -1.0 → SURVIVED
64
            4.
            1. changed conditional boundary → KILLED
2. Substituted 0 with 1 → KILLED
3. negated conditional → KILLED
4. removed conditional - replaced comparison check with false → KILLED
5. removed conditional - replaced comparison check with true → KILLED
            6.
                 Negated integer local variable number 6 \rightarrow KILLED Substituted 0 with 1 \rightarrow KILLED
            9. Substituted 0 with -1 → KILLED 9. Substituted 0 with 1 → KILLED 10. Substituted 0 with -1 → KILLED
            11. Less than to less or equal \rightarrow KILLED
```

```
12. Less than to greater than → KILLED

13. Less than to greater or equal → KILLED

14. Less than to equal → KILLED

15. Less than to not equal → SURVIVED

16. Incremented (a++) integer local variable number 6 → KILLED

17. Decremented (a--) integer local variable number 6 → KILLED

18. Incremented (++a) integer local variable number 6 → KILLED

19. Decremented (--a) integer local variable number 6 → KILLED

    Decremented (--a) integer local variable number 6 → KILLED
    Decremented (a--) integer local variable number 6 → TIMED_OUT
    removed call to java/lang/Long::decode → KILLED
    removed call to net/originmobi/pdv/service/ParcelaService::busca → KILLED
    Negated integer local variable number 6 → KILLED
    Incremented (a++) integer local variable number 6 → KILLED
    Incremented (+-a) integer local variable number 6 → KILLED
    Decremented (--a) integer local variable number 6 → KILLED
    Substituted 1 with 6 → KILLED

67
                 7. Decremented (--a) integer local variable number 6 → KILLED

1. Substituted 1 with 0 → KILLED

2. negated conditional → KILLED

3. removed call to net/originmobi/pdv/model/Parcela::getQuitado → KILLED

4. removed conditional - replaced equality check with false → KILLED

5. removed conditional - replaced equality check with true → KILLED

6. Substituted 1 with 0 → KILLED

7. Substituted 1 with 0 → KILLED
                 6.
7.

    Substituted 1 with -1 → KILLED
    Substituted 1 with -1 → KILLED
    Substituted 1 with 2 → KILLED
    Substituted 1 with 0 → KILLED

69
                 11. not equal to less than → SURVIVED
12. not equal to less or equal → KILLED
13. not equal to greater than → KILLED
14. not equal to greater or equal → KILLED
15. not equal to equal → KILLED
                15. not equal to equal → KILLED

1. removed call to java/lang/StringBuilder::<init> → KILLED

2. removed call to java/lang/RuntimeException::<init> → KILLED

3. removed call to net/originmobi/pdv/model/Parcela::getCodigo → KILLED

4. removed call to java/lang/StringBuilder::append → KILLED

5. removed call to java/lang/StringBuilder::append → KILLED

6. removed call to java/lang/StringBuilder::toString → KILLED

7. replaced call to java/lang/StringBuilder::append with receiver → KILLED

8. replaced call to java/lang/StringBuilder::append with receiver → KILLED
70
                 1. negated conditional → KILLED
2. removed call to net/originmobi/pdv/model/Parcela::getReceber → KILLED
3. removed call to net/originmobi/pdv/model/Receber::getPessoa → KILLED
4. removed call to net/originmobi/pdv/model/Pessoa::getCodigo → KILLED
5. removed conditional - replaced equality check with false → KILLED
6. removed conditional - replaced equality check with true → KILLED
7. equal to not equal → KILLED
72
                 1. removed call to java/lang/StringBuilder::<init> → KILLED
2. removed call to java/lang/RuntimeException::<init> → KILLED
3. removed call to net/originmobi/pdv/model/Parcela::getCodigo → KILLED
4. removed call to java/lang/StringBuilder::append → KILLED
5. removed call to java/lang/StringBuilder::append → KILLED
6. removed call to java/lang/StringBuilder::toString → KILLED
73
                 7. replaced call to java/lang/StringBuilder::append with receiver → KILLED 8. replaced call to java/lang/StringBuilder::append with receiver → KILLED
                 1. removed call to java/util/List::add \rightarrow SURVIVED
76
                1. Removed call to java/util/List::adu → SURVIVED
2. removed call to java/lang/Double::doubleValue → SURVIVED
3. removed call to net/originmobi/pdv/model/Parcela::getValor_restante → KILLED
4. removed call to java/lang/Double::doubleValue → SURVIVED
5. removed call to java/lang/Double::valueOf → KILLED
6. Replaced double operation with first member → SURVIVED
7. Replaced double operation by second member → SURVIVED
8. Replaced double addition with subtraction → SURVIVED
9. Replaced double addition with multiplication → SURVIVED
10. Replaced double addition with division → SURVIVED
78
                 10. Replaced double addition with division → SURVIVED 11. Replaced double addition with modulus → SURVIVED

    removed call to java/lang/Exception::getMessage → NO_COVERAGE

82

    removed call to java/lang/RuntimeException::<init> → NO_COVERAGE

    removed call to net/originmobi/pdv/service/PessoaService::buscaPessoa → KILLED

    negated conditional → KILLED

    removed call to java/util/Optional::isPresent → KILLED
    removed conditional - replaced equality check with false → KILLED
    removed conditional - replaced equality check with true → KILLED

                 7. not equal to less than → KILLED
6. not equal to less or equal → KILLED
7. not equal to greater than → SURVIVED
8. not equal to greater or equal → KILLED
9. not equal to equal → KILLED
88
 89

    removed call to java/lang/RuntimeException::<init> → KILLED

    removed call to net/originmobi/pdv/model/Recebimento::<init> → KILLED

    removed call to net/originmobi/pdv/utilitarios/DataAtual::dataAtualTimeStamp → SURVIVED
    removed call to java/util/Optional::get → SURVIVED

 91
                 \textbf{1. replaced call to net/originmobi/pdv/repository/RecebimentoRepository::} \textbf{save with argument} \rightarrow \textbf{KILLED}
94

    removed call to net/originmobi/pdv/repository/RecebimentoRepository::save → KILLED

                 1. removed call to java/lang/Exception::getMessage \rightarrow NO_COVERAGE
96
                 1. removed call to java/lang/RuntimeException::<init> → NO_COVERAGE
1. replaced return value with "" for net/originmobi/pdv/service/RecebimentoService::abrirRecebimento → KILLED
2. removed call to net/originmobi/pdv/model/Recebimento::getCodigo → KILLED
3. removed call to java/lang/Long::toString → KILLED
4. mutated return of Object value for net/originmobi/pdv/service/RecebimentoService::abrirRecebimento to ( if (x ! throw new RuntimeException ) → KILLED
97
 100
105

    removed call to net/originmobi/pdv/repository/RecebimentoRepository::findById → KILLED

    removed call to net/originmobi/pdv/controller/TituloService::busca → KILLED

 106

    Substituted 0 with 1 → KILLED
    negated conditional → KILLED
    negated conditional → KILLED
    removed call to java/lang/Long::longValue → KILLED

108
```

```
5. removed conditional - replaced equality check with false → KILLED
6. removed conditional - replaced equality check with false → SURVIVED
7. removed conditional - replaced equality check with true → KILLED
8. removed conditional - replaced equality check with true → KILLED
9. Substituted 0 with 1 → KILLED
10. Substituted 0 with -1 → KILLED
11. Substituted 0 with -1 → KILLED
12. Substituted 0 with -1 → KILLED
13. equal to less than → KILLED
14. equal to less or equal → SURVIVED
                    13. equal to less or equal → SURVIVED
14. equal to less or equal → SURVIVED
15. equal to greater than → KILLED
16. equal to greater or equal → KILLED
17. equal to not equal → KILLED
18. not equal to equal → KILLED
109
                   1. removed call to java/lang/RuntimeException::<init> → KILLED

    removed call to java/lang/RuntimeException::<init> → KILLED
    negated conditional → KILLED
    removed call to java/util/Optional::map → KILLED
    removed call to java/util/Optional::isPresent → KILLED
    removed conditional - replaced equality check with false → KILLED
    removed conditional - replaced equality check with true → KILLED
    replaced call to java/util/Optional::map with receiver → KILLED
    equal to less than → KILLED
    equal to less or equal → SURVIVED
    equal to greater than → KILLED
    equal to greater or equal → KILLED
    equal to not equal → KILLED
    removed call to java/lang/RuntimeException::<init> → KILLED

111
                   1. removed call to java/lang/RuntimeException::\langle init \rangle \rightarrow KILLED
112

    removed call to java/util/Optional::get → KILLED
    removed call to java/util/Optional::get → KILLED

115
                    3. removed call to net/originmobi/pdv/model/Recebimento::setTitulo → KILLED
                   1. removed call to com/ibm/icu/text/DecimalFormat::<init> → KILLED
117

    replaced call to java/lang/String::replaceAll with argument → KILLED
    removed call to java/util/Optional::map → KILLED
    removed call to java/util/Optional::get → KILLED

                   4. removed call to com/ibm/icu/text/DecimalFormat::format → KILLED
5. removed call to java/lang/String::replaceAll → KILLED
6. removed call to java/lang/Double::valueOf → KILLED
7. replaced call to java/util/Optional::map with receiver → KILLED
8. replaced call to java/lang/String::replaceAll with receiver → KILLED
119
                    1. changed conditional boundary → KILLED

    changed conditional boundary → KILLED
    negated conditional → KILLED
    removed call to java/lang/Double::doubleValue → KILLED
    removed call to java/lang/Double::doubleValue → KILLED
    removed conditional - replaced comparison check with false → KILLED
    removed conditional - replaced comparison check with true → KILLED
    Less or equal to less than → KILLED
    Less or equal to greater than → KILLED
    Less or equal to greater or equal → KILLED
    Less or equal to not equal → KILLED
    removed call to java/lang/RuntimeExcention::cinit → KILLED

121

    removed call to java/lang/RuntimeException::<init> → KILLED

122
124
                    \textbf{1. removed call to net/originmobi/pdv/service/RecebimentoParcelaService::parcelasDoReceber} \rightarrow \texttt{KILLED}

    negated conditional → KILLED

                      removed call to java/util/List::isEmpty -

    removed call to java/util/List::isEmpty → KILLED
    removed conditional - replaced equality check with false → KILLED
    removed conditional - replaced equality check with true → KILLED
    equal to less than → KILLED
    equal to less or equal → SURVIVED
    equal to greater than → KILLED
    equal to greater or equal → KILLED
    equal to not equal → KILLED

126
                    1. removed call to java/lang/RuntimeException::\langle init \rangle \rightarrow KILLED
127
                   1. removed call to java/lang/RuntimeException::<init> → KILLED
1. changed conditional boundary → KILLED
2. Substituted 0.0 with 1.0 → SURVIVED
3. negated conditional → KILLED
4. removed call to java/lang/Double::doubleValue → KILLED
5. removed conditional - replaced comparison check with false → KILLED
6. removed conditional - replaced comparison check with true → KILLED
7. Substituted 0.0 with 1.0 → SURVIVED
8. Substituted 0.0 with -1.0 → KILLED
9. Substituted 0.0 with -1.0 → KILLED
10. Substituted 0.0 with -1.0 → KILLED
11. greater than to less than → KILLED
12. greater than to less or equal → KILLED
13. greater than to greater or equal → KILLED
14. greater than to equal → KILLED
15. greater than to equal → KILLED
16. greater than to equal → KILLED
17. greater than to equal → KILLED
18. greater than to equal → KILLED
19. greater than to equal → KILLED
129
                    14. greater than to equal → KILLED
15. greater than to not equal → SURVIVED
                    1. removed call to java/lang/RuntimeException::\langle init \rangle \rightarrow KILLED
130
                    1. removed conditional - replaced comparison check with false → TIMED_OUT
2. changed conditional boundary → KILLED
3. Substituted 0 with 1 → KILLED
4. negated conditional → KILLED
                 5. removed call to java/util/List::size → KILLED
6. removed conditional - replaced comparison check with true → KILLED
7. Negated integer local variable number 12 → KILLED
8. Substituted 0 with 1 → KILLED
9. Substituted 0 with 1 → KILLED
10. Substituted 0 with 1 → KILLED
11. Substituted 0 with 1 → KILLED
12. Less than to less or equal → KILLED
13. Less than to greater than → KILLED
14. Less than to greater or equal → KILLED
15. Less than to equal → KILLED
16. Less than to not equal → SURVIVED
17. Incremented (a++) integer local variable number 12 → KILLED
18. Decremented (++a) integer local variable number 12 → KILLED
19. Incremented (--a) integer local variable number 12 → KILLED
                      5. removed call to java/util/List::size → KILLED
136
```

```
1. changed conditional boundary → SURVIVED
2. Substituted 0.0 with 1.0 → KILLED
3. negated conditional → KILLED
4. removed call to java/lang/Double::doubleValue → KILLED
5. removed conditional - replaced comparison check with false → KILLED
6. removed conditional - replaced comparison check with true → SURVIVED
7. Substituted 0.0 with 1.0 → KILLED
8. Substituted 0.0 with 1.0 → KILLED
9. Substituted 0.0 with 1.0 → KILLED
10. Substituted 0.0 with 1.0 → SURVIVED
11. Less or equal to less than → SURVIVED
12. Less or equal to greater than → KILLED
13. Less or equal to greater or equal → KILLED
14. Less or equal to equal → SURVIVED
15. Less or equal to not equal → KILLED
16. Replaced double subtraction with addition → KILLED
138
                                         15. Less or equal to not equal → KILLED

1. Replaced double subtraction with addition → KILLED

2. removed call to java/lang/Double::doubleValue → KILLED

3. removed call to java/util/List::get → KILLED

4. removed call to net/originmobi/pdv/model/Parcela::getValor_restante → KILLED

5. removed call to java/lang/Double::doubleValue → KILLED

6. removed call to java/lang/Double::valueOf → KILLED

7. Negated integer local variable number 12 → KILLED

8. Replaced double operation with first member → KILLED

9. Replaced double operation by second member → KILLED

10. Replaced double subtraction with addition → KILLED

11. Replaced double subtraction with division → KILLED

12. Replaced double subtraction with multiplication → KILLED

13. Replaced double subtraction with modulus → KILLED

14. Incremented (a++) integer local variable number 12 → KILLED

15. Decremented (++a) integer local variable number 12 → KILLED

16. Incremented (++a) integer local variable number 12 → KILLED

17. Decremented (--a) integer local variable number 12 → KILLED
 139

    changed conditional boundary → SURVIVED
    Substituted 0.0 with 1.0 → SURVIVED
    Substituted 0.0 with 1.0 → KILLED

                                         3. Substituted 0.0 with 1.0 → KILLED
4. negated conditional → KILLED
5. removed call to java/lang/Double::doubleValue → SURVIVED
6. removed call to java/lang/Double::doubleValue → KILLED
7. removed call to java/lang/Double::valueOf → KILLED
8. removed conditional - replaced comparison check with false → SURVIVED
9. removed conditional - replaced comparison check with true → KILLED
10. Substituted 0.0 with 1.0 → SURVIVED
11. Substituted 0.0 with 1.0 → KILLED
12. Substituted 0.0 with -1.0 → SURVIVED
13. Substituted 0.0 with -1.0 → SURVIVED
14. Substituted 0.0 with 1.0 → KILLED
15. Substituted 0.0 with 1.0 → KILLED
16. Substituted 0.0 with -1.0 → SURVIVED
17. Substituted 0.0 with -1.0 → SURVIVED
18. greater or equal to less than → KILLED
                                            18. greater or equal to less than → KILLED

19. greater or equal to less or equal → KILLED

20. greater or equal to greater than → SURVIVED

21. greater or equal to equal → KILLED

22. greater or equal to not equal → SURVIVED
                                              1. Replaced double subtraction with addition → KILLED

    Replaced double subtraction with addition → KILLED
    removed call to java/lang/Double::doubleValue → KILLED
    removed call to java/lang/Double::doubleValue → KILLED
    removed call to java/lang/Double::valueOf → KILLED
    Replaced double operation with first member → KILLED
    Replaced double operation by second member → KILLED
    Replaced double subtraction with addition → KILLED
    Replaced double subtraction with multiplication → KILLED
    Replaced double subtraction with modulus → KILLED
    Replaced double subtraction with modulus → KILLED

 142
                                        10. Replaced double subtraction with modulus → KILLED

1. changed conditional boundary → SURVIVED

2. Substituted 0.0 with 1.0 → SURVIVED

3. Substituted -1.0 with 1.0 → KILLED

4. Replaced double multiplication with division → SURVIVED

5. negated conditional → KILLED

6. removed call to java/lang/Double::doubleValue → KILLED

7. removed call to java/lang/Double::doubleValue → KILLED

8. removed call to java/lang/Double::doubleValue → NO_COVERAGE

9. removed call to java/lang/Double::valueOf → KILLED

10. removed conditional - replaced comparison check with false → KILLED

11. removed conditional - replaced comparison check with true → SURVIVED

12. Replaced double operation with first member → KILLED

13. Replaced double operation by second member → KILLED

14. Replaced double multiplication with division → SURVIVED

15. Replaced double multiplication with addition → KILLED

17. Replaced double multiplication with subtraction → KILLED
                                            10. Replaced double multiplication with addition → KILLED
17. Replaced double multiplication with subtraction → KILLED
18. Substituted 0.0 with 1.0 → SURVIVED
19. Substituted -1.0 with 1.0 → KILLED
20. Substituted -1.0 with 0.0 → KILLED
21. Substituted 0.0 with -1.0 → KILLED
22. Substituted -1.0 with 1.0 → KILLED
23. Substituted -1.0 with 1.0 → KILLED
                                            22. Substituted -1.0 with 1.0 → KILLED
23. Substituted 0.0 with 1.0 → SURVIVED
24. Substituted -1.0 with 0.0 → KILLED
25. Substituted -1.0 with -1.0 → KILLED
26. Substituted -1.0 with -2.0 → KILLED
27. greater or equal to less than → KILLED
28. greater or equal to less or equal → KILLED
29. greater or equal to greater than → SURVIVED
30. greater or equal to equal → SURVIVED
31. greater or equal to not equal → KILLED
                                           1. removed call to java/util/List::get → KILLED
2. removed call to net/originmobi/pdv/model/Parcela::getCodigo → KILLED
3. Negated integer local variable number 12 → KILLED
4. Incremented (a++) integer local variable number 12 → KILLED
5. Decremented (a--) integer local variable number 12 → KILLED
147
```

```
6. Incremented (++a) integer local variable number 12 \rightarrow KILLED 7. Decremented (--a) integer local variable number 12 \rightarrow KILLED
            7. Decremented (--a) integer local variable number 12 → KILLED
1. Substituted 0.0 with 1.0 → KILLED
2. Substituted 0.0 with 1.0 → KILLED
3. removed call to java/lang/Double::valueOf → KILLED
4. removed call to java/lang/Double::valueOf → KILLED
5. removed call to net/originmobi/pdv/service/ParcelaService::receber → KILLED
6. Substituted 0.0 with 1.0 → KILLED
7. Substituted 0.0 with 1.0 → KILLED
8. Substituted 0.0 with -1.0 → KILLED
9. Substituted 0.0 with -1.0 → KILLED
10. Substituted 0.0 with -1.0 → KILLED
11. Substituted 0.0 with -1.0 → KILLED
12. Substituted 0.0 with -1.0 → KILLED
12. Substituted 0.0 with -1.0 → KILLED
151
             12. Substituted 0.0 with -1.0 \rightarrow KILLED 13. Substituted 0.0 with -1.0 \rightarrow KILLED

    removed call to java/lang/Exception::getMessage → NO_COVERAGE

153
154
             1. removed call to java/lang/RuntimeException::\langle init \rangle \rightarrow NO\_COVERAGE
            1. removed call to net/originmobi/pdv/singleton/Aplicacao::<init> → KILLED
             1. removed call to net/originmobi/pdv/singleton/Aplicacao::getUsuarioAtual → SURVIVED
161
             2. removed call to net/originmobi/pdv/service/UsuarioService::buscaUsuario → SURVIVED
            1. removed call to java/util/Optional::map → KILLED
2. removed call to java/util/Optional::get → KILLED
3. removed call to net/originmobi/pdv/model/TituloTipo::getSigla → KILLED
4. replaced call to java/util/Optional::map with receiver → KILLED
164
           4. replaced call to java/utii/Optional::map with receiver → KILLED
1. negated conditional → KILLED
2. negated conditional → KILLED
3. removed call to net/originmobi/pdv/enumerado/TituloTipoEnum::toString → KILLED
4. removed call to java/lang/String::equals → KILLED
5. removed call to net/originmobi/pdv/enumerado/TituloTipoEnum::toString → SURVIVED
6. removed call to java/lang/String::equals → SURVIVED
7. removed call to java/lang/String::equals → SURVIVED
8. removed conditional - replaced equality check with false → KILLED
8. removed conditional - replaced equality check with false → SURVIVED
9. removed conditional - replaced equality check with true → KILLED
10. removed conditional - replaced equality check with true → KILLED
11. not equal to less than → KILLED
12. equal to less than → KILLED
13. not equal to less or equal → SURVIVED
14. equal to less or equal → SURVIVED
15. not equal to greater than → SURVIVED
16. equal to greater than → KILLED
17. not equal to greater or equal → SURVIVED
18. equal to greater or equal → SURVIVED
19. not equal to equal → KILLED
20. equal to not equal → KILLED
20. equal to not equal → KILLED
11. removed call to net/originmobi/pdv/service/cartao/CartaoLancamentoService::lancam
167

    removed call to net/originmobi/pdv/service/cartao/CartaoLancamentoService::lancamento → KILLED

168

    removed call to net/originmobi/pdv/service/CaixaService::caixaAberto → KILLED

171
            1. removed call to java/lang/StringBuilder::<init>→ KILLED
2. removed call to net/originmobi/pdv/model/CaixaLancamento::<init>→ KILLED
3. removed call to java/lang/StringBuilder::append → KILLED
4. removed call to java/lang/StringBuilder::toString → SURVIVED
5. replaced call to java/lang/StringBuilder::append with receiver → SURVIVED
172
173
            1. removed call to java/util/Optional::get → SURVIVED

    removed call to java/util/Optional::get → SURVIVED
    removed call to net/originmobi/pdv/model/CaixaLancamento::setRecebimento → SURVIVED

176
180

    removed call to net/originmobi/pdv/service/CaixaLancamentoService::lancamento → KILLED

182
            1. removed call to java/lang/Exception::getMessage \rightarrow NO_COVERAGE
             1. removed call to java/lang/RuntimeException::\langle init \rangle \rightarrow NO\_COVERAGE
183
            1. removed call to net/originmobi/pdv/utilitarios/DataAtual::<init> → KILLED
188

    removed call to java/util/Optional::get → KILLED
    removed call to net/originmobi/pdv/model/Recebimento::setValor_recebido → KILLED

190
             1. removed call to java/util/Optional::get → KILLED
191
             2. removed call to net/originmobi/pdv/model/Recebimento::setValor_acrescimo → KILLED

    removed call to java/util/Optional::get → KILLED
    removed call to net/originmobi/pdv/model/Recebimento::setValor_desconto → KILLED

192

    removed call to java/util/Optional::get → KILLED
    removed call to net/originmobi/pdv/utilitarios/DataAtual::dataAtualTimeStamp → KILLED
    removed call to net/originmobi/pdv/model/Recebimento::setData_processamento → KILLED

193

    replaced call to net/originmobi/pdv/repository/RecebimentoRepository::save with argument → KILLED
    removed call to java/util/Optional::get → KILLED
    removed call to net/originmobi/pdv/repository/RecebimentoRepository::save → KILLED

195

    removed call to java/lang/Exception::getMessage → NO_COVERAGE

197
198

    removed call to java/lang/RuntimeException::<init> → NO_COVERAGE

    replaced return value with "" for net/originmobi/pdv/service/RecebimentoService::receber → KILLED
    mutated return of Object value for net/originmobi/pdv/service/RecebimentoService::receber to ( if (x != null) n RuntimeException ) → KILLED

201

    removed call to net/originmobi/pdv/repository/RecebimentoRepository::findById → KILLED

205

    removed call to net/originmobi/pdv/repository/RecebimentoRepositor
    negated conditional → KILLED
    removed call to java/util/Optional::map → KILLED
    removed call to java/util/Optional::isPresent → KILLED
    removed conditional - replaced equality check with false → KILLED
    removed conditional - replaced equality check with true → KILLED
    replaced call to java/util/Optional::map with receiver → KILLED
    equal to less than → KILLED
    equal to less or equal → SURVIVED
    equal to greater than → KILLED
    equal to greater or equal → KILLED

207
             10. equal to greater or equal → KILLED
11. equal to not equal → KILLED
            1. removed call to java/lang/RuntimeException::<init> → KILLED
208
211

    removed call to net/originmobi/pdv/repository/RecebimentoRepository::deleteById → KILLED

             1. removed call to java/lang/Exception::getMessage \rightarrow SURVIVED 2. removed call to java/io/PrintStream::println \rightarrow SURVIVED

    removed call to java/lang/RuntimeException::<init> → KILLED
    replaced return value with "" for net/originmobi/pdv/service/RecebimentoService::remover → KILLED

214
217
```

2. mutated return of Object value for net/originmobi/pdv/service/RecebimentoService::remover to (if (x != null) n RuntimeException) \rightarrow KILLED

Active mutators

. ABS_MUTATOR
. AOD 1 MUTATOR
. AOD 2 MUTATOR
. AOD 2 MUTATOR
. AOR 2 MUTATOR
. AOR 2 MUTATOR
. AOR 3 MUTATOR
. AOR 3 MUTATOR
. AOR 4 MUTATOR
. AOR 4 MUTATOR
. AOR 4 MUTATOR
. AOR 4 MUTATOR
. ARGÜMENT PROPAGATION MUTATOR
. BOOLEAN FALSE RETURN
. BOOLEAN FALSE RETURN
. CONDITIONALS BOUNDARY MUTATOR
. CRORSTRUCTOR CALL_MUTATOR
. CRCR 1 MUTATOR
. CRCR 2 MUTATOR
. CRCR 3 MUTATOR
. CRCR 4 MUTATOR
. CRCR 6 MUTATOR
. CRCR 6 MUTATOR
. CRCR 6 MUTATOR
. EMPTY RETURN VALUES
. EXPERIMENTAL BIGINTEGER MUTATOR
. EXPERIMENTAL REMOVE SWITCH MUTATOR
. EXPERIMENTAL REMOVE SWITCH MUTATOR
. INCREMENTS MUTATOR
. NAKED RECEIVER
. NEGATE CONDITIONALS MUTATOR
. NON VOID METHOD CALL MUTATOR
. NOUL RETÜRN VALÜES
. OBBN 1 MUTATOR
. OBBN 2 MUTATOR
. OBBN 3 MUTATOR
. PRIMITIVE RETURN VALS MUTATOR
. PRIMITIVE RETURN VALS MUTATOR
. PRIMITIVE RETURN VALS MUTATOR
. REMOVE CONDITIONALS EQUAL ELSE MUTATOR
. REMOVE CONDITIONALS ORDER ELSE MUTATOR
. REMOVE INCREMENTS MUTATOR
. ROR 1 MUTATOR
. ROR 2 MUTATOR
. ROR 3 MUTATOR
. ROR 3 MUTATOR
. ROR 6 MUTATOR
. ROR 6 MUTATOR
. ROR 7 MUTATOR
. ROR 7 MUTATOR
. UOI 1 MUTATOR
. UOI 3 MUTATOR
. UOI 4 MUTATOR
. UOI 4 MUTATOR
. UOI 5 MUTATOR
. UOI 4 MUTATOR
. UOI 4 MUTATOR
. UOI 5 MUTATOR
. UOI 6 MUTATOR
. UOI 6 MUTATOR
. UOI 7 MUTATOR
. UOI 1 MUTATOR

Tests examined

- net.originmobi.pdv.service.RecebimentoServiceTest.testReceber_ValorSuperior(net.originmobi.pdv.service.RecebimentoServiceTest) (2 ms)
 net.originmobi.pdv.service.RecebimentoServiceTest.testAbrirRecebimento_Success(net.originmobi.pdv.service.RecebimentoServiceTest) (4 ms)
 net.originmobi.pdv.service.RecebimentoServiceTest.testReceber_Sucesso(net.originmobi.pdv.service.RecebimentoServiceTest) (6 ms)
- net.originmobi.pdv.service.RecebimentoServiceTest.testAbrirRecebimento_ParcelaDeOutroCliente(net.originmobi.pdv.service.RecebimentoServiceTest) (9
- net.originmobi.pdv.service.RecebimentoServiceTest.testReceber SucessoPassandoIfTipo5parcelas(net.originmobi.pdv.service.RecebimentoServiceTest) (5
- ms)

 net.originmobi.pdv.service.RecebimentoServiceTest.testReceber_ValorRecebimentoInvalido(net.originmobi.pdv.service.RecebimentoServiceTest) (2 ms)

 net.originmobi.pdv.service.RecebimentoServiceTest.testReceber_SucessoPassandoIfTipoUmaParceladeDuas
 (net.originmobi.pdv.service.RecebimentoServiceTest) (3 ms)

 net.originmobi.pdv.service.RecebimentoServiceTest.testReceber_VlsobraPositiva(net.originmobi.pdv.service.RecebimentoServiceTest) (3 ms)

 net.originmobi.pdv.service.RecebimentoServiceTest.testReceber_SucessoPassandoIfTipo(net.originmobi.pdv.service.RecebimentoServiceTest) (4 ms)

 net.originmobi.pdv.service.RecebimentoServiceTest.testReceber_SucessoPassandoIfTipo(net.originmobi.pdv.service.RecebimentoServiceTest) (3 ms)

 net.originmobi.pdv.service.RecebimentoServiceTest.testReceber_SemParcelas(net.originmobi.pdv.service.RecebimentoServiceTest) (6 ms)

- net.originmobi.pdv.service.RecebimentoServiceTest.testAbrirRecebimento_ParcelaQuitada(net.originmobi.pdv.service.RecebimentoServiceTest) (2 ms)
 net.originmobi.pdv.service.RecebimentoServiceTest.testAbrirRecebimento_ClienteNaoEncontrado(net.originmobi.pdv.service.RecebimentoServiceTest) (690
 net.originmobi.pdv.service.RecebimentoServiceTest.testAbrirRecebimento_ClienteNaoEncontrado(net.originmobi.pdv.service.RecebimentoServiceTest) (690)

- ms)
 net.originmobi.pdv.service.RecebimentoServiceTest.testReceber_RecebimentoFechado(net.originmobi.pdv.service.RecebimentoServiceTest) (5 ms)
 net.originmobi.pdv.service.RecebimentoServiceTest.testRemover_RecebimentoProcessado(net.originmobi.pdv.service.RecebimentoServiceTest) (3 ms)
 net.originmobi.pdv.service.RecebimentoServiceTest.testRemover_Sucesso(net.originmobi.pdv.service.RecebimentoServiceTest) (2 ms)
 net.originmobi.pdv.service.RecebimentoServiceTest.testRemover_TituloInvalido(net.originmobi.pdv.service.RecebimentoServiceTest) (2 ms)

Report generated by PIT 1.6.8