# portfolio

### **(List)**

- >> Introduction
- >> Projects
- >> Skills with personal project's codes
- **>>** \_Aim

Hyeonseo

### 1. Introduction

**About Jang** 

**Hyeonseo Jang** 

Vanillecoco.hs@gmail.com

236-867-7942

**Skills** 

Info































#### >> Education for IT

Software Development

Focus college (2021 ~ Present)

Program for professional smart web& contents Software based on JAVA YeoungNam Institution (2019 ~ 2020)

#### >> Certificate

SQL D

LinuxMoster Level2


Computer Specialist in Spreadsheet & Database Level2

#### >> Projects

01. Java Swing project 02. JSP project 03. Spring framework project

### 2. Projects

**Projects** 



BANK SWING PROGRAM
For employees(including Manager)



BANK program web version YN BANK




Travel agency mall specialized in package products

**TOURLAND** 

### 0-1. Frontend-HTML, CSS

### move to website




```
sephora.html 💥
                                                                       sephora.css 🔀
1189
       <section>
                                                                   A
                                                                          7⊖ul {
119⊕
       <nav id="nav2">
                                                                             list-style: none;
120⊖
             1210
                    id="li1"><a href="#"><b>SHOP</b></a>
                                                                         100 ul a {
1220
                       d="li1sub">
                                                                               text-decoration: none
123
                           <a href="#">MAKEUP</a>
                                                                         12
                                                                               color: white:
124
                           <a href="#">SKINCARE</a>
                                                                         13 }
125
                           <a href="#">HAIR</a>
                                                                         140 img#top{
126
                           <a href="#">TOOLS & BRUSHES</a>
                                                                              display:block;
                           <a href="#">FRAGRANCE</a>
127
                                                                              margin: 0 auto;
128
                           <a href="#">BATH & BODY</a>
                                                                         17 }
129
                           <a href="#">GIFTS</a>
                                                                         18⊕ #fnav {
130
                           <a href="#">SALE</a>
                                                                               background: black;
131
                           <a href="#">MEN</a>
                                                                         20
                                                                               height: 40px;
                           <a href="#">MINI SIZE</a>
                                                                         21
132
                           <a href="#">SEPHORA COLLECTION</a>
                                                                         22 1
133
134
                           <a href="#">BEAUTY OFFERS</a>
                                                                         23⊕ #fnav> ul{
135
                       width: 580px;
136
                    margin: 0 auto;
137⊕
                    id="li2"><a href="#">NEW</a>
                                                                              margin-left: 750px;
138⊖
                       <div id="second">
                                                                              min-width: 580px;
139⊕
                         d="li2sub">
                                                                         28 1
140
                           <a href="#"><b>Just Arrived</b></a>
                                                                          290 #fnav ul li{
141
                           <a href="#">Makeup</a>
                                                                               float:left;
```

## 0-2. Frontend-JavaScript

```
<script>
      $("#file").change(function(){
         // var file = $(this)[0]; //$(this)[0] : javascript객체를 의미 제미쿼리의 0번째 정보는 자바스크립트가 가지고 있음
          console.log(file);
          //파일 정보를 끄칩어 내자
          var file = $(this)[0].files[0]; //files가 배열이라 0을 넣어줌 배너 등록 페이지에서 필요한 건 단일 파일이기 때문
          console.log(file);
          var reader = new FileReader();
          reader.readAsDataURL(file);
          reader.onload = function(e){ //.addEventListener("load",function(){}) - 여러개 이벤트를 넣을 수 있음
var $img = $("<img class='previewImg'>").attr("src",e.target.result); // == reader.result 같은 값이 넘어온(
                  $("#previewDiv").html($img);
      })
        //리스트로 버튼 눌렀을 때 리스트로 돌아가기
$("#btnReturnToList").click(function(){
                         location.href="${pageContext.request.contextPath}/eventList";
                })
  </script>
<%@ include file="../../include/footer.jsp"%>
```

### 0-3. Backend-Database



## 1-1. Latest Projects

Project

Simple wep page and mobile page


to lottocanada web page

vscode, html, css, javascript

Auto pick program for 3 kinds of canada Lottery



Web version



mobile web version

### 1-2, codes

#### Try to make function with only vanillajavascript not using j-query

```
function generate(){
    var goodluckDiv = document.getElementById("goodluck")
    goodluckDiv.innerHTML =""
    var random =[]
    var errmsg = document.getElementsByClassName("errMsg")[0]
    errmsg.style.visibility = "";
    var whichgame = document.getElementBvId("inputGroupSelect01").value
    document.getElementsByClassName("custom-select")[0].style.color = "black"
    if(whichgame == "def"){
        document.getElementsByClassName("custom-select")[0].style.color = "red"
   var getYear = document.getElementById("winnerYear").value
    var getMonth = document.getElementBvId("winnerMonth").value
    var getDay = document.getElementById("winnerDay").value
   var bday = getYear+ getMonth +getDay
    if (bday.length !== 8) {
       errmsg.style.visibility = "visible";
      return false:
    var months = [01,02,03,04,05,06,07,08,09,10,11,12]
    var lastArr = [31,28,31,30,31,30,31,30,31,30,31]
    if(getYear%4 ==0 && getYear%100 !=0 || getYear %400 ==0){
       lastArr[1] = 29
    var regForYear = /^{(1|2)}{1}[0-9]{3}$/
    var result1 = regForYear.test(getYear)
    if(result1 != true){
       errmsg.style.visibility = "visible";
       return false:
```

```
var ball_colors = ["gold","royalblue","lightcoral","cadetblue","darkorange","tomato","mediumaquamarine"]
if (whichgame !="def"){
          goodluckDiv.innerHTML += "<h1 id='goodluckH1'>Your Lucky numbers for <span id='whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpan'>"+whichgameSpa
          document.getElementBvId("goodluckH1").stvle.fontSize = "1.2rem"
          document.getElementById("goodluckH1").style.marginLeft = "8%"
          document.getElementById("whichgameSpan").style.color = "tomato"
if(whichgame == "LOTTO649" | whichgame == "BC49" ){
       var lotto ball = document.getElementsByClassName("ball 49")
       var i = 0;
       var leng = random.length
       while(leng < 6){
               random[i] = Math.floor((Math.random()*49)+1)
              var newRandom = [...new Set(random)];
              leng = newRandom.length
              i++
          newRandom .sort(function(a, b){return a - b});
          goodluckDiv.innerHTML += "<div id='winwin'></div>"
          document.getElementById("winwin").style.width="90%"
          document.getElementBvId("winwin").stvle.textAlign="center"
          document.getElementById("winwin").style.marginLeft="1%"
          for(var i=0; i<newRandom.length; i++){
                    document.getElementById("winwin").innerHTML += "<span class='ball 49'>"+ newRandom[i] +"</span>"
                    document.getElementById("winwin").style.marginTop ="1%"
                    document.getElementById("winwin").style.marginBottom ="2%"
```

# 2. TeamProjects - Summarizing N Environment

**S AND E** 

01. JAVA SWING

BANK program for employees ncluding Manager

S: JAVA Swing program which is possible simple transaction like deposit and withdrwal.

E: eclipse,Java, HTML5, Gradle, Window Builder, MySQL-Dbeaver, Exerd, ChartFX 02. JSP

Web version BANK site YN BANK

S: Extense of swing project. Employee bank project structured as MVC MODEL2version.

E: eclipse, Java, HTML5, CSS3, JavaScript(jQuery), AJAX, JSP, MySQL-DBeaver, eXERD, Github, Tomcat 8.5, 03. SPRING


Package exclusive tour agency mall TOURLAND

S: Using Spring Framework, Mall for Package products

E: Java, HTML5, CSS3, JavaScript(jQuery), AJAX, BootStrap3, Java, JSP-Spri MySQL-DBeaver, MyBatis, eXE Github, Tomcat 8.5

## 2. TeamProjects

**DATABASE** 



## 2-1. Swing Project-Summary


Project No.1 - Manager mode- managing Employees, all employees mode -support Customer service, deposit, withdrawal



- >> Program
  - Bank program which has 2 modes
- >> How many Developers: 3
  - division of employee, customer, bank
- >> Development aim:
  - Design of Database
  - Learning and adjustiing JAVA codes
  - Writing for Documents
  - (USECASE, UI Wireframe, Date Definition document, E.T.C.)
  - Using gradle, experiencing team project by using git

## 2-1. Swing Project-Functional

2way verion for manager and all employees, related to managing employees like authority



### >> Responsibilities

#### (Main)

-Ranking for best employee, changing ranking by performance

⟨Emp menu — Management, Information, Authority for Employee⟩

-Searching

(adding, modifying, deleting by popup menu)

- information (about Personal performance,
- Updating table info by searching
- >> Codes (GIT)
  - Entire codes
  - codes about Employee

## 2-2. JSP Project -Summary

Project No.2 – Using same database with swing project. JSP project that added E-interac, product enrollment function.



>> Program

은행직원용 프로그램 (관리자 모드, 일반사원 모드)

- >> How many developers: 3
- >> Development aim:

Using Model2 MVC Pattern

Focused on function more than design.

More meticulous codes by communication

Adding function to meet up customer's requi

Modifiying database as required

Loading by AJAX

>> Web site:

move to YN BANK

## 2-2. JSP Project - Functional

Entire function of employee and customer, tarnsfer, list and paging on board



### >> Responsibilities (Main and E.T.C.) -Monthly Rank for employee -board paging and regular expression <Employee-same with swing and adding > - My profile when log in - Searching performance by target produ (Customer) - Managing customer, and financial produc (Duties)


- tansferring and E-interac to other ban

- Entire codes

- Regular Expression codes

## 2-3. SPRING Project -Summary

Project No.3 – travel agent site based on same logic with shoppong mall. Exculusive packaging product. 3 steps for sale Reservation – payment – cofirm reservation by employee



### >> Program

Management program for travel agency (manager page, customer page)

- >> How many developers: 4
- >> Development aim:

Combination of rentcar, hotel, tour with flight essential

Customer can choose their own option

Make every database not using API

Create manager page by using bootstrap for efficiency

Every developer need to make board function Using proper API

>> Web site:

Move to Tourland

## 2-3. SPRING Project - Function

Connect customer web site and manager's page with some design - employee, customer, product, design



### >> Responsibilities

### **(Employee)**

-Enrollment, modifying, deleting

#### (Customer)

- Sign up (Daum API for korea Address
- Searching

#### **(Product)**

- Rentcar

### **(Design)**

- Popup
- Management main banner
- Product enrollemnt page by CK edic
- Floating banner for recent view

## 2-3. SPRING Project - function

#### **Event, Board, Searching**



### **(Event)**

- Event enrollment, modifying, deleting
- seperated page by event time

### **(Board)**

- Created customer's opinion board
- Connect every Board in customer websit
   and Paging (FAQ DIV toggle)

#### **(E,T,C,)**

- Create packaging database for testing
- Main Searching (level 1, level2)

### >> Codes (GIT)

- Entire codes

## 2-3. SPRING Project — code examples

### Manager controller file upload codes

```
merController.java
@ResponseBody
@RequestMapping(value = "displayFile/{whichOne}", method = RequestMethod.GET)
public ResponseEntity<byte[]> displayFile(String filename,@PathVariable("whichOne") String choice,
    ResponseEntity<byte[]> entity = null;
    String path = null;
    if(choice.equals("banner")) {
       path = uploadPathBanner;
    if (choice.equals("popup")) {
        path = uploadPathPopup;
    if (choice.contentEquals ("event")) {
       path = uploadPathEvent;
    if(choice.contentEquals("product") || choice.contentEquals("productSmall")) {
       path = uploadPathProduct;
    if (choice.equals("practice")) {
       path= "/tourland/resources/images/practice";
    System.out.println("displayFile-----+ filename);
    InputStream in = null;
       System.out.println("path=="+path);
       if (choice.contentEquals ("productSmall")) {
            if(filename!="") filename = filename.substring(0, 12) + "s " + filename.substring(12);
```

```
tomerController.iava
                    ManagerController.java 🔀
          in = new FileInputStream(path + filename); // 파일개체는 오류처리하라고..
          String format = filename.substring(filename.lastIndexOf(".") + 1); // 파일 확장자 뽑아내기 점
          MediaType mType = null;
          if (format.equalsIgnoreCase("png")) {
              mType = MediaType. IMAGE PNG;
          } else if (format.equalsIgnoreCase("jpg") || format.equalsIgnoreCase("jpeg")) {
              mType = MediaType. IMAGE JPEG;
          } else if (format.equalsIgnoreCase("GIF")) {
              mType = MediaType. IMAGE GIF;
          HttpHeaders headers = new HttpHeaders();
          headers.setContentType(mType);
          entity = new ResponseEntity<br/>byte[]>(IOUtils.toByteArray(in), headers, HttpStatus.OK);
          in.close();
      } catch (Exception e) {
          e.printStackTrace();
          entity = new ResponseEntity<br/>
byte[]>(HttpStatus.BAD REQUEST);
      return entity;
```

## 2-3. SPRING Project — code examples

#### Popup cookie codes

```
🞵 CustomerController.java 💢 🎵 ManagerController.java
                    $(function() {
                                                                                                                                             204@ @RequestMapping(value="tourlandMain", method=RequestMethod.GET)
                                                                                                                                                        public String tourlandMain(Model model, HttpServletResponse response, HttpServletResponse response, HttpServletResponse response, HttpServletResponse response, HttpServletResponse response response, HttpServletResponse response response, HttpServletResponse response, HttpServletResponse response, HttpServletResponse response, HttpServletResponse response, HttpServletResponse response response, HttpServletResponse response, HttpServletResponse response, HttpServletResponse response res
       if ($.cookie("popup1") != null) {
               $("#popup1").css("display", "block");
                                                                                                                                             207
                                                                                                                                                                Cookie[] currentC = request.getCookies();
                                                                                                                                             208
                                                                                                                                                                if(currentC != null) {
                                                                                                                                             209
                                                                                                                                                                for(Cookie c : currentC) {
       if ($.cookie("popup2") != null) {
                                                                                                                                                                         if(c.getName().contentEquals("currentProduct")) {
               $("#popup2").css("display", "block");
                                                                                                                                                                                 ProductVO currentP = new ProductVO();
                                                                                                                                             211
                                                                                                                                                                                 currentP.setPno(Integer.parseInt(c.getValue()));
       // alert($.cookie("exeptFor3days"));
                                                                                                                                                                                 ProductVO dbcurrentP = productService.productByNo(currentP);
       if ($.cookie("exeptFor3days") == "none") {
                                                                                                                                             214
                                                                                                                                                                                 model.addAttribute("currentProduct",dbcurrentP);
               $("#popup1").css("display", "none");
                                                                                                                                             215
                                                                                                                                                                         }if(c.getName().contentEquals("currentProduct2")) {
       if ($.cookie("exeptFor3days2") == "none") {
                                                                                                                                             216
                                                                                                                                                                                 ProductVO currentP = new ProductVO();
               $("#popup2").css("display", "none");
                                                                                                                                                                                 currentP.setPno(Integer.parseInt(c.getValue()));
                                                                                                                                             218
                                                                                                                                                                                 ProductVO dbcurrentP = productService.productByNo(currentP);
       // 팝업 버튼 누르면 팝업창 사라지기 popup1
                                                                                                                                             219
                                                                                                                                                                                 model.addAttribute("currentProduct2",dbcurrentP);
                                                                                                                                             220
                                                                                                                                                                         }if(c.getName().contentEquals("currentProductPrice")) {
       $(".popupBtnClose").click(function() {
                                                                                                                                             221
                                                                                                                                                                                 String currentProductPrice = c.getValue();
               if ($(".expireCK").prop("checked") == true) {
                                                                                                                                                                                 model.addAttribute("currentProductPrice",currentProductPrice);
                                                                                                                                             222
                      $.cookie("exeptFor3days", "none", {
                                                                                                                                             223
                                                                                                                                                                         }if(c.getName().contentEquals("currentProductPrice2")) {
                              expires : 3,
                                                                                                                                                                                 String currentProductPrice2 = c.getValue();
                              path : "/"
                                                                                                                                                                                 model.addAttribute("currentProductPrice2",currentProductPrice2
                      1);
               $(this).parent().parent().css("display", "none");
                                                                                                                                             228
                                                                                                                                             229
       $(".popupBtnClose2").click(function() {
                                                                                                                                                        //팝업 불러오기
                                                                                                                                             230
              if ($(".expireCK2").prop("checked") == true) {
                                                                                                                                             231
                                                                                                                                                                PopupVO popup1 = popupService.setPopup("L");
                      $.cookie("exeptFor3days2", "none", {
                                                                                                                                             232
                                                                                                                                                                if (popup1 != null) {
                              expires : 3.
                                                                                                                                             233
                                                                                                                                                                        long settingDays = (popup1.getEnddate().getTime()- popup1.getStartd
                              path : "/"
                                                                                                                                             234
                                                                                                                                                                        long settingDays2 = Math.abs(settingDays/(24*60*60*1000));
                      1);
                                                                                                                                                                        Cookie cookie = new Cookie/"nonun1" nonun1 getDic/)).
```

## 4. Wanna be A developer likes..

diligent

enthusiastically


**Self- motivated** 

learn

collaborated

positive

Developer



>> attendance record for about 8months IT program
NO Absence, NO lateness with any reason

2020년 정기 기사 1,2회 (필기) - 정보처리기사			종목	회차	차수	시험구분	수험번호	시험일	합격여부	점수	
종목(자격)	합격여부	8	리눅스마스터 2급	2002회	2	정기	LMS-2002- 002434	2020-06-13 ~ 2020-06-13	합격	82.5점	
정보처리기사	합격	소프트									
		소프트									
		데이터베이스구축		95							
		프로그래밍언어활용		80		<b>&gt;&gt;</b>					
		정보시스템구축관리		80	80		Obtain some certificates				
81		총점									

