EULALens: SEE What YOU Agree!

Abhijeet Narang*
abhijeet.narang1@monash.edu
Monash University
Melbourne, Australia

Hagar Elbatanouny*
g00110579@aus.edu
American University of Sharjah
Sharjah, United Arab Emirates

Vanishri Shekhawat
g00109153@aus.edu
American University of Sharjah
Sharjah, United Arab Emirates

Hasan Al-Nashash
hnashash@aus.edu
American University of Sharjah
Sharjah, United Arab Emirates

Abhinav Dhall†
abhinav.dhall@monash.edu
Monash University
Melbourne, Australia

Usman Tariq†
utariq@aus.edu
American University of Sharjah
Sharjah, United Arab Emirates



Figure 1: *EULALens* automatically analyzes lengthy EULAs and transforms key clauses into cue cards, comics, and short explanatory videos to improve user understanding.

Abstract

Digital agreements govern the use of online products and services, yet their length and legal complexity hinder effective communication of consequential terms. Ofcom reports that only 8% of online platform users read platform terms in full [14], while Pew Research found that 56% of U.S. adults frequently accept privacy policies without reading them [15]. We present *EULALens*, an interactive platform that identifies key EULA clauses and transforms them into concise cue cards, scenario-based comics, and narrated videos. Beyond helping users explore complex agreements, *EULALens* provides agreement creators and service providers with accessible multimodal alternatives for communicating their terms. In a study with 30 participants, the generated formats received favorable ratings for understandability and source accuracy and were strongly preferred over the original text. These findings suggest that multimodal AI explanations can improve how consequential terms are communicated to end users.

*Both authors contributed equally to this research.
†Both authors are primary supervisors.

MM '26, Rio de Janeiro, Brazil

ACM ISBN 979-8-4007-2213-4/2026/11
https://doi.org/10.1145/3767308.3839012

CCS Concepts

• **Social and professional topics → Computing / technology policy**.

Keywords

EULA, multimodal explanations, generative AI

ACM Reference Format:
Abhijeet Narang, Hagar Elbatanouny, Vanishri Shekhawat, Hasan Al-Nashash, Abhinav Dhall, and Usman Tariq. 2026. *EULALens*: SEE What YOU Agree!. In *Proceedings of the 34th ACM International Conference on Multimedia (MM '26), November 10–14, 2026, Rio de Janeiro, Brazil.* ACM, New York, NY, USA, 3 pages. https://doi.org/10.1145/3767308.3839012

1 Introduction

End-User License Agreements (EULAs) are legally binding documents that regulate the use of digital products and services [4]. Despite their significance, users rarely read them because of their length, complicated legal language, and dense clause patterns [9, 17]. Therefore, many users are unaware of their rights, the limitations they are subject to, and the potential impacts of accepting an agreement [17]. This creates a communication gap for users interpreting agreements and for service providers seeking accessible ways to communicate their terms.

This challenge has been addressed in previous research focusing on enhancing user comprehension through legal text simplification, summarization, and privacy policy visualization [1, 7, 17].



Figure 2: Participant ratings and preferences for *EULALens* formats. Diverging bars show understandability and accuracy ratings across 30 participants × 3 EULAs, with means at right; the bottom bar shows first-choice preferences.

While these methods reduce reading effort, they lack automation, are limited to specific policy types, and often do not communicate legal concepts effectively to non-experts [17]. The potential of multimodal explanations, combining visual and narrative communication, remains largely unexamined.

We introduce *EULALens*, an interactive web-based approach that can convert any EULA document into multimodal explanations by integrating large language models (LLMs) with generative image and video tools.

2 *EULALens* Interface Design

EULALens is a tool that converts lengthy EULAs into visual formats. Users can input EULA text through the interface, and the tool categorizes crucial legal clauses like permitted use and liability into an easy-to-read dashboard. The content is displayed using cue cards, comics, and videos, with Qwen3.5-9B [16] aiding in clause categorization and structured representation.

Cue Cards and Comics: Cue cards simplify legal jargon into practical Q&A formats, detailing key restrictions and repercussions. Concurrently, Qwen3.5-9B [16] produces a structured comic specification, including character descriptions, scene summaries, and visual prompts for each panel, detailing overlay forms and dialogue. These prompts are utilized by the HiDream model [3] to create a six-panel comic page devoid of text rendering artifacts. The resulting dialogue and annotations are superimposed on the panels according to Qwen's specified bubble type and location.

Videos: The video module creates concise explanations of legal clauses by generating structured scripts that include scene descriptions, character actions, and dialogues. These scripts are transformed into videos using LTX-Video 2.3 [8], with FFmpeg [5] integrating synchronized SubRip subtitles from scene timestamps. The Kokoro text-to-speech model [11] then provides narration for each subtitle segment, resulting in a short video that explains EULA terms and their practical applications.

3 Evaluation

1) User Study. We conducted a web-based study with 30 participants to evaluate the perceived understandability, source accuracy, and preference of *EULALens* representations. Participants reviewed three out of six randomly assigned EULAs in PDF format before engaging with *EULALens* visualizations, including cue cards, comics, and videos. Participants rated the understandability and source accuracy of each representation using a five-point Likert scale [13]. The participants were 18 to 44 years old (median age bracket: 25–34), with moderate to high technical skills. American University of Sharjah approved the study under an exempt Institutional Review Board protocol (#26-133).

Results: Figure 2 shows that participants found all three generated formats understandable and source-accurate. Cue cards received the strongest ratings for both understandability and accuracy ($M = 4.48$ for both), reflecting the value of concise question-answer explanations. Comics ($M = 4.04$, $M = 3.98$) and videos ($M = 3.90$, $M = 3.82$) were also rated favorably, suggesting that narrative and audiovisual explanations can make EULA clauses more approachable. Friedman tests [6] found a significant format effect for accuracy ($\chi^2(2) = 8.65$, $p = .013$) and a similar but non-significant ordering for understandability ($\chi^2(2) = 4.50$, $p = .105$), with post-hoc comparisons [12] indicating cue cards as the clearest format while comics and videos formed comparable narrative alternatives.

Cue cards, comics, and videos received 11, 10, and 8 first-choice votes, respectively, compared with one vote for the original EULA text. Although cue cards achieved the highest mean ratings, preferences across cards, comics, and videos suggest complementary modality preferences rather than a single universally preferred representation. Participants additionally reported that *EULALens* helped them understand EULA information faster ($M = 4.40$), clarified legal consequences ($M = 4.43$), and provided an interesting user experience ($M = 4.50$). Overall usability was strong (SUS $M = 86.6$) [2], yet felt workload was low (NASA-TLX $M = 22.9$) [10].

2) Objective Understanding Study. Fourteen participants reviewed four different EULAs, with one assigned to each format, and answered two questions from memory after each. Correct responses were highest for comics (75%) and cue cards (71%), compared with videos (57%) and original text (46%).

3) Automated Faithfulness Audit. To evaluate faithfulness, we analyzed 30 EULA categories using a vision-language model to gather legal claims from generated artifacts, which were compared to the original EULA document. The study yielded a coverage score of 76.6% and a factuality score of 85.4% across 90 artifact-category pairs, with low rates of illusion (8.8%) and contradiction (1.1%). These results support the use of generated representations as accessible complements to, rather than replacements for, the source agreement.

4 Conclusion

EULALens provides an interactive multimodal interface between agreement creators/service providers and end users, transforming complex EULAs into complementary cue-card, comic, and video representations. Our results demonstrate strong perceived understandability, usability, and user preference, while highlighting opportunities for improving generation faithfulness and efficiency.

Acknowledgments

This work was supported in-part by the grant FRG26-E113, awarded by the American University of Sharjah, UAE.

References

[1] Mousumi Akter, Erion Çano, Erik Weber, Dennis Dobler, and Ivan Habernal. 2025. A Comprehensive Survey on Legal Summarization: Challenges and Future Directions. *ACM Comput. Surv.* 58, 7, Article 165 (Dec. 2025), 32 pages. doi:10.1145/3776586

[2] John Brooke. 1996. SUS: A quick and dirty usability scale. In *Usability evaluation in industry*, Patrick W. Jordan, Bruce Thomas, Ian Lyall McClelland, and Bernard Weerdmeester (Eds.). Taylor & Francis, London, 189–194. doi:10.1201/9781498710411

[3] Qi Cai, Jingwen Chen, Chengmin Gao, Zijian Gong, Yehao Li, Yingwei Pan, Yi Peng, Zhaofan Qiu, Kai Yu, Yiheng Zhang, Hao Ai, Siying Bai, Yang Chen, Zhihui Chen, Fengbin Gao, Ying Guo, Dong Li, Zhen Shen, Leilei Shi, Jing Wang, Siyu Wang, Yimeng Wang, Rui Zheng, Ting Yao, and Tao Mei. 2026. HiDream-O1-Image: A Natively Unified Image Generative Foundation Model with Pixel-level Unified Transformer. arXiv:2605.11061 [cs.CV] https://arxiv.org/abs/2605.11061

[4] Owen Carpenter. 2023. EULA, or Eulogy? Reckoning End User License Agreements and Near-Future Cyborgs. *Health Matrix: The Journal of Law-Medicine* 33, 1 (2023), 467. https://scholarlycommons.law.case.edu/healthmatrix/vol33/iss1/9

[5] FFmpeg Developers. 2026. FFmpeg. https://ffmpeg.org/. Accessed: 2026-06-09.

[6] Milton Friedman. 1937. The Use of Ranks to Avoid the Assumption of Normality Implicit in the Analysis of Variance. *J. Amer. Statist. Assoc.* 32, 200 (1937), 675–701. doi:10.1080/01621459.1937.10503522

[7] Kambiz Ghazinour and Tahani Albalawi. 2016. A Usability Study on the Privacy Policy Visualization Model. In *2016 IEEE 14th Intl Conf on Dependable, Autonomic and Secure Computing, 14th Intl Conf on Pervasive Intelligence and Computing, 2nd Intl Conf on Big Data Intelligence and Computing and Cyber Science and Technology Congress(DASC/PiCom/DataCom/CyberSciTech)*. 578–585. doi:10.1109/DASC-PICom-DataCom-CyberSciTec.2016.109

[8] Yoav HaCohen, Nisan Chiprut, Benny Brazowski, Daniel Shalem, Dudu Moshe, Eitan Richardson, Eran Levin, Guy Shiran, Nir Zabari, Ori Gordon, Poriya Panet, Sapir Weissbuch, Victor Kulikov, Yaki Bitterman, Zeev Melumian, and Ofir Bibi. 2024. LTX-Video: Realtime Video Latent Diffusion. arXiv:2501.00103 [cs.CV] https://arxiv.org/abs/2501.00103

[9] Yu Han, Aaron Ceross, and Jeroen H. M. Bergmann. 2024. The Use of Readability Metrics in Legal Text: A Systematic Literature Review. arXiv:2411.09497 [cs.CL] https://arxiv.org/abs/2411.09497

[10] Sandra G. Hart and Lowell E. Staveland. 1988. Development of NASA-TLX (Task Load Index): Results of Empirical and Theoretical Research. In *Human Mental Workload*, Peter A. Hancock and Najmedin Meshkati (Eds.). Advances in Psychology, Vol. 52. North-Holland, 139–183. doi:10.1016/S0166-4115(08)62386-9

[11] hexgrad. 2024. Kokoro-82M. https://huggingface.co/hexgrad/Kokoro-82M. Accessed: 2026-06-09.

[12] Sture Holm. 1979. A Simple Sequentially Rejective Multiple Test Procedure. *Scandinavian Journal of Statistics* 6, 2 (1979), 65–70. http://www.jstor.org/stable/4615733

[13] Rensis Likert. 1932. A technique for the measurement of attitudes. *Archives of Psychology* 22, 140 (1932), 1–55.

[14] Ofcom. 2024. *Promoting User Engagement with Terms and Conditions: Testing Behavioural Techniques to Improve Engagement with Social Media Terms and Conditions (T&Cs)*. Behavioural Insights Discussion Paper. Ofcom. Published 30 July 2024. Accessed: 12 June 2026. https://www.ofcom.org.uk/siteassets/resources/documents/research-and-data/online-research/terms-and-conditions-experiment/ts-and-cs-experiment-discussion-paper.pdf

[15] Pew Research Center. 2023. *How Americans View Data Privacy*. Technical Report. Pew Research Center. Published 18 October 2023. Accessed: 12 June 2026. https://www.pewresearch.org/wp-content/uploads/sites/20/2023/10/PI_2023.10.18_Data-Privacy_FINAL.pdf

[16] Qwen Team. 2026. Qwen3.5: Towards Native Multimodal Agents. https://qwen.ai/blog?id=qwen3.5

[17] Shuning Zhang, Eve He, Sixing Tao, Yuting Yang, Ying Ma, Ailei Wang, Xin Yi, and Hewu Li. 2026. A Scoping Review and Guidelines on Privacy Policy's Visualization from an HCI Perspective. In *Proceedings of the 2026 CHI Conference on Human Factors in Computing Systems (CHI '26)*. Association for Computing Machinery, New York, NY, USA, Article 1202, 24 pages. doi:10.1145/3772318.3790320