```
# how to find the dictionary methods in python
print(dir(dict),end=' ')
['__class__', '__class_getitem__', '__contains__', '__delattr__',
'__delitem__', '__dir__', '__doc__', '__eq__', '__format__', '__ge__',
'__getattribute__', '__getitem__', '__getstate__', '__gt__',
'__hash__', '__init__', '__init_subclass__', '__ior__', '__iter__',
'__le__', '__len__', '__lt__', '__ne__', '__new__', '__or__',
'__reduce__', '__reduce_ex__', '__repr__', '__reversed__', '__ror__',
'__setattr__', '__setitem__', '__sizeof__', '__str__',
'__subclasshook__', 'clear', 'copy', 'fromkeys', 'get', 'items',
'keys', 'pop', 'popitem', 'setdefault', 'update', 'values']
d1 = \{7:8,8:89,4:67,3:90, "python": "internship"\}
print(d1, type(d1))
{7: 8, 8: 89, 4: 67, 3: 90, 'python': 'internship'} <class 'dict'>
# get() # It prints the value in dictionary
print(d1.get(3))
print(d1.get("python"))
internship
# keys(), values(), items()
print(d1.keys())
print(d1.values())
print(d1.items())
dict_keys([7, 8, 4, 3, 'python'])
dict_values([8, 89, 67, 90, 'internship'])
dict items([(7, 8), (8, 89), (4, 67), (3, 90), ('python',
'internship')])
# adding new key and value to the dictionary
d1["age"]=56
print(d1)
{7: 8, 8: 89, 4: 67, 3: 90, 'python': 'internship', 'age': 56}
d1[67]=45.8
d1[8]=6.8
d1[9]=5.7
print(d1)
{7: 8, 8: 6.8, 4: 67, 3: 90, 'python': 'internship', 'age': 56, 67:
45.8, 9: 5.7}
# pop()
d1.pop("age") # It deletes particular key in the dictionary
```

```
56
print(d1)
{7: 8, 8: 6.8, 4: 67, 3: 90, 'python': 'internship', 67: 45.8, 9: 5.7}
# popitem() # It deletes last key and value in the dictionary
d1.popitem()
(9, 5.7)
print(d1)
{7: 8, 8: 6.8, 4: 67, 3: 90, 'python': 'internship', 67: 45.8}
# copv()
k = \{1:2,4:8,7:89,8:90\}
j = k.copy()
print(j,k)
{1: 2, 4: 8, 7: 89, 8: 90} {1: 2, 4: 8, 7: 89, 8: 90}
# update()
print(d1)
{7: 8, 8: 6.8, 4: 67, 3: 90, 'python': 'internship', 67: 45.8}
d1.update({3:190})
d1
{7: 8, 8: 6.8, 4: 67, 3: 190, 'python': 'internship', 67: 45.8}
d1.update({"python":"APSSDC"})
d1
{7: 8, 8: 6.8, 4: 67, 3: 190, 'python': 'APSSDC', 67: 45.8}
# clear()
d1.clear()
d1
{}
d = {7: 8, 8: 6.8, 4: 67, 3: 190, 'python': 'APSSDC', 67: 45.8}
for i in d:
    print(i,end=' ')
7 8 4 3 python 67
d = \{7: 8, 8: 6.8, 4: 67, 3: 190, 'python': 'APSSDC', 67: 45.8\}
for i in d.items():
    print(i,end=' ')
```

```
(7, 8) (8, 6.8) (4, 67) (3, 190) ('python', 'APSSDC') (67, 45.8)
d = {7: 8, 8: 6.8, 4: 67, 3: 190, 'python': 'APSSDC', 67: 45.8}
for i in d.values():
    print(i,end=' ')
8 6.8 67 190 APSSDC 45.8
d = \{7: 8, 8: 6.8, 4: 67, 3: 190, 'python': 'APSSDC', 67: 45.8\}
for i in d.keys():
    print(i,end=' ')
7 8 4 3 python 67
d = \{7: 8, 8: 6.8, 4: 67, 3: 190, 67: 45.8\}
for i in d:
    if(i\%2==0):
        print(i,end=' ')
8 4
# i/p: [1,2,3,4,5]
# o/p: {1:1,2:4,3:9,4:16,5:25}
li = [1,2,3,4,5]
d = \{\}
for i in li:
    d[i]=i**2
print(d)
{1: 1, 2: 4, 3: 9, 4: 16, 5: 25}
```

Task - 01

i/p: 10 o/p: {1:2,2:9,3:28,......10:1001}