#### **DOKUMENTACIJA**

#### Vanja Veapi 244/19

#### Web Programiranje 1

# **BEER SHOP**

# 1. Uvod

#### Korišćeno:

- HTML
- CSS
- Bootstrap
- JavaScript
- jQuery, jQuery Plugin


#### Funkcionalnosti:

- Ispisivanje HTML elemenata preko JavaScripta.
- Dinamičko ispisivanje elementa preko JS-a. (Meni, artikli na sajtu, citati, o nama..
- Efekti preko JavaScripta i jQuery (Klikom na meni odvešće Vas do željenog dela stranice i isto tako će se promeniti aktivna klasa. Za mobilne uređaje napravljen je hamburger koji se klikom otvara side bar. Klikom na about dobija se deo podatka o autori, a klikom na "show more" dobijate dodatni prikaz o autoru. Klikom na "show less" vraćate na incijalna podešavanja.
- Citati koji se menjaju par sekundi.
- Unošenjem karaktera na polje za pretragu dobijate željeno pivo ili piva.
- Klikom na slike piva (pivo u staklu, krigli i slika pšenice) dobija se filtriranje

stakleno pivo → klasicna piva krigla → craft piva pšenica → pšenična piva

- Regularni izrazi.
- Kompletan sajt je responsive I zadrzavam sva prava.
- Dok se stranica ne učita kompletno pojavljuje se loading screen.
- Kada je visina scrolla > 0 onda ce da se div header smanji, a kada je scroll = 0 vraća se na incijalnu dimenziju.

## 2. SLIKE SAJTA



	CONTACT FORM		Finish .	
	Name			
	Surname		~	
	Email *		Line In the last of the last o	
	Email			
	Address *			
	Address		Send	
			Senu	
		المرابع المرابع		
Figure 7: Kontakt forma				

Figure 6: Galerija

ж	Your parameter sent to the server. This is y		
	Name:	Pera	
	Surame:	Peric	
	E-mail:	pera.peric@gmail.com	
	Address:	Perina 1	

Figure 8: Popunjena forma

# CONTACT IME: Vanja Veapi EMAIL: vanja.veapi@gmail.com BROJ: 060 123 45 56 | SEFUL LINKS | | Facebook | | Instagram | | In LinkedIn | | Bē Behance | | Sitemap | | RSS



Moje ime je Vanja Veapi. Student sam druge godine na Viskoj ICT školi. Imam 21 godinu i zanima me programiranje, web programiranje i game development.

U slobodono vreme bavim se fotografijom, izradom slika za razlicite potrebe (žurke, flajeri, baneri, logoi...). Koristim programe poput Adobe Photoshopa, Adobe Premiere, After Effects, Vegas PRO.

Šta je korišeceno na sajtu i kako je rađen možete pogledati klikom na dokumentaciju.

**SHOW LESS** 

Figure 10: O autoru



# **HEAD TAG**



```
<meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <meta name="description" content="We are BeerShop. You order, we bring. All you need</pre>
is to select your beer and to cart. After that fill the form and in 1 hour you will ge
t beers. We are offering only quality beer in bottle or craft or wheat bear. Also we'r
 offering and non-alcohol beer.">
 <meta name="keywords" content="Beer,shop,craft,bottle,wheat,order,online,alcohol,non</pre>
alcohol">
 <meta name="author" content="Vanja Veapi">
 <meta property="og:type" content="website">
 <link rel="shortcut icon" href="icon.ico" type="image/x-icon">
 <link rel="alternate" href="rss.xml" type="application/rss+xml" title="RSS">
 <title>Beer Shop</title>
 <!-- jQuery CSS -->
 <link rel="stylesheet" href="//code.jquery.com/ui/1.12.1/themes/base/jquery-ui.css">
 <!-- FaFa -->
 <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/</pre>
4.7.0/css/font-awesome.min.css">
 <!-- Bootstrap CSS -->
 <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/css/</pre>
bootstrap.min.css" integrity="sha384-TX8t27EcRE3e/
ihU7zmQxVncDAy5uIKz4rEkgIXeMed4M0jlfIDPvg6uqKI2xXr2" crossorigin="anonymous">
 <!-- Main CSS -->
 <link rel="stylesheet" href="assets/css/style.css">
</head>
```

## **BODY**

<div class="page">

#### **HEADER**

#### SLIDER AND BEER COUNTER

```
:!--Slider and Beer counter-->
   <div id="home" class="container-fluid pt-5">
     <div id="slider-beer-counter" class="container-fluid">
       <div class="row justify-content-around align-items-center">
         <div id="slider" class="row pt-3 pb-3 col-md-8 col-12 overflow-hidden">
          <img src="assets/img/slider1.jpg" class="img-fluid roundend d-block" al</pre>
t="Slider 1"/>
           <img src="assets/img/slider2.jpg" class="img-fluid roundend d-none" al</pre>
t="Slider 2"/>
           <img src="assets/img/slider3.jpg" class="img-fluid roundend d-none" al</pre>
t="Slider 3"/>
         </div>
         <div id="counter" class="col-12 col-md-4 h-auto text-center roundend bg-</pre>
primary">
           How much beer did you drink today?
           <input id="value" class="text-</pre>
center w-100" type="text" value="0" disabled/>
           <input id="increment" class="roundend waves-effect" type="button"</pre>
value="+"/><input id="decrement" class="roundend" type="button" value="-"/></
td>
            </div>
       </div>
```

#### TITLE AND DESCRIPTION

```
!-- Title and description -->
     <div id="title" class="container-fluid bg-primary mt-4 font-fjalla">
       <div class="row">
        <div class="w-100 text-center col-lg-12">
          <h1 class="text-uppercase h1 mt-2 mb-5">Beer Shop online store</h1>
<!-- H1 TAG JE ISKORISCEN ! -->
        </div>
        <div id="title-description" class="d-content w-100">
        <!-- H2 TAG -->
        <!-- <div class="col-lg-6">
          <h2 class="mb-3 border-bot"></h2>
          </div>
        <div class="col-lg-6">
          <h2 class="mb-3 border-bot">What we offer?</h2>
          We offer every kind of beer. Beer
n a glass bottle, draft beer, craft beer, wheat beer. Also, we offer special beer like
chocolate beer, honey beer, and strawberry beer.
          We have beer from every country. Th
e most popular beer is BIP, from Belgrade, Serbia.
        </div> -->
        </div>
      </div>
     </div>
     <!-- Title END -->
```

# **BEER TYPES AND QUOTES**

# **STORE**

```
!--Store - Prodavnica-->
    <div id="parallax" class="container-fluid d-flex align-items-center clearfix">
      <input id="search" class="text-dark" type="text" placeholder="Name of beer"/>
     <!-- H3 TAG -->
    </div>
    <div id="container-store" class="container-fluid pt-4 pb-4 bg-secondary">
      <h4 class="text-uppercase text-center font-fjalla pb-3 border-bottom w-50 m-auto
h1 mt-5">Shop</h4>
     <div id="cart-and-filter" class="w-50 m-auto d-flex mt-1 justify-content-between</pre>
h5">
       <div id="cart" class="d-flex align-items-start">
          <i class="fa fa-shopping-cart mr-1">:</i></i>
         <input id="cart-counter" type="text" class="font-fjalla" value="0" disable</pre>
d>
        </div>
        Clear filter
     </div>
      <div id="store" class="row h5 justify-content-around mt-3">
       <!-- <div class="col-md-3 border roundend mt-4 pb-2 shadow bg-white font-
fjalla">
         <img src="assets/img/store/dilemma-ipa.jpg" alt="Zajecarsko pivo" class="im</pre>
g-fluid border-bottom pt-2 mb-2 col-12"/>
```

#### **GALLERY**

```
<!-- Gallery -->
    <div id="gallery" class="container-fluid bg-primary">
      <div class="row">
        <h5 class="h1 text-center text-uppercase font-fjalla w-50 border-bottom m-</pre>
auto pt-2 pb-2 text-white">Gallery</h5>
        <div id="carousel-gallery" class="carousel slide m-auto pt-3 pb-3" data-</pre>
ride="carousel">
          <div class="carousel-inner">
             <div class="carousel-item active">
              <img class="d-block img-fluid position-relative border rounded" sr</pre>
c="assets/img/slider1.jpg" alt="First slide">
             </div>
             <div class="carousel-item">
              <img class="d-block img-fluid position-relative border rounded" sr</pre>
c="assets/img/slider2.jpg" alt="Second slide">
             </div>
             <div class="carousel-item">
            <img class="d-block img-fluid position-relative border rounded" sr</pre>
c="assets/img/slider3.jpg" alt="Third slide">
          </div>
        </div>
      </div>
   </div>
  </div>
  <!-- Gallery end-->
```

## **CONTACT FORM**

```
<form action="1.php" method="POST" class="w-50 m-auto text-white bg-primary roun</pre>
ded shadow p-4 font-fjalla font-size">
        <h6 class="h1 text-center text-uppercase font-fjalla w-50 m-auto pt-2 pb-4 te</pre>
xt-white">Contact form</h5>
        <label for="name" class="mb-3">Name *</label>
        <div id="error-name">
        </div>
        <input type="text" id="name" class="form-control w-100 mb-2" placeholde</pre>
r="Name"/>
        <label for="surname" class="mt-2 mb-3">Surname *</label>
        <div id="error-surname">
        </div>
        <input type="text" id="surname" class="form-control w-100 mb-2" placeholde</pre>
r="Surname"/>
        <label for="email" class="mt-2 mb-3">Email *</label>
        <div id="error-email">
        </div>
       <input type="text" id="email" class="form-control w-100 mb-2" placeholde</pre>
r="Email"/>
        <label for="address" class="mt-2 mb-3">Address *</label>
        <div id="error-address">
        </div>
        <input type="text" id="address" class="form-control w-100 mb-2" placeholde</pre>
r="Address"/>
        <input type="button" id="btn" class="btn btn-primary pl-4 pr-4 float-right" v</pre>
alue="Send"/>
        <div id="myModal" class="modal">
          <div class="modal-content">
            <i class="close">&times;</i>
            </div>
       </div>
      </form>
    </div>
 </div>
  <!-- Contact form end-->
```

#### **USEFUL LINKS**

```
!-- Useful links-->
 <div id="contacts" class="container-fluid bg-primary pt-5 pb-5">
  <div class="row justify-content-around">
    <div class="col-12 col-sm-6">
     auto">Contact
     <div id="left" class="w-75 m-auto">
      Ime: 
        Email: 
        Broj: 
        </div>
   </div>
   <div class="col-12 col-sm-6">
     auto">Useful links
     <div id="right" class="w-75 m-auto pt-3">
      <div class="link d-flex align-itmes-center">
       <i class="fa fa-facebook p-2"></i></i>
      </div>
      <div class="link d-flex align-items-center">
        <i class="fa fa-instagram p-2"></i></i>
      </div>
      <div class="link d-flex align-items-center">
       <i class="fa fa-linkedin p-2"></i></i>
      </div>
      <div class="link d-flex align-items-center">
       <i class="fa fa-behance p-2"></i></i>
      </div>
      <div class="link d-flex align-items-center">
       <i class="fa fa-sitemap p-2"></i></i>
```

#### **FOOTER**

## **ABOUT AUTHOR**

```
div id="about-author" class="modal">
   <div class="modal-content">
     <i class="close">&times;</i></or>
     <div class="row">
       <div class="col-12 d-flex justify-content-center">
        <img src="assets/img/o autoru.jpg" alt="o autoru" class="img-fluid"/>
      </div>
      <div class="col-12">
        Moje ime je Vanja
Veapi. Student sam druge godine na Viskoj ICT skoli. Imam 21 godinu i zanima me progra
miranje, web programiranje i game development.
        <div class="show-more-text d-none">
          U slobodono vre
me bavim se fotografijom, izradom slika za razlciite potrebe (zurke, flajeri, baneri,
logoi...). Koristim programe poput Adobe Photoshopa, Adobe Premiere, After Effects, Ve
gas PRO.
          Ide gas pa pola
ko lupam sta cu da pisem pa lagano. Ide gas pa polako lupam sta cu da pisem pa lagano.
Ide gas pa polako lupam sta cu da pisem pa lagano. Ide gas pa polako lupam sta cu da p
```

```
isem pa lagano. Ide gas pa polako lupam sta cu da pisem pa lagano. Ide gas pa polako l\,
upam sta cu da pisem pa lagano
         </div>
        <a href="#" id="show-more" class="text-uppercase font-</pre>
fjalla h4">Show more</a>
      </div>
    </div>
 </div>
</div>
<!-- Useful links end -->
<!-- HTML END -->
<div id="loading"></div>
<!-- jQuery and JS bundle w/ Popper.js -->
<!-- <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymo
us"></script> -->
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></</pre>
script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/js/</pre>
bootstrap.bundle.min.js" integrity="sha384-ho+j7jyWK8fNQe+A12Hb8AhRq26LrZ/
JpcUGGOn+Y7RsweNrtN/tE3MoK7ZeZDyx" crossorigin="anonymous"></script>
<!-- jQuery plugin -->
<script src="https://code.jquery.com/ui/1.12.1/jquery-ui.js"></script>
<!-- Main JS -->
<script src="assets/js/main.js" type="text/javascript"></script>
</body>
</html>
CSS
 margin: 0;
  padding: 0;
  box-sizing: border-box;
}
```

@font-face

```
font-family: airside;
 src: url(../fonts/AirsideSans.ttf);
@font-face
 font-family: centuryGothic;
 src: url(../fonts/centuryGothic.ttf);
@font-face
 font-family: FjallaOne;
 src: url(../fonts/FjallaOne.ttf);
/* General CSS settings */
:root
 --primary: #f4b233;
 --secondary: #f4f4f4;
}
#loading
 display: block;
 position: fixed;
 top: 0;
 left: 0;
 z-index: 100;
 width: 100%;
 height: 100vh;
 background-color: rgba(192, 192, 192, 0.5);
 background-image: url("https://i.stack.imgur.com/MnyxU.gif");
 background-repeat: no-repeat;
 background-position: center;
.bg-primary
 background-color: var(--primary) !important;
}
html
scroll-behavior: smooth;
a:hover
 text-decoration: none;
```

```
ul
 margin-bottom: 0;
 margin-top: 0;
\mathtt{li}
 list-style-type: none;
li:hover
 border-bottom: 3px solid #fff;
}
#p-tag-value input[type="text"], #cart-counter[type="text"]
  color: #000000;
 background-color: rgba(0, 0, 0, 0);
 border: 0;
#first input[type="button"]
 width: 80px;
  height: 80px;
  font-family: Arial, Helvetica, sans-serif;
 color: #000000;
  background-color: #fff;
 font-size: 50px;
 transition: 0.3s;
 border: 0;
#first input[type="button"]:hover
 color: #fff;
 background-color: #000000;
}
.font-fjalla
 font-family: FjallaOne;
.font-airside
 font-family: airside;
.border-right
```

```
border-right: 3px solid #bababa !important;
.border-left
 border-left: 3px solid #bababa !important;
.text-primary
color: var(--primary) !important;
.bg-secondary
 background-color: var(--secondary) !important;
#slider img
 width: 100%;
 object-fit: cover;
}
.cursor
 cursor: url(../img/cursor-beer.png), auto;
.offset-sm-1
 margin-left: -0.667%;
/* End of general */
/* header tag */
header
  transition: 0.2s ease-in-out;
 z-index: 99;
  height: 90px;
 font-size: 32px;
 /* height: 63px; */
 /* font-size: 24px; */
 font-family: airside;
 letter-spacing: 2px;
#logo-src
transition: 0.2s ease-in-out;
header .row
```

```
margin-right: 0 !important;
 margin-left: 0 !important;
}
nav a
 color: #fff;
nav a:hover
 color: var(--primary);
.border-bot
 border-bottom: 3px solid #fff;
.active
 color: var(--primary);
#hamburger button
 float: right;
#hamburger button.btn.btn-primary
 background-color: var(--primary);
  border-color: var(--primary);
#hamburger button.btn.btn-primary:hover
  background-color: #f8a100;
#hamburger button.btn-primary:focus
  border-color: var(--primary);
  box-shadow: 0 0 0 .2rem rgba(255, 173, 18, 0.5);
#hamburger button i
 transition: 0.6s;
 font-size: 40px;
.side-nav
  display: none;
```

```
position: fixed;
  z-index: 99;
 left: 0;
  top: 90px;
 width: 100%;
 height: 100%;
  overflow: hidden;
 background-color: rgba(0,0,0,0.4);
 transition: 0.2s;
.nav-content
 transition: 0.3s;
 float: right;
  height: 100vh;
 background-color: #fefefe;
 margin-right: -225px;
 padding: 20px;
 width: 45%;
/* END HEADER */
/* Slider and Beer counter */
#home
background-color: var(--secondary);
#home.pt-5
 padding-top: 6.5rem !important;
#home.container-fluid
 padding-left: 0px !important;
 padding-right: 0px !important;
}
.shadow-lg
 box-shadow: 0 1rem 3rem rgba(0, 0, 0, 0.7) !important;
.roundend
 border-radius: 0.3rem;
```

```
#counter
 width: 100%;
 text-transform: uppercase;
 font-family: airside;
}
#counter .h1
font-size: 3.5rem;
}
#p-tag-value
height: 117px; /* ZATO STO SE KLIKOM GUBI INPUT TYPE POLJE KOJE JE 1Px, inicijalno v
isina ovog taga je 116px */
}
/* End Slider and Beer counter */
/* TITLE I OPIS */
#title > .row
 margin-left: 0 !important;
 margin-right: 0 !important;
#title > .row > .w-100 >.h1
 font-size: 3.5rem;
.p-font-size
 font-size: 23px;
#title-description
 display: contents;
/* KRAJ */
/* PARALLAX DIV */
#parallax
  height: 300px;
  background: url(../img/piva1.jpg);
  background-repeat: no-repeat;
  background-attachment: fixed;
 background-position: center;
  background-size: cover;
```

```
}
#parallax-h3
 width: 95%;
#search
  position: relative;
  top: 48%;
 left: 20%;
 /* margin-top: 38%; */
  height: 60px;
  width: 60%;
  padding: 31px;
 font-family: FjallaOne;
  font-size: 2.2rem;
  color: rgba(0,0,0, 0.6);
  border-radius: 30px;
  border: 0;
  box-shadow: 2px 2px 20px #000;
#parallax > .h1
  font-size: 5rem;
.hover, .p-translate
 transition: 0.6s;
}
#quotes
 height: auto;
#quotes.h1
 margin-bottom: -1rem;
/* PARALLAX DIV END */
/*Store*/
#clear-filter:hover
  cursor: pointer;
 color: var(--primary);
```

```
#container-store h4.border-bottom
 border-bottom: 3px solid var(--primary) !important;
#container-store h4.h1
  margin-top: 3rem !important;
 font-size: 3.5rem !important;
}
#store .border
 border: 2px solid var(--primary) !important;
#store .border .border-bottom
 border-bottom: 2px solid var(--primary) !important;
#store.row
  margin-left: 0;
 margin-right: 0;
.btn-warning
  background-color: #f4b233;
 font-size: 1.2rem;
/* Gallery */
.carousel-item .border
 border: 10px solid #fff !important;
h5.border-bottom
 border-bottom: 3px solid #fff !important;
/* Contact */
#contact
 background-image: url(../img/form-bg1.jpg);
  background-repeat: no-repeat;
 background-position: top;
.error
{
```

```
color: #007bff;
.font-size
 font-size: 1.2rem;
form p
 margin-bottom: 0;
/* The Modal (background) */
.modal
 display: none;
  position: fixed;
  z-index: 99;
 padding-top: 100px;
 left: 0;
 top: 0;
 width: 100%;
 height: 100%;
  overflow: auto;
  background-color: rgb(0,0,0);
 background-color: rgba(0,0,0,0.4);
.modal-content
background-color: #fefefe;
margin: auto;
padding: 20px;
border: 1px solid #888;
width: 80%;
/st The Close Button st/
.close {
color: #aaaaaa;
float: right;
font-size: 28px;
font-weight: bold;
}
.close:hover,
.close:focus {
```

```
color: #000;
text-decoration: none;
cursor: pointer;
}
.text-blue
 color: #0069d9;
#message li:hover
 border-bottom: 0 solid;
/* Contact end */
/*Useful links*/
#contacts .border-bottom
 border-bottom: 3px solid #000 !important;
}
#right
 display: grid;
#right i
  display: flex;
  justify-content: center;
  width: 40px;
  height: 40px;
 font-size: 1.5rem;
  border-radius: 10%;
  background-color: #fff;
 margin-bottom: 0.5rem;
}
footer
 height: 75px;
#about-author.modal
  padding-top: 35px;
 overflow: unset;
#about-author .modal-content
```

```
height: 90vh;
 overflow-y: auto;
.table-responsive
 overflow-x: unset;
@media screen and (max-width: 860px)
 #quotes.h1
 font-size: 1.5rem;
@media screen and (max-width: 736px)
 form.m-auto
  margin: 0 !important;
 form.w-50
   width: 95% !important;
   margin-left: auto !important;
 #table1.h4
 font-size: 1.3rem;
 #right .h3
 font-size: 1.35rem;
 #cart-and-filter.h5
  font-size: 1rem;
 #cart-and-filter.w-50
 width: 100% !important;
 h4.w-50
 width: 100% !important;
```

```
@media screen and (max-width: 493px)
 #parallax-h3.h1
  font-size: 3.5rem;
 #search
   left: 10%;
   width: 75%;
   font-size: 1.5rem;
 #contacts .h2
   font-size: 1.4rem;
 #contacts .w-75
 width: 100% !important;
 #table1.table-responsive
 overflow-x: unset;
 #table1.h4
   font-size: 1.2rem;
 #about-author .w-50
 width: 100% !important;
 #about-author .h5
  font-size: 0.9rem;
 #show-more.h4
 font-size: 1.4rem;
@media screen and (max-width: 420px)
 .w-75
 width: 100%;
```

```
.p-font-size
  font-size: 21px;
 #beer-choice .h1
   margin-bottom: 0;
   font-size: 1.2rem;
 #title > .row > .w-100 > .h1
   font-size: 2rem;
 .modal-content
 width: 100%;
 #message
   font-size: 1rem;
@media screen and (max-width: 390px)
 .p-font-size
   font-size: 16px;
 .text-left.p-font-size
   text-align: justify !important;
   text-justify: distribute;
 h2
   font-size: 1.7rem;
@media screen and (max-width: 310px)
 #parallax-h3
 width: 90%;
 #table1.h4
   font-size: 1rem;
```

```
}
}
/* canvas
{
  border: 3px solid #000;
  margin: auto;
}
.canvas .row
{
  margin-right: 0;
} */
```

# JavaScript

```
$(document).ready(function()
 var header = document.querySelector("header");
 header.setAttribute("class", "container-fluid bg-dark position-fixed");
 //header.setAttribute("class", "container-fluid");
 let logo = document.querySelector("#logo"); //Fetch id logo with query selector
 let img = document.createElement("img"); //Making element img
 img.setAttribute("alt", "Ovo je alt atribut iz javascripta"); //Setting attribute al
 img.setAttribute("src", "assets/img/krigla.png"); //Setting attribute src
 img.setAttribute("width", "60"); //Setting attribute width
 img.setAttribute("id", "logo-src");
 //DEFAULTNA VREDNOST JE 40 sirine SLIKE
 logo.appendChild(img); //Adding element "img" to variable logo(#logo);
  //Hamburger
 var hamburger = document.getElementById("fa-bars");
 var mySideNav = document.getElementById("my-side-nav"); //Hamburger nav meni koji se
otvara na klik
 document.addEventListener("scroll", function()
    //console.log(window.scrolly);
   if(window.scrollY == 0)
```

```
img.setAttribute("width", "60");
      header.style.fontSize = "32px";
      header.style.height = "90px";
      hamburger.style.fontSize = "40px";
     mySideNav.style.top = "90px";
    else if(window.scrollY > 0)
      img.setAttribute("width", "40");
      header.style.fontSize = "24px";
      header.style.height = "63px";
      hamburger.style.fontSize = "25px";
      mySideNav.style.top = "63px";
  var navList = document.getElementsByClassName("nav-list");
 var nav =
      putanja:"#home",
      ime:"Home"
    },
      putanja:"#beer-choice",
      ime:"Shop"
    },
      putanja:"#gallery",
      ime:"Gallery"
      putanja:"#contact",
      ime:"Contact"
    },
      putanja:"#",
      ime:"about"
  for(let element of nav)
    if(element.ime == "Home")
      navList[0].innerHTML += `<a href="$</pre>
{element.putanja}" class="${element.ime} nav-link text-uppercase d-inline-block mt-
```

```
2">${element.ime}</a>`
   else
     navList[0].innerHTML += `<a href="$</pre>
{element.putanja}" class="${element.ime} nav-link text-uppercase d-inline-block mt-
2">${element.ime}</a>
 for(let element of nav)
     navList[1].innerHTML += `<a href="$</pre>
{element.putanja}" class="${element.ime} nav-link text-uppercase d-inline-block mt-
2">${element.ime}</a>
  //jQuery hambruger
 $("#hamburger-btn").click(function(){
   $("#my-side-nav").css("display", "block");
   $(".nav-content").animate({
    marginRight : "0"
   }, 50);
 });
 $("#close").click(function(){
   $(".nav-content").animate({
     marginRight : "-225px"
   }, 50);
   setTimeout(changeDisplay, 400, "linear");
 function changeDisplay()
   $("#my-side-nav").css("display", "none");
 var beers =
     id: "pivo1",
     beerName: "Argus",
     typeBeer:"Bottle",
     price: 45,
     img:
```

```
src:"assets/img/store/argus.jpg",
    alt: "Argus beer"
  id: "pivo2",
  beerName: "Bip",
  typeBeer:"Bottle",
 price: 70,
  img:
    src:"assets/img/store/bip.jpg",
    alt: "BIP beer"
  id: "pivo3",
  beerName: "Dilemma - IPA",
 typeBeer:"Craft",
  price: 250,
 img:
    src:"assets/img/store/dilemma-ipa.jpg",
    alt:"Dilemma - IPA"
},
  id: "pivo4",
  beerName:"Dilemma - ALE",
  typeBeer:"Craft",
  price: 250,
  img:
    src:"assets/img/store/dilemma-spring-ale.jpg",
    alt:"Dilemma spring ALE"
},
  id: "pivo5",
  beerName: "Dogma - Albino",
  typeBeer: "Craft",
  price: 290,
  img:
    src:"assets/img/store/dogma-albino.jpg",
    alt:"Dogma albino"
```

```
id: "pivo6",
 beerName:"Dogma - Hoptopod",
  typeBeer:"Craft",
  price: 290,
  img:
    src:"assets/img/store/dogma-hoptopod.jpg",
    alt:"Dogma hoptopod"
},
  id: "pivo7",
  beerName: "Dogma - Svetionik",
  typeBeer:"Craft",
  price: 290,
 img:
    src:"assets/img/store/dogma-svetionik.jpg",
    alt:"Dogma svetionik"
  id: "pivo8",
  beerName: "Dvorog - Zduhač",
  typeBeer:"Craft",
  price: 300,
  img:
    src:"assets/img/store/dvorog-zduhac.jpg",
    alt: "Dvorog zdhuac"
},
  id: "pivo9",
  beerName: "Heineken",
  typeBeer:"Bottle",
 price: 90,
  img:
    src:"assets/img/store/heineken.jpg",
    alt: "Heineken"
```

```
id: "pivo10",
  beerName: "Jelen",
  typeBeer:"Bottle",
  price: 55,
  img:
    src:"assets/img/store/jelen.jpg",
    alt:"Jelen"
},
  id: "pivo11",
  beerName: "Kabinet - Moon",
  typeBeer:"Craft",
  price: 310,
  img:
    src:"assets/img/store/kabinet-to-the-moon.jpg",
    alt: "Kabinet to the moon"
},
  id: "pivo12",
  beerName: "Lav",
  typeBeer:"Bottle",
  price: 55,
  img:
    src:"assets/img/store/lav.jpg",
    alt:"Lav"
},
  id: "pivo13",
  beerName: "Lowenbrau",
  typeBeer:"Bottle",
  price: 65,
  img:
    src:"assets/img/store/lowenbrau.jpg",
    alt:"Lowenbrau"
},
  id: "pivo14",
  beerName: "Niksic",
  typeBeer: "Bottle",
```

```
price: 55,
    img:
      src:"assets/img/store/niksic.jpg",
      alt:"Niksic"
  },
    id: "pivo15",
    beerName: "Paulaner",
    typeBeer:"Wheat",
    price: 110,
    img:
      src:"assets/img/store/paulaner-psenicno.jpg",
      alt: "Paulaner - Wheat beer"
// querySelector ne detektuje klik i kad je stavljena klasa i kad je stavljen tag.
// querySelector wouldn't detect click, even if class or tag were added.
let liTag = document.getElementsByTagName("li");
let aTag = document.getElementsByTagName("a");
liTag[0].classList.add("border-bot")
aTag[0].classList.add("active");
let activeLi = liTag[0]; // Li tag
let activeA = aTag[0]; //A tag
//console.log(liTag[0]);
for(let i = 0; i < liTag.length; i++)</pre>
 let li = liTag[i];
  let a = aTag[i];
  liTag[i].addEventListener("click", function()
    //console.log(li.textContent);
    if (activeLi) activeLi.classList.remove("border-bot");
    li.classList.add("border-bot");
    activeLi = li;
```

```
if (activeA) activeA.classList.remove("active")
    a.classList.add("active");
    activeA = a;
let val = document.getElementById("value");
let p_tag_value = document.getElementById("p-tag-value");
let vrednostBrojacaPive = val.value;
let increment = document.getElementById("increment");
let decrement = document.getElementById("decrement");
increment.addEventListener("click", function()
  p_tag_value.innerHTML = ++vrednostBrojacaPive;
  console.log("klik plus");
});
decrement.addEventListener("click", function()
  if(vrednostBrojacaPive <= 0)</pre>
   vrednostBrojacaPive = 0;
  else
    p_tag_value.innerHTML = --vrednostBrojacaPive;
  console.log("klik mins");
//Adding slider with jQuery
slideShow();
function returnDescription(el)
  if(el.description1 == undefined)
    return `<div class="col-lg-6">
    <h2 class="mb-3 border-bot">${el.title}</h2> <!-- H2 TAG -->
    ${el.description}`;
  else
```

```
return `<div class="col-lg-6">
           <h2 class="mb-3 border-bot">${el.title}</h2> <!-- H2 TAG -->
           ${el.description}
           ${el.description1}
         </div>`;
 var titleDescriptionID = document.getElementById("title-description");
 var titleDescription =
     title: "What is BeerShop?",
     description: "Beershop is a web application for ordering beers. All you need is
to select your beer and to cart. After that fill the form and in 1 hour you will get b
eers. If you have a problem, send us an e-mail or contact us on our Instagram page."
    },
     title: "What we offer?",
     description: "We offer every kind of beer. Beer in a glass bottle, draft beer, c
raft beer, wheat beer. Also, we offer special beer like chocolate beer, honey beer, an
d strawberry beer",
     description1: "We have beer from every country. The most popular beer is BIP, fr
om Belgrade, Serbia."
 for(let element of titleDescription)
   console.log(element.title)
   if(element.description1 == undefined)
     titleDescriptionID.innerHTML += returnDescription(element);
   else
     titleDescriptionID.innerHTML += returnDescription(element);
 let h3 = document.createElement("h3");
 h3.setAttribute("id", "parallax-h3");
 h3.setAttribute("class", "text-white text-uppercase text-center h1 font-airside posi
tion-absolute");
 h3.innerText = "Explore our shop";
 document.getElementById("parallax").appendChild(h3);
```

```
var niz = new Array(3);
 niz[0] = "Bottle";
 niz[1] = "Craft";
 niz[2] = "Wheat";
 console.log(niz);
 var ispis = "";
 var beerChoice = document.getElementById("beer-choice1"); //Overflow hidden omogucav
 mi da napravim granice na divu
 for(let i = 0; i < niz.length; i++)</pre>
   if((i == 0) || (i == 2))
     ispis += `<div id="hover${i}" class="col-4 overflow-hidden cursor">
           ${niz[i]}
           <img src="assets/img/${niz[i]}.png" alt="${niz[i]}" class="img-fluid hove</pre>
·"/>
         </div>`;
   else
     ispis += `<div id="hover${i}" class="col-4 border-left border-right overflow-</pre>
hidden cursor">
           ${niz[i]}
           <img src="assets/img/${niz[i]}.png" alt="${niz[i]}" class="img-fluid hove</pre>
r"/>
         </div>`;
 beerChoice.innerHTML += ispis;
 // console.log(ispis);
    console.log(beerChoice);
  //Translate Animation
 var hover = document.getElementsByClassName("hover");
 var pTranslate = document.getElementsByClassName("p-translate");
 for(let i = 0; i < hover.length; i++)</pre>
   //Sa parent elementom pristupamom elemntu iznad u odnosu na onaj koji smo hteli da
dohvatimo.font-fjalla
   //U ovom slucaju se koristi da kada se desi mouseover, da se automatski ne des mou
seout, jer inicijalno kada bi se okinuo mouseover kako se pomeri slika na dole tako se
okine mouseout, sa parentElement to sprecavamo.
   let container = hover[i].parentElement;
 pTranslate[i].style.transform = "translateY(-100px)";
```

```
container.addEventListener("mouseover", function()
      // var hoverID = document.getElementById(`hover${i}`);
      // hoverID.innerHTML = `<h1>PROBA</h1>`
      // console.log(hoverID);
      //Pristupam velicini diva pomocu clientHeight i delim sa dva da bih tag pozicion
irao na sreidnu.
     const positionY = container.clientHeight / 2;
      pTranslate[i].style.transform = `translateY(${positionY}px)`;
      hover[i].style.transform = "translateY(100%)";
    container.addEventListener("mouseout", function()
      //hover[i].classList.remove("text");
      pTranslate[i].style.transform = "translateY(-100px)";
      hover[i].style.transform = "translateY(0px)";
    })
    container.addEventListener("click", function()
      console.log(hover[i].alt);
      let rezultat = beers.filter((element) => {
        let beerId = document.getElementById(element.id);
        if(element.typeBeer === hover[i].alt)
          beerId.classList.add("d-block");
          console.log(beerId);
         return true;
        else
          beerId.classList.remove("d-block");
          beerId.classList.add("d-none");
         return false;
      });
      console.log(rezultat);
   });
 var quotesArr = ["Don't worry beer happy.", "Beer is not alcohol.", "Beer brate Broo
klyn.", "BiP is the best Beer I've ever drank.", "On victory, you deserve beer.", "You
can't drink all day if you don't start in the morning.", "Good people drink good beer.
", "Wine is made by men, Beer by God", "Beer, beer and beer.", "Gimme a woman who love
s beer and I'll conquer the world."];
 var authorQuoteArr = ["Albert Einstien", "Nikola Tesla", "FTP Cojkana", "Unknown her
o", "Napoleon Bonaparte", "Ivan Zlatic", "Adam Sandler", "Martin Luther", "Michael Sco
```

```
field", "Mickey Mouse"];
 var quotes = document.getElementById("quotes");
 let randomNum = Math.floor(Math.random() * quotesArr.length);
 quotes.innerHTML = `"${quotesArr[randomNum]}"
'ml-3 pt-3 pb-3">- ${authorQuoteArr[randomNum]}`;
 setInterval(getQuote, 7000);
 function getQuote()
   randomNum = Math.floor(Math.random() * quotesArr.length);
   // console.log(randomNum);
   quotes.innerHTML = `"${quotesArr[randomNum]}"
s="ml-3 pt-3 pb-3">- ${authorQuoteArr[randomNum]}`;
//Adding store
var store = document.getElementById("store");
 ispis = "";
 for(let beer of beers)
   ispis += `<div id=${beer.id} class="col-md-3 border roundend mt-4 pb-2 shadow bg-
white font-fjalla ml-1 d-block">
       <img src="${beer.img.src}" alt="${beer.img.alt}" class="img-fluid border-</pre>
bottom pt-2 mb-2 col-12"/>
        Name: $
{beer.beerName}
         Type: ${beer.typeBeer}
p>
         Price: ${beer.price} RSD
/p>
        <input type="button" class="dugme btn btn-warning add-to-cart w-100 text-</pre>
white rounded display-1" value="Add to cart"/>
      </div>`;
 store.innerHTML += ispis;
 let beerCartCounter = document.getElementById("cart-counter");
 let dugme = document.getElementsByClassName("dugme");
 beerCartCounter.value = 0;
 for(let i = 0; i < dugme.length; i++)</pre>
   dugme[i].addEventListener("click", function()
```

```
console.log(typeof(beerCartCounter.value));
    var d = $('.dialog').dialog({
      dialogClass: "no-close",
      resizable: false
    });
    setTimeout(function()
      $('.dialog').dialog('close');
    }, 2000);
    let konverzija = Number(beerCartCounter.value);
    beerCartCounter.value = konverzija + 1;
//Filtering by input
var search = document.getElementById("search");
search.addEventListener("input", () =>
  let vrednost = search.value.toLowerCase(); //Ovako radi
  //vrednost.toLowerCase(); //Ovako kad imam ne radi
  console.log(vrednost);
  let proba1 = beers.filter((beer) => {
    let beerId = document.getElementById(beer.id);
   if(beer.beerName.toLowerCase().indexOf(vrednost) > -1)
      beerId.classList.add("d-block");
    else
      beerId.classList.remove("d-block");
      beerId.classList.add("d-none");
  });
  console.log(proba1);
//Clear filter
var clearFilter = document.getElementById("clear-filter");
clearFilter.addEventListener("click", () =>
  let clear = beers.filter((beer) => {
    let beerId = document.getElementById(beer.id);
    beerId.classList.remove("d-none");
```

```
console.log(clear);
//Gallery
 //Forms - Regular expression
 var btn = document.getElementById("btn");
 btn.addEventListener("click", checkForm);
 //Useful links
 var tr = document.getElementsByClassName("tr");
 var trArr = ["Vanja Veapi", "vanja.veapi@gmail.com", "060 123 45 56"];
 for(let i = 0; i < tr.length; i++)</pre>
 tr[i].innerHTML += `${trArr[i]}`;
 var link = document.getElementsByClassName("link");
 var linkArr = ["Facebook", "Instagram", "LinkedIn", "Behance", "Sitemap", "RSS"];
 var linkArrHref = ["https://www.facebook.com/vanja.veapi/", "https://
www.instagram.com/vanja.veapi/", "https://www.linkedin.com/in/vanjaveapi/", "https://
www.behance.net/vanjaveapi99", "sitemap.xml", "rss.xml"];
 for(let i = 0; i < link.length; i++)</pre>
   link[i].innerHTML += `<a href="${linkArrHref[i]}">
fjalla">${linkArr[i]}</a>`;
 $(".close").click(function()
 $("#myModal").hide();
$(".about").click(aboutAuthor);
 //jQuery PLUGIN
 let counter = 0;
 $(".show-more-text" ).hide("blind"); //Poziva se prvo hardkovoano da bi se zamenile
pocetne pozicije, jer blind prvo uklanja tekst
 $("#show-more").on("click", function(e)
```

```
if(counter === 1)
      counter = 0;
      $(this).html("Show more");
    else
      counter = 1;
      $(this).html("Show less");
    console.log("Brojac je " + counter);
    e.preventDefault();
    runEffect();
    return false;
 });
});
function runEffect()
 $(".show-more-text").removeClass("d-none");
 $(".show-more-text" ).toggle("blind");
}
// function callback() {
      setTimeout(function() {
        $( ".show-more-text" ).removeAttr( "style" ).hide().fadeIn();
    }, 1000 );
   };
function aboutAuthor(e)
 e.preventDefault();
  $("#about-author").show();
 console.log("true");
 $(".close").click(function()
    $("#about-author").hide();
function slideShow()
 var trenutni = $("#slider .d-block");
  trenutni.animate({transform: "translateX(200px)"}, 1000);
 var sledeci = trenutni.next().length ? trenutni.next() : trenutni.parent().children(
 :first');
  trenutni.removeClass('d-block');
```

```
trenutni.addClass('d-none');
 sledeci.addClass('d-block');
 setTimeout(slideShow, 5000);
}
function checkForm()
 let counter = 0; //Brojac koji ce ako bude sve validno da vrati broj 3
  let errName = document.getElementById("error-name");
 let name = document.getElementById("name");
  let regExpNameSurname = /^[A-ZŠĐŽČĆ][a-zšđžčć]{2,12}$/;
  let valid = true;
 if(name.value === "")
    valid = false;
   name.style.border = "1px solid #ff0000";
   errName.innerHTML = 'The field Name is empty.';
 else
    if(!regExpNameSurname.test(name.value))
      valid = false;
      name.style.border = "1px solid #ff0000";
      errName.innerHTML = 'Name is not in valid format. Name must sta
rt with first capital letter and to have minimum 3 characters and maximum 14 character
s.';
    }
    else
      name.style.border = "1px solid #00ff00";
      counter++;
      valid = true;
     errName.innerHTML = "";
  let errSurname = document.getElementById("error-surname");
 let surname = document.getElementById("surname");
  let regExpSurname = /^[A-ZŠĐŽČĆ][a-zšđžčć]{2,12}$/;
  errSurname.innerHTML = ""; //Bez ovoga ima bag da nece da restartuje inerhtml
 if(surname.value === "")
  valid = false;
```

```
surname.style.border = "1px solid #ff0000";
  errSurname.innerHTML = `Field surname is empty`;
else
  if(!regExpSurname.test(surname.value))
    valid = false;
    surname.style.border = "1px solid #ff0000";
    errSurname.innerHTML = `Surname is not in valid format.`;
  else
    counter++;
    valid = true;
    surname.style.border = "1px solid #00ff00"
    errSurname = "";
console.log(surname);
let errEmail = document.getElementById("error-email");
let email = document.getElementById("email");
let regExpMail = /^[a-z0-9.!#$%&'*+/=?^_`{|}~-]+@[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+)+
if(email.value === "")
  valid = false;
  email.style.border = "1px solid #ff0000";
  errEmail.innerHTML = "Email field can't be empty!";
else
  if(!regExpMail.test(email.value))
    valid = false;
    email.style.border = "1px solid #ff0000";
    errEmail.innerHTML = "Email must start with small leter and mus
have @ for example (test@gmail.com).";
  else
    email.style.border = "1px solid #00ff00";
    counter++;
    valid = true;
```

```
errEmail.innerHTML = "";
 let errAddress = document.getElementById("error-address")
 let address = document.getElementById("address");
 let regExpAdr = /[A-ZČĆŽŠĐ1-9]([a-zč枊đ0-9]{2,80}\s)+([0-9]{1,4}[a-zžđ]*|bb)$/;
 if(address.value === "")
   valid = false;
   address.style.border = "1px solid #ff0000";
   errAddress.innerHTML = "Address field can't be empty"
 else
   if(!regExpAdr.test(address.value))
     valid = false;
     address.style.border = "1px solid #ff0000";
     errAddress.innerHTML = "Address must have first capital letter
and number of street."
   else
     counter++;
     valid = true;
     address.style.border = "1px solid #00ff00";
     errAddress.innerHTML = "";
 if(counter === 4)
   document.getElementById("myModal").style.display = "block";
   let span = document.getElementsByClassName("close")[0];
   span.addEventListener("click", () => {
     document.getElementById("myModal").style.display = "none";
   })
   let message = document.getElementById("message");
   message.innerHTML = `Your parameter sent to the server. This is your data:
   center">
   Name:
```

```
${name.value}
   Surame: 
    ${surname.value}
   E-mail: 
    Address: 
    ${address.value}
  <br/>`
  console.log("jesteeee");
 else
 console.log("Nije bajo");
function onReady(callback)
 var intervalId = window.setInterval(function()
  if (document.getElementsByTagName('body')[0] !== undefined)
  window.clearInterval(intervalId);
  callback.call(this);
 }, 1000);
function setVisible(selector, visible)
document.querySelector(selector).style.display = visible ? 'block' : 'none';
}
onReady(function()
setVisible('.page', true);
setVisible('#loading', false);
});
```

# Vanja Veapi Web programiranje 1

Visoka ICT Beograd