

WEEK 2

SKILL 2

DBSE

2520090198

Siri Chandana

```
1 CREATE DATABASE SKILL;
2
3 USE SKILL;
4
5 CREATE TABLE orders (
6     ord_no INT PRIMARY KEY,
7     purch_amt DECIMAL(10,2),
8     ord_date DATE,
9     customer_id INT,
10    salesman_id INT
11 );
12
13 INSERT INTO orders VALUES
14 (70001, 150.50, '2012-10-05', 3005, 5002),
15 (70009, 270.65, '2012-09-10', 3001, 5005),
16 (70002, 65.26, '2012-10-05', 3002, 5001),
17 (70004, 110.50, '2012-06-17', 3009, 5003);
```

| # | Time     | Action                | Message           |
|---|----------|-----------------------|-------------------|
| 1 | 09:01:12 | CREATE DATABASE SKILL | 1 row(s) affected |
| 2 | 09:01:14 | USE SKILL             | 0 row(s) affected |

```
5 CREATE TABLE orders (
6     ord_no INT PRIMARY KEY,
7     purch_amt DECIMAL(10,2),
8     ord_date DATE,
9     customer_id INT,
10    salesman_id INT
11 );
12
13 INSERT INTO orders VALUES
14 (70001, 150.50, '2012-10-05', 3005, 5002),
15 (70009, 270.65, '2012-09-10', 3001, 5005),
16 (70002, 65.26, '2012-10-05', 3002, 5001),
17 (70004, 110.50, '2012-08-17', 3009, 5003),
18 (70007, 948.50, '2012-09-10', 3005, 5002),
19 (70005, 2400.60, '2012-07-27', 3007, 5001),
20 (70008, 5760.00, '2012-09-10', 3002, 5001),
```

| # | Time     | Action                                                                                       | Message           | Duration / Fetch |
|---|----------|----------------------------------------------------------------------------------------------|-------------------|------------------|
| 1 | 09:01:12 | CREATE DATABASE Satwika_skill13                                                              | 1 row(s) affected | 0.031 sec        |
| 2 | 09:01:14 | USE SKILL                                                                                    | 0 row(s) affected | 0.000 sec        |
| 3 | 09:02:12 | CREATE TABLE orders ( ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, cus... | 0 row(s) affected | 0.031 sec        |

SQL Editor - SQL

Limit to 1000 rows

```

10     salesman_id INT
11 }
12
13 * INSERT INTO orders VALUES
14 (70001, 150.50, '2012-10-05', 3005, 5002),
15 (70009, 270.65, '2012-09-10', 3001, 5005),
16 (70002, 65.25, '2012-10-05', 3002, 5001),
17 (70004, 110.50, '2012-08-17', 3009, 5003),
18 (70007, 948.50, '2012-09-10', 3005, 5002),
19 (70005, 2400.60, '2012-07-27', 3007, 5001),
20 (70008, 5760.00, '2012-09-10', 3002, 5001),
21 (70010, 1983.43, '2012-10-10', 3004, 5006),
22 (70003, 2400.60, '2012-10-10', 3009, 5003),
23 (70012, 250.45, '2012-06-27', 3000, 5002),
24 (70011, 75.29, '2012-08-17', 3003, 5007),
25 (70013, 3045.60, '2012-04-25', 3002, 5001)
26

```

Output

Action Output

| Time       | Action                                                                                                        | Message                                                  |
|------------|---------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| 1 09:01:12 | CREATE DATABASE 2520090181_hinawa_db3                                                                         | 1 row(s) affected                                        |
| 2 09:01:14 | USE 2520090181_hinawa_db3                                                                                     | 0 row(s) affected                                        |
| 3 09:02:12 | CREATE TABLE orders ( ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, cus...                  | 0 row(s) affected                                        |
| 4 09:02:30 | INSERT INTO orders VALUES (70001, 150.50, '2012-10-05', 3005, 5002), (70009, 270.65, '2012-09-10', 3001, 5... | 12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0 |

SQL Editor - SQL

Limit to 1000 rows

```

21 (70010, 1983.43, '2012-10-10', 3004, 5006),
22 (70003, 2400.60, '2012-10-10', 3009, 5003),
23 (70012, 250.45, '2012-06-27', 3000, 5002),
24 (70011, 75.29, '2012-08-17', 3003, 5007),
25 (70013, 3045.60, '2012-04-25', 3002, 5001);
26
27 * SELECT *

```

Result Grid

| ord_no | purch_amt | ord_date   | customer_id | salesman_id |
|--------|-----------|------------|-------------|-------------|
| 70003  | 2400.40   | 2012-10-10 | 3009        | 5003        |
| 70005  | 2400.60   | 2012-07-27 | 3007        | 5001        |
| 70008  | 5760.00   | 2012-09-10 | 3002        | 5001        |
| 70013  | 3045.60   | 2012-04-25 | 3002        | 5001        |

orders 1 x

Output

SQL Editor - SQL

Limit to 1000 rows

```

30
31 * SELECT *
32 FROM orders
33 WHERE ord_date = '2012-09-10'
34
35 * SELECT *
36 FROM orders

```

Result Grid

| ord_no | purch_amt | ord_date   | customer_id | salesman_id |
|--------|-----------|------------|-------------|-------------|
| 70007  | 948.50    | 2012-09-10 | 3005        | 5002        |
| 70008  | 5760.00   | 2012-09-10 | 3002        | 5001        |
| 70009  | 270.65    | 2012-09-10 | 3001        | 5005        |

SQL Editor: Limit to 1000 rows

```

33 WHERE ord_date = '2012-09-10';
34
35 SELECT *
36 FROM orders
37 WHERE salesman_id = 5001;
38
39 SELECT *

```

Result Grid

| ord_no | purch_amt | ord_date   | customer_id | salesman_id |
|--------|-----------|------------|-------------|-------------|
| 70002  | 65.26     | 2012-10-05 | 3002        | 5001        |
| 70005  | 2400.60   | 2012-07-27 | 3007        | 5001        |
| 70008  | 5760.00   | 2012-09-10 | 3002        | 5001        |
| 70013  | 3045.60   | 2012-04-25 | 3002        | 5001        |

orders 3 x

Output

Action Output

| # | Time     | Action                                                                                                       | Message                                                  |
|---|----------|--------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| 1 | 09:01:12 | CREATE DATABASE 2520090181_Hinasee_sk83                                                                      | 1 row(s) affected                                        |
| 2 | 09:01:14 | USE 2520090181_Hinasee_sk83                                                                                  | 0 row(s) affected                                        |
| 3 | 09:02:12 | CREATE TABLE orders ( ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, cu...                  | 0 row(s) affected                                        |
| 4 | 09:02:30 | INSERT INTO orders VALUES (70001, 150.50, '2012-10-05', 3005, 5002), (70009, 270.65, '2012-09-10', 3001, ... | 12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0 |
| 5 | 09:02:54 | SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000                                                    | 4 row(s) returned                                        |
| 6 | 09:03:06 | SELECT * FROM orders WHERE ord_date = '2012-09-10' LIMIT 0, 1000                                             | 3 row(s) returned                                        |
| 7 | 09:03:17 | SELECT * FROM orders WHERE salesman_id = 5001 LIMIT 0, 1000                                                  | 4 row(s) returned                                        |

SQL Editor: Limit to 1000 rows

```

36 FROM orders
37 WHERE salesman_id = 5001;
38
39 SELECT *
40 FROM orders
41 ORDER BY purch_amt DESC;
42

```

Result Grid

| ord_no | purch_amt | ord_date   | customer_id | salesman_id |
|--------|-----------|------------|-------------|-------------|
| 70008  | 5760.00   | 2012-09-10 | 3002        | 5001        |
| 70013  | 3045.60   | 2012-04-25 | 3002        | 5001        |
| 70003  | 2400.40   | 2012-10-10 | 3009        | 5003        |
| 70005  | 2400.60   | 2012-07-27 | 3007        | 5001        |
| 70010  | 1983.43   | 2012-10-10 | 3004        | 5006        |
| 70007  | 948.50    | 2012-09-10 | 3005        | 5002        |
| 70009  | 270.65    | 2012-09-10 | 3001        | 5005        |
| 70012  | 250.45    | 2012-06-27 | 3008        | 5002        |

orders 4 x

Output

Action Output

| # | Time     | Action                                                                                                       | Message                                                  |
|---|----------|--------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| 1 | 09:01:12 | CREATE DATABASE 2520090181_Hinasee_sk83                                                                      | 1 row(s) affected                                        |
| 2 | 09:01:14 | USE 2520090181_Hinasee_sk83                                                                                  | 0 row(s) affected                                        |
| 3 | 09:02:12 | CREATE TABLE orders ( ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, cu...                  | 0 row(s) affected                                        |
| 4 | 09:02:30 | INSERT INTO orders VALUES (70001, 150.50, '2012-10-05', 3005, 5002), (70009, 270.65, '2012-09-10', 3001, ... | 12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0 |
| 5 | 09:02:54 | SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000                                                    | 4 row(s) returned                                        |
| 6 | 09:03:06 | SELECT * FROM orders WHERE ord_date = '2012-09-10' LIMIT 0, 1000                                             | 3 row(s) returned                                        |
| 7 | 09:03:17 | SELECT * FROM orders WHERE salesman_id = 5001 LIMIT 0, 1000                                                  | 4 row(s) returned                                        |
| 8 | 09:03:29 | SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000                                                   | 12 row(s) returned                                       |

SQL Editor: Limit to 1000 rows

```

45 ORDER BY ord_date ASC;
46
47 SELECT SUM(purch_amt) AS total_revenue
48 FROM orders;
49
50 SELECT AVG(purch_amt) AS average_order
51 FROM orders;

```

Result Grid

| total_revenue |
|---------------|
| 17541.18      |

skill-05

```

48 FROM orders;
49
50 • SELECT AVG(purch_amt) AS average_order
51 FROM orders;
52
53 • SELECT MAX(purch_amt) AS highest_order
54 FROM orders;

```

Result Grid

| average_order |
|---------------|
| 1461.765000   |

Result 7

Output

| #  | Time     | Action                                                                                                                                                                                                                                                                                                                           | Message                                                  | Duration / Fetch      |
|----|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|-----------------------|
| 1  | 09:01:12 | CREATE DATABASE Satwika_skill13                                                                                                                                                                                                                                                                                                  | 1 row(s) affected                                        | 0.031 sec             |
| 2  | 09:01:14 | USE SKILL                                                                                                                                                                                                                                                                                                                        | 0 row(s) affected                                        | 0.000 sec             |
| 3  | 09:02:12 | CREATE TABLE orders ( ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, customer_id INT,                                                                                                                                                                                                                           | 0 row(s) affected                                        | 0.031 sec             |
| 4  | 09:02:30 | INSERT INTO orders VALUES (70001, 150.50, '2012-10-05', 3005, 5002), (70009, 270.65, '2012-09-10', 3001, 5005), (70002, 65.26, '2012-10-05', 3002, 5001), (70004, 110.50, '2012-08-17', 3009, 5003), (70007, 948.50, '2012-09-10', 5003), (70008, 2400.60, '2012-07-27', 3007, 5001), (70008, 5760.00, '2012-09-10', 3002, 5001) | 12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0 | 0.000 sec             |
| 5  | 09:02:54 | SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000                                                                                                                                                                                                                                                                        | 4 row(s) returned                                        | 0.000 sec / 0.000 sec |
| 6  | 09:03:06 | SELECT * FROM orders WHERE ord_date = '2012-09-10' LIMIT 0, 1000                                                                                                                                                                                                                                                                 | 3 row(s) returned                                        | 0.000 sec / 0.000 sec |
| 7  | 09:03:17 | SELECT * FROM orders WHERE salesman_id = 5001 LIMIT 0, 1000                                                                                                                                                                                                                                                                      | 4 row(s) returned                                        | 0.000 sec / 0.000 sec |
| 8  | 09:03:32 | SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000                                                                                                                                                                                                                                                                       | 12 row(s) returned                                       | 0.000 sec / 0.000 sec |
| 9  | 09:03:52 | SELECT * FROM orders ORDER BY ord_date ASC LIMIT 0, 1000                                                                                                                                                                                                                                                                         | 12 row(s) returned                                       | 0.000 sec / 0.000 sec |
| 10 | 09:04:06 | SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000                                                                                                                                                                                                                                                                 | 1 row(s) returned                                        | 0.000 sec / 0.000 sec |
| 11 | 09:04:42 | SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 1000                                                                                                                                                                                                                                                                 | 1 row(s) returned                                        | 0.000 sec / 0.000 sec |

skill-06

```

51 FROM orders;
52
53 • SELECT MAX(purch_amt) AS highest_order
54 FROM orders;
55
56 • SELECT MIN(purch_amt) AS lowest_order
57 FROM orders;

```

Result Grid

| highest_order |
|---------------|
| 5760.00       |

skill-07

```

51 FROM orders;
52
53 • SELECT MAX(purch_amt) AS highest_order
54 FROM orders;
55
56 • SELECT MIN(purch_amt) AS lowest_order
57 FROM orders;

```

Result Grid

| lowest_order |
|--------------|
| 65.26        |

skil-02

Limit to 1000 rows

```

60 FROM orders;
61
62 * SELECT salesman_id,
63     SUM(purch_amt) AS total_sales
64 FROM orders
65 GROUP BY salesman_id;
66

```

Result Grid

| salesman_id | total_sales |
|-------------|-------------|
| 5002        | 1349.45     |
| 5001        | 11271.46    |
| 5003        | 2590.90     |
| 5005        | 270.65      |
| 5006        | 1983.43     |
| 5007        | 75.29       |

skil-02

Limit to 1000 rows

```

69 FROM orders
70 GROUP BY customer_id;
71
72 * SELECT customer_id,
73     MAX(purch_amt) AS highest_purchase
74 FROM orders
75 GROUP BY customer_id;

```

Result Grid

| customer_id | highest_purchase |
|-------------|------------------|
| 3005        | 948.50           |
| 3002        | 5760.00          |
| 3009        | 2480.40          |
| 3007        | 2400.60          |
| 3001        | 270.65           |
| 3004        | 1983.43          |
| 3003        | 75.29            |
| 3008        | 250.45           |

Result 17

Read Only

Output

Action Output

| #  | Time     | Action                                                                                           | Message            |
|----|----------|--------------------------------------------------------------------------------------------------|--------------------|
| 7  | 09:03:17 | SELECT * FROM orders WHERE salesman_id = 5001 LIMIT 0, 1000                                      | 4 row(s) returned  |
| 8  | 09:03:29 | SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000                                       | 12 row(s) returned |
| 9  | 09:03:52 | SELECT * FROM orders ORDER BY ord_date ASC LIMIT 0, 1000                                         | 12 row(s) returned |
| 10 | 09:04:06 | SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000                                 | 1 row(s) returned  |
| 11 | 09:04:42 | SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 1000                                 | 1 row(s) returned  |
| 12 | 09:04:53 | SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000                                 | 1 row(s) returned  |
| 13 | 09:05:08 | SELECT MIN(purch_amt) AS lowest_order FROM orders LIMIT 0, 1000                                  | 1 row(s) returned  |
| 14 | 09:05:20 | SELECT COUNT(*) AS total_orders FROM orders LIMIT 0, 1000                                        | 1 row(s) returned  |
| 15 | 09:05:31 | SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1... | 6 row(s) returned  |
| 16 | 09:05:46 | SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id LIMIT ...  | 8 row(s) returned  |
| 17 | 09:05:57 | SELECT customer_id, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY customer_id LIM...   | 8 row(s) returned  |

SQL Editor

```

72 * SELECT customer_id,
73     MAX(purch_amt) AS highest_purchase
74 FROM orders
75 GROUP BY customer_id;
76
77 * SELECT salesman_id,
78     SUM(purch_amt) AS total_sales

```

Result Grid

| salesman_id | total_sales |
|-------------|-------------|
| 5001        | 11271.46    |

Result 14

Output

Action Output

| #  | Time     | Action                                                                                           | Message            |
|----|----------|--------------------------------------------------------------------------------------------------|--------------------|
| 8  | 09:03:29 | SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000                                       | 12 row(s) returned |
| 9  | 09:03:52 | SELECT * FROM orders ORDER BY ord_date ASC LIMIT 0, 1000                                         | 12 row(s) returned |
| 10 | 09:04:06 | SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000                                 | 1 row(s) returned  |
| 11 | 09:04:42 | SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 1000                                 | 1 row(s) returned  |
| 12 | 09:04:53 | SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000                                 | 1 row(s) returned  |
| 13 | 09:05:08 | SELECT MIN(purch_amt) AS lowest_order FROM orders LIMIT 0, 1000                                  | 1 row(s) returned  |
| 14 | 09:05:20 | SELECT COUNT(*) AS total_orders FROM orders LIMIT 0, 1000                                        | 1 row(s) returned  |
| 15 | 09:05:31 | SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1... | 6 row(s) returned  |
| 16 | 09:05:46 | SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id LIMIT ...  | 8 row(s) returned  |
| 17 | 09:05:57 | SELECT customer_id, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY customer_id LIMIT... | 8 row(s) returned  |
| 18 | 09:06:13 | SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING S...   | 1 row(s) returned  |

SQL Editor

```

81 HAVING SUM(purch_amt) > 3000;
82
83 * SELECT customer_id,
84     SUM(purch_amt) AS total_purchase
85 FROM orders
86 GROUP BY customer_id
87 HAVING SUM(purch_amt) > 2500;

```

Result Grid

| customer_id | total_purchase |
|-------------|----------------|
| 3002        | 8870.86        |
| 3009        | 2590.90        |

Result 15

Output

Action Output

| #  | Time     | Action                                                                                           | Message            |
|----|----------|--------------------------------------------------------------------------------------------------|--------------------|
| 9  | 09:03:52 | SELECT * FROM orders ORDER BY ord_date ASC LIMIT 0, 1000                                         | 12 row(s) returned |
| 10 | 09:04:06 | SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000                                 | 1 row(s) returned  |
| 11 | 09:04:42 | SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 1000                                 | 1 row(s) returned  |
| 12 | 09:04:53 | SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000                                 | 1 row(s) returned  |
| 13 | 09:05:08 | SELECT MIN(purch_amt) AS lowest_order FROM orders LIMIT 0, 1000                                  | 1 row(s) returned  |
| 14 | 09:05:20 | SELECT COUNT(*) AS total_orders FROM orders LIMIT 0, 1000                                        | 1 row(s) returned  |
| 15 | 09:05:31 | SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1... | 6 row(s) returned  |
| 16 | 09:05:46 | SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id LIMIT ...  | 8 row(s) returned  |
| 17 | 09:05:57 | SELECT customer_id, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY customer_id LIMIT... | 8 row(s) returned  |
| 18 | 09:06:13 | SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING S...   | 1 row(s) returned  |
| 19 | 09:06:27 | SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVIN...   | 2 row(s) returned  |

SQL Editor

```

108 * SELECT salesman_id,
109     COUNT(*) AS total_orders
110 FROM orders
111 GROUP BY salesman_id
112 HAVING COUNT(*) >= 2;
113
114 * SELECT ord_date,

```

Result Grid

| ord_date   | highest_purchase |
|------------|------------------|
| 2012-10-10 | 2480.40          |
| 2012-07-27 | 2408.60          |
| 2012-09-10 | 1760.00          |
| 2012-04-25 | 3045.60          |

Result 28

Output

Action Output

| #  | Time     | Action                                                                                           | Message                                                                                  |
|----|----------|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| 15 | 09:05:31 | SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1... | 6 row(s) returned                                                                        |
| 16 | 09:05:46 | SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id LIMIT...   | 8 row(s) returned                                                                        |
| 17 | 09:05:57 | SELECT customer_id, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY customer_id LIMIT... | 8 row(s) returned                                                                        |
| 18 | 09:06:13 | SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING S...   | 1 row(s) returned                                                                        |
| 19 | 09:06:27 | SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVIN...   | 2 row(s) returned                                                                        |
| 20 | 09:06:38 | SELECT customer_id, COUNT(*) AS total_orders FROM orders GROUP BY customer_id HAVING COUNT...    | 3 row(s) returned                                                                        |
| 21 | 09:06:43 | SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVIN...   | 5 row(s) returned                                                                        |
| 22 | 09:07:05 | ORDER BY total_purchase DESC                                                                     | Error Code: 1064. You have an error in your SQL syntax; check the manual that correspond |
| 23 | 09:07:10 | SELECT customer_id, MAX(purch_amt) AS max_purchase FROM orders GROUP BY customer_id HAVIN...     | 3 row(s) returned                                                                        |
| 24 | 09:07:25 | SELECT salesman_id, COUNT(*) AS total_orders FROM orders GROUP BY salesman_id HAVING COUNT...    | 3 row(s) returned                                                                        |
| 25 | 09:07:35 | SELECT ord_date, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY ord_date HAVING M...    | 4 row(s) returned                                                                        |

