




SILENT WAKE

Scenario Baseline

Scenario Pack

February 2026

NAVAL
GROUP

1 Scenario Outline

This baseline structures Silent Wake as a progressive escalation from ambiguous transit anomalies to constrained combat recovery.

Turn 1 frames a steady transit with all systems nominal and no active onboard alarm. Best-play intent is to keep tempo while synchronizing the team (SWB01 + SWB03).

Turn 2 introduces the first anomalies: a speed discrepancy (SOG vs STW) plus an AIS contact with no radar echo. Guidance favors early investigation while preserving tempo (SWB01 + SWB07), with a double-investigation acceptable path.

Turn 3 adds a restart decision window with ETBOL and rising traffic density, increasing pressure on observability choices. Best path emphasizes visual confirmation and repair progression rather than blind acceleration.

Turn 4 elevates spoofing suspicion through visual mismatch and pushes explicit AIS track re-evaluation. Best path combines deception cleanup with deeper analysis (SWB09 + SWB08).

Turn 5 shifts from anomaly management to confirmed cyber signal and communications degradation in parallel. Best path uses double investigation targeting both degrading domains (SWB07 + SWB07 on COMMS and IBMS), with COMMS expected to degrade operationally.

Turn 6 provides source-target clarification (WECDIS -> INS) while hostile cueing becomes tactically credible. Best path pairs in-depth investigation with readiness posture (SWB08 + SWB20).

Turn 7 sees AAW radar come online with flickering tracks reappearing, forcing a reboot decision with hidden escalation risk. Best path keeps action tempo while testing reboot risk in controlled form (SWB01 + SWB14).

Turn 8 converts ambiguity into operational consequence: surface lock failure, manual fallback, and a tightening air timeline. Best path prioritizes mission tempo plus engagement preparation (SWB01 + SWB21).

Turn 9 is the hostile salvo phase where defensive and offensive decisions must be made under degraded confidence. Best path uses decoy protection plus missile counterattack (SWB29 + SWB27) to preserve survivability and posture.

Turn 10 is first-hit triage with explicit capability losses and reduced engagement geometry. Best path prioritizes damage control while preserving maneuver initiative (SWB18 + SWB04).

Turn 11 confirms cyber root cause and forces a hard trade-off between concealment, isolation, and engagement geometry. Best path isolates propagation and restores engagement feasibility (SWB10 + SWB23).

Turn 12 confirms the AAW radar as the attack source against surface tracking while dual threat timelines converge (air at 10', gun range at 10'). Best path maintains operational tempo while continuing in-depth diagnosis (SWB08 + SWB01).

Turn 13 presents the AAW radar isolation/restore trade-off under 8-minute air pressure, with surface engagement as the immediate priority. Best path uses radar isolation plus direct gun engagement (SWB10

+ SWB28).

Turn 14 closes the kinetic thread with reconnect-or-investigate recovery choices and facilitator-confirmed friendly interception. Best path reconnects AAW while preserving mission tempo (SWB16 + SWB01).

Turn 15 consolidates post-crisis control, stabilizes the board state, and transitions cleanly into end-state adjudication. Best path is to avoid unnecessary escalation and close with disciplined synchronization (SWB03 + SWB01).

2 Initial Conditions (Start of Turn 1)

Setup Reference

- Turn: 1
- Stress: 0
- Systems: NAV RADAR (Green, ON), IBMS / INS (incl. WECDIS) (Green, ON), NAV SENSORS (Green, ON), ASUW TRACKING RADAR (Green, OFF), COMMS (Green, ON), AAW RADAR (Green, OFF)
- Weapons: CIWS FWD (OK, OFF), CIWS AFT (OK, OFF), Missile Launcher (OK, OFF), Gun (OK, OFF), Decoys (OK, OFF)

3 Cards Used

Card	Title	Available Turns
SWB01	Continue Mission	1, 2, 3, 5, 6, 7, 8, 9, 12, 14, 15
SWB03	Internal Sync (60 seconds)	1, 15
SWB04	Increase Speed	10
SWB05	Increase Lookouts / Visual Confirm	3
SWB07	Start Investigation	2, 5
SWB08	Start In-Depth Investigation	4, 6, 7, 12, 14
SWB09	AIS Tracks Re-evaluation	4
SWB10	Isolate System	11, 13
SWB14	Reboot Affected System	7, 8
SWB15	Repair Component	3
SWB16	Reconnect System	14

Card	Title	Available Turns
SWB18	Damage Control Focus	10
SWB20	General Quarters	6
SWB21	Prepare Target	8
SWB23	Close Range to Compensate	11, 12, 13
SWB24	Approach Target	11
SWB26	Shift to Gun Focus	10
SWB27	Fire Missile Counterattack	9
SWB28	Engage Target with Guns	10, 13
SWB29	Decoy Deployment	4, 9
SWB30	Approach Land (Emergency Concealment)	11

4 Turn 0 – Pre-Sail Briefing

Facilitator says You are a crew of a Frigate. You need to prepare a mission briefing based on the information provided. Do not just read the text – extract only the information needed for a mission brief to your CO. You have 15 minutes.

Initial Board State

- All systems and weapons are **OFF** except: **NAV RADAR**, **IBMS / INS**, and **COMMS** (which are ON).
- All systems and weapons are **Green** (no degradation).

Storyboard arrows covered

- Slide 1, Arrow 1: Pre-sail
- Slide 1, Arrow 2: Operational Context

Injects

- OPS:
 - Mission: Independent transit to patrol sector Alpha-3.
 - NLT 112000B arrival.
 - Transit time approx. 6 hrs at planned speed.
 - Regional posture: Heightened readiness.
 - Diplomatic channels active.
 - Intelligence: Possible hostile naval presence in theatre.

- Potential use of visual and electronic deception tactics.
- No declared exclusion zones in transit corridor.
- ROE: Weapons Tight.
 - * Engagement authorized only in case of confirmed hostile intent or hostile act.
- No escort assigned.
- No dedicated air support during transit.
- No friendly AEW coverage in corridor.
- Organic helicopter joins upon arrival in patrol sector.
- NAV:
 - Navigation systems nominal.
 - WECDIS updated prior to departure (latest chart package + corrections).
 - Update completed as per standard procedure.
 - Route verified against latest Notices to Mariners.
 - Planned transit speed: 15 kts average.
 - Sea state 2-3.
 - Visibility ~12 nm.
 - Weather clear.
 - Wind N 10 kts.
 - No shallow water constraints.
 - No restricted maneuvering zones.
 - No anticipated navigational hazards.
- EO:
 - All primary combat, navigation, sensor, and comms systems nominal.
 - Air Surveillance Radar:
 - * Minor corrective maintenance last week.
 - * Intermittent flickering under certain clutter conditions.
 - * Module serviced + recalibrated.
 - * Post-maintenance checks satisfactory.
 - * If flicker reappears -> restart affected component.
 - * Reboot ETBOL <1 minute.
 - Surface tracking radar + Fire Control tested prior departure.
 - * No defects reported.
 - Communications:
 - * SATCOM functional (512 kbps allocated).
 - * HF functional.
 - * UHF functional.
 - * UHF 5 occasional noise (known component issue).
 - Replacement module pending delivery by organic helicopter.
 - Repair ETBOL ~1 hour once part onboard.
 - No other open technical defects.

- CyOp:
 - Cyber threat: Elevated.
 - Adversary assessed capable of:
 - * Disruption
 - * Data manipulation
 - * Temporary system degradation
 - No specific threat indicators for this unit.
 - MTC experienced contained cyber incident last week.
 - * Administrative networks affected.
 - * Operational systems reported unaffected.
 - * Investigation ongoing.
 - Shipboard networks stable.
 - No abnormal traffic.
 - No authentication anomalies.
 - No active alerts.
 - Continuous monitoring active.

Board after briefing: Stress 0. All systems Green. Only NAV RADAR, IBMS / INS, and COMMS are ON.

5 Turn 1 – In Transit

Facilitator says You are underway. Transit phase has begun.

Storyboard arrows covered

- Slide 1, Arrow 3: In transit

Injects

- OPS:
 - Transit proceeding as planned.
 - Estimated time to patrol sector unchanged.
 - No updated intelligence from MTC.
 - No declared maritime safety broadcasts affecting corridor.
 - EMCON: Navigation radar only.
- NAV:
 - Course and speed steady at 15 kts.
 - No deviation from planned route.
 - Commercial traffic density within expected levels.
 - ETA to patrol area: 5 hours.
 - Visibility ~12 nm.

- EO:
 - Radar performance nominal.
 - Surface and air picture stable.
 - No sensor anomalies observed.
 - Communications functioning within expected parameters.
- CyOp:
 - Network traffic baseline unchanged.
 - No alerts.
 - Routine monitoring only.
- AAWO:
 - Air picture normal.
 - No contacts of concern.
- PWO:
 - Surface picture normal.
 - No contacts of concern.

Blue options (up to 2 cards)

Best

Cards: SWB01 (Continue Mission) + SWB03 (Internal Sync (60 seconds))

Consequence: Stress +0, no system degradation.

Board after turn: Stress 0, all systems Green.

6 Turn 2 – Subtle Anomalies

Facilitator says /

Storyboard arrows covered

- Slide 2, Arrow 1: Subtle Anomalies appear
- Slide 2, Arrow 2: AIS but no radar echo

Injects

- NAV:
 - Minor speed discrepancy between GPS SOG and STW.
 - * SOG: Speed Over Ground
 - * STW: Speed Through Water
 - One AIS contact bearing 035, range 18 nm with no corresponding radar echo.

- PWO:
 - No ESM emissions from bearing 035.

Blue options (up to 2 cards)**Best**

Cards: SWB01 (Continue Mission) + SWB07 (Start Investigation – Radar/AIS or Sensors)

Consequence: Stress +0.

Acceptable

Cards: SWB07 (Start Investigation) (AIS/radar) + SWB07 (Start Investigation – doppler speed log)

Consequence: Stress +0.

Notes

- The Start Investigation could target radar/AIS or sensors.
- If radar diagnostic is NOT initiated at least once -> Stress +1 (latent sensor doubt).

Board after turn: Stress 0, all systems Green.

7 Turn 3 – Faulty component – Increased traffic

Facilitator says /**Storyboard arrows covered**

- Slide 2, Arrow 3: AIS load increases
- Slide 2, Arrow 4: Speed Errors Propagates

Injects

- EO:
 - Possible faulty component identified. Resolution: Restart (5' ETBOL).
- NAV:
 - Increase in AIS contacts within sector.
 - Commercial traffic density higher than expected baseline.
 - Majority of contacts remain beyond visual range.

Blue options (up to 2 cards)**Best**

Cards: SWB05 (Increase Lookouts / Visual Confirm) + SWB15 (Repair Component)

Consequence: Stress +0.

Acceptable

Cards: SWB01 (Continue Mission) + SWB15 (Repair Component)

Consequence: Stress +1.

Notes

- A valid option could also be to contact MTC.

Board after turn: Stress 0, all systems Green. Component repaired.

8 Turn 4 – AIS Spoofing possible

Facilitator says /

Storyboard arrows covered

- Slide 3, Arrow 1: AIS spoofing spotted

Injects

- NAV:
 - New AIS contact bearing 041 at 11 nm.
 - No vessel visible at this position.
- EO:
 - Component is back online.

Blue options (up to 2 cards)**Best**

Cards: SWB09 (AIS tracks re-evaluation) + SWB08 (Start In-Depth Investigation)

Consequence: Stress +1, expose one deceptive track.

Acceptable

Cards: SWB09 (AIS tracks re-evaluation) + SWB01 (Continue Mission)

Consequence: Stress +0, systems unchanged.

Notes

- First confirmed deceptive AIS track identified. Needs to be investigated.
- Trust in AIS picture begins to degrade.
- If AIS was ignored earlier -> introduce second suspicious track next turn.
- Trainees could investigate the WECDIS – that would be Stress -1, but it needs to be discussed.

Board after turn: Stress 1, all systems Green. One deceptive AIS track exposed.

9 Turn 5 – Cyber Alert & Comms Degradation

Facilitator says /

Storyboard arrows covered

- Slide 3, Arrow 2: WECDIS Attack spotted
- Slide 3, Arrow 3: Comms issues

Injects

- CyOp:
 - Anomaly detected in IBMS.
- EO:
 - SATCOM experiencing reduced bandwidth and intermittent connectivity.
 - Observed throughput below allocated 512 kbps baseline.
 - HF performance degraded. Signal clarity is inconsistent.
 - Communication with MTC is not possible with UHF due to distance.

Blue options (up to 2 cards)

Best

Cards: SWB07 (Start Investigation – COMMS) + SWB07 (Start Investigation – IBMS)

Consequence: Stress +1, COMMS unchanged, reduce escalation chance next turn.

Acceptable

Cards: SWB01 (Continue Mission) + SWB07 (Start Investigation – COMMS)

Consequence: Stress +1, COMMS +1 if degraded.

Notes

- This is the first explicit cyber signal.
- Still ambiguous in scope.
- No confirmed impact yet.
- Communications degradation may be:
 - Environmental
 - Geographical
 - Network saturation
 - Malicious
 - Coincidental
- Cadets should:
 - Move COMMS to Yellow.
 - Move CYBER to Yellow.

Board after turn: Stress 2, COMMS Yellow. All others Green.

10 Turn 6 – Initial Cyber Analysis & Hostile ship spotting

Facilitator says /

Storyboard arrows covered

- Slide 4, Arrow 1: WECDIS attack analysis
- Slide 4, Arrow 2: Hostile Ship spotted

Injects

- CyOp:
 - Analysis indicates anomalous data flow originating from WECDIS towards the INS.
 - * INS: Inertial Navigation System (responsible to feed all systems with course and speed considering GPS and inertia sensors).
 - Effects are not yet fully determined.
- NAV:
 - New AIS contact bearing 052, range 12 nm.
 - Visual silhouette indicates warship profile.
- PWO:
 - ESM detects non-commercial radar emissions at bearing 052.
 - Emission profile not consistent with merchant vessels.

Blue options (up to 2 cards)

Best

Cards: SWB08 (Start In-Depth Investigation – IBMS) + SWB20 (General Quarters)

Consequence: Stress +2.

Acceptable

Cards: SWB08 (Start In-Depth Investigation – IBMS) + SWB01 (Continue Mission)

Consequence: Stress +2.

Notes

- First credible hostile identification.
- **Facilitator override:** SWB20 (General Quarters) is mandatory this turn. If the team does not include it in their chosen actions, the facilitator cancels their selection, forces SWB20, and explains why General Quarters must be called at this point. This is the only turn where the facilitator overrides CO authority, reflecting that no warship commander would leave the crew at peacetime posture after credible hostile

identification.

- AIS deception is now operationally meaningful.
- Cyber impact chain identified but not yet fully understood.
- All radars are now online (General quarters).

Board after turn: Stress 4, COMMS Yellow. All others Green. All systems and weapons ON (General Quarters).

11 Turn 7 – AAW Radar Malfunction

Facilitator says /

Storyboard arrows covered

- Slide 4, Arrow 3: Ship in alert
- Slide 5, Arrow 1: AAW radar malfunction

Injects

- AAWO:
 - Air surveillance radar online.
 - Multiple tracks are flickering like last time.

Blue options (up to 2 cards)

Best

Cards: SWB01 (Continue Mission) + SWB14 (Reboot Affected System)

Consequence: Stress +1, malfunction path is clarified before reboot side effects are adjudicated.

Acceptable

Cards: SWB08 (Start In-Depth Investigation) + SWB01 (Continue Mission)

Consequence: Stress +1.

Notes

- Reboot will trigger the silent privilege escalation in AAW radar component.
- No visible immediate consequence.
- AAW status should be moved to Yellow.
- EO hint (if needed to give it in next turn): technician claims behavior is expected and proposed reboot.

Board after turn: Stress 5, COMMS Yellow, AAW RADAR Yellow. All others Green.

12 Turn 8 – Air Threat Warning

Facilitator says /

Storyboard arrows covered

- Slide 5, Arrow 2: RADAR cyber attack escalation
- Slide 5, Arrow 3: AAW threats

Injects

- AAWO:
 - Report via MTC (C2 system): Hostile aircrafts approaching area (ETA: 15").
- EO:
 - Reboot could fix the AAW issue (1' ETBOL) (provide card only if action was not proposed in the previous turn).

Blue options (up to 2 cards)

Best

Cards: SWB01 (Continue Mission) + SWB21 (Prepare Target)

Consequence: Stress -1.

Acceptable

Cards: SWB01 (Continue Mission) + SWB14 (Reboot Affected System) only if no reboot in the past turn.

Consequence: Stress -1.

Notes

- AAW radar is not operational yet. Rebooting...
- **Important:** The white injects (white papers) must be distributed in the correct order this turn, as the sequencing matters.

Board after turn: Stress 4, COMMS Yellow, AAW RADAR Yellow. All others Green.

13 Turn 9 – Hostile Salvo

Facilitator says /

Storyboard arrows covered

- Slide 6, Arrow 1: Under attack
- Slide 6, Arrow 2: Response

Injects

- NAV:
 - 3 incoming missiles visually detected.
- EO:
 - AAW radar is back online.
- PWO:
 - Target is out of gun range.

Blue options (up to 2 cards)

Best

Cards: SWB29 (Decoy Deployment) + SWB27 (Fire Missile Counterattack)

Consequence: Stress +1, protect one weapon from downgrade, reduce surface threat posture.

Acceptable

Cards: SWB29 (Decoy Deployment) + SWB01 (Continue Mission)

Consequence: Stress +2, degrade one weapon by one level.

Notes

- WECDIS attack is not yet resolved, and that is what drives the missile counterattack failure.
- Out of gun range to force them to use missiles.

Board after turn: Stress 5, COMMS Yellow, AAW RADAR Yellow. All others Green.

14 Turn 10 – First Blood

Facilitator says Defensive engagement complete. One inbound missile successfully intercepted by CIWS. The other 2 missiles were detonated in close proximity. Shockwave and fragmentation effects were observed.

Storyboard arrows covered

- Slide 6, Arrow 3: First hit
- Slide 7, Arrow 1: Unsuccessful counter attack

Injects

- EO:
 - FWD CIWS: non-operational (ETBOL: 2 hours).
 - Missiles launcher: non-operational (ETBOL: 5 hours).

- 1 HF antenna was disabled (unable to repair).
- PWO:
 - Target now in gun range.
- NAV:
 - Missiles (counterattack) missed the target.
 - No evidence of hostile maneuver to evade.

Blue options (up to 2 cards)**Best**

Cards: SWB18 (Damage Control Focus) + SWB04 (Increase Speed)

Consequence: Stress +2.

Acceptable

Cards: SWB18 (Damage Control Focus) + SWB26 (Shift to Gun Focus)

Consequence: Stress +1.

Notes

- Missile defense capability significantly reduced.
- Gun is the only counterattack option.
- SWB28 (Engage Target with Guns) is also a valid option here.

Board after turn: Stress 7, COMMS Yellow, AAW RADAR Yellow. CIWS FWD Disabled, Missile Launcher Disabled.

15 Turn 11 – Cyber Analysis & Surface Tracking Malfunction

Facilitator says /**Storyboard arrows covered**

- Slide 7, Arrow 2: Cyber attacks affects speed accuracy
- Slide 7, Arrow 3: Critical Situation

Injects

- CyOp:
 - Analysis indicates a cyber-attack vector resulting on feeding all systems with wrong speed value.
Two resolution options:
 - * Option 1: Disconnect WECDIS and restart INS (ETBOL: 1') – WECDIS not available.
 - * Option 2: Restore WECDIS and restart INS (ETBOL 30') – WECDIS available.

- PWO:
 - Target within the effective gun range.
 - Surface tracking radar is unable to achieve a stable lock.
 - Manual targeting reduces effective engagement envelope (reduced gun effective range).

Blue options (up to 2 cards)

Best

Cards: SWB10 (Isolate System) + SWB23 (Close Range to Compensate)

Consequence: Stress +1.

Acceptable

Cards: SWB30 (Approach Land (Emergency Concealment)) + SWB10 (Isolate System)

Consequence: Stress +0.

Notes

- Isolation removes corrupted speed feed.
- Surface tracking instability persists due to earlier radar escalation (if reboot occurred).
- Closing range compensates for reduced firing geometry.
- Full restore (30') operationally unacceptable under air threat timeline.
- SWB24 (Approach Target) is also a valid option here.
- EO/NAV should note:
 - Disconnecting WECDIS removes digital chart references on bridge.
 - Manual navigation procedures can compensate. It is not critical.

Board after turn: Stress 8, COMMS Yellow, AAW RADAR Yellow, IBMS / INS Yellow (WECDIS disconnected). CIWS FWD Disabled, Missile Launcher Disabled.

16 Turn 12 – New Cyber Alert

Facilitator says /

Storyboard arrows covered

- Slide 8, Arrow 1: Cyber Resolution Options
- Slide 8, Arrow 2: Decision & Outcome

Injects

- CyOp:
 - Malicious activity confirmed originating from AAW radar processing module towards the surface tracking radar.
 - Can affect tracking capability.

- Originated by the “faulty” AAW radar component.
- AAWO:
 - Report via MTC (C2 system): Hostile aircrafts approaching area (ETA: 10’).
- PWO:
 - Target is still out of effective gun range with manual tracking. 10’ to be in range.
- EO:
 - INS functioning correctly.
 - Speed inputs verified across systems.

Blue options (up to 2 cards)

Best

Cards: SWB08 (Start In-Depth Investigation) + SWB01 (Continue Mission)

Consequence: Stress +1.

Acceptable

Cards: SWB08 (Start In-Depth Investigation) + SWB23 (Close Range to Compensate)

Consequence: Stress +2.

Notes

- We increase the pressure to recover the automatic tracking, neutralize the surface threat and then deal with the air threat.

Board after turn: Stress 9, COMMS Yellow, AAW RADAR Yellow, IBMS / INS Yellow. CIWS FWD Disabled, Missile Launcher Disabled.

17 Turn 13 – Hard Choices

Facilitator says /

Storyboard arrows covered

- Slide 8, Arrow 3: Air Threat Resolution
- Slide 9, Arrow 1: Post-Crisis Recovery

Injects

- CyOp:
 - AAW originated attack resolution options:
 - * Option 1: Restore AAW radar from backup (ETBOL: 30’). Full recovery by replacing the component from storage and flashing clean firmware.

- ✱ Option 2: Isolate AAW radar: < 1'. AAW radar unavailable while isolated. Surface tracking stability restored immediately.

- AAWO:

- Report via MTC (C2 system): Hostile aircrafts approaching area (ETA: 8').

Blue options (up to 2 cards)

Best

Cards: SWB10 (Isolate System (Radar)) + SWB28 (Engage Target with Guns)

Consequence: Stress +1.

Acceptable

Cards: SWB10 (Isolate System (Radar)) + SWB23 (Close Range to Compensate)

Consequence: Stress +1.

Notes

- Isolation immediately restores surface tracking capability.
- Surface threat must be neutralized before incoming air threat.
- Air threat resolution handled next turn.
- Pedagogical focus:
 - Accept temporary loss of air picture.
 - Restore core combat capability.
 - Fight through cyber degradation.

Board after turn: Stress 10, COMMS Yellow, AAW RADAR Red (isolated), IBMS / INS Yellow. ASUW TRACKING restored. CIWS FWD Disabled, Missile Launcher Disabled.

18 Turn 14 – Ship neutralized – AAW threat focus

Facilitator says /

Storyboard arrows covered /

Injects

- NAV:
 - Gun engagement achieved effective impact on hostile vessel.
 - Target exhibiting loss of maneuverability.
- PWO:
 - No further ESM emissions detected from hostile unit.
 - Surface threat assessed as neutralized.

Blue options (up to 2 cards)**Best**

Cards: SWB16 (Reconnect AAW) + SWB01 (Continue Mission)

Consequence: Stress +1.

Acceptable

Cards: SWB16 (Reconnect AAW) + SWB08 (Start In-Depth Investigation)

Consequence: Stress +2.

Notes

- Surface threat eliminated.
- Air threat unresolved.
- AAW radar reconnection restores organic air picture.
- This turn transitions from kinetic to stabilization posture.

Board after turn: Stress 10, COMMS Yellow, AAW RADAR Yellow (reconnected), IBMS / INS Yellow. CIWS FWD Disabled, Missile Launcher Disabled.

19 Turn 15 – Happy Ending

Facilitator says Hostile aircrafts were intercepted by friendly forces. The immediate threat to your ship has been neutralized.

This concludes the wargame. Well done. You have just navigated 15 turns of escalating pressure – from ambiguous sensor anomalies through confirmed cyber attack and live combat – under degraded conditions and real time constraints. Regardless of where your board stands right now, what matters is the decisions you made, how you communicated under pressure, and the trade-offs you accepted as a team.

Take a moment to look at your board. That is the story of your command decisions. We will debrief after lunch and go through the key moments together.

End of the game.