

Implement Client Script & UI Policy (Incident)

1. Log in to the **ServiceNow** instance with administrative or configuration access.
2. Navigate to:
System UI → UI Policies
3. Click **New** to create a new UI Policy record.
4. Fill in the following details:
 - **Name:** High Impact Control
This name clearly represents the purpose of the policy, which is to add additional controls when an Incident has a high impact.
 - **Table:** Incident
Specifies that the UI Policy applies to Incident records.
 - **Active:** true
Enables the UI Policy so it is enforced on the Incident form.
5. Configure the **Conditions** section as follows:
 - **Field:** Impact
 - **Operator:** is
 - **Value:** 1 - High

Implement Client Script & UI Policy (Incident)

6. This condition ensures the UI Policy is triggered only when the Incident impact is set to High.
7. And Ui policy action Assignment group
8. Check mandatory
9. Set **Reverse if false** to **true**.
This ensures that when the condition is not met, any field changes applied by the policy are automatically reverted.
10. Review the configuration to ensure accuracy.
11. Click **Submit** to save the UI Policy.

Short description	Table	Condition	Reverse if false	On load	Updated	Order
UI Policy - High Impact Control	Incident	High Impact Control	True	True	2023-01-16 14:00:00	
UI Policy - High Impact Control	Incident	High Impact Control	True	True	2023-01-16 14:00:00	
UI Policy - High Impact Control	Incident	High Impact Control	True	True	2023-01-16 14:00:00	
UI Policy - High Impact Control	Incident	High Impact Control	True	True	2023-01-16 14:00:00	
UI Policy - High Impact Control	Incident	High Impact Control	True	True	2023-01-16 14:00:00	
UI Policy - High Impact Control	Incident	High Impact Control	True	True	2023-01-16 14:00:00	
UI Policy - High Impact Control	Incident	High Impact Control	True	True	2023-01-16 14:00:00	
UI Policy - High Impact Control	Incident	High Impact Control	True	True	2023-01-16 14:00:00	
UI Policy - High Impact Control	Incident	High Impact Control	True	True	2023-01-16 14:00:00	

UI Policy - High Impact Control

High Impact Control

Condition

Reverse if false

On load

Updated

Order

Submit

servicenow

UI pol

FAVORITES

No Results

ALL RESULTS

- System Mobile
 - Mobile UI
 - Mobile UI Policies
- Service Catalog
 - Catalog Administration
 - Catalog UI Policies
- System Diagnostics
 - Session Debug
 - Debug UI Policies
 - Disable UI Policies Debug
- System UI
 - UI Policies

Download icon

UI Policy High Impact Control View: Advanced

The field specified in the UI policy action is present on the specified form

More info

Table: Incident (Incident)

Application: Global

Active

Short description: High Impact Control

Order: 100

When to Apply: Script

Conditions: Add Filter Condition Add OR Clause

Impact is High

AND OR

Global

On load

Reverse the effects of the UI policy actions when the Conditions evaluate to false

Reverse if false

Tables that extend the specified Table inherit this UI Policy

Inherit

servicenow

UI pol

FAVORITES

No Results

ALL RESULTS

- System Mobile
 - Mobile UI
 - Mobile UI Policies
- Service Catalog
 - Catalog Administration
 - Catalog UI Policies
- System Diagnostics
 - Session Debug
 - Debug UI Policies
 - Disable UI Policies Debug
- System UI
 - UI Policies
- MID Server
 - MID Security Policy
- System Web Services
 - SOAP Security Policies

UI Policy Action - assignment_group

UI policy actions specify exactly what actions to take on a specified field. The conditions specified in the UI policy determine when these actions are triggered

UI policy: High Impact Control

Table: Incident (Incident)

Field name: Assignment group

Application: Global

Mandatory: Yes

Visible: Leave alone

Read only: False

Click the field to edit

Update Delete

on the Incident form. This is the field you want to

the Urgency field read-only whenever the UI Policy
(High). Users will be able to see the field but cannot

is (do not change).

the field will remain visible on the form, but its behavior
read only setting.

Policy Action. The action is now linked to the High
will automatically apply to the Urgency field when an

...seems read only.

Change Impact to a different value to confirm that the field reverts back if needed.

The screenshot shows the ServiceNow interface for configuring a UI Policy Action. The left sidebar contains a navigation menu with categories like System Mobile, Mobile UI, Service Catalog, Catalog Administration, System Diagnostics, Session Debug, Debug UI Policies, Disable UI Policies Debug, System UI, UI Policies, MID Server, MID Security Policy, System Web Services, and SCAP Security Policies. The main content area is titled 'UI Policy Action - urgency' and includes a search bar. Below the title, there is a section for 'UI Policy Action - High Impact Control' with a 'Name (required) (text)' field containing 'UI Policy Action - Urgency'. To the right, there are several configuration fields: 'Action type' (Set), 'Status' (Active), 'Status' (Active), and 'Status' (Active). A 'View the results' link is also present.

acer

Implement Client Script & UI Policy (Incident)

1. Navigate to Client Scripts:

Go to System UI → Client Scripts in your ServiceNow instance.

2. Click **New** to create a new Client Script.

3. Fill in the details:

- **Name:** Prevent save if Assigned To missing – clearly indicates that the script prevents saving if the field is empty.
- **Table:** Incident – applies the script only to Incident records.
- **Type:** onSubmit – executes when the user tries to save the record.
- **Active:** true – ensures the script is enforced immediately.

4. Paste the script into the script editor section. This script should check if the **Assigned To** field is empty and prevent the record from saving if it is.

Implement Client Script & UI Policy (Incident)

1. Navigate to Client Scripts:

Go to System UI → Client Scripts in your ServiceNow instance.

2. Click New to create a new Client Script.

3. Fill in the details:

- **Name:** Prevent state change via list edit – clearly indicates that the script prevents users from changing the State field directly in a list.
- **Table:** Incident – applies the script only to Incident records.
- **Type:** onCellEdit – runs whenever a field is edited directly in a list view.
- **Field name:** State – the script will monitor changes to the State field.
- **Active:** true – ensures the script is enforced immediately.

4. Paste the script into the script editor section. The script should prevent unauthorized changes to the State field when editing from the list view.

5. Click **Submit** to save the Client Script.
6. **Verify:** Open an Incident list and try to change the State field directly in the list. The script should block the change as intended.
7. Click **Submit**.

The screenshot shows the ServiceNow interface for configuring a Client Script. The page title is "Client Script: Prevent state change via list edit". The configuration fields are as follows:

- Name:** Prevent state change via list edit
- Class:** IncidentBlockEdit
- UI Type:** Incident
- Event:** onSetEdit
- Event Name:** onSetEdit

The script body contains the following code:

```
script.include('incident');  
script.include('incident_block_edit');  
script.include('incident_block_edit');  
script.include('incident_block_edit');
```

The page also shows a sidebar with navigation links: Service Catalog, Catalog Administration, Catalog Client Scripts, System Definition, and Client Scripts. The top navigation bar includes links for Incidents, History, Workspace, and Admin.

resources

RESOURCES AVAILABLE

acer

UI Policy (Incident)

ew to open a new Incident form.

: field. This will trigger the UI Policy and Client Script earlier.

:
To field. This will test the onSubmit Client Script that Assigned To is missing.

ent record.

It be saved because Assigned To is required when Impact

uld appear, indicating that the Assigned To field cannot be

by actions, such as read-only fields or automated urgency is expected.

Welcome to Admin Home, System!

Manage, monitor, and discover all your key business data in a single, unified, and secure platform.

Track what's important to you

Shared admin dashboard -

Open incidents (?) 1

No data available.

There is no data for the selected filters. Modify the configuration or nullify filters to see some incidents.

Open requests (?) 1

No data available.

There is no data for the selected filters. Modify the configuration or nullify filters to see some incidents.

Incident completion (?) 1

100%

Incident completion rate for the selected filters.

Open P1 incidents (?) 1

Active incidents (?) 1

Open P2 incidents (?) 1

Open P3 incidents (?) 1

Open P4 incidents (?) 1

Open P5 incidents (?) 1

Open P6 incidents (?) 1

Open P7 incidents (?) 1

Open P8 incidents (?) 1

Open P9 incidents (?) 1

Open P10 incidents (?) 1

Open P11 incidents (?) 1

Open P12 incidents (?) 1

Open P13 incidents (?) 1

Open P14 incidents (?) 1

Open P15 incidents (?) 1

Open P16 incidents (?) 1

Open P17 incidents (?) 1

Open P18 incidents (?) 1

Open P19 incidents (?) 1

Open P20 incidents (?) 1

Open P21 incidents (?) 1

Open P22 incidents (?) 1

Open P23 incidents (?) 1

Open P24 incidents (?) 1

Open P25 incidents (?) 1

Open P26 incidents (?) 1

Open P27 incidents (?) 1

Open P28 incidents (?) 1

Open P29 incidents (?) 1

Open P30 incidents (?) 1

Open P31 incidents (?) 1

Open P32 incidents (?) 1

Open P33 incidents (?) 1

Open P34 incidents (?) 1

Open P35 incidents (?) 1

Open P36 incidents (?) 1

Open P37 incidents (?) 1

Open P38 incidents (?) 1

Open P39 incidents (?) 1

Open P40 incidents (?) 1

Open P41 incidents (?) 1

Open P42 incidents (?) 1

Open P43 incidents (?) 1

Open P44 incidents (?) 1

Open P45 incidents (?) 1

Open P46 incidents (?) 1

Open P47 incidents (?) 1

Open P48 incidents (?) 1

Open P49 incidents (?) 1

Open P50 incidents (?) 1

Open P51 incidents (?) 1

Open P52 incidents (?) 1

Open P53 incidents (?) 1

Open P54 incidents (?) 1

Open P55 incidents (?) 1

Open P56 incidents (?) 1

Open P57 incidents (?) 1

Open P58 incidents (?) 1

Open P59 incidents (?) 1

Open P60 incidents (?) 1

Open P61 incidents (?) 1

Open P62 incidents (?) 1

Open P63 incidents (?) 1

Open P64 incidents (?) 1

Open P65 incidents (?) 1

Open P66 incidents (?) 1

Open P67 incidents (?) 1

Open P68 incidents (?) 1

Open P69 incidents (?) 1

Open P70 incidents (?) 1

Open P71 incidents (?) 1

Open P72 incidents (?) 1

Open P73 incidents (?) 1

Open P74 incidents (?) 1

Open P75 incidents (?) 1

Open P76 incidents (?) 1

Open P77 incidents (?) 1

Open P78 incidents (?) 1

Open P79 incidents (?) 1

Open P80 incidents (?) 1

Open P81 incidents (?) 1

Open P82 incidents (?) 1

Open P83 incidents (?) 1

Open P84 incidents (?) 1

Open P85 incidents (?) 1

Open P86 incidents (?) 1

Open P87 incidents (?) 1

Open P88 incidents (?) 1

Open P89 incidents (?) 1

Open P90 incidents (?) 1

Open P91 incidents (?) 1

Open P92 incidents (?) 1

Open P93 incidents (?) 1

Open P94 incidents (?) 1

Open P95 incidents (?) 1

Open P96 incidents (?) 1

Open P97 incidents (?) 1

Open P98 incidents (?) 1

Open P99 incidents (?) 1

Open P100 incidents (?) 1

Open P101 incidents (?) 1

Open P102 incidents (?) 1

Open P103 incidents (?) 1

Open P104 incidents (?) 1

Open P105 incidents (?) 1

Open P106 incidents (?) 1

Open P107 incidents (?) 1

Open P108 incidents (?) 1

Open P109 incidents (?) 1

Open P110 incidents (?) 1

Open P111 incidents (?) 1

Open P112 incidents (?) 1

Open P113 incidents (?) 1

Open P114 incidents (?) 1

Open P115 incidents (?) 1

Open P116 incidents (?) 1

Open P117 incidents (?) 1

Open P118 incidents (?) 1

Open P119 incidents (?) 1

Open P120 incidents (?) 1

Open P121 incidents (?) 1

Open P122 incidents (?) 1

Open P123 incidents (?) 1

Open P124 incidents (?) 1

Open P125 incidents (?) 1

Open P126 incidents (?) 1

Open P127 incidents (?) 1

Open P128 incidents (?) 1

Open P129 incidents (?) 1

Open P130 incidents (?) 1

Open P13

[illegible]

Resources

acer

Implement Client Script & UI Policy (Incident)

Description

1. Fill the Assigned To Field:

Open the Incident form and select a user in the **Assigned To** field. This ensures the onSubmit Client Script condition is satisfied.

2. Click Submit:

Attempt to save the Incident record.

3. Verify the Result:

- The Incident should be **saved successfully** without any errors.
- Confirm that all other configured behaviors, such as:
 - **Urgency auto-setting** (from the onChange Client Script)
 - **Read-only fields** (from the UI Policy Action)
 - **State restrictions** (from the onCellEdit Client Script) are functioning as expected



Incident - Create INC0010012

FAVORITES

No Results

ALL RESULTS

- Self Service
- Incidents
- Waiting Incidents
- Service Desk
- Incidents
- Incident
 - Create New
 - Assigned to me
 - Open
 - Open - Unassigned
 - Resolved
 - All
 - Overview
 - Critical Incidents Map
 - Administration
 - Incident Properties

Incident
New record

Submit

Number	INC0010012	Created	2017-07-17 10:00
Category	IT Service Desk	State	New
Subcategory	Hardware	Priority	High
Source	Phone	Category	IT Service Desk
Assigned to	John Doe	Created by	John Doe

Assigned to	John Doe	Created by	John Doe
Created by	John Doe	Created on	2017-07-17 10:00
Created on	2017-07-17 10:00	Created from	Phone
Created from	Phone	Created by	John Doe

Incident - Create INC0010012

Resources

07/17/2017 10:00 AM

acer

Implement Client Script & UI Policy (Incident)

1. Open an Existing Incident:

Go to Incident → Open and select an Incident where **Impact** is currently set to **High**.

2. Change Impact:

Update the **Impact** field from **High** to **Medium**. This will test the **Reverse if false** functionality of your UI Policy and the behavior of your Client Scripts.

3. Verify the Field Behavior:

- **Assigned To** should no longer be mandatory.
- **Urgency** should now be editable, meaning the read-only UI Policy action is reversed.

▲ The Record:



▼ **Submit** to save the changes. The record should save successfully without confirming that the reverse condition works as intended.

Implement Client Script & UI Policy (Incident)

3. Verify the Field Behavior.

- **Assigned To** should no longer be mandatory.
- **Urgency** should now be editable, meaning the read-only UI Policy action is reversed.

▲ The Record:



- ▼ **Submit** to save the changes. The record should save successfully without any errors, confirming that the reverse condition works as intended.

The screenshot shows the ServiceNow interface for an Incident record (INC0010012). The left sidebar contains navigation links for 'Incident', 'Watched Incident', 'Service Desk', 'Incident', 'Create New', 'Assigned to me', 'Open', 'Open - Unassigned', 'Resolved', 'All', 'Overview', 'Critical Incident Map', 'Administration', and 'Incident Properties'. The main content area displays the incident details, including 'Number: INC0010012', 'Category: Hardware - Laptop', 'Subcategory: Hardware - Keyboard', 'Requester: Admin', 'State: New', 'Service offering: IT Support', 'Emergency contact: IT Support', 'Request description: Request for a new laptop', 'Display name: Request for a new laptop', 'Created on: 10/10/2023', 'Created by: Admin', 'Last modified on: 10/10/2023', 'Last modified by: Admin', 'Priority: High', 'Urgency: High', 'Impact: High', 'Risk: High', 'Status: New', 'Assigned to: Admin', 'Assigned on: 10/10/2023', 'Assigned by: Admin', 'Urgency: High', 'Impact: High', 'Risk: High', 'Status: New', 'Assigned to: Admin', 'Assigned on: 10/10/2023', 'Assigned by: Admin'. The 'Urgency' field is highlighted with a red box, indicating it is now editable.

Resources

No resources available

acer

Implement Client Script & UI Policy (Incident)

1. Navigate to the Incident List:


Go to Incident → All to view all Incident records in a list view.

2. Attempt a List Edit:

- Locate any Incident in the list.
- **Double-click the State field** to try editing it directly from the list.

3. Verify the Behavior:

- An **alert message** should appear, indicating that direct changes to the State field are not allowed.
- The **State value should remain unchanged**, confirming that the onCellEdit Client Script is working correctly.



acer

dev354437.service-now.com says

Status cannot be changed from the SR. Please open the incident.

10 20 Incident# Number

All Active Done

ID	Number	Opened	Subject	Category	Sub-category	Priority	Group	Assignment group	Assigned to	Updated	Updated by
	PA00000112	2018-01-14 02:15:14		Unassigned							
	PA00000113	2018-01-14 01:06:26	Unable to access the shared folder	Unassigned	6 - User	High	Security - Help	Security	Security	2018-01-14 22:37:21	Security
	PA00000114	2018-01-14 21:06:26	Unable to access the shared folder	Unassigned	6 - User	High	Security - Help	Security	Security	2018-01-14 22:37:21	Security
	PA00000115	2018-01-14 21:06:26	Unable to access the shared folder	Unassigned	6 - User	High	Security - Help	Security	Security	2018-01-14 22:37:21	Security
	PA00000116	2018-01-14 21:06:26	Unable to access the shared folder	Unassigned	6 - User	High	Security - Help	Security	Security	2018-01-14 22:37:21	Security
	PA00000117	2018-01-14 21:06:26	Unable to access the shared folder	Unassigned	6 - User	High	Security - Help	Security	Security	2018-01-14 22:37:21	Security
	PA00000118	2018-01-14 21:06:26	Unable to access the shared folder	Unassigned	6 - User	High	Security - Help	Security	Security	2018-01-14 22:37:21	Security
	PA00000119	2018-01-14 21:06:26	Unable to access the shared folder	Unassigned	6 - User	High	Security - Help	Security	Security	2018-01-14 22:37:21	Security
	PA00000120	2018-01-14 21:06:26	Unable to access the shared folder	Unassigned	6 - User	High	Security - Help	Security	Security	2018-01-14 22:37:21	Security
	PA00000121	2018-01-14 21:06:26	Unable to access the shared folder	Unassigned	6 - User	High	Security - Help	Security	Security	2018-01-14 22:37:21	Security
	PA00000122	2018-01-14 21:06:26	Unable to access the shared folder	Unassigned	6 - User	High	Security - Help	Security	Security	2018-01-14 22:37:21	Security
	PA00000123	2018-01-14 21:06:26	Unable to access the shared folder	Unassigned	6 - User	High	Security - Help	Security	Security	2018-01-14 22:37:21	Security
	PA00000124	2018-01-14 21:06:26	Unable to access the shared folder	Unassigned	6 - User	High	Security - Help	Security	Security	2018-01-14 22:37:21	Security
	PA00000125	2018-01-14 21:06:26	Unable to access the shared folder	Unassigned	6 - User	High	Security - Help	Security	Security	2018-01-14 22:37:21	Security
	PA00000126	2018-01-14 21:06:26	Unable to access the shared folder	Unassigned	6 - User	High	Security - Help	Security	Security	2018-01-14 22:37:21	Security
	PA00000127	2018-01-14 21:06:26	Unable to access the shared folder	Unassigned	6 - User	High	Security - Help	Security	Security	2018-01-14 22:37:21	Security
	PA00000128	2018-01-14 21:06:26	Unable to access the shared folder	Unassigned	6 - User	High	Security - Help	Security	Security	2018-01-14 22:37:21	Security
	PA00000129	2018-01-14 21:06:26	Unable to access the shared folder	Unassigned	6 - User	High	Security - Help	Security	Security	2018-01-14 22:37:21	Security
	PA00000130	2018-01-14 21:06:26	Unable to access the shared folder	Unassigned	6 - User	High	Security - Help	Security	Security	2018-01-14 22:37:21	Security

Save Cancel



Implement Client Script & UI Policy (Incident)

1. Open the Incident Record:

Navigate to the same Incident record you used in previous tests.

2. Change the State:

On the **Incident form**, update the **State** field to a new value. This tests that changes via the form (not the list) are allowed.

3. Click Update:

Save the record by clicking **Update**.

4. Verify the Result:

- The **State** change should be saved successfully.
- Confirm that other fields, such as **Assigned To** and **Urgency**, still follow the configured UI Policy and Client Script rules.

Implement Client Script & UI Policy (Incident)

1. Navigate to Client Scripts:

Go to System UI → Client Scripts.

2. Click New to create a new Client Script.

3. Fill in the details:

- **Name:** Auto set urgency for high impact – clearly shows the purpose.
- **Table:** Incident – the script runs only on Incident records.
- **Type:** onChange – executes when a field value changes.
- **Field name:** Impact – triggers the script when Impact is updated.
- **Active:** true – ensures the script runs immediately.

4. Paste the script in the script editor section.

6. **Verify:** Open an incident record and change the Impact field to **High**. The Urgency field should update automatically

[illegible]

The screenshot shows the ServiceNow 'Client Script' configuration page. The left sidebar contains the navigation menu with 'Client Script' selected. The main content area displays the configuration for the 'Client Script' role. Two red boxes highlight the 'Script Name' and 'Script' fields. The 'Script Name' field contains 'Client Script' and the 'Script' field contains a JavaScript code snippet.

acer

3 Client Script

Client Script - Auto Wk agency for High Impact

This client script is used to create a new client script for the High Impact agency. It is used to create a new client script for the High Impact agency. It is used to create a new client script for the High Impact agency. It is used to create a new client script for the High Impact agency.

Name	Auto Wk agency for High Impact
Value	Auto Wk agency for High Impact

Client Script	Auto Wk agency for High Impact
Client Script	Auto Wk agency for High Impact

Client Script

Auto Wk agency for High Impact

Auto Wk agency for High Impact

Auto Wk agency for High Impact

Client Script

Client Script


```
1 // This script is used to create a new client script for the High Impact agency.
2 // It is used to create a new client script for the High Impact agency.
3 // It is used to create a new client script for the High Impact agency.
4 // It is used to create a new client script for the High Impact agency.
5 // It is used to create a new client script for the High Impact agency.
6 // It is used to create a new client script for the High Impact agency.
7 // It is used to create a new client script for the High Impact agency.
8 // It is used to create a new client script for the High Impact agency.
9 // It is used to create a new client script for the High Impact agency.
10 // It is used to create a new client script for the High Impact agency.
```

Client Script

5. Click **Submit** to save the Client Script.

📌 : Try saving an Incident without filling the **Assigned To** field. The script should catch the error at the save and display a warning.

📌 **Submit.**



resources

acer