

Day 4


Evaluate Design



WINNIE NGUYEN

Senior Product Designer at NAB
Former Senior Product Designer at Go1
Former Product Design Instructor at StayLab






Phần 1

Các research methods dùng để validate design

A Landscape of User Research Methods

BEHAVIORAL

ATTITUDINAL





KEY FOR CONTEXT OF PRODUCT USE DURING DATA COLLECTION

- Natural use of product ■ Scripted use of product ▲ Decontextualized (not using product)
- ◆ Limited (use of a limited form of the product to study a specific aspect of the the user experience)

Chọn phương thức research

- Tùy thuộc vào giai đoạn của product development
- Timeline của dự án
- Nguồn nhân lực hiện có




Phần 2

What is Heuristic Evaluation?

Heuristic Evaluation là gì?

- Là method để xác định được các vấn đề về mặt design trong user interface.
- Chúng ta sẽ có **các evaluators** (người đánh giá) để giúp review design dựa về một set guideline để cho các evaluator có thể dựa vào để đánh giá



Ưu điểm và nhược điểm của Heuristic Evaluation

Ưu điểm

- Giúp designer có thể highlight các usability issue sớm trong design process
- Nhanh và low budget nếu như so sánh các hình thức test khác

Nhược điểm

- Phụ thuộc nhiều vào tính chất chuyên môn của các người đánh giá. Các vấn đề được người đánh giá phát hiện bị giới hạn bởi trình độ kỹ năng của họ
- Testing sẽ có nhiều assumptions về usability standard khác nhau

Khi nào thì sử dụng Heuristic Evaluation

 Tuy nhiên, Heuristic Evaluation không thể này thay thế được user research. Nếu cần phải có một insight cụ thể từ user chúng ta có thể xem xét đến các cách research method

Limited research budget:

Giúp design find các issues không cần thiết phải test với real customer hoặc participants

Develop strong UX distinct:

Dành cho các designer chưa quen thuộc với user research nhiều, muốn rèn luyện bản thân nắm bắt các vấn đề phổ biến về khả năng sử dụng.

Các bước thực hiện Heuristic Evaluation

Bước 1

**Prepare and Define
Heuristic Evaluation**

Bước 2

**Select 3-5
evaluators**

Bước 3

Release the test

Bước 4

**Analyze, aggregate,
and present the
results.**

Milestone 1

Prepare for a Heuristic Evaluation

Chuẩn bị các set Heuristic cần thiết

Chúng ta cần một nơi để place các câu hỏi và observations

- Evaluator có thể capture lại các quan sát của họ trên mỗi dòng trong một spreadsheet

10 Usability Heuristics




Visibility of System Status




Match Between System & the Real World




User Control & Freedom



Consistency & Standards



Error Prevention




Recognition Rather than Recall




Flexibility & Efficiency of Use



Aesthetic & Minimalist Design



Help Users Recognize, Diagnose & Recover from Errors



Help & Documentation

Interaction Design Foundation
[interaction-design.org](https://www.interaction-design.org)



Set the scope

Thu hẹp phạm vi testing sẽ giúp chúng ta dễ dàng và chi tiết trong quá trình đánh giá thiết kế. Đặc biệt là dành cho các product và project lớn và phức tạp

“

We can't testing anything!
Let's prioritize primary use cases need to test out

- Continuous discovery habit

Review lại các assumptions

Solutions

Tôi muốn các khóa học hiển thị ratings, vì vậy tôi có thể tin tưởng chọn lựa khóa học có giá trị cho team của mình

Tôi muốn được filter những khóa học có ratings cao, vì thế tôi có thể dễ dàng loại bỏ được các khóa học có nội dung kém chất lượng

Assumptions

User muốn thấy 5-stars rating hơn là % learner like

User sẽ không cảm thấy tin tưởng các feedback nếu system không show username và role của người feedback


Assumption

Assumption

Pick các assumptions cần test out

Do: Tại sao research này là cần thiết

Don't: Chúng ta cần nói chuyện với user



PRIORITIZE ASSUMPTIONS

MORE IMPORTANT

ASSUMPTION

👁️ I want to see something I'll like

ASSUMPTION

🦋 I want to see favorite creator(s) post new stuff

ASSUMPTION

🔍 I want to focus on this one video right now

STRONG EVIDENCE

WEAK EVIDENCE

ASSUMPTION


😞 I don't want any more like this

ASSUMPTION

🤔 This video is boring...I want to move on

LESS IMPORTANT

Assumptions list need to test out



Bước 3

Set the scope and task

Narrow down the scope bằng cách chia nhỏ ra các nhiệm vụ cụ thể cho evaluator

- Một task ở một flow
- Một section trong app hoặc site
- Một user group (nếu chúng ta có hơn 2 user type)
- Một device type (Desktop, mobile, tablet)

Ví dụ:

Evaluator: Jessica Nguyen

Date: July 2024

Product: Baemin

User Group: Driver

Task: Withdraw the income

Device: Mobile app

Set up document evaluation

Chúng ta cần một nơi để place các câu hỏi và observations, chúng ta có những cách như sau

- A spreadsheet: Evaluator có thể capture lại các quan sát của họ trên mỗi line cùng với heuristic tương ứng
- A digital whiteboard: Có thể sử dụng Miro hay Figjam để chia các workspace. Whiteboard sẽ bao gồm các screenshots của product và các evaluator các thẻ place sticky notes trên
- Heuristic evaluation template

0

I don't agree that this is a usability problem.

1

Cosmetic problem only: need to be fixed unless extra time is available on project

2

Minor usability problem: fixing this should be given low priority

3

Major usability problem: important to fix, so should be given high priority

4

Usability catastrophe: imperative to fix this before product can be released

Heuristic Evaluation

Evaluator

Enter evaluator name

Date

DD/MM/YYYY

Website/App URL

Enter URL here

Device

Enter device name

Browser/OS

Enter browser/OS name

Task/Feature

Enter task to be perform

1. Visibility of System status

The system should always keep users informed about what is going on, through appropriate feedback within reasonable time.

Severity

0

I don't agree that this is a usability problem.

Issues

Please write here

Recommendations

Please write here

2. Match between system and the real world

The system should speak the users language with words, phrases and concepts familiar to the user rather than system oriented terms. Follow real world conversations, making information appear in a natural and logical order.

Severity

1

Cosmetic problem only: need to be fixed unless extra time is available on project.

Issues

Please write here

Recommendations

Please write here

3. User control and freedom

Users often choose system functions by mistake and will need a clearly marked 'emergency exit' to leave the unwanted state without having to go through an

Issues

Please write here

Recommendations

Please write here

Try Pitch

stay.

0

I don't agree that this is a usability problem.

1

Cosmetic problem only: need to be fixed unless extra time is available on project

2

Minor usability problem: fixing this should be given low priority

3

Major usability problem: important to fix, so should be given high priority

4

Usability catastrophe: imperative to fix this before product can be released

Heuristic Evaluation

Evaluator

Enter evaluator name

Device

Enter device name

Date

DD/MM/YYYY

Browser/OS

Enter browser/OS name

Website/App URL

Enter URL here

Task/Feature

Enter task to be perform

1. Visibility of System status

The system should always keep users informed about what is going on, through appropriate feedback within reasonable time.

Severity

0

I don't agree that this is a usability problem.

Issues

Please write here

Recommendations

Please write here

2. Match between system and the real world

The system should speak the users language with words, phrases and concepts familiar to the user rather than system oriented terms. Follow real world conversations, making information appear in a natural and logical order.

Severity

1

Cosmetic problem only: need to be fixed unless extra time is available on project.

Issues

Please write here

Recommendations

Please write here

3. User control and freedom

Users often choose system functions by mistake and will need a clearly marked 'emergency exit' to leave the unwanted state without having to go through an

Issues

Please write here

Recommendations

Please write here

Flow example: Book a demo					
Page	Problem	Heuristic Issue	Problem severity	Mentioned by	Recommendations
Landing page	There is a minimal balance between information density and use of white space	Recognition	Major problem	3 experts	
Landing page	Header is intrusive and takes up too much of the page	Minimalism	Minor problem	1 expert	
Landing page	Elemnts that aren't clickable look like they are	Error prevention	Major problem	4 experts	
Landing page	Text links are NOT differentiable from normal text	Consistency	Requires IMMEDIATE FIX	5 experts	

<https://www.figma.com/community/file/1252221789675365771>

<https://getuplift.co/heuristic-analysis-guide/>

Try Pitch

stay.

Milestone

Select 3-5 evaluators

Chọn Evaluators cho testing

Chọn từ 2-5 evaluator tham gia vào Heuristic Evaluation, Evaluators có thể là

- Product/UIUX designer
- PO/PM/BA - Business và Product Consultant
- Engineering
- Related Stakeholders (MKT, Sale, CSM, etc)

<https://www.interaction-design.org/literature/topics/heuristic-evaluation>

Milestone 3

Release the test

Các cách thức để release testing

Pre-release testing

- Inform một official message với mục đích của việc testing, design link hoặc documents liên quan.
- Clear về hướng dẫn làm thế nào để đưa ra được feedback hiệu quả

Release testing

- Email notification
- Gửi inform message vào các group chat
- Work around và hỏi sự giúp đỡ của mọi người

Phần 3

What is Usability Testing?

Types of Qualitative Usability Testing



Remote unmoderated testing

- Uses a dedicated online remote-testing tool to set up written tasks
- Participant completes those tasks alone.
- The researcher receives a recording of the session, along with metrics like task success.



- 

Report introduction
- 

In the next step you'll see a prototyp...
Context Screen
- 

Search "leadership" to look for suita...
Mission
- 

Narrow down your search
Mission
- 

What were your first impressions w...
Open Question
- 

Any other feedback you'd like to add?
Open Question
- 

Now, here are two options we want t...
Context Screen
- 

You're viewing the first option!
Mission
- 

Narrow down to see short courses t...
Mission
- 

Narrow down to see courses that ar...
Mission



Maze version -Customer Feedback

Search and Filter

Responses	# of blocks
61	23






Mission's paths

CLICK ON A PATH TO ANALYZE THE RESULTS FOR THAT PATH.


Imagine you are looking for training content to upskill your team.



Remote moderated testing

- The facilitator administers tasks to the participant.
- Participant performs these tasks, the facilitator observes the participant's behavior and listens for feedback.
- The facilitator may also ask followup questions






Phần 4

Analize the Evaluation

Sử dụng Affinity Diagram để thu thập và phân tích các insights

- Where do we agree? Where do we disagree?
- Which issues seem most detrimental to the overall experience?
- Which issues could be most problematic for our organization or business goals?
- Which issues do we need more data on?
- What steps can we take in the short and long term to address these problems?



<https://www.nngroup.com/articles/affinity-diagram/>

Practice

Try Pitch

stay.



Evaluation design concept

Pick a testing technique (e.g. Heuristic Evaluation) to evaluate design concepts



Want to make a presentation like this one?

Start with a fully customizable template, create a beautiful deck in minutes, then easily share it with anyone.

Create a presentation (It's free)