

BOXX MODULAR

Contents

Administrator Guide

1.	The admin at a glance		
	What this system does · Signing in · The screen		
	Where everything lives · How the catalogue fits together		
	The pattern every collection follows · Saving and deleting		
	How to run the 3D building configurator from the admin panel — the catalogue customers browse, the buildings they walk through, and the quotes they send you.		
2.	Regions		
	What they are for · Fields · The three rules · What the customer sees		
3.	Product Lines		
	Fields · Sizing and restroom rules · What the customer sees		
		VERSION	UPDATED
			APPLIES TO
	Draft 1	19 August 2026	/admin
4.	Building Models		
	In preparation — the buildings themselves and the Scene Editor		
5.	Room Types		
	Why one list serves two purposes · Fields · What the customer sees		
6.	Exterior Options		
	What belongs here · Fields · What the customer sees		
7.	Furniture Tiers		
	What a tier does · Fields · What the customer sees		
8.	Furniture Packages		
	Fields · Footprint · Where the package is offered		
	Creating one · What the customer sees		
9.	Media		
	Images · 3D Models · Textures		
10.	Users		
	Everyone has full access · Adding and removing people · Passwords		
11.	Configurator Settings		
	Page · Quiz · Display		

ABOUT THIS DRAFT

This document is being written one chapter at a time. Chapter 4 — **Building Models**, covering the buildings themselves and the Scene Editor used to lay out their rooms — is the largest in the guide and follows in a later revision. Quotes and Integration Settings follow it.

The admin at a glance

Read this chapter once. It explains what the admin panel controls, how its sections relate to one another, and the handful of habits that apply to every screen in it. Everything after this chapter assumes you know it.

What this system does

The product has two halves that share one database.

- **The configurator**, at `/configurator`, is what your customers use. They answer two short questions, are shown the building that fits, walk through it in 3D, furnish the rooms, choose entrances, and send you a request for a quote.
- **The admin**, at `/admin`, is where all of that comes from. Product ranges, building sizes, room layouts, furniture, 3D models, photographs — even the wording of the opening questions — are records you edit here.

Nothing the customer sees is fixed in the software. If it appears on screen, there is a record behind it, and you can change it.

Signing in

ADDRESS `/admin`

- 1 Open `/admin` in your browser. If you are not signed in, the login screen appears.
- 2 Enter the email address and password of your administrator account.
- 3 Select **Login**. You land on the dashboard.




Figure 1.1 — The login screen. 1 your email address. 2 your password. 3 **Login**. If you have forgotten the password, **Forgot password?** sends a reset link to the address on the account.

Your session stays active in that browser until you sign out from the account menu, so you will not normally see this screen again day to day.

The screen

Every page in the admin has the same three parts.




Figure 1.2 — The dashboard. 1 the navigation, listing every collection you can edit, grouped by purpose. 2 the workspace, which shows either a list of records or one record open for editing. 3 the account menu, holding your own profile and **Log out**.

Where everything lives


The navigation is grouped into four sections. The order is deliberate: it runs from what you set up once, through what you edit often, to what the system produces for you.

NAVIGATION GROUPS

GROUP	HOLDS	WHAT IT IS FOR
Catalog	Regions, Product Lines, Building Models, Room Types, Exterior Options, Furniture Packages, Furniture Tiers	Everything the customer can be offered. This is the bulk of your work.
Sales	Quotes, Integration	Requests customers have sent you, and where notifications about them go.
Media	Images, 3D Models, Textures	The files the catalogue points at. Uploaded here, used elsewhere.
System	Configurator, Users	Site-wide wording and display settings, and who may sign in.

How the catalogue fits together

Catalogue records point at one another in a chain. This matters in practice, because you cannot point at something that does not exist yet — the chain is also the order in which you build a new product range.



A customer's journey runs along the same chain in the opposite direction: they arrive in a region, pick a line, are given the model that fits, then furnish its rooms and choose its entrances.

The pattern every collection follows

Regions, Product Lines, Building Models and the rest all behave identically. Learn it once and it applies everywhere.

Opening a collection

Select its name in the navigation. You get the **list view** — every record in that collection, one per row. Its address follows a fixed pattern, so you can bookmark or share it: `/admin/collections/<collection>`.




Figure 1.3 — A list view. **1** search, which matches the record titles. **2** **Create New**, which opens a blank record. **3** a row — select anywhere on it to open that record.

Creating a record

- 1** Select **Create New** at the top right of the list view.
- 2** Fill in the fields. Ones marked with an asterisk are required; the record will not save without them.
- 3** Select **Save**.

Editing a record

- 1** Select the row in the list view.
- 2** Change what you need to. **Save** becomes available as soon as something differs.
- 3** Select **Save**.




Figure 1.4 — An open record. **1** the breadcrumb, which takes you back to the list. **2** **Save**. **3** the record actions menu, which holds **Delete** and **Duplicate**.

Deleting a record

- 1** Open the record.

- 2 Open the actions menu — the ... button beside **Save**.
- 3 Select **Delete** and confirm.

Two things to know before you start

CHANGES ARE LIVE THE MOMENT YOU SAVE

There is no draft stage and no publish step. The moment **Save** succeeds, the next customer to load the configurator sees the change. There is also no undo. For anything substantial — a new building model, a reworked room layout — it is worth making the change at a quiet hour and checking `/configurator` straight afterwards.

DELETING CAN BREAK THE RECORDS THAT POINT AT IT

Because catalogue records reference one another, removing one leaves a hole in the others. Deleting a region does not delete the product lines sold there, but those lines lose that region from their list. Deleting a room type leaves rooms labelled with a type that no longer exists. Before deleting anything, check what points at it — each chapter says what to look at.

CHECKING YOUR WORK

Open `/configurator` in a second browser tab and reload it after each change. Throughout this guide, panels headed **What the customer sees** tell you exactly which part of that screen your edit affects.

Regions

Regions are the markets you sell in. They exist so that one configurator can serve several territories and show each of them only what is actually available there.

WHERE </admin/collections/regions> · Catalog → Regions

What regions are for

A region is a label you attach to the things you sell. Three collections carry a **Regions** field: **Product Lines**, **Building Models** and **Furniture Packages**. When a customer arrives with a region attached to their visit, they are shown only the records tagged for it.

This is the mechanism behind sentences like "the classroom range is North America only" or "that furniture supplier does not ship to Europe". You do not need regions at all if you sell one catalogue everywhere — leave the collection empty and everything is offered to everyone.

Fields

REGION

FIELD	WHAT TO PUT IN IT
Name REQUIRED	The region as a person would say it — <i>United States, Canada, Europe</i> . This is what identifies the region everywhere else in the admin, so make it unambiguous.
Code REQUIRED	A short code used in web addresses and in links from your main website — us , ca , eu . It must be unique across all regions. Capitalisation does not matter when a visitor arrives: US and us reach the same region.




Figure 2.1 — The Regions list, showing name, code and when each was last changed.

Creating a region

- 1 Go to Catalog → **Regions**.
- 2 Select **Create New**.
- 3 Enter the **Name**, for example *United States*.
- 4 Enter the **Code**, for example `us`. Keep it short and lower-case; it will appear in URLs.
- 5 Select **Save**.




Figure 2.2 — A region open for editing. 1 Name. 2 Code. 3 Save.

A new region starts out attached to nothing. To put it to work, open the product lines, building models or furniture packages you sell there and add it to their **Regions** field.

Editing a region

Open the region from the list, change what you need, and save. Renaming is safe: everything that points at this region points at the record, not at its text, so a rename updates everywhere at once.

CHANGING THE CODE BREAKS EXISTING LINKS

The code appears in the addresses your main website uses to open the configurator. If a page on your site links to `/configurator?region=us` and you change the code to `usa`, that link no longer matches a region — and visitors arriving through it will be shown a reduced catalogue, not an error. Change a code only if you can update the links that use it at the same time.

Deleting a region

Open the region, use the **⋮** menu beside **Save**, and choose **Delete**.

Deleting a region does not delete anything sold in it. What happens is that every product line, building model and furniture package loses that region from its list. A record left with an empty list is then treated

as available *everywhere* — which is the opposite of what you probably want. Before deleting a region, check what is tagged with it, and give those records the right replacement region first.

What the customer sees

IN THE CONFIGURATOR

Regions are never shown to the customer. There is no country picker — the region is decided by the address they arrive on, and it silently narrows what they are offered.

A visit is tied to a region by adding `region=` to the configurator address:

- `/configurator` — no region. The customer sees the entire catalogue.
- `/configurator?region=us` — the United States catalogue.

Once set, the region follows the customer through the whole session, including when they go back to change their answers. In practice you set this once, on the links from your regional websites, and never think about it again.

The three rules

How a record behaves depends on what is in its **Regions** field and on what the visitor arrived with.

WHAT GETS SHOWN

SITUATION	RESULT
Record has no regions	Shown to everyone, in every region. An empty list means "sold everywhere", not "sold nowhere" — this is what keeps a catalogue that never used regions fully visible.
Record lists the visitor's region	Shown.
Record lists other regions only	Hidden.
Visitor's code matches no region	Only records with no regions at all are shown. A code you cannot identify is treated as a stranger rather than as a guest: showing a region-locked product to an unknown market is exactly what this field exists to prevent.

BUILDING MODELS FOLLOW THEIR LINE

A building model does not usually carry regions of its own — it inherits availability from its product line. If the BOXXPlex line is not sold in Europe, none of its sizes are, even for someone who has a direct link to one. Set regions on models only when a particular size is restricted while the rest of the range is not.

Worked example

You sell two ranges. BOXXPlex offices go everywhere; EDUPlex classrooms are North America only. Set it up like this:

- 1 Create two regions: *United States* / **us** and *Europe* / **eu**.
- 2 Open the BOXXPlex product line and leave its **Regions** field empty — it is sold everywhere.
- 3 Open the EDUPlex product line and add *United States* to its **Regions** field.
- 4 Link your US website to **/configurator?region=us** and your European site to **/configurator?region=eu**.

A visitor from the European link is offered BOXXPlex only. A visitor from the US link is offered both. A visitor who reaches **/configurator** with no region at all is also offered both — so if that is not acceptable, make sure every public link carries a region.

Product Lines

A product line is a range you sell — BOXXPlex, EDUPlex, Mobile Office. It is the first thing a customer chooses, and it carries the rules that decide which size of building they end up with.

WHERE </admin/collections/building-lines> · Catalog → Product Lines

What a product line is

A line is the family; a **Building Model** is one size within it. The BOXXPlex line might have models for 2, 4, 6 and 8 offices. The customer never picks a model directly — they pick the line and say how much space they need, and the configurator hands them the smallest model in that line which holds the request.

So a line holds the things that are true of the whole range: its name, the word it counts in, the regulations it must satisfy, and the markets it is sold in.

A LINE ON ITS OWN DOES NOTHING

A line with no building models attached cannot be offered to anyone — there is no size for the configurator to hand over. Create the line first, then add models to it (Chapter 4).

Fields

PRODUCT LINE

FIELD	WHAT TO PUT IN IT
Name REQUIRED	The range as customers know it — <i>BOXXPlex</i> . This is the text shown in the first question of the configurator, so write it exactly as it should appear in public.
Slug REQUIRED	A short lower-case identifier used in web addresses, for example <code>boxxplex</code> in <code>/configurator?building=boxxplex</code> . Must be unique. Use letters, digits and hyphens; no spaces.
Unit label REQUIRED	Whether this range is counted in <i>Offices</i> or <i>Classrooms</i> . It decides which wording the customer is asked for, and how the building is described later. Defaults to Offices.
Description	An internal note for your own team. It is not shown to customers anywhere in the configurator — use it to record things like which factory builds this range.
Rules	Two thresholds that decide when restrooms become mandatory. Covered in detail below.
Regions	The markets this range is sold in. Leave empty to sell it everywhere. See Chapter 2.




Figure 3.1 — A product line open for editing. 1 Name and Slug. 2 Unit label. 3 Rules. 4 Regions.

Creating a product line

- 1 Go to Catalog → **Product Lines** and select **Create New**.
- 2 Enter the **Name**, for example *BOXXPlex*.
- 3 Enter the **Slug**, for example `boxplex`.
- 4 Choose the **Unit label** — *Offices* or *Classrooms*.
- 5 Fill in **Rules** if restrooms are mandatory above a certain size. Leave both boxes empty if they never are.
- 6 Add **Regions** if the range is restricted. Leave empty to sell everywhere.
- 7 Select **Save**.
- 8 Add at least one building model to the line before the range can be offered.

Sizing and restroom rules

This is the only part of a product line with real logic behind it, and it is worth understanding before you fill it in.

The largest size is not set here

There is no "maximum" field. The biggest building this line can offer is simply the largest building model attached to it. Publish a bigger model and the range grows by itself; remove one and it shrinks. This is deliberate — a cap typed by hand drifts out of step with the catalogue it is meant to describe.

The two thresholds

RULES

FIELD	MEANING
Restrooms required at	The unit count at which one restroom set becomes mandatory. A building of this size or larger will always include restrooms, whether or not the customer asked for them. Leave empty if restrooms are never mandatory.
Second restroom set at	The unit count at which a second set becomes mandatory. Leave empty if a second set is never required.

With **Restrooms required at** set to 4 and **Second restroom set at** set to 10, the line behaves like this:

EXAMPLE THRESHOLDS

CUSTOMER ASKS FOR	RESTROOM SETS REQUIRED
1–3 offices	None. The customer may still choose to add some.
4–9 offices	One set, always.
10 or more	Two sets, always.

THE RULES SET A FLOOR, NOT A CEILING

A customer can always ask for more restrooms than the rules demand, and will get them if a model provides that many. They can never end up with fewer.

How a size is chosen

When the customer submits their answers, the configurator picks a model in three passes:

- 1 Discard every model in the line smaller than the requested unit count. If nothing is left, the customer is over capacity and sees the message set in Configurator settings.
- 2 Of the models that remain, take the smallest — a request for 5 offices is served by the 6-office model, not the 8.
- 3 Among models of that same size, take the one with the fewest restrooms that still meets the requirement. If none of them has enough, the one with the most is used rather than refusing the customer.

Editing a product line

Open the line from the list, change what you need, and save. Renaming is safe and takes effect on the next page load — building models point at the record, not at its name.

CHANGING THE SLUG BREAKS EXISTING LINKS

The slug appears in every address that opens this range directly, such as `/configurator?building=boxxplex`. Change it and those links stop resolving — a visitor following an old one is told nothing was found. Treat the slug as permanent once the line is public, and change it only alongside the links that use it.

CHANGING THE UNIT LABEL CHANGES THE QUESTION

Switching a line from Offices to Classrooms changes the wording customers are asked, and the wording used to describe the building afterwards. It does not change any building model attached to the line. Only switch it if the range genuinely counts in the other thing.

Deleting a product line

Open the line, use the ... menu beside **Save**, and choose **Delete**.

CHECK THE BUILDING MODELS FIRST

Every building model belongs to a line. Deleting the line leaves those models without one, and a model with no line cannot be shown to anyone — the range simply disappears from the configurator. If you are retiring a range, the safer route is to remove its models first, or to restrict the line to a region you do not publish, and delete it once you are sure nothing depends on it.

What the customer sees

IN THE CONFIGURATOR

Product lines are the first question a customer is asked, and the answer decides everything that follows.

Step 1 — which building

Every product line available in the customer's region appears as an option, listed alphabetically by name, showing the **Name** exactly as you typed it. Choosing one moves straight to step 2.

Step 1 of 2 50%

Find your solution

What kind of building do you need?

BOXXPlex →

Figure 3.2 — Step 1. Each option is one product line. The heading and the line above it come from Configurator settings, not from the lines themselves.

Step 2 — how much of it

The name of the line the customer just picked appears above the question. The counter beneath it is labelled according to the line's **Unit label**: lines counted in offices get the Offices label from Configurator settings, lines counted in classrooms get the Classrooms one.

If the customer winds the counter past the largest model in the range, a hint appears under it immediately, before they submit — this is the **Over-capacity hint** in Configurator settings.

Step 2 of 2 100%

1 BOXXPlex

How much space do you need?

2 Offices

— 2 +

3 Restrooms

— 0 +

We'll pick the closest model that covers it.

Back Show my building

Figure 3.3 — Step 2. 1 the chosen line's name. 2 the unit counter, labelled by the line's unit label. 3 the restrooms counter.

After submitting

The customer lands in the 3D view on the model chosen by the rules above. The address they arrive at carries their answers, so it can be shared or bookmarked:

ADDRESS `/configurator?building=boxxplex&offices=5&restrooms=1®ion=us`

The line's name and unit label are used again in the building's summary panel — a 6-office BOXXPlex is described as "6 offices" because of the unit label set here. From this screen the customer can select **Change selection** to return to step 1 with their answers still filled in.

Room Types

A room type says what a room is for — an office, a kitchen, a conference room. It is a short list, and it does two jobs at once: it labels the rooms in your buildings, and it decides which furniture is offered in them.

WHERE </admin/collections/room-types> · Catalog → Room Types

Why one list serves two purposes

When you draw a room in a building you give it a type. When you add a furniture package you say which types it suits. A sofa reaches a lounge only because both records point at the same entry in this list — that is the whole mechanism.

This is why room types are a collection you can edit rather than a fixed list: a new kind of room can be added whenever you need one, and furniture can be aimed at it the same day.




Figure 5.1 — The Room Types list, sorted by name. The Slug column is the key everything else is matched on.

Fields

ROOM TYPE

FIELD	WHAT TO PUT IN IT
Name REQUIRED	The type as a person would say it — <i>Office, Kitchen, Conference</i> . Customers read this, so write it for them. Renaming is safe at any time.

FIELD	WHAT TO PUT IN IT
Slug REQUIRED	The stable key, for example <code>kitchen</code> . Must be unique. Rooms and furniture packages are matched on this and never on the name, so once a type is in use the slug should be left alone.

Creating a room type

- 1 Go to Catalog → **Room Types** and select **Create New**.
- 2 Enter the **Name**, for example *Lounge*.
- 3 Enter the **Slug**, for example `lounge`. Lower case, no spaces.
- 4 Select **Save**.

The new type is available immediately — in the Scene Editor when typing a room, and in the **Compatible room types** field of every furniture package.

Editing a room type

Renaming is safe and takes effect everywhere at once, because everything points at the record rather than at its text.

CHANGING THE SLUG SILENTLY UNMATCHES THINGS

The slug is how a room and a furniture package recognise each other. Change it on a type already in use and nothing errors — the furniture simply stops being offered in those rooms, and the rooms lose their label. If you must change a slug, afterwards go through every building that uses the type and every package that lists it, and set them again.

Deleting a room type

Open the type, use the ... menu beside **Save**, and choose **Delete**.

Rooms already typed with it keep the key they were given, so they are not broken — but with nothing left to translate it, the customer is shown the raw key (`lounge`) instead of the name (*Lounge*). Before deleting a type, check which buildings use it and retype those rooms first.

What the customer sees

IN THE CONFIGURATOR

Two places, both important: the name of the type appears in the room's details, and the type decides what furniture that room is offered.

When a customer opens a room, the details panel names what it is — **Type · Office**. In a room divided into zones, each zone is listed with its own type instead, because the halves of a divided room are rarely for the same thing.

At the same time, the furniture panel for that room is filtered by the type: only packages listing it under **Compatible room types** appear at all, and those listing it under **Recommended for** appear first. Chapter 8 covers both.




Figure 5.2 — The details panel of a room open in the configurator. The **Type** line is the room type's **Name**, exactly as set here.

Exterior Options

An exterior option is one thing that can stand at an entrance — a deck, a set of stairs, a ramp, or a combination of them. Customers choose between these when they work round the outside of a building.

WHERE </admin/collections/exterior-options> · Catalog → Exterior Options

What belongs here, and what does not

This collection is a **catalogue**: what the thing is called, what it looks like, what it costs. It says nothing about where it stands.

Position cannot live here, because the same ramp meets the ground differently on every building. Where an option sits is set per building, in the Scene Editor, against the entrance it belongs to. So the work splits in two:

- **Here** — create the option once. Title, model, price, picture.
- **In a building** — mark an entrance, offer some of these options at it, and drag each into place. Covered with Building Models.

ONE OPTION, ONE MODEL

Each option carries exactly one 3D model. A deck, and a deck with a ramp, are two separate options — which is also how a customer reads them: two cards, two prices. Do not try to express a variation inside one record.

Fields

EXTERIOR OPTION

FIELD	WHAT TO PUT IN IT
Title REQUIRED	What the customer reads on the card — <i>Deck with stairs, Deck, stairs and ramp</i> . Be specific: the title is how someone tells two similar options apart.
Model REQUIRED	The 3D model placed at the entrance when this option is chosen. Pick one from 3D Models; upload it there first if it is not in the list (Chapter 9).
Price	In US dollars. Left blank, the option is offered with no price shown — which is the right choice for something included as standard.
Thumbnail	A picture for the card, from Images. Left empty, the card shows an automatically rendered view of the model instead — usable, but a photograph sells better.

Description

A sentence or two under the title on the card. This one *is* shown to customers.

Figure 6.1 — A new exterior option. 1 Title. 2 Model. 3 Price and Thumbnail. 4 Description.

Creating an exterior option

- 1 Make sure the 3D model exists under Media → **3D Models**. If not, upload it first.
- 2 Go to Catalog → **Exterior Options** and select **Create New**.
- 3 Enter the **Title**.
- 4 Choose the **Model**.
- 5 Enter a **Price**, or leave it blank for an option with no price.
- 6 Choose a **Thumbnail**, and write a **Description**.
- 7 Select **Save**.
- 8 Open the buildings that should offer it, and add it to an entrance in the Scene Editor. **Until you do this, nobody can see it** — creating the option does not put it in front of anyone.

Editing and deleting

Editing is ordinary: open, change, save. Price and description changes reach customers on their next page load.

CHANGING THE MODEL MOVES WHAT IS ALREADY PLACED

Buildings position an option by dragging *its model* into place at an entrance. Swap the model for a different one and that positioning stays, so a replacement of a different size or shape can end up floating or sunk into the ground. After changing a model, check each building that offers the option.

DELETING LEAVES AN EMPTY CHOICE BEHIND

Buildings point at this record from their entrances. Delete it and those entrances are left with a choice that resolves to nothing. Before deleting, open the buildings that offer the option and remove it from their entrances first.

What the customer sees

IN THE CONFIGURATOR

Standing outside the building, the customer sees a marker at each entrance that has options. Selecting it opens a panel of cards — one per option offered there — and choosing a card puts that model on the building immediately.

Each card shows the title, the thumbnail, the price if there is one, and the description. The choice is remembered for the session and appears in the request the customer sends you, under its own heading with its price, so the entrances they picked reach you along with the furniture.

THE SAME OPTION IN SEVERAL BUILDINGS

One record can be offered by any number of buildings, each positioning it to suit itself. Price and description are edited once, here, and change everywhere at once — which is the reason to reuse an option rather than duplicate it.

Furniture Tiers

A tier is the grade a furniture package is offered at — Core, Plus, whatever your range calls them. It is a label and nothing more, but it is the label customers use to compare two packages at a glance.

WHERE `/admin/collections/furniture-tiers` · Catalog → Furniture Tiers

What a tier does

Exactly one thing: it prints a small badge on the package card. Nothing in the configurator behaves differently because of a tier — it does not affect price, availability, or where a package may go. That makes tiers the safest records in the admin to add, rename or reorganise.

A furniture package does not have to have one. Left empty, its card simply carries no badge.




Figure 7.1 — The Furniture Tiers list.

Fields

FURNITURE TIER

FIELD	WHAT TO PUT IN IT
Name REQUIRED	The grade as customers read it — <i>Core, Plus, Premium</i> . This is the badge text, so keep it to one short word.
Slug REQUIRED	The stable key, for example <code>core</code> . Must be unique. Nothing is matched on it today, but it is what keeps a renamed tier the same tier.

Creating, editing and deleting

- 1 Go to Catalog → Furniture Tiers and select **Create New**.

- 2 Enter the **Name** and a lower-case **Slug**.
- 3 Select **Save**.
- 4 Open the furniture packages that belong to the grade and set their **Tier** field.

Renaming a tier changes the badge on every package carrying it, at once — this is the ordinary way to rename a grade across the range.

Deleting one leaves the packages that carried it without a badge. Nothing else breaks and nothing disappears from the configurator; the cards simply lose that line. Still worth checking which packages are affected, so the range does not end up half-graded by accident.

What the customer sees

IN THE CONFIGURATOR

A small badge in the corner of the furniture card, inside a room. That is all.

The badge names the grade only — it deliberately does not repeat the kind of room, because the panel the card sits in already says which room it is offering for.

Furniture Packages

A furniture package is a set of furniture that customers place as one piece — a desk with its chair and pedestal, a conference table with seating around it. This is the largest collection in the catalogue and the one you will edit most.

WHERE </admin/collections/furniture-packages> · Catalog → Furniture Packages

A package is placed whole

Customers never position individual chairs. They pick a package, it drops into the free space in the room, and they nudge or turn the whole group. That is why a package is one 3D model containing everything in it, and why the space it occupies matters — covered under Footprint below.

Fields

FURNITURE PACKAGE — WHAT IT IS

FIELD	WHAT TO PUT IN IT
Title REQUIRED	The name on the card — <i>Office Core, Conference Plus</i> .
Tier	The grade badge on the card. Optional; see Chapter 7.
Model REQUIRED	The 3D model, from Media → 3D Models. It must contain the whole group, arranged as it should appear.
Preview	Not a field to fill in — a live 3D view of the chosen model, so you can check you picked the right one without leaving the page.
Thumbnail	The card picture, from Images. Left empty, the configurator renders a view of the model itself. That works, but a photograph on a plain background sells better and loads faster.
Price	In US dollars. Shown on the card and totalled in the customer's request.
Description	A sentence about what is in the package.




Figure 8.1 — A furniture package. 1 Title and Tier. 2 Model, with its live preview below. 3 Thumbnail, Price and Description.

Footprint — the space it takes up

The footprint is the floor rectangle the package occupies, in metres. The configurator uses it to decide whether the package fits in a room and to keep two packages from standing in the same place.

MEASURED FOR YOU

Width and depth are measured from the 3D model every time you save, so in normal use you leave both boxes empty and never think about them.

Fill them in only when the measured rectangle is wrong for your purposes:

- **Smaller** — when the model has an overhang that does not really block the floor, and the automatic measurement makes the package refuse to fit rooms it would sit in fine.
- **Larger** — when the piece needs clearance around it to be usable, such as room to pull a chair out.

Where the package is offered

Four fields decide who is shown this package. The first three are filters that must all pass; the fourth only changes the order.

FURNITURE PACKAGE — WHERE IT APPEARS

FIELD	EFFECT
-------	--------

FIELD	EFFECT
Compatible lines	Which product lines this package is sold with. Empty means every line.
Regions	Which markets it is sold in. Empty means everywhere. Works exactly as described in Chapter 2.
Compatible room types	Which kinds of room may hold it. Empty means every room. This is the one that decides whether the package appears in the panel at all when a customer opens a room.
Recommended for	Room types where it should be offered <i>first</i> . In those rooms it is listed under a "Recommended" heading above everything else. It does not change where the package can go — only the order it is presented in.

EMPTY MEANS EVERYWHERE, NOT NOWHERE

All three filters treat an empty list as "no restriction". A brand-new package with nothing filled in is offered in every room of every line in every region. That is convenient for a universal item like a waste bin, and a trap for anything specific — a kitchen unit with no room types set will be offered in the restrooms.

RECOMMENDED WITHOUT COMPATIBLE IS IGNORED

Recommending a package for a room type it is not compatible with does nothing: it is not offered in that room at all, so there is no list for it to lead. If you add a type to **Recommended for**, add it to **Compatible room types** too — unless that field is empty, which already allows every room.

Creating a furniture package

- 1 Upload the 3D model under Media → **3D Models** if it is not there yet, and a photograph under **Images** if you have one.
- 2 Go to Catalog → **Furniture Packages** and select **Create New**.
- 3 Enter the **Title** and choose a **Tier**.
- 4 Choose the **Model**, and check the preview that appears below it.
- 5 Choose a **Thumbnail**, and enter the **Price** and **Description**.
- 6 Leave **Footprint** empty — it is measured on save.
- 7 Set **Compatible room types**. Do this deliberately, even when the answer is "everywhere" — an empty list has consequences.
- 8 Set **Recommended for**, **Compatible lines** and **Regions** if the package is restricted.
- 9 Select **Save**.
- 10 Open `/configurator`, enter a room of the right type, and check the package appears and can be added.

Editing and deleting

Editing is ordinary. Remember that the footprint is re-measured on every save, so if you have deliberately overridden it, your values stay only as long as you leave them in the boxes.

DELETING AFFECTS REQUESTS ALREADY SENT

A customer's request records which packages they placed. Delete a package and the old requests can no longer show what it was. Consider narrowing its **Regions** or **Compatible lines** to take it out of circulation instead, and delete it only once you no longer need to read the requests that mention it.

What the customer sees

IN THE CONFIGURATOR

Furniture appears only inside a room. When a customer steps into one, a panel opens listing what may go there — filtered by that room's type, and by the line and region of the building they are looking at.




Figure 8.2 — The furniture panel inside a room. The header names the room and counts what is on offer for it. **Recommended for this room** holds the packages that list this room type under **Recommended for**; **More furniture** holds the rest. Each card carries the package's picture, title, price, and its tier as a badge in the corner.

The list is in two parts: **Recommended for this room** first, then **More furniture**. If nothing is recommended for the room type, both headings disappear and the list is simply one block — a heading over everything would say no more than no heading at all.

Selecting a card adds the package to the room — dropped into the middle of the free floor, turned sideways automatically if that is the only way it fits. The customer can then move it, turn it, or remove it.

"TOO LARGE FOR THIS ROOM"

A package whose footprint cannot fit the free floor is still listed, but greyed out and marked as too large rather than hidden. Customers can see it exists and understand why they cannot have it — which is more useful than a short list with no explanation. If a package you expect to be usable shows this, its footprint is the first thing to check.

Everything placed is totalled in the request the customer sends, package by package with its price, grouped by the room it was put in.

Media

Three collections hold the files everything else points at: **Images** for pictures, **3D Models** for geometry, and **Textures** for surfaces. Files are uploaded here once and reused across the catalogue.

UPLOAD FIRST, THEN POINT AT IT

A relationship field elsewhere in the admin can only choose from what is already uploaded. When adding something new, always start in Media.

Images

WHERE </admin/collections/images> · Media → Images

Photographs and thumbnails shown in the configurator interface: furniture cards, exterior option cards, building thumbnails, the brand logo, the browser tab icon, and the picture a shared link unfurls with.

IMAGE

FIELD	WHAT TO PUT IN IT
File REQUIRED	Any image format. Drop it on the upload area or browse for it.
Alt REQUIRED	A short description of what the picture shows, read aloud by screen readers and shown if the image fails to load. Describe the subject — <i>Corner desk with task chair</i> — not the file.

Two smaller copies are generated automatically on upload, so pages load the size they need rather than the original every time. You never choose between them; the configurator does.




Figure 9.1 — The Images list, showing filename and alt text.

Uploading an image

- 1 Go to Media → **Images** and select **Create New**.
- 2 Drop the file on the upload area, or select it with the browse button.
- 3 Write the **Alt** text. It is required — the record will not save without it.
- 4 Select **Save**.

DELETING AN IMAGE LEAVES A GAP

Furniture packages, exterior options and settings point at images. Deleting one does not stop those records from working — they fall back to a rendered view or to nothing — but the picture you chose is gone. Check what uses it first.

3D Models

WHERE </admin/collections/models> · Media → 3D Models

Every piece of geometry in the product: the buildings themselves, furniture packages, exterior options, and the doors and windows fitted into rooms.

Uploading is done from the list, not the form

At the top of the 3D Models list are two buttons. Use these rather than creating a blank record — they optimise the file **in your browser before it is sent**, which is what turns a 150 MB export into roughly 11 MB on the server.

THE TWO UPLOAD BUTTONS

BUTTON	USE IT FOR
Upload a model	A single self-contained file — <code>.glb</code> , <code>.gltf</code> or <code>.fbx</code> . This is the usual case.
Upload a model folder	A <code>.gltf</code> that keeps its textures as separate files beside it. Pick the whole folder and it is packed into one model for you.




Figure 9.2 — The 3D Models list. 1 Upload a model for one file. 2 Upload a model folder for a .gltf with separate textures.

EXPORT GLTF WHERE YOU CAN

FBX files are accepted, but their materials translate only approximately — colours and finishes may not survive. If your modelling software can export glTF or GLB, use that.

What you see after uploading

Opening a model shows a **Title** you can edit, a live 3D preview you can turn with the mouse, and a short summary of what the file contains — its size before and after optimisation, and its triangle, mesh, material and texture counts. The summary is filled in automatically and cannot be edited.




Figure 9.3 — A model open for editing. 1 the Title. Below it sits the live preview — drag to turn it — and under that the file summary, filled in automatically. Replace the model and Choose a folder at the top swap the file for a new one.

The preview is worth a moment every time: it is the quickest way to catch a model that arrived upside down, at the wrong scale, or missing its textures.

REPLACING A MODEL CAN MOVE WHAT DEPENDS ON IT

Buildings position exterior options by dragging their models into place, and furniture footprints are measured from models. Swapping the file for one of a different size or orientation can leave placements wrong. After replacing a model, re-save the furniture package that uses it (to re-measure its footprint) and check any building that positions it.

Textures

WHERE </admin/collections/textures> · Media → Textures

Tileable surface images — wall finishes, floor coverings, ceilings, door and window materials. These are applied to rooms in the Scene Editor, so a room can be given a finish without touching its 3D model.

A texture must **tile**: its left edge has to meet its right edge without a visible seam, and the same top to bottom. An ordinary photograph of a floor will repeat visibly across a room and look wrong.

TEXTURE

FIELD	WHAT TO PUT IN IT
File REQUIRED	Any image format. It is re-encoded and resized for you on upload.
Title	Optional label — <i>Oak plank</i> , <i>White painted wall</i> . Left empty, the filename is used instead, which is usually unreadable. Worth filling in.
Meta	Dimensions and file sizes, filled in automatically after upload. Read-only.

EVERY TEXTURE IS CAPPED AT 2048 PIXELS

Larger uploads are scaled down and re-encoded to a compact web format. Nothing is cropped and the shape is preserved — a tile has to keep its full frame to go on tiling — so you can upload a large source without thinking about it.




Figure 9.4 — The Textures list. The two rows here were uploaded without a title, so they are identified by filename — which is exactly what to avoid.

Users

Users are the accounts that can sign in to the admin. The collection is short — an email address and a password — but it is the only thing standing between the catalogue and anyone who finds the login page.

WHERE `/admin/collections/users` · System → Users

Everyone has full access

THERE ARE NO ROLES OR PERMISSIONS

Anyone who can sign in can edit, create and delete *everything* — the whole catalogue, every building, every customer request, and the other user accounts including yours. There is no read-only account and no way to restrict someone to one collection. Give an account only to people who should have all of that.

Fields

USER

FIELD	WHAT TO PUT IN IT
Email REQUIRED	The address they sign in with, and where a password reset is sent. It identifies the account, so use a real mailbox the person controls.
Password REQUIRED	Set when the account is created, and shown only then. It is stored scrambled and cannot be read back — if it is forgotten, it is reset, never looked up.




Figure 10.1 — The Users list. Every row here can do everything.

Adding someone

- 1 Go to System → Users and select **Create New**.

- 2 Enter their **Email**.
- 3 Enter a **Password** and confirm it.
- 4 Select **Save**.
- 5 Tell them the address and password through something other than email, and ask them to change it once they are in.




Figure 10.2 — A new user. 1 Email. 2 Password and its confirmation.

Changing your own password

- 1 Open the account menu at the top right and choose **Account**, or go to `/admin/account`.
- 2 Select **Change Password**.
- 3 Enter the new password twice and select **Save**.

Someone who cannot sign in at all uses **Forgot password?** on the login screen; a reset link goes to the address on the account. Failing that, another administrator can open their record and set a new password directly.

Removing someone

- 1 Open their record from the list.
- 2 Open the **⋮** menu beside **Save** and choose **Delete**.
- 3 Confirm.

Do this the day someone stops needing access. Their sign-in stops working at once; nothing they created is affected.

DO NOT DELETE THE LAST ACCOUNT

Nothing stops you from deleting every user, including your own — and with no accounts left, nobody can sign in to create one. Always keep at least one working account you have the password for, and delete your own only from a second one.

What the customer sees

IN THE CONFIGURATOR

Nothing. Users are staff accounts for the admin only. Customers never sign in — they reach the configurator, build something, and send a request with their contact details in it.

Configurator Settings

This is where the configurator's own wording and appearance live — the brand mark it carries, the questions it asks before showing a building, and the units it answers in. Everything a customer *chooses between* stays in the catalogue; everything they *read* is here.

WHERE </admin/globals/configurator-settings> · System → Configurator

One record, three tabs

Unlike the collections in this guide, this is a single settings page — there is no list and nothing to create. Open it, change what you need, and select **Save**. It is organised into three tabs: **Page**, **Quiz** and **Display**.

EMPTYING A BOX RESTORES THE ORIGINAL WORDING

Every text box here starts with sensible wording built into the product. Clear one and save, and that original comes back rather than the customer seeing a blank — so there is no way to accidentally ship an empty heading. The two **Description** boxes under the quiz steps are the deliberate exception: those have no default, and emptying them hides the line entirely.

Page

The marks the configurator carries, and what a link to it looks like in a browser tab, a search result, and a chat window.

PAGE

FIELD	WHAT IT CONTROLS
Logo	Your brand mark, shown above the quiz questions. Left empty, nothing stands in its place. Whether it appears at all is a switch on the Quiz tab.
Favicon	The little icon in the browser tab. A square PNG or SVG. Left empty, the product's own icon is used.
Title	The browser tab, the heading in a search result, and the bold line when someone pastes the link into a chat.
Description	The grey line under both. Around 160 characters is what a search result shows before it trims.

FIELD	WHAT IT CONTROLS
OG image	The picture a shared link unfurls with. 1200 × 630 pixels is what most places crop to. Left empty, the link unfurls without one — deliberately, because a wrong picture is worse than none.




Figure 11.1 — The Page tab. 1 the three tabs. 2 the logo. 3 the fields that make up a shared link.

Quiz

The wording of the two questions asked before a building is shown, and of the two screens those questions can end at. Chapter 3 shows where each of these lands on screen.

Show the logo above the questions

A switch. The logo itself is set on the Page tab, because the rest of the site uses it too; turning this off hides it on the quiz and nowhere else.

Step 1 — which building

FIELD	WHAT IT CONTROLS
Eyebrow	The small line above the question.
Title	The question itself.
Description	An optional sentence under it. Empty shows nothing.
List label	Names the list of product lines for screen readers. Not shown on screen — the question above does that job for everyone else.

Step 2 — how much of it

FIELD	WHAT IT CONTROLS
Title	The question. The line the customer just picked is named above it automatically, so do not repeat it here.
Description	Optional sentence. Empty shows nothing.
Offices label Classrooms label	The label on the counter. Which of the two is used depends on the product line's Unit label — see Chapter 3.
Over-capacity hint	Appears under the counter as soon as the number passes the largest size on offer — before the customer submits.
Restrooms label Restrooms hint	The second counter and the line under it.
Back Submit	The two buttons.




Figure 11.2 — The Quiz tab, showing the logo switch and the Step 1 group.

When the catalogue has nothing to show

A **Title** and **Body** for the screen a customer reaches when no published building fits their answers. In practice this means a region whose catalogue is empty — so the wording should offer a way to reach you rather than simply apologise.

When the request is larger than any standard size

The screen for a customer who asked for more units than your largest model provides. This is a sales opportunity, not an error: they have told you they want something big.

FIELD	WHAT IT CONTROLS
Chip	The small badge above the heading.
Title	The heading.
Body	The paragraph. Supports two placeholders — see below.
Action	The button back to the questions, with their answers still in them.

TWO PLACEHOLDERS IN THE BODY

Write `{units}` where the number they asked for should appear, and `{line}` for the product line. For example: "A `{units}`-office `{line}` is beyond our standard range — let's talk about a custom build." Anything else in braces is left on screen exactly as typed, so a misspelt placeholder is visible to you rather than silently dropped.

Display

FIELD	WHAT IT CONTROLS
Area unit	Whether floor areas open in square feet or square metres. Square feet by default.

This is the unit the configurator *opens* in. Customers can switch it for themselves with the small ft²/m² control beside any area figure, and their choice lasts their session without changing this setting. Set it to whichever unit most of your customers think in.

What the customer sees

IN THE CONFIGURATOR

Everything on this page is customer-facing. It is the only place in the admin where a change is visible without touching the catalogue at all.

After saving, reload `/configurator` to see quiz and display changes. Page title, description and the shared-link picture are read when the page is requested, so a chat window or search engine may keep showing the old ones for a while — that is caching outside the product, and it settles by itself.