

Thiết lập DHCP trên 2 máy Linux Server


1. Cấu hình 2 máy
 - Máy Server : thiết lập IP tĩnh là 192.168.56.10. Đây là DHCP Server IP
 - Máy Client và Server dùng chung 1 mạng Host-Only (tắt DHCP tránh trường hợp VirtualBox cấp IP, đảm bảo Client chỉ nhận Ip từ Server)
2. Các bước cài đặt

```
authoritative;  
  
subnet 192.168.56.0 netmask 255.255.255.0 {  
    range 192.168.56.100 192.168.56.150;  
    option domain-name-servers 192.168.56.10;  
    option domain-name "lab.demo";  
    default-lease-time 600;  
    max-lease-time 7200;  
}
```

Kiểm tra:

- Trên máy Client:

```
sudo dhclient -r  
sudo dhclient
```



```
valid_lft forever preferred_lft forever  
vboxuser@ubuntu1:/etc/netplan$ sudo dhclient  
Setting LLNMR support level "yes" for "3", but the global support level is "no".  
vboxuser@ubuntu1:/etc/netplan$ ip a  
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000  
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00  
    inet 127.0.0.1/8 scope host lo  
        valid_lft forever preferred_lft forever  
    inet6 ::1/128 scope host noprefixroute  
        valid_lft forever preferred_lft forever  
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000  
    link/ether 08:00:27:1b:01:c8 brd ff:ff:ff:ff:ff:ff  
    inet 192.168.56.101/24 brd 192.168.56.255 scope global dynamic enp0s3  
        valid_lft 598sec preferred_lft 598sec  
    inet6 fe80::a00:27ff:fe1b:1c8/64 scope link  
        valid_lft forever preferred_lft forever  
3: enp0s8: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000  
    link/ether 08:00:27:72:a0:b8 brd ff:ff:ff:ff:ff:ff  
    inet 192.168.1.20/24 brd 192.168.1.255 scope global dynamic enp0s8  
        valid_lft 86397sec preferred_lft 86397sec  
    inet6 fe80::a00:27ff:fe72:a0b8/64 scope link  
        valid_lft forever preferred_lft forever  
vboxuser@ubuntu1:/etc/netplan$ _
```

Máy Client nhận được Ip là 192.168.56.101

```
vboxuser@ubuntu0:~$ sudo journalctl -u isc-dhcp-server -f
[sudo] password for vboxuser:
May 25 21:00:09 ubuntu0 dhcpcd[1616]: DHCPREQUEST for 192.168.56.101 (192.168.56.10) from 08:00:27:1b:01:c8 (ubuntu1) via enp0s3
May 25 21:00:09 ubuntu0 dhcpcd[1616]: DHCPACK on 192.168.56.101 to 08:00:27:1b:01:c8 (ubuntu1) via enp0s3
May 25 21:00:36 ubuntu0 dhcpcd[1616]: DHCPRELEASE of 192.168.56.100 from 08:00:27:1b:01:c8 (ubuntu1) via enp0s3 (found)
May 25 21:00:36 ubuntu0 dhcpcd[1616]: DHCPDISCOVER from 08:00:27:1b:01:c8 via enp0s3
May 25 21:00:37 ubuntu0 dhcpcd[1616]: DHCPOFFER on 192.168.56.100 to 08:00:27:1b:01:c8 (ubuntu1) via enp0s3
May 25 21:00:41 ubuntu0 dhcpcd[1616]: DHCPDISCOVER from 08:00:27:1b:01:c8 (ubuntu1) via enp0s3
May 25 21:00:41 ubuntu0 dhcpcd[1616]: DHCPOFFER on 192.168.56.100 to 08:00:27:1b:01:c8 (ubuntu1) via enp0s3
May 25 21:00:41 ubuntu0 dhcpcd[1616]: DHCPREQUEST for 192.168.56.100 (192.168.56.10) from 08:00:27:1b:01:c8 (ubuntu1) via enp0s3
May 25 21:00:41 ubuntu0 dhcpcd[1616]: DHCPACK on 192.168.56.100 to 08:00:27:1b:01:c8 (ubuntu1) via enp0s3
May 25 21:00:53 ubuntu0 dhcpcd[1616]: DHCPRELEASE of 192.168.56.101 from 08:00:27:1b:01:c8 (ubuntu1) via enp0s3 (found)
May 25 21:03:02 ubuntu0 dhcpcd[1616]: DHCPDISCOVER from 08:00:27:1b:01:c8 via enp0s3
May 25 21:03:03 ubuntu0 dhcpcd[1616]: DHCPOFFER on 192.168.56.101 to 08:00:27:1b:01:c8 (ubuntu1) via enp0s3
May 25 21:03:03 ubuntu0 dhcpcd[1616]: DHCPREQUEST for 192.168.56.101 (192.168.56.10) from 08:00:27:1b:01:c8 (ubuntu1) via enp0s3
May 25 21:03:03 ubuntu0 dhcpcd[1616]: DHCPACK on 192.168.56.101 to 08:00:27:1b:01:c8 (ubuntu1) via enp0s3
May 25 21:07:02 ubuntu0 dhcpcd[1616]: DHCPREQUEST for 192.168.56.101 from 08:00:27:1b:01:c8 (ubuntu1) via enp0s3
May 25 21:07:02 ubuntu0 dhcpcd[1616]: DHCPACK on 192.168.56.101 to 08:00:27:1b:01:c8 (ubuntu1) via enp0s3
May 25 21:09:25 ubuntu0 dhcpcd[1616]: DHCPREQUEST for 192.168.56.100 from 08:00:27:1b:01:c8 (ubuntu1) via enp0s3
May 25 21:09:25 ubuntu0 dhcpcd[1616]: DHCPACK on 192.168.56.100 to 08:00:27:1b:01:c8 (ubuntu1) via enp0s3
May 25 21:11:21 ubuntu0 dhcpcd[1616]: DHCPREQUEST for 192.168.56.101 from 08:00:27:1b:01:c8 (ubuntu1) via enp0s3
May 25 21:11:21 ubuntu0 dhcpcd[1616]: DHCPACK on 192.168.56.101 to 08:00:27:1b:01:c8 (ubuntu1) via enp0s3
```

Log Realtime trên máy Server cho thấy có 1 Ip : 192.168.56.101 được cấp cho địa chỉ mac ở dòng cuối cùng.