



Side panel UI kit

For Jinshri and Vansh, designing in Canva.

- The page you are on is the panel at **2x**. Everything here is double the real value.
- Design **one state per page**. The state list starts on page 9.
- Use only the palette on page 4 and the type scale on page 5.
- Nothing may be narrower than the panel: it is **user-resizable**, 320–500 CSS px.

The one rule

This is a privacy tool. Every pixel either shows what was withheld, or proves nothing was sent. If an element does neither, delete it.

READ THIS FIRST

Three things make a UI look AI-generated

All three were in our panel. They are banned now. This is the whole reason we are redesigning.

1 Tiny wide-tracked UPPERCASE labels

9px letters with wide spacing, like TRY ONE OF THESE. MetaMask has zero of them. Sentence case, 24–27 px here, no extra tracking.

2 A bordered card around every list item

A list is full-bleed rows — no border, no divider, separated by space and a hover wash. A border means a genuinely distinct object.

3 A permanent hero

The logo gets one launch screen, then hands over to a 96 px sticky bar. Height belongs to content.

Also banned

- Emoji anywhere in the interface.
- Centred marketing microcopy. This is a tool, not a landing page.
- Decoration that imitates information — an empty circle where an icon would go, a card announcing that nothing has happened yet.
- Gradients, glows and stock imagery.
- A light theme. The panel is dark only.
- More than two accent colours on screen at once.

CANVAS

Sizes, in Canva px

Canva → Custom size → enter px. Or import this file and the pages are already right.

A panel state	800 × 1800
the default — use this	

A very tall state	800 × 3200
run-complete, the ledger	


Narrow check	640 × 1800
must still work at 320 CSS	

Wide check	1000 × 1800
must still work at 500 CSS	

Extension icon	1024 × 1024
ships at 128/48/32/16	

The only fixed measurements

- Side inset 36 px left and right. Never change it.
- So the content column is 728 px wide.
- Top bar is 96 px tall and sticks to the top.
- A full-bleed row may touch the edges, but its *text* still starts at 36.
- Spacing comes from this set only: 12 16 20 24 28 32 36 44 52.
- Corner radius: 22 small, 32 cards, fully round for pills.
- Every number you type must be **even** — it gets halved for the browser.



The amber strips are the inset. Nothing but a full-bleed background enters them.

COLOUR

The whole palette

There are no other colours. If you need one, write it down in NOTES.txt with what it means.

	--void #0a0a0a	the panel itself
	--pit #050505	recessed: inputs, code blocks
	--row #141414	row hover wash
	--card #161616	a real object
	--card-2 #1c1c1c	an object on a card
	--edge #232323	hairline
	--edge-2 #333333	a border meant to be seen
	--ink #ffffff	primary text, primary button
	--ash #9b9b9b	secondary text — neutral, never blue
	--ash-2 #6a6a6a	tertiary text

The three accents carry meaning

	--amber #ffb224	something was WITHHELD. The product's output.
	--mint #4ade80	the proof held. Nothing left the machine.
	--coral #ff6b6b	it failed.

Never spend an accent on a control.

We made this mistake twice — a green button, then an amber one. Amber must keep meaning withheld. The primary button is white.

TYPE

The scale

Left column is what you type in Canva. Right is what ships.
Nothing below 22.

Aavaran
4 withheld

A section title

Aavaran

Body copy, the default

A list row

Secondary line

Meta and counts

ready

<PII_PAN_1>

80 / 40
wordmark — Archivo Black
only

64 / 32
hero figure

42 / 21
rare — result headings

28 / 14
top bar name

27 / 13.5
everything unmarked

26 / 13
full-bleed rows

25 / 12.5
supporting text

24 / 12
captions

23 / 11.5
status lamp

24 / 12
tokens — Geist Mono

Fonts in Canva

- We ship **Geist** (UI), **Geist Mono** (tokens) and **Archivo Black** (the wordmark only).
- Canva does not have Geist. Use **Inter** as a stand-in for both, and **Roboto Mono** for the token font.
- **Archivo Black** *is* in Canva — use the real thing for the wordmark.
- Layout transfers; letterforms do not. Do not judge the typeface from Canva.
- Tracking: leave it at 0. Only the wordmark is tightened, and we do that in code.

COMPONENTS


Copy these, don't reinvent them

Real shapes at real size. Duplicate them onto your page.


Primary button — white, one per screen





Secondary — outline, same pill



Input — recessed pill




Full-bleed row — no border, no divider, hover wash only



Withheld tag — amber, always with a count



Proof line — mint tick, claim in white



ICON

The extension icon

One 1024 × 1024 artboard. Chrome renders it at 16 px in the toolbar, so it must survive being tiny.

A diagram illustrating the safe area for the extension icon. It consists of two concentric rounded rectangles. The outer rectangle represents the full 1024 x 1024 artboard. The inner rectangle represents the 'safe area' where the icon must be contained. The text 'safe area — keep the mark inside' is centered within the inner rectangle.

safe area — keep the mark inside

- One shape. At 16 px anything else is mud.
- It must read on both a light and a dark browser toolbar.
- No text, no letters smaller than half the canvas.
- Deliver the **1024 px PNG** with a transparent background; the four sizes get generated.
- Current icon is in [extension/icons/](#) — a shield with a redaction bar across it.

SENDING IT BACK

How to hand it over

This part is what lets the design get built without a round of guessing. Please follow it exactly.

- Name each Canva page **exactly** the state name from the pages that follow, e.g. **3-scan-result**.
 - Name each element with its code hook: **#run**, **#scan**, **#goal**, **.topbar**, **.entry**, **.tag**. The list is on every state page.
 - Export **PNG, 1:1, no scaling**. Filename = page name.
 - Also download the whole thing as one PDF — that is the version to share.
 - Share the Canva **edit link** too, so exact x/y/size can be read off the position panel.
-

And a NOTES.txt with

- One short paragraph per state: what changed and why.
 - Any colour that is not in the palette — hex, and what it means.
 - Any size that is not on the scale.
 - Anything you wanted to do and could not do in Canva.
-

Please do not change

- **The wording.** Lines like “would be withheld” and “nothing was transmitted” are precise claims. Flag a bad one; don't rewrite it.
- **The state list.** Every state exists because the panel reaches it.
- **Motion.** Describe it in words; the springs are physics in code.
- **Token names.** Use them; don't rename them.

Before you send

Shrink the page to 640 wide in your head: does anything break? Squint at it: is there more than two accent colours? Read every label: is any of it shouting in uppercase?

0-launch-screen

The launch screen

Shows once, then fades at 1.05 s.

#splash .mark



Idle, ready to run

The first screen anyone sees. The most important page here.

#goal #run #scan #target #settings



Aavaran



ready

What should it do?

e.g. Fill in the form and submit it



Run on this tab



Scan this page

- will act on `eportal.incometax.gov.in`



Settings



What this does

Reads the page, strips every PAN, Aadhaar, card, password and face on your machine, then asks an AI what to do. Only the censored version is ever sent.



Try one of these

Fill in this form and submit it



Find the contact details on this page



What do I need to complete here?



Every count here is of values destroyed *before* any network request — open the raw bytes and check.

Server offline

Run and Scan swap roles — the working action becomes the white one.
#lamp #serveradvice #scan

What should it do?

e.g. Fill in the form and submit it

 Run on this tab

 Scan this page

- this page cannot be read
— browser-internal pages are off-limits to extensions

 Settings

What this does

Reads the page, strips every PAN, Aadhaar, card, password and face on your machine, then asks an AI what to do. Only the censored version is ever sent.

Try one of these

Fill in this form and submit it >

Find the contact details on this page >

What do I need to complete here? >

 Every count here is of values destroyed *before* any network request — open the raw bytes and check.

Scan result

The path a sceptic presses. Withheld values, the tags, the proof.

.entry .fields .tag .proof

What should it do?

e.g. Fill in the form and submit it

 Run on this tab

 Scan this page

- will act on `eportal.incometax.gov.in`

 Settings

4 values would be withheld from **Income Tax e-Filing**

101 elements read, 13,079 bytes would be sent

Scan only

nothing was transmitted

1 PAN

2 NAME

1 PHONE

On screen	Sent instead
ABC F	<PII_PAN_1>
Ha Ba i	<PII_NAME_1>
Pu Sa r	<PII_NAME_2>
99 41	<PII_PHONE_1>

- ✓ **Nothing left this machine.** DevTools → Network, press Scan again: no request appears.
- ✓ Only the tags on the right would be sent.
- ✓ Open `why.html` beside this extension for the same page, sent both ways.

 Every count here is of values destroyed *before* any network request — open the raw bytes and check.

Run complete

Long page — answer, totals, then the turn-by-turn ledger.

.answer .totals #ledger .turn

Aavaran

ready

What should it do?

Fill in the form and submit it

⚡

Run on this tab

📷

Scan this page

• will act on eportal.incometax.gov.in

Settings

goal complete · 1 turn

Verified clean

3

 of your values were checked against **94,208** bytes — every byte sent to the model and every byte it returned.

None of them appears, in any form: literal, JSON-escaped, or with spaces and hyphens stripped. Open any turn below to read the bytes yourself.

Show the exact transcript (94,208 bytes) ▾

Save as a file

0 values leaked

3 values withheld	1 faces blurred
3 struck out of image	3.9s total time

Turn 1 · eportal.incometax.gov.in

1 PAN

2 NAME

1 FACE blurred

3 struck out of screenshot

ABC[REDACTED]F → <PII_PAN_1>

Ha[REDACTED] Ba[REDACTED]i → <PII_NAME_1>

Pu[REDACTED] Sa[REDACTED]r → <PII_NAME_2>

99[REDACTED]41 → <PII_PHONE_1>

ALLOW type #pan <PII_PAN_1>

The PAN field is empty and the form cannot be submitted without it.

DENY click a.external

Following the help link.

refused: target is outside the form being completed

Exact bytes sent and received this turn — inspect it yourself ▾

extract **12 ms** · sanitize **4 ms** · vision **65 ms** · model **3,820 ms** · total **3,901 ms** · 101 nodes · 46 KB sent

📄

Every count here is of values destroyed *before* any network request — open the raw bytes and check.

shown at 46% — full size in design/reference/

Settings open

A disclosure, not a screen.

#settings #serverstatus #testsrv



Aavaran

● ready

What should it do?

e.g. Fill in the form and submit it



Run on this tab



Scan this page

- will act on `eportal.incometax.gov.in`



Settings

Reasoning server

`http://127.0.0.1:8975`

Test

ready · qwen2.5vl:7b

Find my server

Reset to default



What this does

Reads the page, strips every PAN, Aadhaar, card, password and face on your machine, then asks an AI what to do. Only the censored version is ever sent.



Try one of these

Fill in this form and submit it



Find the contact details on this page



What do I need to complete here?



Every count here is of values destroyed *before* any network request — open the raw bytes and check.

Ambiguous field

A value we withheld but will not name a kind for.

.tag .entry

What should it do?

e.g. Fill in the form and submit it

⚡ Run on this tab

📷 Scan this page

- will act on `eportal.incometax.gov.in`

⚙ Settings

1 value would be withheld from **Income Tax e-Filing**
118 elements read, 13,079 bytes would be sent

Scan only

nothing was transmitted

1 SENSITIVE

On screen	Sent instead
IM T	<PII_SENSITIVE_1>

✓ Nothing left this machine. DevTools → Network, press Scan again: no request appears.

✓ Only the tags on the right would be sent.

✓ Open `why.html` beside this extension for the same page, sent both ways.

14 regions unreadable, screenshot would be withheld

📄 Every count here is of values destroyed *before* any network request — open the raw bytes and check.

Server unreachable

Prints the exact commands, with copy buttons.

#serveradvice .cmd



Aavaran

offline

What should it do?

e.g. Fill in the form and submit it



Run on this tab



Scan this page

The reasoning server is not running. It is a local process on your machine, so an extension cannot start it — Chrome does not let any extension launch a program. Paste these into a terminal:

Terminal 1 — leave it running

```
ollama serve
```

Copy

Terminal 2 — leave it running

```
"/Users/you/sih-browser-agent/server/.venv/bin/uvicorn"
main:app --port 8975 --app-dir
"/Users/you/sih-browser-agent/server"
```

Copy

Scan this page needs none of this.

- will act on eportal.incometax.gov.in



Settings



What this does

Reads the page, strips every PAN, Aadhaar, card, password and face on your machine, then asks an AI what to do. Only the censored version is ever sent.



Try one of these

Fill in this form and submit it



Find the contact details on this page



What do I need to complete here?



Every count here is of values destroyed *before* any network request — open the raw bytes and check.

Scan-only package

What everyone who gets the zip sees. Run is off, Scan is promoted.

#run #scan #serveradvice



Avaran

● offline

What should it do?

e.g. Fill in the form and submit it

⚡ Run on this tab

📷 Scan this page

No reasoning server is running, and this package cannot start one. It ships the scanner only. Scan this page needs no server and is the whole privacy demonstration.

Already running a server from a clone? Check the address in Settings and press Test — the agent works from this package too, it just cannot launch the server for you.

- will act on `eportal.incometax.gov.in`



Settings



What this does

Reads the page, strips every PAN, Aadhaar, card, password and face on your machine, then asks an AI what to do. Only the censored version is ever sent.



Try one of these

Fill in this form and submit it >

Find the contact details on this page >

What do I need to complete here? >



Every count here is of values destroyed *before* any network request — open the raw bytes and check.

Model missing

Offers the 6 GB download as a button.

#serveradvice .install



Aavaran

no model

What should it do?

e.g. Fill in the form and submit it

Run on this tab

Scan this page

The server is running, but the model is not installed. It is about 6 GB and only downloads once.

Install qwen2.5vl:7b

Scan this page needs none of this.

- will act on eportal.incometax.gov.in



Settings



What this does

Reads the page, strips every PAN, Aadhaar, card, password and face on your machine, then asks an AI what to do. Only the censored version is ever sent.



Try one of these

Fill in this form and submit it >

Find the contact details on this page >

What do I need to complete here? >



Every count here is of values destroyed *before* any network request — open the raw bytes and check.

10-page-unreadable

Page could not be read

The most important honesty in the product: we refuse to say it is clean.
#empty .note



Aavaran



ready

What should it do?

e.g. Fill in the form and submit it



Run on this tab



Scan this page

- will act on financegpt.io



Settings



this page could not be read

Scan only

nothing was transmitted

page unreadable

This page could not be read, so this is not a clean result.

Its content sits inside a frame or a closed shadow root, which an extension cannot see into from the top of the page. 1 element were readable. Nothing was transmitted, and nothing was judged.

1 region unreadable, screenshot would be withheld



Every count here is of values destroyed *before* any network request — open the raw bytes and check.

Downloading the model

Progress bar. Stalls are detected by bytes, never a deadline.

.progress

Aavaran

no model

What should it do?

e.g. Fill in the form and submit it

 Run on this tab

 Scan this page

The server is running, but the model is not installed. It is about 6 GB and only downloads once.

Try again

Download failed.

TypeError: Failed to fetch

Scan this page needs none of this.

will act on `eportal.incometax.gov.in`

 Settings

What this does

Reads the page, strips every PAN, Aadhaar, card, password and face on your machine, then asks an AI what to do. Only the censored version is ever sent.

Try one of these

Fill in this form and submit it

Find the contact details on this page

What do I need to complete here?

Every count here is of values destroyed *before* any network request — open the raw bytes and check.

shown at 73% — full size in design/reference/

Scan-only, server up

The package says scan-only but a server answers.

#run #scan



Aavaran



ready

What should it do?

e.g. Fill in the form and submit it



Run on this tab



Scan this page

- will act on demoqa.com



Settings



What this does

Reads the page, strips every PAN, Aadhaar, card, password and face on your machine, then asks an AI what to do. Only the censored version is ever sent.



Try one of these

Fill in this form and submit it



Find the contact details on this page



What do I need to complete here?



Every count here is of values destroyed *before* any network request — open the raw bytes and check.

