
Home
Workspaces
API Network
Search Postman
Invite
Upgrade
My Workspace
New
Import
GET New Request
No environment
Collections
Environments
Flows
History
New Collection
GET New Request
New Collection / New Request
Save
Share
GET
http://localhost:3000/public
Send
Params
Authorization
Headers (6)
Body
Scripts
Tests
Settings
Cookies
none
form-data
x-www-form-urlencoded
raw
binary
GraphQL
This request does not have a body
Body
Cookies
Headers (7)
Test Results
200 OK
90 ms
279 B
Save Response
HTML
Preview
Visualize
1 This is a public route. No authentication required.
Online
Find and replace
Console
Runner
Start Proxy
Cookies
Vault
Trash

GET http://localhost:3000/protected Send

Params Authorization Headers (6) Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL

This request does not have a body

Body Cookies Headers (7) Test Results 403 Forbidden 12 ms 280 B Save Response

JSON Preview Debug with AI

```
1 {
2     "message": "Invalid or expired token"
3 }
```


Home
Workspaces
API Network
Search Postman
Invite
Upgrade
My Workspace
New
Import
GET New Request
No environment
Collections
Environments
Flows
History
New Collection
GET New Request
New Collection / New Request
Save
Share
GET
http://localhost:3000/protected
Send
Params
Authorization
Headers (7)
Body
Scripts
Tests
Settings
Cookies
Auth Type
Bearer Token
Token
The authorization header will be automatically generated when you send the request. Learn more about Bearer Token authorization.
Body
Cookies
Headers (7)
Test Results
200 OK
17 ms
290 B
Save Response
HTML
Preview
Visualize
1 You have accessed a protected route with a valid Bearer token!
Online
Find and replace
Console
Runner
Start Proxy
Cookies
Vault
Trash

POST New Request

No environment

New Collection / **New Request**

Save | Share

POST http://localhost:3000/api/login **Send**

Params | Authorization | Headers (9) | **Body** | Scripts | Tests | Settings | Cookies

none | form-data | x-www-form-urlencoded | **raw** | binary | GraphQL | JSON | Schema | Beautify

```
{
  "username": "user1",
  "password": "password123"
}
```

Body | Cookies | Headers (7) | Test Results

200 OK · 14 ms · 444 B | Save Response

{} JSON | Preview | Visualize


```
{
    "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.
        eyJpZCI6IjY4ZTdlNmFjNGM5ODFjNjc2ZjY3ZTgzZCIsInVzZXJuYW1lIjoidXNlcjEiLCJpYXQiOjE3NjAwMjk4NDQsImV4cCI6MTc2MDAzMzQ0NH0.
        n1kqBvon0IIu7vDEE79O4E5-K3lIgapGB0E0MGLyvUM"
}
```


Home
Workspaces
API Network
Search Postman
Invite
Upgrade
My Workspace
New
Import
Collections
Environments
Flows
History
New Collection
GET New Request
GET New Request
No environment
New Collection / New Request
Save
Share
GET
http://localhost:3000/api/balance
Send
Params
Authorization
Headers (9)
Body
Scripts
Tests
Settings
Cookies
Auth Type
Bearer Token
Token
The authorization header will be automatically generated when you send the request. Learn more about Bearer Token authorization.
Body
Cookies
Headers (7)
Test Results
200 OK
17 ms
251 B
Save Response
JSON
Preview
Visualize
{
"balance": 1000
}
Online
Find and replace
Console
Runner
Start Proxy
Cookies
Vault
Trash

POST New Request • POST http://localhost:3000/a •

No environment

http://localhost:3000/api/deposit

Save Share

POST http://localhost:3000/api/deposit Send

Params Authorization • Headers (9) Body • Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
1 {
2     "amount" : 250
3 }
```

Body Cookies Headers (7) Test Results 200 OK • 27 ms • 281 B

{} JSON Preview Visualize

```
1 {
2     "message": "Deposited $250",
3     "newBalance": 1250
4 }
```

POST New Request • POST http://localhost:3000/a •

No environment

http://localhost:3000/api/withdraw

Save Share

POST http://localhost:3000/api/withdraw Send

Params Authorization • Headers (9) Body • Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
1 {
2     "amount" : 100
3 }
```

Body Cookies Headers (7) Test Results

200 OK • 26 ms • 280 B

{} JSON Preview Visualize

```
1 {
2     "message": "Withdraw $100",
3     "newBalance": 1150
4 }
```

POST New Request • POST http://localhost:3000/c •

No environment

http://localhost:3000/create-users

Save | Share

POST http://localhost:3000/create-users Send

Params | Authorization • | Headers (8) | Body | Scripts | Tests | Settings | Cookies

none | form-data | x-www-form-urlencoded | raw | binary | GraphQL

This request does not have a body

Body | Cookies | Headers (7) | Test Results

201 Created • 40 ms • 471 B

{} JSON | Preview | Visualize


```
{
    "message": "Users created",
    "users": [
        {
            "username": "Alice",
            "password": "alice123",
            "balance": 1000,
            "_id": "68e7f4c90bc1f67dd16d96a6",
            "__v": 0
        },
        {
            "username": "Bob",
            "password": "bob456",
            "balance": 500,
            "_id": "68e7f4c90bc1f67dd16d96a7",
            "__v": 0
        }
    ]
}
```


Runner | Start Proxy | Cookies | Vault | Trash

http://localhost:3000/transfer

Save | Share

POST http://localhost:3000/transfer Send

Params | Authorization | Headers (9) | Body | Scripts | Tests | Settings | Cookies

none | form-data | x-www-form-urlencoded | raw | binary | GraphQL | JSON | Beautify

```
1 {
2   "fromUsername": "Alice",
3   "toUsername": "Bob",
4   "amount": 150
5 }
```

Body | Cookies | Headers (7) | Test Results | 200 OK | 240 ms | 325 B

JSON | Preview | Visualize

```
1 {
2     "message": "Transferred $150 from Alice to Bob",
3     "senderBalance": 850,
4     "receiverBalance": 800
5 }
```

POST New Request | POST http://localhost:3000/t | POST http://localhost:3000/t | No environment

http://localhost:3000/transfer

Save | Share

POST http://localhost:3000/transfer Send

Params | Authorization | Headers (9) | Body | Scripts | Tests | Settings | Cookies

none | form-data | x-www-form-urlencoded | raw | binary | GraphQL | JSON | Beautify

```
1 {
2   "fromUsername": "Alice",
3   "toUsername": "Bob",
4   "amount": 900
5 }
```

Body | Cookies | Headers (7) | Test Results | 400 Bad Request | 17 ms | 278 B

JSON | Preview | Debug with AI

```
1 {
2   "message": "Insufficient balance"
3 }
```

MongoDB Compass - local mongodb server/bankdb.accounts

Connections Edit View Collection Help

Compass

My Queries

CONNECTIONS (2)

Search connections

- local mongodb server
  - admin
  - bankdb
    - accounts
  - chandigarhuniversity
  - config
  - godzooks
  - local
  - productdb
- localhost:27017

mongosh: local mongod... | accounts

local mongodb server > bankdb > accounts

Open MongoDB shell

Documents 4 | Aggregations | Schema | Indexes 1 | Validation

Type a query: { field: 'value' } or Generate query

Explain | Reset | Find | Options

ADD DATA | EXPORT DATA | UPDATE | DELETE

25 | 1 - 4 of 4

```
_id: ObjectId('68e7e6ac4c981c676f67e83f')
name : "Alice"
balance : 1000

_id: ObjectId('68e7e6ac4c981c676f67e840')
name : "Bob"
balance : 500

_id: ObjectId('68e7f4c90bc1f67dd16d96a6')
username : "Alice"
password : "alice123"
balance : 850
__v : 0

_id: ObjectId('68e7f4c90bc1f67dd16d96a7')
username : "Bob"
password : "bob456"
balance : 800
__v : 0
```