

User Acceptance Testing Guide

Role: Pharmacovigilance (PV) — demo persona “Dr. Farid Khan”

Document date: 12 September 2026

Application under test: **<https://ayusphere-three.vercel.app>**

Environment: Production demo (seeded demo data — no real patient data)

YOUR TEST CREDENTIALS

URL

Email

Password

This guide walks you, step by step, through every feature available to the **Pharmacovigilance (PV)** role. No technical knowledge is required — follow the numbered steps, compare what you see with the screenshot, tick the checklist, and record Pass / Fail in the sign-off table at the end. All screenshots were captured from the live application.

AYUSH — Traditional Wisdom, Modern Evidence

About this role

What PV can do: the safety desk — capture adverse events and, uniquely (shared only with the Administrator), run the AE review walk: review each open AE/SAE, report it onward and close it against its reporting deadline. PV also acknowledges alerts, runs submission-ready exports, uses the AI Copilot and messages the team.

What PV cannot do: manage trials or participants, enter or approve CRF data, review ethics, monitor sites, upload documents, or administer users and audit.

What you will test

1. Logging in
2. Navigation overview & dashboard
3. Adverse Events — the PV review walk
4. Alerts — safety deadlines and acknowledgement
5. Reports & Exports — the SDTM AE domain
6. AI Assistant (Copilot) — safety questions
7. Messages (internal communication)
8. Signing out

Before you start

General notes for testers:

- Use a modern desktop browser (Chrome or Edge recommended) at a comfortable window size.
- This is a shared demo environment — other testers may add data while you test; counts in your screenshots may differ slightly from the figures in this guide. That is normal and not a defect.
- Every action you take is recorded in the immutable audit trail — this is by design (ALCOA+ compliance).
- AI features (Doctor Note extraction and the AI Copilot) are powered by a configurable AI provider — currently Google Gemini (gemini-2.5-flash); an administrator can switch to Anthropic Claude under Settings. AI output can vary between runs; judge behaviour, not exact wording.
- If a page fails to load, refresh once before recording a failure (cold serverless starts can take a few seconds).

1 Logging in

What this is for. AyuSphere is protected by role-based access control (RBAC). Signing in with your role account determines exactly which pages and actions you can see — nothing more, nothing less.

STEPS

1. Open a browser and go to `https://ayusphere-three.vercel.app`. You are redirected to the login page.
2. In the **Email** field type `pv@aiaa.demo`.
3. In the **Password** field type `Demo@1234`.
4. Click the **Sign in** button.

Expected result. You are taken to the **Dashboard**. The top-right corner shows “Dr. Farid Khan — Pharmacovigilance”.

ACCEPTANCE CHECKLIST

- ☐ The login page loads with AyuSphere branding.
- ☐ A wrong password shows an error and does NOT log you in (try once, then use the correct one).
- ☐ The correct credentials open the dashboard.
- ☐ Your name and role are shown in the top-right corner.




Fig. 1. The AyuSphere login page. Captured from the live system on 12 September 2026.

2 Navigation overview & dashboard

What this is for. Safety-first overview: the Adverse Events KPI tile, safety signal card under AI Insights and portfolio context.

STEPS

1. After logging in, check the left sidebar. As PV you should see: **Dashboard, Messages, Adverse Events, Alerts, AI Assistant, Reports & Exports**.
2. Confirm no trial-management, participant, CRF, monitoring, audit or settings entries appear.
3. On the dashboard, check the **Adverse Events** KPI tile and the **Safety Signal** line under AI Insights.

Expected result. The dashboard renders and the sidebar is limited to the six PV items.

ACCEPTANCE CHECKLIST

- ☐ The sidebar shows exactly the menu items listed above — no more, no fewer.
- ☐ The welcome header greets you by name.
- ☐ KPI tiles show numbers (not errors or blank tiles).
- ☐ The current date is displayed correctly.
- ☐ The Adverse Events KPI tile is present.




Fig. 2. PV dashboard. Captured from the live system on 12 September 2026.

3 Adverse Events — the PV review walk

What this is for. Your core screen: every open AE/SAE across all trials, sorted by reporting deadline, with the escalation clock running from capture. Only PV (and Admin) can walk an event through review → report → close; sites capture, you disposition.

STEPS

1. Click **Adverse Events** in the sidebar.
2. Review the queue: each open event shows participant code, trial, severity/seriousness, description, capture time and the reporting countdown. (If empty — “No open adverse events” — ask the PI/Coordinator tester to capture a test AE, then refresh.)
3. Open an event and step it through the review walk: mark it **reviewed**, then **reported**, then **closed**, adding your assessment at each step.
4. Confirm a serious event's deadline countdown reflects its capture time (the clock never resets).

Expected result. Open events queue by deadline with live countdowns; each review-walk transition is available to PV only, takes effect immediately and lands in the audit trail; closed events leave the open queue.

ACCEPTANCE CHECKLIST

- ☐ The AE queue (or clear empty state) renders, sorted by reporting deadline.
- ☐ The escalation countdown is visible per event.
- ☐ Review / report / close transitions work for PV.
- ☐ Closed events disappear from the open queue.




Fig. 3. Adverse Events queue (empty state shown — no open events at capture time). Captured from the live system on 12 September 2026.

4 Alerts — safety deadlines and acknowledgement

What this is for. Alerts within the PV scope — including safety reporting deadlines — alongside portfolio warnings. Acknowledging records safety-desk awareness.

STEPS

1. Click **Alerts** in the sidebar.
2. Review severity chips, categories and timestamps.
3. Acknowledge one alert and confirm it leaves the open list.

Expected result. Alerts render; acknowledgement clears and is audited.

ACCEPTANCE CHECKLIST

- ☐ Alerts show severity, category and time.
- ☐ Acknowledge removes an alert from the open list.

AyuSphere

Research Today · Healthier Tomorrow

Dashboard

Messages

Adverse Events

Alerts

AI Assistant

Reports & Exports

AYUSH

Traditional Wisdom

Modern Evidence

Q

Search trials, participants, documents...

9+

DF

Dr. Farid Khan

Pharmacovigilance

Alerts

Open alerts across your scope — enrolment lag, overdue visits, safety deadlines, milestone dues, data quality.

danger

Visit 'Baseline' was missed — protocol deviation

protocol_deviation · 9/12/2026, 8:14:42 AM

Acknowledge

danger

Visit 'Baseline' was missed — protocol deviation

protocol_deviation · 9/12/2026, 8:14:41 AM

Acknowledge

danger

Visit 'Baseline' was missed — protocol deviation

protocol_deviation · 9/12/2026, 8:14:40 AM

Acknowledge

danger

Visit 'Follow-up' was missed — protocol deviation

protocol_deviation · 9/12/2026, 8:14:39 AM

Acknowledge

warning

Visit 'Baseline' completed without an approved CRF entry

data_quality · 9/12/2026, 9:59:09 AM

Acknowledge

warning

Visit 'Follow-up' completed without an approved CRF entry

data_quality · 9/12/2026, 9:59:09 AM

Acknowledge

warning

Visit 'Baseline' completed without an approved CRF entry

data_quality · 9/12/2026, 9:59:09 AM

Acknowledge

warning

Visit 'Baseline' completed without an approved CRF entry

data_quality · 9/12/2026, 9:59:09 AM

Acknowledge

warning

Visit 'Baseline' completed without an approved CRF entry

data_quality · 9/12/2026, 9:59:09 AM

Acknowledge

warning

Visit 'Baseline' completed without an approved CRF entry

data_quality · 9/12/2026, 9:59:09 AM

Acknowledge

warning

Visit 'Baseline' completed without an approved CRF entry

data_quality · 9/12/2026, 9:59:09 AM

Acknowledge

warning

Visit 'Baseline' completed without an approved CRF entry

data_quality · 9/12/2026, 9:59:09 AM

Acknowledge

warning

Visit 'Follow-up' completed without an approved CRF entry

data_quality · 9/12/2026, 9:59:09 AM

Acknowledge

warning

Visit 'Baseline' completed without an approved CRF entry

data_quality · 9/12/2026, 9:59:09 AM

Acknowledge

warning

Visit 'Baseline' completed without an approved CRF entry

data_quality · 9/12/2026, 9:59:09 AM

Acknowledge

warning

Visit 'Baseline' completed without an approved CRF entry

data_quality · 9/12/2026, 9:59:09 AM

Acknowledge

warning

Visit 'Baseline' completed without an approved CRF entry

data_quality · 9/12/2026, 9:59:09 AM

Acknowledge

Fig. 4. Alerts — long page cropped to fit; scroll in the live app to see the rest. Captured from the live system on 12 September 2026.

5 Reports & Exports — the SDTM AE domain

What this is for. Submission-ready exports per trial. For PV the key artefact is the SDTM AE (CSV) domain — the standardized adverse-event dataset — alongside the FHIR R4 bundle, SDTM DM and Define-XML stub.

STEPS

1. Click **Reports & Exports** in the sidebar.
2. Pick a trial block and click **SDTM AE (CSV)** — the adverse-events domain downloads as CSV.
3. Open it and confirm rows are de-identified (subject codes only) and match events you have seen in the queue.
4. Note the other formats offered per trial: FHIR R4 Bundle, SDTM DM (CSV), Define-XML stub.

Expected result. Exports download well-formed, de-identified files; every export run is recorded in the audit trail.

ACCEPTANCE CHECKLIST

- ☐ All four export formats are offered per trial.
- ☐ SDTM AE downloads successfully.
- ☐ The file contains de-identified event rows only.

AyuSphere

Research Today · Healthier Tomorrow

Dashboard

Messages

Adverse Events

Alerts

AI Assistant

Reports & Exports

AYUSH

Traditional Wisdom
Modern Evidence

Search trials, participants, documents...

9+

DF

Dr. Farid Khan

Pharmacovigilance

Submission-Ready Exports

CDISC/FHIR focused subset — every export is recorded in the audit trail. Full SDTM/ADaM coverage is a roadmap item, stated plainly.

CTRI-117131 — Comparison of shatapushpa taila matrabasti with tila taila matrabasti in the management of kashtartava or primary dysmenorrhea

active

FHIR R4 Bundle

ResearchStudy · ResearchSubject · Patient (de-identified) · AdverseEvent

SDTM DM (CSV)

Demographics domain

SDTM AE (CSV)

Adverse events domain

Define-XML stub

Metadata for the exported domains

CTRI-117332 — A clinical study to evaluate the safety and efficacy of tab Endo-HYLM, a herbomineral formulation in the management of female patients with endometrioma

ctri_registered

FHIR R4 Bundle

ResearchStudy · ResearchSubject · Patient (de-identified) · AdverseEvent

SDTM DM (CSV)

Demographics domain

SDTM AE (CSV)

Adverse events domain

Define-XML stub

Metadata for the exported domains

CTRI-117253 — A Study Comparing Two Ayurvedic Ghee Preparations Prapoundarikadi Ghrita and Jatyadi Ghrita for Healing Dusta Vrana in Adults

active

FHIR R4 Bundle

ResearchStudy · ResearchSubject · Patient (de-identified) · AdverseEvent

SDTM DM (CSV)

Demographics domain

SDTM AE (CSV)

Adverse events domain

Define-XML stub

Metadata for the exported domains

CTRI-116942 — Pilot Clinical Evaluation of a Herbo-mineral Hair Removal Cream for Effective Hair Removal

iec_approved

FHIR R4 Bundle

ResearchStudy · ResearchSubject · Patient (de-identified) · AdverseEvent

SDTM DM (CSV)

Demographics domain

SDTM AE (CSV)

Adverse events domain

Define-XML stub

Metadata for the exported domains

CTRI-116585 — Role of therapeutic Emesis and Purgative treatment on female Hormones and their activity.

active

FHIR R4 Bundle

ResearchStudy · ResearchSubject · Patient (de-identified) · AdverseEvent

SDTM DM (CSV)

Demographics domain

SDTM AE (CSV)

Adverse events domain

Define-XML stub

Metadata for the exported domains

CTRI-116740 — Role of Panchakarma treatment in Neck pain

ctri_registered

FHIR R4 Bundle

ResearchStudy · ResearchSubject · Patient (de-identified) · AdverseEvent

SDTM DM (CSV)

Demographics domain

SDTM AE (CSV)

Adverse events domain

Define-XML stub

Metadata for the exported domains

Fig. 5. Submission-Ready Exports — long page cropped to fit; scroll in the live app to see the rest. Captured from the live system on 12 September 2026.

AyuSphere UAT Guide — confidential demo environment

Page 11 of 16

6 AI Assistant (Copilot) — safety questions

What this is for. Grounded AI Q&A over the data your role can see (Gemini-powered, admin-switchable to Claude). Ideal for “Any open SAEs near their reporting deadline?” — every answer cites the records it used, and unanswerable questions are refused rather than invented.

STEPS

1. Click **AI Assistant** in the sidebar.
2. Click the suggested chip **Any open SAEs near their reporting deadline?** or type your own safety question and press **Ask**.
3. Verify the answer cites the underlying records.
4. Ask an unanswerable question and confirm the honest refusal.

Expected result. Cited, grounded answers about safety data; honest refusal when data does not support an answer.

ACCEPTANCE CHECKLIST

- ☐ Suggested safety prompt works.
- ☐ Answers include citations.
- ☐ Unanswerable questions are refused honestly.




Fig. 6. AI Copilot. Captured from the live system on 12 September 2026.

7 Messages (internal communication)

What this is for. Direct one-to-one messaging with every other user on the platform — coordinators, investigators, monitors, ethics, pharmacovigilance, admin and the regulator — so trial communication stays inside the audited system. Use it to query the capturing site about an event before you disposition it.

STEPS

1. Click **Messages** in the left sidebar.
2. The **People** list on the left shows every other platform user with their role badge.
3. Click a person (for example the Study Coordinator) to open the conversation panel.
4. Type a short test message (e.g. "UAT test — please ignore") and send it.
5. Confirm your message appears in the thread with a timestamp.

Expected result. The people list shows the other demo users with role badges. A sent message appears immediately in the conversation and is delivered to the recipient (message events are also recorded in the audit trail).

ACCEPTANCE CHECKLIST

- ☐ Messages page opens from the sidebar.
- ☐ All other demo users are listed with correct role badges.
- ☐ Selecting a person opens a chat panel.
- ☐ A test message can be sent and appears with a timestamp.




Fig. 7. Messages — people list and conversation panel. Captured from the live system on 12 September 2026.

8 Signing out

What this is for. Ends your session so nobody else can act under your account — important on shared computers at trial sites.

STEPS

1. Click your **name / avatar** in the top-right corner of any page.
2. Choose **Sign out** from the menu.

Expected result. You are returned to the login page. Pressing the browser Back button does not re-open protected pages with your data.

ACCEPTANCE CHECKLIST

- ☐ The sign-out option is available from the top-right user menu.
- ☐ After signing out you land on the login page.
- ☐ Navigating directly to a protected page (e.g. /dashboard) redirects you to log in again.

UAT sign-off

Record the outcome of each test case. A test passes when every item of its acceptance checklist is satisfied.

ID	Step / feature	Expected	Pass / Fail	Remarks
TC-01	Logging in	Login succeeds; dashboard opens with correct name and role		
TC-02	Navigation overview & dashboard	Dashboard renders; sidebar limited to 6 PV items		
TC-03	Adverse Events — the PV review walk	AE queue sorts by deadline; PV can review, report and close events		
TC-04	Alerts — safety deadlines and acknowledgement	Alerts visible; acknowledge works		
TC-05	Reports & Exports — the SDTM AE domain	SDTM AE export downloads a de-identified CSV		
TC-06	AI Assistant (Copilot) — safety questions	Copilot answers safety questions with citations		
TC-07	Messages (internal communication)	People list shows all users; a test message sends and appears in the thread		
TC-08	Signing out	Session ends; protected pages no longer accessible		

Tester name & signature

Date

Reviewed by (QA lead)