Name: Xinyu Huang

Email: xhuang40@jhu.edu

Section: 315 Name: Minwei Xu

Email: mxu31@jhu.edu

Section: 315

### 1. Overview

Project URL: http://university-frontend-server.herokuapp.com/


Notice: Since both our frontend and backend servers are deployed on heroku, please allow a few minutes for both server to come up. Please refresh if the page keeps loading for more than 10s.


The US government released college scorecard data, a rich set of data on all US undergraduate degree-granting institutions. This is a project to query and display the analysis of the data.

On the top of the website, user can search for the university they want to know and information about completion rate, enrollment and degree will be displayed. Then you can see a statistical summary about all the university. User can choose different control, state, SAT score or race to see different summaries. In addition, and the end of the website, user can input 2 university names to inquire the distance.

#### 2. Database Schema

We've made some changes to the database design to better reflect the relation between tables.





#### 3. Parse data

We downloaded the MERGED2014\_15\_PP.csv on <a href="https://collegescorecard.ed.gov/data/">https://collegescorecard.ed.gov/data/</a> which is completely free. We then used Excel to split tables into 16 csvs, did some data cleansing and basic parsings. For more advanced parsing, we used Python3 and the code was put in parser folder. In the end, we use <a href="https://sqlizer.io/">https://sqlizer.io/</a> to convert csv files to sql.

#### 4. Platform

MySQL on ClearDB with a size of 1GB

#### 5. How to run code

All SQL queries are in the SQL folder. Each table has a corresponding .sql file and procedures.sql contains all the procedures. Parsers are in the parser folder. Front-end code is in the frontend folder. Back-end code is in backend folder. The frontend and backend code as well as the database is already up on heroku. However, if you want to deploy locally:

- 1) To set up database: run 'mysql -u root load.sql'. It will automatically create a database called UNIVERSITY and import all the data and procedures
- To deploy backend server locally: Run 'mvn clean install' and then 'heroku local web'.
- 3) To deploy frontend server locally: Run 'npm install -g yarn' to install yarn globally, run 'yarn' to install all the dependencies, and run 'npm start' to build and start the Node server.

### 6. Specialized area: User Interface

Data-driven, material style, and interactive interface.

## 7. Analysis of limitations


Data is outdated, and if there is new data, the parsing procedure needs to be automated. Querying speed is not ideal, need to use either memcached or server-side cache to restore the result since the data would not be updated.

Could use ORM to make the querying more easy to control.

Could use GraphQL to make the requests easier and clearer.

Could use Redux or others to control the data flow in the frontend, so that there won't be too much cached data to drag the performance down.

## 8. Output




### Query a university.




## Autocomplete.


#### Below are the statistics for all universities




## Data-driven boxplot of the distribution of SAT average grades.




### Some statistics.




Average enrollment percentage per race for different type of universities.




List all the universities with SAT higher than the given input.



List all the universities in a state.



Rank universities by admission rate for a specific race.



Compute distance between two universities.

# 9. Data Defining Language

```
CREATE TABLE Income (
  'income_level' INT PRIMARY KEY,
  'detail' VARCHAR(24) CHARACTER SET utf8,
  'student type' INT,
  FOREIGN KEY(student_type) REFERENCES Student_Type(type_id)
);
CREATE TABLE City (
  `city_id` INT PRIMARY KEY,
  `city_name` VARCHAR(24) CHARACTER SET utf8,
  'state id' INT,
  'region id' INT,
  'latitude' NUMERIC(9, 7),
  'longitude' NUMERIC(10, 7),
  FOREIGN KEY(state_id) REFERENCES State(state_id)
);
CREATE TABLE Level (
  'level id' INT PRIMARY KEY,
  'detail' VARCHAR(16) CHARACTER SET utf8
);
CREATE TABLE University (
  `unit_id` INT PRIMARY KEY,
  'name' VARCHAR(93) CHARACTER SET utf8,
  'city id' INT,
  'zip' VARCHAR(10) CHARACTER SET utf8,
  'url' VARCHAR(124) CHARACTER SET utf8,
  'main campus' BOOL,
  'num branches' INT,
  `control_id` INT,
  'historically_black' BOOL,
  'predominantly black' BOOL,
  'men only' BOOL,
  `women_only` BOOL,
  'alias' VARCHAR(680) CHARACTER SET utf8,
  'level id' INT,
  'operating' BOOL,
  FOREIGN KEY(city_id) REFERENCES City(city_id),
  FOREIGN KEY(control_id) REFERENCES Control(control_id),
  FOREIGN KEY(level_id) REFERENCES Level(level_id)
);
```

```
CREATE TABLE Admission (
  `unit_id` INT PRIMARY KEY,
  `admission_rate` NUMERIC(5, 4),
  `vr25` INT, `vr50` INT, `vr75` INT, `mt25` INT, `mt50` INT, `mt75` INT, `wr25` INT, `wr50` INT,
  'wr75' INT, 'sat avg' INT,
  FOREIGN KEY(unit_id) REFERENCES University(unit_id)
);
CREATE TABLE Completion (
  `unit_id` INT,
  'percentage' NUMERIC(5, 4),
  'type id' INT,
  `less_than_4yr` INT,
  FOREIGN KEY(unit_id) REFERENCES University(unit_id)
);
CREATE TABLE Debt (
  `unit id` INT,
  'data' NUMERIC(25, 19),
  `type_id` INT,
  FOREIGN KEY(unit_id) REFERENCES University(unit_id),
  FOREIGN KEY(type_id) REFERENCES Student_Type(type_id)
);
CREATE TABLE Degree (
  'degree id' INT PRIMARY KEY,
  'degree name' VARCHAR(80) CHARACTER SET utf8
);
CREATE TABLE Degree Percentage (
  `unit_id` INT,
  'percentage' NUMERIC(5, 4),
  'degree id' INT,
  FOREIGN KEY(unit_id) REFERENCES University(unit_id),
  FOREIGN KEY(degree_id) REFERENCES Degree(degree_id)
);
CREATE TABLE Enrollment (
  `unit_id` INT,
  'percentage' NUMERIC(10, 4),
  `type_id` INT,
  FOREIGN KEY(unit_id) REFERENCES University(unit_id),
```

```
FOREIGN KEY(type_id) REFERENCES Student_Type(type_id)
);
CREATE TABLE Family (
  'unit id' INT PRIMARY KEY,
  'par ed hs' NUMERIC(10, 9),
  `par_ed_ps` NUMERIC(10, 9),
  `avg_inc` NUMERIC(13, 7),
  'med inc' NUMERIC(13, 7),
  `avg_inc_dep` NUMERIC(12, 6),
  `avg_inc_ind` NUMERIC(13, 8),
  FOREIGN KEY(unit_id) REFERENCES University(unit_id)
);
CREATE TABLE Student (
  `unit id` INT,
  'percentage' NUMERIC(11, 10),
  `dependency` VARCHAR(11) CHARACTER SET utf8,
  'income level' INT,
  FOREIGN KEY(unit_id) REFERENCES University(unit_id),
  FOREIGN KEY(income_level) REFERENCES Income(income_level)
);
CREATE TABLE Tuition (
  `unit_id` INT PRIMARY KEY,
  `in_state` INT,
  `out_state` INT,
  'net' INT,
  `instructional_expenditures` INT,
  FOREIGN KEY(unit_id) REFERENCES University(unit_id)
);
```

### 10. SQL Code

Please See load.sql, procedures.sql, and other sql code in the database folder.