

PATHOLOGY

Q.1 SHORT NOTE QUESTIONS

(3 x 5 = 15 Marks)

- a) Shock and its types
b) Peptic ulcer disease
c) Difference between benign and malignant wounds

Q.2 SHORT ANSWER QUESTIONS

(3 x 2 = 6 Marks)

- a) Define Gangrene.
b) What is Blood grouping system?
c) Define Ghon complex.

Q.3 Multiple Choice Questions

(1 x 4 = 4 Marks)

I	<i>What is the primary cause of glomerulonephritis?</i>	II	<i>What is the primary purpose of analyzing semen in infertility cases?</i>
a)	Bacterial infection	a)	Assessing hormonal levels
b)	Viral infection	b)	Identifying genetic abnormalities
c)	Autoimmune reaction	c)	Evaluating sperm count and motility
d)	Genetic predisposition	d)	Detecting urinary tract infections
III	<i>Which of the following condition is characterized by abnormal growths in the uterine wall?</i>	IV	<i>What is the most common type of breast tumour in women under 30 years of age?</i>
a)	Uterine fibroids	a)	Fibrocystic changes
b)	Carcinoma cervix	b)	Fibroadenoma
c)	Carcinoma of endometrium	c)	Carcinoma of the breast
d)	Vesicular mole	d)	Metastatic breast cancer

GENETICS

Q.4 SHORT NOTE QUESTIONS

(1 x 5 = 5 Marks)

A couple is considering prenatal testing but is unsure about the options available and the reasons for undergoing such testing. Answer the following questions:
<https://www.pyqonline.com>

- a. What are the indications for prenatal testing and diagnosis? (2 marks)
b. Explain the invasive and non-invasive types of prenatal testing. (3 marks)

Q.5 SHORT ANSWER QUESTIONS

(2 x 2 = 4 Marks)

- a) Neural tube defects
b) Thalassemia

Q.6 Multiple Choice Questions

(1 x 3 = 3 Marks)

I	<i>A couple receives positive results for Down syndrome from a prenatal test. What is the most appropriate next step?</i>	II	<i>Expression of genes in an individual leading to observable genetic characteristics is known as:</i>
a)	Immediate termination of pregnancy	a)	Genotype
b)	Confirmatory diagnostic testing	b)	Phenotype
c)	Genetic counseling session	c)	Genome
d)	Prenatal vitamin supplementation	d)	None of the above
III	<i>Level of alpha-fetoprotein in maternal serum is best detected at</i>	c)	16-18 weeks of pregnancy
a)	10-12 weeks of pregnancy	d)	20-24 weeks of pregnancy
b)	14-16 weeks of pregnancy		