# WEB project Vanshik Godeshwar U23CS159

## Home page:

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>Tamannah</title>
   <link rel="stylesheet" href="styles.css">
</head>
<body>
 <div class="heading-box">
   <a href="#" class="menu-icon" style="margin-left: 20px;">Tm</a>
   <span class="heading">Tamannah</span>
   <nav class="nav-1">
       <a href="#" class="sub">SUBSCRIBE</a>
   </nav>
</div>
   <header class="head1">
       <nav class="nav-2">
           <u1>
               <a href="#">Home</a>
               <a href="shopping.html">Shop</a>
               <a href="developer.html">About</a>
               <a href="#">Contact</a>
               <a href="index.html">Log in</a>
               <a href="sign-up.html">Sign up</a>
           <div class="search">
           <input type="search" placeholder="Search for items...">
           <button>Search
       </div>
   </header>
   <section id="horizontal-slidebar">
       <!-- Add images for the slide bar -->
       <img src="./images/12 (1).jpg" alt="Clothes">
       <img src="./images/12 (2).jpg" alt="Clothes">
       <img src="./images/12 (3).jpg" alt="Clothes">
       <img src="./images/12 (4).jpg" alt="Clothes">
       <img src="./images/12 (5).jpg" alt="Clothes">
       <img src="./images/12 (6).jpg" alt="Clothes">
   </section>
   <section id="articles">
```

```
<!-- Add articles and achievements here -->
     <h2>Our Story</h2>
     Tamannah, founded by Vanshik Godeshwar from Surat, Gujarat, is a
luxury fashion brand that was born out of a passion for elegance and
sophistication. Established in 2018, Tamannah has quickly risen to prominence
in the fashion industry, redefining luxury with its exquisite designs and
unparalleled craftsmanship. The journey of Tamannah began with a simple idea
to create clothing that not only looks beautiful but also makes the wearer
feel confident and empowered.
     From its humble beginnings, Tamannah has grown into a global brand,
with its creations gracing runways and red carpets around the world. Each
piece is carefully crafted with attention to detail, using only the finest
materials and techniques. Our designers draw inspiration from a variety of
sources, blending traditional craftsmanship with contemporary aesthetics to
create truly unique and timeless pieces.
      At the heart of Tamannah is a commitment to sustainability and
ethical practices. We believe in creating fashion that not only looks good but
also does good. That's why we work closely with artisans and suppliers to
ensure fair wages and safe working conditions. We also strive to minimize our
environmental footprint by using eco-friendly materials and reducing waste
wherever possible.
     Our goal is to inspire individuals to embrace their own sense of
style and express themselves boldly and fearlessly. Whether you're dressing
for a special occasion or simply want to elevate your everyday look, Tamannah
has something for everyone. Join us on our journey as we continue to redefine
luxury and celebrate the beauty of diversity.
     <div class="image-gallery">
         <img src="./i (1).jpg" alt="Image 1">
         <img src="./i (2).jpg" alt="Image 2">
         <img src="./i (3).jpg" alt="Image 3">
         <img src="./i (4).jpg" alt="Image 4">
     </div>
     <h2>Latest News</h2>
     <l
         <a href="#">Award received for "Best Luxury Fashion"
Brand"</a>
         <a href="#">New collection now available.</a>
         <a href="#">Featured on "Vogue" magazine.</a>
     </section>
```

<footer>

```
body {
 font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
 margin: 0;
 padding: 0;
.heading-box
   display: flex;
   flex-flow: row nowrap;
   height: 100px;
   width: 100%;
   background-color: black;
   color: whitesmoke;
    justify-content: space-between;
.heading
   font-size: 50px;
   position: relative;
   top: 12.5%;
    font-family: monospace;
.heading-box a
   color: whitesmoke;
   text-decoration: none;
   font-size: 20px;
   font-family:cursive;
   position: relative;
   top: 33%;
.nav-1
   display: flex;
   justify-content: space-around;
   gap: 20px;
```

```
.menu-icon
    transition: 0.3s;
.menu-icon:hover
   top: 28%;
   font-size: 25px;
   font-style: normal;
   text-decoration: none;
.sub
   transition: 0.3s;
   margin-right: 20px;
.sub:hover
   top: 28%;
   font-size: 25px;
   font-style: normal;
   text-decoration: none;
.head1 a {
 color: #b7b7b7;
 text-decoration: none;
 transition-duration: 0.3s;
.head1 a:hover {
 text-decoration: none;
 color: white;
 font-size: large;
.search button {
 background-color: #333333;
 color: #cdcdcd;
 border: none;
  padding: 0.5rem;
 border-radius: 5px;
  cursor: pointer;
.search button:hover {
```

```
background-color: #444444;
header {
 padding: 1.5rem;
 display: flex;
 justify-content: space-between;
 align-items: center;
 background-color: #222222;
nav ul {
 display: flex;
 list-style: none;
 margin: 0;
 padding: 0;
nav ul li {
 margin: 0 1rem;
.search {
 background-color: #1d1d1d;
 padding: 0.5rem;
 border-radius: 5px;
 display: flex;
.search input[type="search"] {
 flex-grow: 1;
 border: none;
 padding: 0.5rem;
  background-color: #2a2a2a;
  color: #b7b7b7;
  border-radius: 5px 0 0 5px;
#horizontal-slidebar {
 display: flex;
 overflow-x: scroll;
 padding: 1.5rem;
  background-color: #111111;
#horizontal-slidebar img {
 width: 25rem;
 margin-right: 1rem;
```

```
border-radius: 10px;
 box-shadow: 0px 10px 15px rgba(0, 0, 0, 0.3);
 aspect-ratio: 12/9;
#articles {
 padding: 1.5rem;
 background-color: #111111;
#articles h2 {
 color: #b7b7b7;
 border-bottom: 2px solid #6a6a6a;
 padding: 1rem 0;
 margin-bottom: 1rem;
#articles p {
 margin-bottom: 1rem;
 color: #b7b7b7;
#articles ul {
 list-style: none;
 padding: 0;
 margin: 0;
 display: flex;
 flex-wrap: wrap;
.image-gallery {
 display: flex;
 justify-content: space-between;
 margin-top: 20px;
.image-gallery img {
 width: calc(25% - 10px);
 height: auto;
 border: 2px solid #ddd;
 border-radius: 5px;
#articles li {
 margin-right: 1rem;
 margin-bottom: 1rem;
```

```
#articles a
{
  color: white;
  text-decoration: none;
}
footer {
  padding: 1.5rem;
  text-align: center;
  background-color: #222222;
}
footer p {
  color: #b7b7b7;
}
```

About:

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
 <head>
   <meta charset="UTF-8">
   <title>Developer</title>
   <link rel="stylesheet" href="style.css">
       <link rel="stylesheet" href="developer.css"/>
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
  </head>
body>
  <div class="content">
    <div class="text-content">
      <div class="text">Hello, It's Me </div>
      <div class="name">Vanshik Godeshwar</div>
      <div class="job">
        <div class="job">
          <span>And I'm </span>
           <div class="typing-text">
             <span class="one">Founder of</span>
             <span class="two">Tamannah</span>
           </div>
         </div>
      </div>
      <div class="buttons">
  <button>Twitter
  <button>Instagram</putton>
 </div>
```

```
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@200;300;400;500;600;
700&display=swap');
 margin: 0;
 padding: 0;
 box-sizing: border-box;
 font-family: 'Poppins',sans-serif;
header{
 height: 100vh;
 width: 100%;
 background-color: #000;
 background-position: center;
::selection{
 background: #a3f5ec;
header nav{
 position: fixed;
 width: 100%;
 left: 0;
 top: 0;
 z-index: 12;
.navbar{
 width: 90%;
 display: flex;
 margin: 20px auto 0 auto;
 align-items: center;
 justify-content: space-between;
 header nav .logo{
 height: 100px;
 width: 100px;
 border-radius: 50%;
```

```
.logo img{
 height: 100%;
 width: 100%;
 object-fit:fill;
nav .menu{
 display: flex;
nav .menu li{
 list-style: none;
 margin: 0 10px;
nav .menu a{
 color: #2c3e50;
 font-size: 17px;
 font-weight: 500;
 text-decoration: none;
nav .menu a:hover{
 color: #000;
nav .search-box{
 position: relative;
 height: 40px;
 width: 250px;
.search-box input[type="text"]{
 position: absolute;
 font-size: 18px;
 height: 100%;
 width: 100%;
 border-radius: 8px;
 outline: none;
 color: #2c3350;
 border: 2px solid #2c3350;
 background: #f2f2f2;
 padding: 0 10px 0 40px;
.search-box a{
 position: absolute;
 top: 50%;
 left: 10px;
 font-size: 20px;
 color: #2c3350;
 transform: translateY(-50%);
 border-right: 2px solid #2c3350;
```

```
padding: 0 5px 0 0;
.text-content{
 position: absolute;
 top: 33%;
 left: 7%;
 z-index: 12;
header .text-content .text{
 font-size: 27px;
 color: #2c3350;
header .text-content .name{
color: #2c3350;
font-size: 75px;
font-weight: 600;
margin: -20px 0 0 -3px;
header .text-content .job{
 color: #2c3350;
font-size: 40px;
margin: 5px 0;
margin-top: -4px;
display: flex;
.text-content .typing-text{
 margin-left: 10px;
 overflow: hidden;
 white-space: nowrap;
 border-right: 4px solid #1de2d1;
 animation: typing 7s steps(18) infinite;
@keyframes typing{
 0%{
   width: 0ch;
 50%{
   width: 18ch;
 100%{
   width: 0ch;
.text-content .job .one{
 color: #1de2d1;
.text-content .job .two{
 color: #1de2d1;
```

```
.buttons{
 margin: 20px 0 0 50px;
.text-content .buttons button{
 outline: none;
 margin: 0 10px;
 border: none;
 border-radius: 6px;
 font-size: 18px;
 color: #fff;
 padding: 8px 16px;
 cursor: pointer;
 transition: all 0.3s ease;
 buttons button:hover{
 transform: scale(0.97);
.content .Founder img{
 position: absolute;
 height: 95%;
 bottom: 10px;
 right: 40px;
 border-radius: 10%;
 border: 3px solid blue;
 position: absolute;
```

# Log in:

```
<div class="box-form">
   <div class="left">
       <div class="overlay">
       <h1>Tamannah</h1>
       Elevating Elegance, Redefining Luxury.
        Where Exquisite Style Meets Unparalleled
Sophistication.
       In a World of Trends, Tamannah Sets the Standard
for Timeless Beauty.
       Unleash Your Inner Icon with Tamannah's Prestigious
Designs.
       <span>
           login with social media
           <a href="#"><i ><img src="facebook-app-symbol.png"></i></a>
           <a href="#"><i ><img src="twitter.png"></i></a>
       </span>
       </div>
   </div>
   <div class="right">
       <h5>Login</h5>
       Don't have an account? <a href="sign-up.html">Create Your</a>
Account</a> it takes less than a minute
       <div class="inputs">
           <input type="text" id="username" placeholder="Username">
           <input type="password" id="password" placeholder="Password">
       </div>
           <br><br><br>>
       <div class="forget-password">
           Forgot password?
       </div>
           <br>
           <button onclick="validateLogin()">Login</button>
   </div>
</div>
<script>
   function validateLogin() {
       var username = document.getElementById('username').value;
       var password = document.getElementById('password').value;
       if (username === "" || password === "") {
```

```
alert("Username and password are required.");
    return false;
}

if(username === "vanshik" || password === "18112005Vanshik?")
{
    alert("you are admin...Welcome sir");
    window.location.href = "youtube.com";
}

alert("Login successful!");
    window.location.href = "shopping.html";
}
</script>
</body>
</html>
```

```
body {
 background-image: linear-gradient(135deg, #FAB2FF 10%, #1904E5 100%);
 background-size: cover;
 background-repeat: no-repeat;
 background-attachment: fixed;
 font-family: "Open Sans", sans-serif;
 color: #333333;
box-form {
 margin: 0 auto;
 width: 80%;
 background: #FFFFFF;
 border-radius: 10px;
 overflow: hidden;
 display: flex;
 flex: 1 1 100%;
 align-items: stretch;
 justify-content: space-between;
 box-shadow: 0 0 20px 6px #090b6f85;
@media (max-width: 980px) {
 .box-form {
   flex-flow: wrap;
   text-align: center;
   align-content: center;
```

```
align-items: center;
.box-form div {
 height: auto;
.box-form .left {
 color: #FFFFFF;
 background-size: cover;
 background-repeat: no-repeat;
 background-image:
url("https://i.pinimg.com/736x/5d/73/ea/5d73eaabb25e3805de1f8cdea7df4a42--
tumblr-backgrounds-iphone-phone-wallpapers-iphone-wallaper-tumblr.jpg");
 overflow: hidden;
.left img
 height: 20px;
 width: 20px;
.box-form .left .overlay {
 padding: 30px;
 width: 100%;
 height: 100%;
 background: #5961f9ad;
 overflow: hidden;
 box-sizing: border-box;
.box-form .left .overlay h1 {
 font-size: 120px;
 line-height: 1;
 font-weight: 900;
 margin-top: 40px;
 margin-bottom: 20px;
.box-form .left .overlay .message
 margin-left: 30px;
 margin-top: 30px;
.box-form .left .overlay span p {
 margin-top: 30px;
 font-weight: 900;
```

```
.box-form .left .overlay span a {
  background: #3b5998;
  color: #FFFFFF;
  margin-top: 10px;
  padding: 14px 50px;
  border-radius: 100px;
  display: inline-block;
  box-shadow: 0 3px 6px 1px #042d4657;
.box-form .left .overlay span a:last-child {
 background: #1dcaff;
 margin-left: 30px;
.box-form .left .overlay span a:hover
  font-size:xx-large;
.box-form .right {
  padding: 40px;
 overflow: hidden;
@media (max-width: 980px) {
  .box-form .right {
   width: 100%;
.box-form .right h5 {
  font-size: 6vmax;
  line-height: 0;
.box-form .right p {
  font-size: 14px;
  color: #B0B3B9;
.box-form .right .inputs {
  overflow: hidden;
.box-form .right input {
 width: 100%;
 padding: 10px;
 margin-top: 25px;
  font-size: 16px;
  border: none;
  outline: none;
  border-bottom: 2px solid #B0B3B9;
```

```
.box-form .right .remember-me--forget-password {
 display: flex;
 justify-content: space-between;
 align-items: center;
.box-form .right .remember-me--forget-password input {
 margin: 0;
 margin-right: 7px;
 width: auto;
.box-form .right button {
 float: right;
 color: #fff;
 font-size: 16px;
 padding: 12px 35px;
 border-radius: 50px;
 display: inline-block;
 border: 0;
 outline: 0;
 box-shadow: 0px 4px 20px 0px #49c628a6;
 background-image: linear-gradient(135deg, #70F570 10%, #49C628 100%);
label {
 display: block;
 position: relative;
 margin-left: 30px;
label::before {
 content: ' \f00c';
 position: absolute;
 font-family: FontAwesome;
 background: transparent;
 border: 3px solid #70F570;
 border-radius: 4px;
 color: transparent;
 left: -30px;
 transition: all 0.2s linear;
label:hover::before {
font-family: FontAwesome;
```

```
content: ' \f00c';
color: #fff;
cursor: pointer;
background: #70F570;
}
button:hover
{
  width: 120px;
  cursor: pointer;
}
```

### Sign up:

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
 <head>
   <meta charset="UTF-8">
   <title>sign-up Form</title>
   <link rel="stylesheet" href="sign-up.css">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
 </head>
<body>
 <div class="container">
   <div class="title">Registration</div>
   <div class="content">
     <form action="#" onsubmit="return validateForm()">
        <div class="user-details">
          <div class="input-box">
            <span class="details">Full Name</span>
            <input type="text" id="fullname" placeholder="Enter your name" >
          </div>
          <div class="input-box">
            <span class="details">Username</span>
           <input type="text" id="username" placeholder="Enter your</pre>
username" >
         </div>
          <div class="input-box">
            <span class="details">Email</span>
            <input type="email" id="email" placeholder="Enter your email" >
          </div>
          <div class="input-box">
            <span class="details">Phone Number</span>
            <input type="text" id="phone" placeholder="Enter your number" >
```

```
</div>
          <div class="input-box">
            <span class="details">Password</span>
            <input type="password" id="password" placeholder="Enter your</pre>
password" >
          </div>
          <div class="input-box">
            <span class="details">Confirm Password</span>
            <input type="password" id="confirmPassword" placeholder="Confirm</pre>
your password" >
          </div>
        </div>
        <div class="gender-details">
          <span class="gender-title">Gender</span>
          <div class="category">
            <input type="radio" name="gender" id="male" value="male" >
            <label for="male">
              <span class="dot"></span>
              <span class="gender">Male</span>
            <input type="radio" name="gender" id="female" value="female" >
            <label for="female">
              <span class="dot"></span>
              <span class="gender">Female</span>
            <input type="radio" name="gender" id="preferNotToSay"</pre>
value="preferNotToSay" >
            <label for="preferNotToSay">
              <span class="dot"></span>
              <span class="gender">Prefer not to say</span>
            </label>
          </div>
        </div>
        <div class="button">
          <input type="submit" value="Register">
        </div>
      </form>
    </div>
  </div>
  <script>
    function validateForm() {
      var fullname = document.getElementById('fullname').value;
     var username = document.getElementById('username').value;
     var email = document.getElementById('email').value;
     var phone = document.getElementById('phone').value;
     var password = document.getElementById('password').value;
     var confirmPassword = document.getElementById('confirmPassword').value;
```

```
var gender = document.querySelector('input[name="gender"]:checked');

if (fullname === "" || username === "" || email === "" || phone === ""

|| password === "" || confirmPassword === "" || !gender) {
    alert("All fields are required.");
    return false;
}

if (password !== confirmPassword) {
    alert("Passwords do not match.");
    return false;
}

return true;
}
</script>
</body>
</html>
```

```
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@200;300;400;500;600;
700&display=swap');
 margin: 0;
 padding: 0;
 box-sizing: border-box;
 font-family: 'Poppins',sans-serif;
body{
 height: 100vh;
 display: flex;
 justify-content: center;
 align-items: center;
 padding: 10px;
 background: linear-gradient(135deg, #71b7e6, #9b59b6);
container{
 max-width: 700px;
 width: 100%;
 background-color: #fff;
 padding: 25px 30px;
 border-radius: 5px;
 box-shadow: 0 5px 10px rgba(0,0,0,0.15);
.container .title{
```

```
font-size: 25px;
 font-weight: 500;
 position: relative;
.container .title::before{
 content: "";
 position: absolute;
 left: 0;
 bottom: 0;
 height: 3px;
 width: 30px;
 border-radius: 5px;
 background: linear-gradient(135deg, #71b7e6, #9b59b6);
content form .user-details{
 display: flex;
 flex-wrap: wrap;
 justify-content: space-between;
 margin: 20px 0 12px 0;
form .user-details .input-box{
 margin-bottom: 15px;
 width: calc(100% / 2 - 20px);
form .input-box span.details{
 display: block;
 font-weight: 500;
 margin-bottom: 5px;
.user-details .input-box input{
 height: 45px;
 width: 100%;
 outline: none;
 font-size: 16px;
 border-radius: 5px;
 padding-left: 15px;
 border: 1px solid #ccc;
 border-bottom-width: 2px;
 transition: all 0.3s ease;
.user-details .input-box input:focus,
.user-details .input-box input:valid{
 border-color: #9b59b6;
form .gender-details .gender-title{
 font-size: 20px;
 font-weight: 500;
```

```
form .category{
 display: flex;
 width: 80%;
 margin: 14px 0;
 justify-content: space-between;
form .category label{
 display: flex;
 align-items: center;
 cursor: pointer;
form .category label .dot{
height: 18px;
width: 18px;
border-radius: 50%;
margin-right: 10px;
background: #d9d9d9;
border: 5px solid transparent;
transition: all 0.3s ease;
#dot-1:checked ~ .category label .one,
#dot-2:checked ~ .category label .two,
#dot-3:checked ~ .category label .three{
 background: #9b59b6;
 border-color: #d9d9d9;
form input[type="radio"]{
 display: none;
form .button{
 height: 45px;
 margin: 35px 0
form .button input{
 height: 100%;
 width: 100%;
 border-radius: 5px;
 border: none;
 color: #fff;
 font-size: 18px;
 font-weight: 500;
 letter-spacing: 1px;
 cursor: pointer;
 transition: all 0.3s ease;
 background: linear-gradient(135deg, #71b7e6, #9b59b6);
form .button input:hover{
background: linear-gradient(-135deg, #71b7e6, #9b59b6);
```

```
@media(max-width: 584px){
 .container{
 max-width: 100%;
form .user-details .input-box{
   margin-bottom: 15px;
   width: 100%;
 form .category{
   width: 100%;
 .content form .user-details{
   max-height: 300px;
   overflow-y: scroll;
 .user-details::-webkit-scrollbar{
   width: 5px;
 @media(max-width: 459px){
 .container .content .category{
   flex-direction: column;
```

### Shop:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Tamannah</title>
<style>
   body {
        font-family: Arial, sans-serif;
       margin: 0;
       padding: 0;
    .header {
       background-color: #333;
       color: #fff;
        padding: 10px 0;
       text-align: center;
```

```
.nav {
   background-color: #f4f4f4;
    padding: 10px 0;
   text-align: center;
.nav ul {
    list-style-type: none;
    padding: 0;
   margin: 0;
.nav ul li {
    display: inline;
.nav ul li a {
   display: inline-block;
    padding: 10px 20px;
   color: #333;
   text-decoration: none;
.nav ul li a:hover {
   background-color: #ddd;
.content {
    text-align: center;
    padding: 20px;
.product-card {
    display: inline-block;
    width: 200px;
    border: 1px solid #ddd;
    border-radius: 5px;
   margin: 10px;
   padding: 10px;
   text-align: center;
.product-card img {
    max-width: 100%;
    border-radius: 5px;
.product-card h3 {
   margin-top: 10px;
.product-card p {
   margin-top: 5px;
   color: #666;
.product-card .price {
```

```
font-weight: bold;
       color: #333;
   .product-card .buy-btn {
       background-color: #007bff;
       color: #fff;
       border: none;
       padding: 5px 10px;
       border-radius: 3px;
       cursor: pointer;
       margin-top: 10px;
   .product-card .buy-btn:hover {
       background-color: #0056b3;
</style>
</head>
<body>
<header class="header">
   <h1>Tamannah</h1>
</header>
<nav class="nav">
       <a href="try2.html" class="menu-link">Home</a>
       <a href="developer.html" class="menu-link">About</a>
       <a href="#" class="menu-link">Services</a>
       <a href="#" class="menu-link">Contact</a>
   </nav>
<div class="product-card">
   <img src="./product images/im (1).jpg" alt="Product 1">
   <h3>Product 1</h3>
   Waatch - 1
   <div class="price">$10.00</div>
   <button class="buy-btn">Buy Now</button>
</div>
<div class="product-card">
   <img src="./product images/im (2).jpg" alt="Product 2">
   <h3>Product 2</h3>
   shirt - 1
   <div class="price">$15.00</div>
   <a href="cart.html"><button class="buy-btn">Buy Now</button></a>
</div>
<div class="product-card">
   <img src="./product images/im (3).jpg" alt="Product 1">
```

```
<h3>Product 3</h3>
   watch - 2
   <div class="price">$20.00</div>
   <button class="buy-btn">Buy Now</button>
</div>
<div class="product-card">
   <img src="./product images/im (4).jpg" alt="Product 1">
   <h3>Product 4</h3>
   p>purse - 1
   <div class="price">$25.00</div>
   <button class="buy-btn">Buy Now</button>
</div>
<div class="product-card">
   <img src="./product images/im (5).jpg" alt="Product 1">
   <h3>Product 5</h3>
   p>purse - 2
   <div class="price">$30.00</div>
   <button class="buy-btn">Buy Now</button>
</div>
<div class="product-card">
   <img src="./product images/im (6).jpg" alt="Product 1">
   <h3>Product 6</h3>
   p>perfume - 1
   <div class="price">$35.00</div>
   <button class="buy-btn">Buy Now</button>
</div>
<div class="product-card">
   <img src="./product images/im (7).jpg" alt="Product 1">
   <h3>Product 7</h3>
   pperfume - 2
   <div class="price">$40.00</div>
   <button class="buy-btn">Buy Now</button>
</div>
<div class="product-card">
   <img src="./product images/im (8).jpg" alt="Product 1">
   <h3>Product 8</h3>
   shoe
   <div class="price">$45.00</div>
   <button class="buy-btn">Buy Now</button>
</div>
<div class="product-card">
   <img src="./product images/im (9).jpg" alt="Product 1">
   <h3>Product 9</h3>
   suit
   <div class="price">$50.00</div>
   <button class="buy-btn">Buy Now</button>
```

```
</div>
<div class="product-card">
   <img src="./product images/im (10).jpg" alt="Product 1">
   <h3>Product 10</h3>
   shirt
   <div class="price">$55.00</div>
   <button class="buy-btn">Buy Now</button>
</div>
<div class="product-card">
   <img src="./product images/im (11).jpg" alt="Product 1">
   <h3>Product 11</h3>
   ppurse - 3
   <div class="price">$60.00</div>
   <button class="buy-btn">Buy Now</button>
</div>
<div class="product-card">
   <img src="./product images/im.jpg" alt="Product 1">
   <h3>Product 12</h3>
   trendy wear
   <div class="price">$65.00</div>
   <a href="cart1.html"><button class="buy-btn">Buy Now</button></a>
</div>
</body>
</html>
```

### Cart1:

```
<!DOCTYPE html>
<html lang="en">
<head>

meta charset="UTF-8">

meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Product Cart</title>

<style>

body {

font-family: Arial, sans-serif;

margin: 0;

padding: 0;
}

.container {

background-color: grey;

max-width: 600px;
```

```
margin: 20px auto;
        border: 3px solid black;
        border-radius: 5px;
        padding: 20px;
        box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    .product {
        display: flex;
        align-items: center;
       margin-bottom: 20px;
    .product img {
        width: 100px;
       margin-right: 20px;
    .product-info {
        flex: 1;
    .product-price {
        color: #333;
        font-weight: bold;
       margin-bottom: 5px;
    .discount {
        color: red;
    .final-price {
        color: green;
        font-size: 1.2em;
       margin-top: 5px;
    .buy-now-btn {
       background-color: #007bff;
        color: #fff;
       border: none;
        padding: 10px 20px;
        border-radius: 5px;
        cursor: pointer;
       transition: background-color 0.3s;
    .buy-now-btn:hover {
       background-color: #0056b3;
</style>
<body>
<div class="container">
   <div class="product">
```

```
<img src="./product images/im (2).jpg" alt="Product Image">
       <div class="product-info">
            <h2>stylish shirt</h2>
            >Description: Lorem ipsum dolor sit amet, consectetur adipiscing
elit.
           <div class="product-price">
               Price: $15
                <span class="discount">(-0%)</span>
           <div class="final-price">
               Final Price: $15
            </div>
       </div>
   </div>
   <button class="buy-now-btn">Buy Now</button>
</div>
</body>
</html>
```

### Cart2:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Product Cart</title>
<style>
   body {
       font-family: Arial, sans-serif;
       margin: 0;
       padding: 0;
    .container {
       background-color: grey;
       max-width: 600px;
       margin: 20px auto;
       border: 3px solid black;
       border-radius: 5px;
       padding: 20px;
       box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
   .product {
       display: flex;
       align-items: center;
       margin-bottom: 20px;
```

```
.product img {
       width: 100px;
        margin-right: 20px;
    .product-info {
       flex: 1;
    .product-price {
       color: #333;
       font-weight: bold;
       margin-bottom: 5px;
    .discount {
        color: red;
    .final-price {
       color: green;
        font-size: 1.2em;
       margin-top: 5px;
    .buy-now-btn {
        background-color: #007bff;
       color: #fff;
       border: none;
        padding: 10px 20px;
       border-radius: 5px;
        cursor: pointer;
       transition: background-color 0.3s;
    .buy-now-btn:hover {
        background-color: #0056b3;
</style>
</head>
<body>
<div class="container">
   <div class="product">
        <img src="./product images/im.jpg" alt="Product Image">
        <div class="product-info">
            <h2>trendy yellow dress</h2>
            >Description: Lorem ipsum dolor sit amet, consectetur adipiscing
elit.
            <div class="product-price">
                Price: $65
                <span class="discount">(-0%)</span>
            </div>
            <div class="final-price">
```