1: PORTFOLIO

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Vanshika's Portfolio</title>
  <style>
    body {
      font-family: 'Poppins', sans-serif;
      margin: 0;
      padding: 0;
      background: linear-gradient(to right, #141E30, #243B55);
      color: white;
      text-align: center;
    }
    header {
      padding: 50px;
      background: rgba(255, 255, 255, 0.1);
      backdrop-filter: blur(10px);
```

```
border-bottom: 2px solid rgba(255, 255, 255, 0.3);
}
.container {
  width: 80%;
  margin: auto;
  padding: 20px;
}
section {
  background: rgba(255, 255, 255, 0.1);
  padding: 30px;
  margin: 20px 0;
  border-radius: 10px;
  box-shadow: 0 4px 8px rgba(0, 0, 0, 0.3);
}
img {
  width: 150px;
  border-radius: 50%;
  margin-bottom: 15px;
  border: 4px solid white;
}
\mathsf{ul}\,\{
  list-style: none;
```

```
padding: 0;
}
li {
  display: inline-block;
  padding: 10px 15px;
  background: rgba(255, 255, 255, 0.2);
  margin: 5px;
  border-radius: 20px;
}
a {
  text-decoration: none;
  color: #00c6ff;
  font-weight: bold;
}
a:hover {
  color: #ff7eb3;
}
.btn {
  display: inline-block;
  background: #00c6ff;
  color: white;
  padding: 12px 25px;
```

```
border-radius: 5px;
      text-decoration: none;
      margin-top: 10px;
      transition: background 0.3s;
   }
    .btn:hover {
      background: #ff7eb3;
   }
   footer {
      padding: 20px;
      margin-top: 20px;
      background: rgba(255, 255, 255, 0.1);
   }
  </style>
</head>
<body>
  <header>
    <h1>Vanshika</h1>
    Web Developer & Data Science Enthusiast
  </header>
 <div class="container">
```

```
<section id="about">
     <img
src="https://i.pinimg.com/236x/83/71/ff/8371ff796e7645505b6923aea09439b5.j
pg" alt="Vanshika's Photo">
     Passionate and skilled Web Developer and Data Science enthusiast
currently pursuing a Bachelor of Computer Applications (BCA) in her third
year...
   </section>
   <section id="skills">
     <h2>Skills</h2>
     ul>
       HTML
       CSS
       JavaScript
       React.js
       Node.js
       MongoDB
       Data Structures & Algorithms (DSA)
     </section>
   <section id="projects">
```

```
<h2>Projects</h2>
     <div class="project">
       <h3>Flutedu</h3>
       <a class="btn" href="https://vanshika0407.github.io/flutedu/">GitHub
Repository</a>
       Flutedu is an interactive educational platform...
     </div>
   </section>
   <section id="resume">
     <h2>Resume</h2>
     <a class="btn"
href="https://drive.google.com/file/d/10qNvIzP5I3Lgz1RP9iwH6wyPulLJOWnt/vie
w?usp=drivesdk" target=" blank">Download Resume</a>
   </section>
   <section id="contact">
     <h2>Contact</h2>
     Email: <a
href="mailto:vanshika07dz@gmail.com">vanshika07dz@gmail.com</a>
     Phone: +91 7494933179
   </section>
 </div>
 <footer>
   © 2025 Vanshika. All rights reserved.
```


</footer>

</body>

</html>

OUTPUT:





2.LANDING PAGE


```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Luxury Gift Landing Page</title>
  <script src="https://cdn.tailwindcss.com"></script>
</head>
<body class="bg-gray-100">
  <div class="max-w-5xl mx-auto bg-white shadow-xl rounded-lg overflow-hidden
mt-10">
    <!-- Header Section -->
    <div class="relative h-96">
      <img
src="https://i.pinimg.com/236x/8b/2b/59/8b2b59f7bd000e6795d76afd4eb92a15
.jpg" class="w-full h-full object-cover" alt="Luxury Gifts">
      <div class="absolute inset-0 bg-black bg-opacity-40 flex flex-col justify-
center items-center text-white">
        <h1 class="text-4xl font-extrabold">Luxury Gifts, Thoughtfully
Curated</h1>
```


```
Discover a collection of beautifully designed gifts
for every occasion.
        <button class="mt-6 bg-red-500 text-white py-3 px-8 rounded-lg text-lg
font-semibold shadow-md hover:bg-red-600 transition">Shop Now</button>
      </div>
    </div>
    <!-- Features Section -->
    <div class="grid grid-cols-1 md:grid-cols-3 gap-8 p-10 text-center">
      <div class="p-6 bg-gray-100 rounded-lg shadow-md relative bg-cover bg-</pre>
center" style="background-image: url('https://www.shutterstock.com/image-
vector/premium-quality-vector-badges-luxury-260nw-1554480626.jpg');">
        <div class="bg-white bg-opacity-80 p-4 rounded-md">
          <h2 class="text-2xl font-bold text-gray-800"> Premium Quality</h2>
          Hand-picked gifts with top-tier
materials.
        </div>
      </div>
      <div class="p-6 bg-gray-100 rounded-lg shadow-md relative bg-cover bg-
center" style="background-image: url('https://images.unsplash.com/photo-
1695654390723-479197a8c4a3?fm=jpg&q=60&w=3000&ixlib=rb-
4.0.3&ixid=M3wxMjA3fDB8MHxzZWFyY2h8OHx8bGFzdCUyMG1pbGUlMjBkZWxp
dmVyeXxlbnwwfHwwfHx8MA%3D%3D');">
        <div class="bg-white bg-opacity-80 p-4 rounded-md">
          <h2 class="text-2xl font-bold text-gray-800"> Fast Delivery</h2>
```

```
We ensure quick and safe delivery.
       </div>
     </div>
     <div class="p-6 bg-gray-100 rounded-lg shadow-md relative bg-cover bg-
center" style="background-image: url('https://encrypted-
tbn0.gstatic.com/images?q=tbn:ANd9GcSeOTqwgIXiLziYQDRPV-zBb-
eVs dhR3n9LQ&s');">
       <div class="bg-white bg-opacity-80 p-4 rounded-md">
         <h2 class="text-2xl font-bold text-gray-800"> Gift
Customization</h2>
         Personalize your gifts for a unique
touch.
       </div>
     </div>
   </div>
   <!-- Call to Action -->
   <div class="text-center py-10">
     <h2 class="text-3xl font-bold text-gray-800">Make Every Moment
Special</h2>
     Choose from a variety of luxurious
gifts for your loved ones.
     <button class="mt-5 bg-red-500 text-white py-3 px-10 rounded-lg text-lg
font-semibold shadow-md hover:bg-red-600 transition">Explore Now</button>
   </div>
```

- </div>
- </body>
- </html>

OUTPUT:





3: CALCULATOR

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Calculator</title>
  <style>
    body {
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
      background-color: #e0f7fa;
    }
    .calculator {
      width: 280px;
      background: #ff7043;
      padding: 20px;
```

```
border-radius: 20px;
  box-shadow: 0 4px 15px rgba(0, 0, 0, 0.3);
  text-align: center;
}
.display {
  width: 100%;
  height: 70px;
  font-size: 2.2em;
  text-align: right;
  padding: 10px;
  border: none;
  background: #ffccbc;
  border-radius: 10px;
  margin-bottom: 15px;
  font-family: 'Courier New', monospace;
}
.buttons {
  display: grid;
  grid-template-columns: repeat(4, 1fr);
  gap: 10px;
}
button {
  height: 65px;
  font-size: 1.6em;
```

```
border: none;
      cursor: pointer;
      background: #d84315;
      color: white;
      border-radius: 12px;
      font-weight: bold;
    }
    button:active {
      background: #bf360c;
    }
  </style>
</head>
<body>
  <div class="calculator">
    <input type="text" class="display" id="display" disabled>
    <div class="buttons">
      <button onclick="clearDisplay()">C</button>
      <button onclick="appendValue('/')">/</button>
      <button onclick="appendValue('*')">*</button>
      <button onclick="appendValue('-')">-</button>
      <button onclick="appendValue('7')">7</button>
      <button onclick="appendValue('8')">8</button>
      <button onclick="appendValue('9')">9</button>
      <button onclick="appendValue('+')">+</button>
```

```
<button onclick="appendValue('4')">4</button>
      <button onclick="appendValue('5')">5</button>
      <button onclick="appendValue('6')">6</button>
      <button onclick="calculateResult()">=</button>
      <button onclick="appendValue('1')">1</button>
      <button onclick="appendValue('2')">2</button>
      <button onclick="appendValue('3')">3</button>
      <button onclick="appendValue('0')">0</button>
    </div>
  </div>
  <script>
    function appendValue(value) {
      document.getElementById("display").value += value;
    }
    function clearDisplay() {
      document.getElementById("display").value = "";
    }
    function calculateResult() {
      try {
        document.getElementById("display").value =
eval(document.getElementById("display").value);
      } catch {
        alert("Invalid Calculation");
      }
```

```
}
</script>
</body>
</html>
```

OUTPUT:

