

PRICE LIST

W.E.F. 19/11/2022

1st in INDIA

BIS CERTIFIED ALL CPVC FITTINGS (15 MM to 50 MM)

C-PVC **U-PVC** **AGRICULTURAL**
COLUMN **SWR** **Pipes & Fittings**
FLUSHING CISTERN



ISO 9001 : 2015
CERTIFIED COMPANY

IS:15778

 CM/L-3976387

IS:17546

 CM/L-7600161910

IS:4985

 CM/L-7306968

IS:7834

 CM/L-7600033513

IS:13592

 CM/L-7600068415

IS:14735

 CM/L-7600068811

PIPES & FITTINGS FOR HOT & COLD WATER



SUMOLEX CPVC Pipes & Fittings Manufactured by Sumo Polyplast Pvt. Ltd. (a unit of Plot No. G-925 G.I.D.C. Loodhika, Kishan Gate, Kalawad Road, At. Metoda, Dist Rajkot (Gujrat) India. are made from speciality plastic, chemically known as Chlorinated Poly Vinyl Chloride (CPVC) The CPVC Compound shall meet cell class D.P.10-2-3-2 as per IS 15778 and 23447-B as defined by ASTM D1784 and maximum service temperature upto 93°C.

SUMOLEX CPVC Pipes & Fittings are Manufactured from the identical CPVC Compound having the same physical properties.

PRODUCT RANGE

- ▶ **PIPES** : Class-1 (SDR-11) & Class-2 (SDR-13.5) from 15mm (1/2") to 50mm (2") CTS as per IS:15778 SCH40 & SCH 80 from 65mm (2½") to 100mm (4") ASTM F441
- ▶ **FITTING** : SDR - 11 from 15mm (1/2") to 50mm (2") CTS as per ASTM D 2846 SCH 80 from 65mm (2½") to 100mm (4") as per ASTM F439

MARKING & UNIFORMITY

Pipes and Fittings made from CPVC Compound are clearly marked with the Manufacturers trademark, material designation and applicable IS/ASTM standard.

SDR 11 Pipe - Tan Coloured with red strip

SDR 13.5 Pipe - Tan Coloured with brown strip

SDR 11 Fitting - Tan Colour

SCH 40 & 80 Pipe - Tan Colour

FEATURES

Non Corrosive | Resistance to Chemical | Tough & Reliable | Fire Safety | Easy Cold Welding Process | Prevent Bacterial Growth | Low Thermal Expansion | Life of More Than 50 Years | Unaffected by Chlorine in Water Supply.

FIELD OF APPLICATIONS

Hot and Cold Water application in : Bungalows | Apartments | Commercial Buildings | Corporate House | Hotels & Resorts | Hospitals & Academic Institutes for pure and hygienic water supply.

STANDARDS & SPECIFICATIONS

- ▶ **ASTM D 1784** : Specification for rigid CPVC Compounds
- ▶ **ASTM D 2846** : Specification for CPVC Plastic Pipes & Fittings for Hot & Cold Water Distribution Systems
- ▶ **ASTM D 493** : Specification for Solvent Cements for CPVC Plastic Pipes & Fittings
- ▶ **IS 15778:2007** : Standard for Chlorinated PVC Pipes for Potable Hot & Cold Water Distribution Supplies
- ▶ **ASTM F 441** : Specification for CPVC Plastic Pipe Schedule 40 & 80
- ▶ **ASTM F 439** : Specification for Socket-type CPVC Plastic Pipe Fitting SDR-11

FITTING ARE SUBJECT TO TESTS LIKE

Burst Pressure, Flattening, Metal part Leakage, Vicat softening temperature

**PIPES ARE
SUBJECT TO
TESTED
LIKE...**

Impact strength,
Cold & Hot water Pressure, Opacity,
Density, Reversion, Tensile strength, Flattening,
Effect on water, Vicat softening temperature

C-PVC PIPES AS PER
ASTM D 2846 (C.T.S)



N.B. Size mm	N.B. Size Inch	Code (3 mtr)	Std. Pack (3 mtr) pc/ Bundle	Code (5 mtr)	Std. Pack (5 mtr) pc/ Bundle	Rate (Mtr)
C-PVC PIPES SDR - 13.5						
15	½	CP0013	100	CP0019		63.75
20	¾	CP0014	60	CP0020	50	100.00
25	1	CP0015	50	CP0021	30	157.25
32	1¼	CP0016	30	CP0022	25	240.25
40	1½	CP0017	20	CP0023	15	332.75
50	2	CP0018	15	CP0024	10	545.50



C-PVC PIPES SCH 40 AS PER ASTM F 441						
66	2½	CP0025	5			1032.25
80	3	CP0026	3			1352.00
100	4	CP0027	3			1923.75



C-PVC PIPES SDR - 11						
15	½	CP0001	100	CP0007		73.25
20	¾	CP0002	60	CP0008	50	114.75
25	1	CP0003	50	CP0009	30	185.00
32	1¼	CP0004	30	CP0010	25	277.25
40	1½	CP0005	20	CP0011	15	397.50
50	2	CP0006	15	CP0012	10	637.75



C-PVC PIPES SCH 80 AS PER ASTM F 441						
66	2½	CP0028	5			1362.00
80	3	CP0029	3			1824.50
100	4	CP0030	3			2667.50

Technical Specification

Nominal Bore	Nominal Size	Nominal Outside Diameter	SDR - 11 Wall Thickness		Working Pressure at		SDR 13.5 Wall Thickness		Working Pressure at	
			Minimum	Maximum	27°C	82°C	Minimum	Maximum	27°C	82°C
(inch)	(mm)	(mm)	(mm)	(mm)	Kg/Cm ²		(mm)	(mm)	Kg/Cm ²	
½	15	15.9	1.7	2.2	28.10	7.0	1.4	1.9	21.80	5.5
¾	20	22.2	2.0	2.5	28.10	7.0	1.7	2.2	21.80	5.5
1	25	28.6	2.6	3.1	28.10	7.0	2.1	2.6	21.80	5.5
1¼	32	34.9	3.2	3.7	28.10	7.0	2.6	3.1	21.80	5.5
1½	40	41.3	3.8	4.3	28.10	7.0	3.1	3.6	21.80	5.5
2	50	54.0	4.9	5.5	28.10	7.0	4.0	4.6	21.80	5.5

Outer Diameter, Wall Thickness and Pressure Rating for C-PVC Pipes SDR -11 and SDR -13.5

C-PVC Pipes

C-PVC FITTINGS IN
SDR 11 AS PER
ASTM D 2846 (C.T.S)

Code	Std. Size mm	Std. Size Inch	Small Pack Bag	Box Pack pc	Rate (pc)
------	-----------------	-------------------	-------------------	----------------	--------------



COUPLER					
CF0001	20	¾	63 x 5	315	13.00
CF0002	25	1	42 x 4	168	22.25
CF0003	32	1¼	25 x 4	100	43.25
CF0004	40	1½	20 x 3	60	106.75
CF0005	50	2	16 x 2	32	224.25



ELBOW					
CF0006	20	¾	50 x 3	150	16.00
CF0007	25	1	35 x 3	105	29.50
CF0008	32	1¼	20 x 2	40	74.25
CF0009	40	1½	18 x 2	36	127.25
CF0010	50	2	18 x 1	18	277.25



TEE					
CF0011	20	¾	40 x 3	120	27.00
CF0012	25	1	24 x 3	72	43.50
CF0013	32	1¼	15 x 2	30	90.75
CF0014	40	1½	12 x 2	24	184.25
CF0015	50	2	4 x 3	12	354.00



ELBOW 45°					
CF0016	20	¾	50 x 4	200	26.50
CF0017	25	1	40 x 3	120	46.75
CF0018	32	1¼	35 x 2	70	96.00
CF0019	40	1½	20 x 2	40	144.75
CF0020	50	2	10 x 2	20	291.25



MALE THREAD ADAPTOR					
CF0021	20	¾	50 x 5	250	22.00
CF0022	25	1	42 x 4	168	34.00
CF0023	32	1¼	30 x 4	120	53.75
CF0024	40	1½	24 x 3	72	80.75
CF0025	50	2	12 x 2	24	161.50



FEMALE THREAD ADAPTOR					
CF0026	20	¾	50 x 4	200	29.50
CF0027	25	1	36 x 4	144	43.25
CF0028	32	1¼	20 x 3	60	103.00
CF0029	40	1½	16 x 3	48	144.00
CF0030	50	2	12 x 2	24	230.75



U - BEND **					
CF0130	25	1 x 75mm	16 x 2	32	207.00
CF0131	25	1 x 110mm	12 x 2	24	223.00



BRASS ELBOW					
CF0086	20 x 15	¾ x ½	50 x 3	150	67.00
CF0061	20 x 20	¾ x ¾	30 x 3	90	96.00
CF0087	25 x 15	1 x ½	35 x 3	105	120.75
CF0088	25 x 20	1 x ¾	30 x 3	90	184.00
CF0062	25 x 25	1 x 1	20 x 3	60	277.75



BRASS TEE					
CF0089	20 x 15	¾ x ½	25 x 4	100	83.75
CF0063	20 x 20	¾ x ¾	25 x 4	100	142.25
CF0090	25 x 15	1 x ½	24 x 3	72	130.50
CF0091	25 x 20	1 x ¾	20 x 3	60	202.25
CF0064	25 x 25	1 x 1	20 x 3	60	294.25

** NON ISI Products

C-PVC FITTINGS IN
SDR 11 AS PER
ASTM D 2846 (C.T.S)

Code	Std. Size mm	Std. Size Inch	Small Pack Bag	Box Pack pc	Rate (pc)
------	-----------------	-------------------	-------------------	----------------	--------------



UNION					
CF0031	20	¾	30 x 3	90	86.50
CF0032	25	1	20 x 3	60	123.00
CF0033	32	1¼	12 x 3	36	153.75
CF0034	40	1½	12 x 2	24	240.25
CF0035	50	2	8 x 2	16	432.50




REDUCER BUSH					
CF0076	25 x 20	1 x ¾	50 x 7	350	19.50
CF0077	32 x 20	1¼ x ¾	50 x 4	200	34.50
CF0078	32 x 25	1¼ x 1	50 x 4	200	28.75
CF0079	40 x 20	1½ x ¾	30 x 4	120	53.75
CF0080	40 x 25	1½ x 1	40 x 3	120	53.75
CF0081	40 x 32	1½ x 1¼	40 x 3	120	37.75
CF0082	50 x 20	2 x ¾	20 x 3	60	100.00
CF0083	50 x 25	2 x 1	20 x 3	60	79.25
CF0084	50 x 32	2 x 1¼	20 x 3	60	103.75
CF0085	50 x 40	2 x 1½	20 x 3	60	92.25



END CAP					
CF0036	20	¾	50 x 8	400	12.00
CF0037	25	1	50 x 5	250	18.00
CF0038	32	1¼	42 x 4	168	40.25
CF0039	40	1½	30 x 4	120	63.25
CF0040	50	2	16 x 3	48	128.50



BALL VALVE **					
CF0041	20	¾	56 x 1	56	173.75
CF0042	25	1	30 x 1	30	277.25
CF0043	32	1¼	20 x 1	20	542.50
CF0044	40	1½	12 x 1	12	916.25
CF0045	50	2	5 x 1	5	1446.75



PIPE STEP OVER BEND **					
CF0053	20	¾	15 x 4	60	82.00
CF0054	25	1	12 x 3	36	169.25



PIPE BEND 90° **					
CF0055	20	¾	20 x 4	80	64.75
CF0056	25	1	10 x 4	40	101.25



3 IN 1 MIXER ADAPTER ALLTOP (6")					
CF0120	20 x 15	¾ x ½	1 x 12	12	407.00

TOP AND BOTTOM (6")					
CF0122	20 x 15	¾ x ½	1 x 12	12	404.75

TOP AND SIDE (6")					
CF0121	20 x 15	¾ x ½	1 x 12	12	404.75



REDUCER MALE THREAD ADAPTOR					
CF0096	20 x 15	¾ x ½	96 x 4	384	28.50



REDUCER FEMALE THREAD ADAPTOR					
CF0097	20 x 15	¾ x ½	56 x 5	280	35.50



REDUCER ELBOW					
CF0098	25 x 20	1 x ¾	40 x 3	120	48.75

C-PVC FITTINGS IN
SDR 11 AS PER
ASTM D 2846 (C.T.S)

Code	Std. Size mm	Std. Size Inch	Small Pack Bag	Box Pack pc	Rate (pc)
BRASS MALE THREAD ADAPTOR					
CF0092	20 x 15	¾ x ½	36 x 4	144	114.00
CF0065	20 x 20	¾ x ¾	25 x 4	100	172.50
CF0093	25 x 15	1 x ½	42 x 3	126	133.75
CF0094	25 x 20	1 x ¾	30 x 4	120	234.25
CF0066	25 x 25	1 x 1	20 x 4	80	268.00



BRASS FEMALE THREAD ADAPTOR					
CF0127	20 x 15	¾ x ½	50 x 4	200	77.25
CF0071	20 x 20	¾ x ¾	25 x 4	100	138.75
CF0128	25 x 15	1 x ½	40 x 4	160	103.75
CF0129	25 x 20	1 x ¾	30 x 4	120	119.25
CF0072	25 x 25	1 x 1	30 x 4	120	184.25



TANK CONNECTOR WITH SOCKET					
CF0051	20	¾	20 x 4	80	58.00
CF0052	25	1	15 x 3	45	82.75
CF0135	32	1¼	14 x 3	42	120.00



END PLUG					
CF0073	15	½	50 x 5	250	12.75



CROSS TEE					
CF0059	20	¾	35 x 3	105	51.25
CF0060	25	1	20 x 3	60	96.00



TRANSACTION BUSH					
CF0119	20	¾	100 x 5	500	10.75
CF0134	25	1	50 x 5	250	19.75



BRASS HEXAGON ITEM

BRASS MALE THREAD ADAPTOR (HEXAGON)					
CF0133	20	¾	25 x 5	125	185.50
CF0067	25	1	20 x 4	80	338.25
CF0068	32	1¼	18 x 3	54	683.25
CF0069	40	1½	20 x 2	40	837.00
CF0070	50	2	12 x 2	24	1439.75
CF0095	20 x 15	¾ x ½	36 x 4	144	138.25



BRASS FEMALE THREAD ADAPTOR (HEXAGON)					
CF0132	20	¾	25 x 5	125	179.50
CF0123	25	1	30 x 2	60	353.50
CF0124	32	1¼	25 x 2	50	703.25
CF0125	40	1½	20 x 2	40	827.25
CF0126	50	2	11 x 2	22	1345.75



C-PVC FITTINGS IN
SDR 11 AS PER
ASTM D 2846 (C.T.S)

Code	Std. Size mm	Std. Size Inch	Small Pack Bag	Box Pack pc	Rate (pc)
TANK CONNECTOR					
CF0046	20	¾	20 x 4	80	65.50
CF0047	25	1	15 x 3	45	100.50
CF0048	32	1¼	12 x 3	36	167.50
CF0049	40	1½	12 x 2	24	242.25
CF0050	50	2	8 x 2	16	364.50



REDUCER					
CF0099	25 x 20	1 x ¾	80 x 3	240	28.75
CF0100	32 x 20	1¼ x ¾	48 x 4	192	63.75
CF0101	32 x 25	1¼ x 1	48 x 4	192	72.75
CF0102	40 x 20	1½ x ¾	35 x 3	105	107.75
CF0103	40 x 25	1½ x 1	35 x 3	105	111.75
CF0104	40 x 32	1½ x 1¼	30 x 2	60	102.00
CF0105	50 x 20	2 x ¾	24 x 2	48	249.75
CF0106	50 x 25	2 x 1	24 x 2	48	217.75
CF0107	50 x 32	2 x 1¼	24 x 2	48	226.75
CF0108	50 x 40	2 x 1½	24 x 2	48	234.25



REDUCER TEE					
CF0109	25 x 20	1 x ¾	24 x 3	72	66.75
CF0110	32 x 20	1¼ x ¾	21 x 3	63	134.50
CF0111	32 x 25	1¼ x 1	20 x 2	40	129.75
CF0112	40 x 20	1½ x ¾	12 x 3	36	207.75
CF0113	40 x 25	1½ x 1	12 x 2	24	211.25
CF0114	40 x 32	1½ x 1¼	12 x 2	24	207.75
CF0115	50 x 20	2 x ¾	10 x 2	20	415.00
CF0116	50 x 25	2 x 1	10 x 2	20	395.75
CF0117	50 x 32	2 x 1¼	10 x 2	20	346.00
CF0118	50 x 40	2 x 1½	6 x 2	12	357.25



STEP OVER BEND					
CF0057	20	¾	25 x 2	50	97.25
CF0058	25	1	20 x 2	40	150.75



CONCEALED VALVE FULL TURN					
CF0074	¾	1	1 x 12	12	902.50



CONCEALED VALVE QUARTER TURN					
CF0075	¾	1	1 x 12	12	878.50



C-PVC SOLVENT CEMENT (TUBE PACKING) **					
SO0001	25 ml		50 x 1	50	59.00



C-PVC SOLVENT CEMENT (TIN PACKING) **					
SO0002	59 ml		24 x 1	24	145.00
SO0003	118 ml		24 x 1	24	220.00
SO0004	237 ml		12 x 1	12	365.00
SO0005	473 ml		12 x 1	12	690.00



uPVC PLUMBING SYSTEM FOR COLD WATER

U-PVC

SUMOLEX uPVC ASTM Plumbing system is technically superior, cost effective and ensures uninterrupted flow of water from overhead / underground tank to toilet block, Kitchen sink or any other utility. SUMOLEX Fix-o-fit uPVC Pipes and Fittings are Lead Free and hence non toxic, easy to install and are made for life time trouble free service.

SUMOLEX uPVC material conform to ASTM Cell Classification 12454-B of ASTM D 1784 (formally designated as Type I, Grade I). The maximum recommended service temperature of PVC is 60°C (140°F).

PRODUCT RANGE

- ▶ **PIPES** : Schedule 40 & Schedule 80 - from 15mm (1/2") to 100mm (4") as per ASTM D 1785
- ▶ **FITTING** : Schedule 80 - From 15mm (1/2") to 50mm (2") as per ASTM D 2467

MARKING & UNIFORMITY

Pipes and Fittings made from uPVC Compound are clearly marked with the Manufacturers trademark, material designation and applicable ASTM standard.

- ▶ **SCH 40 Pipe** - White coloured with blue stripe
- ▶ **SCH 80 Pipe** - White coloured with red stripe
- ▶ **SCH 80 Fittings** - White colour

FEATURES

Strong & Light Weight | Easy & Leak Proof Joint | Fire Resistant | High Impact strength | UV Stabilized | Resistance to chemicals | Cost Effective | Safe for Potable Water | More Pressure bearing capacity.

FIELD OF APPLICATIONS

DOMESTIC : Cold Water Plumbing application in homes, office, hotels, residential, complexes, commercial complexes etc. Pipes for hand pumps.

STANDARDS & SPECIFICATIONS

- ▶ **ASTM D1784** : Specification for Rigid PVC Compounds
- ▶ **ASTM D 2467** : Socket Type PVC Plastic Fittings, SCH 80.
- ▶ **ASTM D2564** : Solvent Cements for Plastic Pipes & Fitting.
- ▶ **ASTM D2774** : Underground Installation of Thermoplastic Pipe.

INDUSTRIAL

Industrial Process lines, R.O. (Reverse Osmosis) Water Purifier plants, Salt water lines, Aggressive corrosive fluid transportation, sugar, paper and Distillery Industries, Coal washing and ash handling.

FITTING ARE SUBJECT TO TESTS LIKE

Burst Pressure, Flattening, Metal part Leakage

OTHERS

Swimming pools, Water Distribution Mains.

**PIPES ARE
SUBJECT TO
TESTED
LIKE...**

Burst Pressure,
Flattening,
Impact strength

U-PVC PIPES AS PER
ASTM D 1785

N.B. Size mm	N.B. Size Inch	Code (3 mtr)	Std. Pack (3 mtr) pc/ Bundle	Code (6 mtr)	Std. Pack (6 mtr) pc/ Bundle	Rate (Mtr)
-----------------	-------------------	-----------------	------------------------------------	-----------------	------------------------------------	---------------



U-PVC PLUMBING PIPES AS PER SCH 40

15	½	UP0001	50	UP0010	30	53.00
20	¾	UP0002	40	UP0011	25	67.25
25	1	UP0003	30	UP0012	20	99.00
32	1¼	UP0004	20	UP0013	15	142.50
40	1½	UP0005	15	UP0014	10	168.00
50	2	UP0006	10	UP0015	10	215.50
65	2½	UP0007	5	UP0016	5	375.25
80	3	UP0008	3	UP0017	3	491.50
100	4	UP0009	3	UP0018	3	699.25



U-PVC PLUMBING PIPES AS PER SCH 80

15	½	UP0019	50	UP0028	30	63.25
20	¾	UP0020	40	UP0029	25	88.50
25	1	UP0021	30	UP0030	20	124.75
32	1¼	UP0022	20	UP0031	15	179.00
40	1½	UP0023	15	UP0032	10	215.50
50	2	UP0024	10	UP0033	10	288.50
65	2½	UP0025	5	UP0034	5	495.25
80	3	UP0026	3	UP0035	3	663.25
100	4	UP0027	3	UP0036	3	969.75

Technical Specification

Nominal Bore	Outside Diameter	SCH - 40			SCH - 80		
		Wall Thickness	Working Pressure		Wall Thickness	Working Pressure	
(inch)	(mm)	(mm)	Mpa	Psi	(mm)	Mpa	Psi
½	21.34 ± 0.10	2.77 + 0.51	4.14	600	3.73 + 0.51	5.86	850
¾	26.67 ± 0.10	2.87 + 0.51	3.31	480	3.91 + 0.51	4.76	690
1	33.40 ± 0.13	3.38 + 0.51	3.10	450	4.55 + 0.53	4.34	630
1¼	42.16 ± 0.13	3.56 + 0.51	2.55	370	4.85 + 0.58	3.59	520
1½	48.26 ± 0.15	3.68 + 0.51	2.28	330	5.08 + 0.61	3.24	470
2	60.32 ± 0.15	3.91 + 0.51	1.93	280	5.54 + 0.66	2.76	400
2½	73.02 ± 0.18	5.16 + 0.61	2.07	300	7.01 + 0.84	2.90	420
3	88.90 ± 0.20	5.49 + 0.66	1.79	260	7.62 + 0.91	2.55	370
4	114.30 ± 0.23	6.02 + 0.71	1.52	220	8.56 + 1.02	2.21	320

Outer Diameter, Wall Thickness and Pressure Rating for U-PVC Pipes SCH - 40 and SCH - 80

u-PVC Pipes

U-PVC FITTINGS
AS PER
ASTM D 2467 SCH80

Code	Std. Size mm	Std. Size Inch	Small Pack Bag	Box Pack pc	Rate (pc)
------	-----------------	-------------------	-------------------	----------------	--------------



COUPLER					
UF0001	15	1/2	60 x 9	540	7.25
UF0002	20	3/4	40 x 8	320	11.00
UF0003	25	1	30 x 6	180	18.50
UF0004	32	1 1/4	20 x 5	100	28.25
UF0005	40	1 1/2	20 x 5	100	36.25
UF0006	50	2	12 x 4	48	51.25



ELBOW					
UF0007	15	1/2	50 x 5	250	10.50
UF0008	20	3/4	40 x 5	200	17.50
UF0009	25	1	24 x 4	96	23.75
UF0010	32	1 1/4	18 x 3	54	44.75
UF0011	40	1 1/2	15 x 3	45	58.25
UF0012	50	2	4 x 6	24	78.75



EQUAL TEE					
UF0013	15	1/2	36 x 5	180	15.00
UF0014	20	3/4	27 x 5	135	21.25
UF0015	25	1	25 x 3	75	33.50
UF0016	32	1 1/4	12 x 3	36	58.50
UF0017	40	1 1/2	12 x 3	36	76.25
UF0018	50	2	8 x 2	16	118.00



MALE THREAD ADAPTOR					
UF0019	15	1/2	90 x 3	270	5.50
UF0020	20	3/4	73 x 2	146	9.50
UF0021	25	1	55 x 4	220	15.75
UF0022	32	1 1/4	35 x 5	175	22.75
UF0023	40	1 1/2	30 x 4	120	31.00
UF0024	50	2	24 x 4	96	43.50



FEMALE THREAD ADAPTOR					
UF0025	15	1/2	50 x 10	500	7.00
UF0026	20	3/4	50 x 5	250	11.25
UF0027	25	1	36 x 5	180	19.00
UF0028	32	1 1/4	25 x 4	100	27.75
UF0029	40	1 1/2	16 x 4	64	35.75
UF0030	50	2	12 x 4	48	50.25



THREAD ELBOW					
UF0031	15	1/2	50 x 2	100	12.50



THREAD TEE					
UF0032	15	1/2	40 x 2	80	16.50



BRASS ELBOW					
UF0078	15 x 15	1/2 x 1/2	35 x 2	70	54.50
UF0136	20 x 15	3/4 x 1/2	35 x 2	70	56.50
UF0079	20 x 20	3/4 x 3/4	25 x 2	50	84.75
UF0137	25 x 15	1 x 1/2	16 x 2	32	66.00
UF0138	25 x 20	1 x 3/4	20 x 2	40	91.00
UF0080	25 x 25	1 x 1	12 x 2	24	116.00



BRASS TEE					
UF0081	15 x 15	1/2 x 1/2	25 x 2	50	63.50
UF0139	20 x 15	3/4 x 1/2	21 x 2	42	69.75
UF0082	20 x 20	3/4 x 3/4	21 x 2	42	88.75
UF0140	25 x 15	1 x 1/2	16 x 2	32	86.75
UF0141	25 x 20	1 x 3/4	14 x 2	28	111.25
UF0083	25 x 25	1 x 1	10 x 2	20	120.75

U-PVC FITTINGS
AS PER
ASTM D 2467 SCH 80

Code	Std. Size mm	Std. Size Inch	Small Pack Bag	Box Pack pc	Rate (pc)
------	-----------------	-------------------	-------------------	----------------	--------------



END CAP					
UF0033	15	1/2	50 x 10	500	6.25
UF0034	20	3/4	50 x 8	400	9.00
UF0035	25	1	42 x 7	294	14.50
UF0036	32	1 1/4	25 x 7	175	21.25
UF0037	40	1 1/2	25 x 6	150	26.00
UF0038	50	2	16 x 5	80	39.25



TANK CONNECTOR					
UF0045	15	1/2	28 x 3	84	23.75
UF0046	20	3/4	20 x 2	40	26.75
UF0047	25	1	15 x 7	105	40.50
UF0048	32	1 1/4	15 x 4	60	69.25
UF0049	40	1 1/2	12 x 4	48	84.75
UF0050	50	2	8 x 3	24	110.00



TANK CONNECTOR (PIPE)					
UF0051	15	1/2	50 x 4	200	32.75
UF0052	20	3/4	50 x 3	150	41.75
UF0053	25	1	30 x 3	90	55.00
UF0150	32	1 1/4	15 x 3	45	86.00
UF0151	40	1 1/2	12 x 3	36	102.75
UF0152	50	2			




UNION					
UF0039	15	1/2	24 x 2	48	26.50
UF0040	20	3/4	20 x 2	40	35.75
UF0041	25	1	18 x 4	72	55.75
UF0042	32	1 1/4	15 x 4	60	77.75
UF0043	40	1 1/2	9 x 3	27	117.00
UF0044	50	2	6 x 3	18	175.50



BALL VALVE					
UF0054	15	1/2	1 x 108	108	68.00
UF0055	20	3/4	1 x 56	56	108.75
UF0056	25	1	1 x 30	30	135.75
UF0057	32	1 1/4	1 x 20	20	226.25
UF0058	40	1 1/2	1 x 12	12	282.75
UF0059	50	2	1 x 5	5	520.50



ELBOW 45°					
UF0060	15	1/2	50 x 5	250	11.50
UF0061	20	3/4	50 x 4	200	16.25
UF0062	25	1	30 x 4	120	27.25
UF0063	32	1 1/4	12 x 6	72	37.25
UF0064	40	1 1/2	8 x 6	48	50.00
UF0065	50	2	5 x 6	30	78.75



PIPE STEP OVER BEND					
UF0072	15	1/2	20 x 6	120	43.75
UF0073	20	3/4	15 x 5	75	66.00
UF0074	25	1	10 x 4	40	100.00



PIPE BEND 90°					
UF0075	15	1/2	20 x 7	140	25.25
UF0076	20	3/4	15 x 6	90	36.75
UF0077	25	1	10 x 5	50	58.00



END PLUG					
UF0066	15	1/2	50 x 8	400	6.72

U-PVC FITTINGS
AS PER
ASTM D 2467 SCH80

Code	Std. Size mm	Std. Size Inch	Small Pack Bag	Box Pack pc	Rate (pc)
------	-----------------	-------------------	-------------------	----------------	--------------



BRASS MALE THREAD ADAPTOR

UF0084	15 x 15	1/2 x 1/2	50 x 2	100	78.00
UF0142	20 x 15	3/4 x 1/2	45 x 2	90	92.00
UF0085	20 x 20	3/4 x 3/4	35 x 3	105	112.00
UF0143	25 x 15	1 x 1/2	24 x 2	48	94.25
UF0144	25 x 20	1 x 3/4	25 x 2	50	114.50
UF0086	25 x 25	1 x 1	20 x 2	40	156.75
UF0087	32 x 32	1 1/4 x 1 1/4	16 x 2	32	332.00
UF0088	40 x 40	1 1/2 x 1 1/2	12 x 1	12	442.75
UF0089	50 x 50	2 x 2	9 x 1	9	640.25



BRASS FEMALE THREAD ADAPTOR

UF0090	15 x 15	1/2 x 1/2	40 x 3	120	58.50
UF0145	20 x 15	3/4 x 1/2	45 x 2	90	63.00
UF0091	20 x 20	3/4 x 3/4	45 x 2	90	80.25
UF0146	25 x 15	1 x 1/2	28 x 2	56	65.50
UF0147	25 x 20	1 x 3/4	15 x 4	60	92.75
UF0092	25 x 25	1 x 1	25 x 2	50	112.00
UF0093	32 x 32	1 1/4 x 1 1/4	20 x 2	40	246.00
UF0094	40 x 40	1 1/2 x 1 1/2	16 x 1	16	336.25
UF0095	50 x 50	2 x 2	9 x 1	9	473.75



CROSS TEE

UF0070	20 x 15	3/4	25 x 4	100	28.25
UF0071	25 x 15	1	20 x 3	60	51.50



TANK CONNECTOR WITH SOCKET

UF0067	15	1/2	20 x 4	80	21.00
UF0068	20	3/4	25 x 2	50	26.50
UF0069	25	1	15 x 7	105	40.50



U-PVC SOLVENT CEMENT (TUBE PACKING)

SO0006	25 ml		50 x 1	50	44.00
--------	-------	--	--------	----	-------



U-PVC SOLVENT CEMENT (TIN PACKING)

SO0007	59 ml		24 x 1	24	110.00
SO0008	118 ml		24 x 1	24	170.00
SO0009	237 ml		12 x 1	12	266.00
SO0010	473 ml		12 x 1	12	490.00



CONCEALED VALVE FULL TURN / QUARTER TURN

UF0148	-	1/2	1 x 20	20	679.25
UF0149	-	1/2	1 x 20	20	656.75

U-PVC FITTINGS
AS PER
ASTM D 2467 SCH 80

Code	Std. Size mm	Std. Size Inch	Small Pack Bag	Box Pack pc	Rate (pc)
------	-----------------	-------------------	-------------------	----------------	--------------



REDUCER

UF0096	20 x 15	3/4 x 1/2	50 x 5	250	10.50
UF0097	25 x 15	1 x 1/2	49 x 4	196	16.25
UF0098	25 x 20	1 x 3/4	42 x 4	168	17.25
UF0099	32 x 25	1 1/4 x 1	20 x 6	120	26.25
UF0100	40 x 25	1 1/2 x 1	30 x 5	150	33.75
UF0101	50 x 25	2 x 1	20 x 4	80	48.00
UF0102	50 x 40	2 x 1 1/2	20 x 4	80	55.00



REDUCER BUSH

UF0103	20 x 15	3/4 x 1/2	50 x 4	200	3.75
UF0104	25 x 15	1 x 1/2	50 x 8	400	9.75
UF0105	25 x 20	1 x 3/4	50 x 8	400	6.50
UF0106	32 x 15	1 1/4 x 1/2	50 x 4	200	16.50
UF0107	32 x 20	1 1/4 x 3/4	50 x 4	200	16.50
UF0108	32 x 25	1 1/4 x 1	50 x 4	200	11.50
UF0109	40 x 15	1 1/2 x 1/2	30 x 5	150	19.25
UF0110	40 x 20	1 1/2 x 3/4	30 x 5	150	22.75
UF0111	40 x 25	1 1/2 x 1	25 x 7	175	22.25
UF0112	40 x 32	1 1/2 x 1 1/4	30 x 5	150	12.25
UF0113	50 x 15	2 x 1/2	16 x 2	32	35.25
UF0114	50 x 20	2 x 3/4	16 x 2	32	37.50
UF0115	50 x 25	2 x 1	16 x 2	32	38.75
UF0116	50 x 32	2 x 1 1/4	16 x 2	32	37.00
UF0117	50 x 40	2 x 1 1/2	16 x 2	32	29.00



REDUCER ELBOW (P)

UF0133	20 x 15	3/4 x 1/2	50 x 4	200	15.75
UF0134	25 x 15	1 x 1/2	40 x 3	120	21.75
UF0135	25 x 20	1 x 3/4	30 x 4	120	24.75



REDUCER TEE

UF0118	20 x 15	3/4 x 1/2	32 x 5	160	20.00
UF0119	25 x 15	1 x 1/2	24 x 4	96	30.25
UF0120	25 x 20	1 x 3/4	21 x 4	84	31.00
UF0121	32 x 15	1 1/4 x 1/2	15 x 4	60	51.00
UF0122	32 x 20	1 1/4 x 3/4	15 x 3	45	54.50
UF0123	32 x 25	1 1/4 x 1	15 x 3	45	54.00
UF0124	40 x 15	1 1/2 x 1/2	12 x 4	48	64.75
UF0125	40 x 20	1 1/2 x 3/4	12 x 3	36	65.50
UF0126	40 x 25	1 1/2 x 1	12 x 3	36	74.50
UF0127	40 x 32	1 1/2 x 1 1/4	12 x 3	36	73.25
UF0128	50 x 15	2 x 1/2	12 x 3	36	72.75
UF0129	50 x 20	2 x 3/4	12 x 3	36	72.00
UF0130	50 x 25	2 x 1	8 x 3	24	118.50
UF0131	50 x 32	2 x 1 1/4	8 x 2	16	117.50
UF0132	50 x 40	2 x 1 1/2	8 x 2	16	122.50

SWR SYSTEM FOR SOIL WASTE & RAIN WATER

SWR

SUMOLEX a SWR drainage System for Soil, Waste and Rain water. It is a unique system that is joined together by simply pushing the spigot into socket end. The spigot end is held strongly in the socket by the Co-moulded Yellow rubber ring provided in the groove. This Co-moulded ring ensures leak proof joints that can withstand high pressure, prevent chocking and allows thermal expansion and contraction. This system thus does not require to paste or to thread.

PRODUCT RANGE

RING FIT PIPES & FITTING

- ▶ **PIPES** : Available Sizes - 75mm, 90mm, 110mm, 160mm (Type A & Type B)
Available Sizes - 75mm x 2.5kg., 90mm x 2.5kg., 110mm x 2.5kg., 160mm 2.5kg.
- ▶ **FITTING** : Available Sizes - 75mm, 90mm, 110mm, 160mm.

PESTING FIT PIPES & FITTING

- ▶ **PIPES** : Available Sizes - 40mm, 50mm, 63mm, 75mm, 90mm, 110mm, 160mm (Type A & Type B)
Available Sizes - 63mm x 2.5kg., 75mm x 2.5kg., 90mm x 2.5kg., 110mm x 2.5kg., 160mm 2.5kg.
- ▶ **FITTING** : Available Sizes - 63mm, 75mm, 90mm, 110mm, 160mm.

FEATURES

Non Corrosive | High Flow Rates - No chocking | Leak proof joints | High Chemical Resistance | UV Stabilized | Quick & Convenient to Install
Cost Effective | Elegant | Stronger, Resilient and Longer Lasting.

FIELD OF APPLICATIONS

Drain and Sewer System in : Bungalows | Apartments | Commercial Buildings | Corporate Houses | Hotels & Resorts | Hospitals & Academic Institutes | Industries.

STANDARDS & SPECIFICATIONS

- ▶ **IS:13592** : Specification for unplasticized PVC Pipes for Soil and Waste Discharge System for inside and outside Building including Ventilation and Rain water System.
- ▶ **IS:14735** : Specification for unplasticized PVC Injection Moulded Fittings for Soil and Water Discharge System for inside and outside Building including Ventilation and Rain water System.


FITTING ARE SUBJECT TO TESTS LIKE

Stress relief test, Sulphate ash content, Impact test (Drop test), Water tightness of joint, Vicat softening temperature, Resistance to H₂SO₄
Tensile strength, Effect of sunlight, Axial shrinkage, TiO₂ Content, Effect on Water test

PIPES ARE SUBJECT TO TESTED LIKE...

Reversion, Stress relief test, Impact strength,
Tensile strength, Axial shrinkage, Water tightness of joint,
Vicat softening temperature, Effect of sunlight,
Resistance to dichloromethane, near,
specified temperature, Effect on Water test

Code	Std. Size mm	Std. Size Inch	Meters	Rate
------	-----------------	-------------------	--------	------



SINGLE SOCKET TYPE - A

RP0001	75 MM	2½	3 mtr. (10 ft.)	421.50
RP0002	90 MM	3	3 mtr. (10 ft.)	556.50
RP0003	110 MM	4	3 mtr. (10 ft.)	725.25
RP0004	160 MM	6	3 mtr. (10 ft.)	1884.00
RP0039	75 MM	2½	1.80 mtr. (6 ft.)	265.00
RP0040	110 MM	4	1.80 mtr. (6 ft.)	530.50

DOUBLE SOCKET TYPE - A

RP0005	75 MM	2½	3 mtr. (10 ft.)	420.00
RP0006	90 MM	3	3 mtr. (10 ft.)	593.25
RP0007	110 MM	4	3 mtr. (10 ft.)	831.75
RP0008	75 MM	2½	1.80 mtr. (6 ft.)	283.50
RP0009	90 MM	3	1.80 mtr. (6 ft.)	368.25
RP0010	110 MM	4	1.80 mtr. (6 ft.)	546.25
RP0011	75 MM	2½	1.20 mtr. (4 ft.)	200.75
RP0012	90 MM	3	1.20 mtr. (4 ft.)	257.75
RP0013	110 MM	4	1.20 mtr. (4 ft.)	395.50
RP0014	75 MM	2½	0.90 mtr. (3 ft.)	167.00
RP0015	90 MM	3	0.90 mtr. (3 ft.)	197.50
RP0016	110 MM	4	0.90 mtr. (3 ft.)	318.25
RP0017	75 MM	2½	0.60 mtr. (2 ft.)	113.50
RP0018	110 MM	4	0.60 mtr. (2 ft.)	241.00



SINGLE SOCKET TYPE - B

RP0021	75 MM	2½	3 mtr. (10 ft.)	764.25
RP0022	90 MM	3	3 mtr. (10 ft.)	946.50
RP0023	110 MM	4	3 mtr. (10 ft.)	1242.75
RP0024	160 MM	6	3 mtr. (10 ft.)	2478.75

DOUBLE SOCKET TYPE - B

RP0025	75 MM	2½	3 mtr. (10 ft.)	800.25
RP0026	90 MM	3	3 mtr. (10 ft.)	988.50
RP0027	110 MM	4	3 mtr. (10 ft.)	1248.00
RP0028	75 MM	2½	1.80 mtr. (6 ft.)	519.25
RP0029	90 MM	3	1.80 mtr. (6 ft.)	598.50
RP0030	110 MM	4	1.80 mtr. (6 ft.)	803.25
RP0031	75 MM	2½	1.20 mtr. (4 ft.)	364.50
RP0032	90 MM	3	1.20 mtr. (4 ft.)	407.25
RP0033	110 MM	4	1.20 mtr. (4 ft.)	571.50
RP0034	75 MM	2½	0.90 mtr. (3 ft.)	296.50
RP0035	90 MM	3	0.90 mtr. (3 ft.)	311.50
RP0036	110 MM	4	0.90 mtr. (3 ft.)	463.25
RP0037	75 MM	2½	0.60 mtr. (2 ft.)	221.00
RP0038	110 MM	4	0.60 mtr. (2 ft.)	342.75

2.5 KG./CM2 SINGLE SOCKET COMM. TYPE A

RP0019	75 MM	2½	3 mtr. (10 ft.)	312.00
RP0041	90 MM	3	3 mtr. (10 ft.)	488.25
RP0020	110 MM	4	3 mtr. (10 ft.)	574.50
RP0042	160 MM	6	3 mtr. (10 ft.)	1251.75

	Code	Std. Size mm	Std. Size Inch	Packing	Rate (Pc.)
	BEND 87.5°				
	RF0001	75	2½	88	80.25
	RF0002	90	3	54	113.25
	RF0003	110	4	36	149.75
	RF0066	160	6	12	417.00
	DOOR BEND 87.5°				
	RF0004	75	2½	80	102.75
	RF0005	90	3	46	140.75
	RF0006	110	4	30	199.50
	RF0059	160	6	10	476.00
	SHOE BEND 45°				
	RF0007	75	2½	120	71.25
	RF0008	90	3	65	106.75
	RF0009	110	4	40	141.25
	RF0060	160	6	15	369.75
	SINGLE TEE				
	RF0010	75	2½	60	120.25
	RF0011	90	3	32	169.50
	RF0012	110	4	24	201.00
	RF0061	160	6	8	618.00
	SINGLE TEE WITH DOOR				
	RF0013	75	2½	48	140.50
	RF0014	90	3	30	200.50
	RF0015	110	4	20	272.50
	RF0065	160	6	7	717.75
	REDUCER				
	RF0045	110 x 75	4 x 2½	60	106.50
	RF0046	110 x 90	4 x 3	40	101.75
	RF0063	160 x 90	6 x 3	22	255.50
	RF0064	160 x 110	6 x 4	22	261.75
	REDUCING TEE				
	RF0047	110 x 75	4 x 2½	26	196.25
	RF0048	110 x 90	4 x 3	---	---
	RF0057	160 x 110	6 x 4	9	528.50
	REDUCING TEE (WD)				
	RF0049	110 x 75	4 x 2½	22	246.00
	RF0077	160 x 110	6 x 4	8	642.00
	VENT COWL				
	RF0067	63	2	480	16.50
	RF0031	75	2½	364	19.50
	RF0032	90	3	300	24.75
	RF0033	110	4	140	33.25
	DOOR				
	RF0034	75	2½	128	28.25
	RF0035	90	3	100	30.50
	RF0036	110	4	75	39.00
	MULTI FLOOR TRAP W/O JALI				
	RF0054	110 x 75	4 x 2½	43	192.75
	SOCKET PLUG				
	RF0075	75	2½	200	29.75
	RF0076	110	4	85	58.00

	Code	Std. Size mm	Std. Size Inch	Packing	Rate (Pc.)
	DOUBLE TEE				
	RF0016	75	2½	22	186.50
	RF0017	90	3	25	257.25
	RF0018	110	4	14	295.75
	DOUBLE TEE WITH DOOR				
	RF0069	75	2½	---	---
	RF0070	110	4	---	---
	SINGLE Y				
	RF0019	75	2½	30	152.00
	RF0020	90	3	32	221.75
	RF0021	110	4	18	279.25
	SINGLE Y WITH DOOR				
	RF0022	75	2½	24	186.50
	RF0023	90	3	28	314.50
	RF0024	110	4	16	342.50
	COUPLER				
	RF0025	75	2½	90	66.50
	RF0026	90	3	92	92.75
	RF0027	110	4	55	109.25
	RF0062	160	6	21	286.25
	CLEANSING PIPE				
	RF0028	75	2½	46	119.25
	RF0029	90	3	27	169.50
	RF0030	110	4	32	258.00
	CO-MOULDED RUBBER RING				
	RF0037	75	2½	100	13.00
	RF0038	90	3	100	17.25
	RF0039	110	4	100	20.00
	RF0040	160	6	75	50.50
	NAHANI TRAP WITHOUT JALI - S.P.				
	RF0058	110 x 63	4 x 2	58	134.75
	RF0072	110 x 75	4 x 2½	58	110.00
	RF0073	110 x 90	4 x 3	50	116.75
	RF0074	110 x 110	4 x 4	40	133.00
	NAHANI TRAP WITHOUT JALI - HEAVY				
	RF0051	110 x 75	4 x 2½	55	134.00
	RF0052	110 x 90	4 x 3	48	146.50
	RF0053	110 x 110	4 x 4	38	172.75
	ROUND JALI				
	RF0041	110	4	310	22.75
	P TRAP				
	RF0055	110 x 110	4 x 4	16	286.00
	RF0056	125 x 110	4½ x 4	15	317.75
	PIPE CLIP				
	RF0042	75	2½	480	23.00
	RF0043	90	3	---	---
	RF0044	110	4	260	29.75
	BELL MOUTH TRAP				
	RF0068	---	---	12	494.50



Code	Std. Size mm	Std. Size Inch	Meters	Rate
------	--------------	----------------	--------	------

SINGLE SOCKET TYPE - A ISI

PP0001	40 MM	1 ¼"	3 mtr. (10 ft.)	258.00
PP0002	50 MM	1 ½"	3 mtr. (10 ft.)	323.25
PP0003	63 MM	2"	3 mtr. (10 ft.)	354.75
PP0004	75 MM	2 ½"	3 mtr. (10 ft.)	362.25
PP0005	90 MM	3"	3 mtr. (10 ft.)	559.50
PP0006	110 MM	4"	3 mtr. (10 ft.)	735.00
PP0007	160 MM	6"	3 mtr. (10 ft.)	1824.00
PP0008	40 MM	1 ¼"	6 mtr. (20 ft.)	516.00
PP0009	50 MM	1 ½"	6 mtr. (20 ft.)	646.50
PP0010	63 MM	2"	6 mtr. (20 ft.)	709.50
PP0011	75 MM	2 ½"	6 mtr. (20 ft.)	724.50
PP0012	90 MM	3"	6 mtr. (20 ft.)	1119.00
PP0013	110 MM	4"	6 mtr. (20 ft.)	1470.00
PP0014	160 MM	6"	6 mtr. (20 ft.)	3648.00

2.5 KG / CM2 SINGLE SOCKET COMM. TYPE - A

PP0031	63 MM	2"	3 mtr. (10 ft.)	245.25
PP0032	75 MM	2 ½"	3 mtr. (10 ft.)	300.00
PP0033	90 MM	3"	3 mtr. (10 ft.)	456.00
PP0034	110 MM	4"	3 mtr. (10 ft.)	548.25
PP0030	160 MM	6"	3 mtr. (10 ft.)	1366.50



SINGLE SOCKET TYPE - B ISI

PP0015	40 MM	1 ¼"	3 mtr. (10 ft.)	441.00
PP0016	50 MM	1 ½"	3 mtr. (10 ft.)	548.25
PP0017	63 MM	2"	3 mtr. (10 ft.)	677.25
PP0018	75 MM	2 ½"	3 mtr. (10 ft.)	753.00
PP0019	90 MM	3"	3 mtr. (10 ft.)	849.75
PP0020	110 MM	4"	3 mtr. (10 ft.)	1194.00
PP0021	160 MM	6"	3 mtr. (10 ft.)	2322.75
PP0022	40 MM	1 ¼"	6 mtr. (20 ft.)	882.00
PP0023	50 MM	1 ½"	6 mtr. (20 ft.)	1096.50
PP0024	63 MM	2"	6 mtr. (20 ft.)	1354.50
PP0025	75 MM	2 ½"	6 mtr. (20 ft.)	1506.00
PP0026	90 MM	3"	6 mtr. (20 ft.)	1699.50
PP0027	110 MM	4"	6 mtr. (20 ft.)	2388.00
PP0028	160 MM	6"	6 mtr. (20 ft.)	4645.50

2.5 KG / CM2 SINGLE SOCKET COMM. TYPE - A

PP0035	63 MM	2"	6 mtr. (20 ft.)	490.50
PP0036	75 MM	2 ½"	6 mtr. (20 ft.)	600.00
PP0037	90 MM	3"	6 mtr. (20 ft.)	912.00
PP0038	110 MM	4"	6 mtr. (20 ft.)	1096.00
PP0029	160 MM	6"	6 mtr. (20 ft.)	2733.00

	Code	Std. Size mm	Std. Size Inch	Packing	Rate (Pc.)
	SINGLE Y WITH DOOR				
	PF0019	75	2½	45	138.50
	PF0020	90	3	30	232.75
	PF0021	110	4	20	270.25
	COUPLER				
	PF0022	75	2½	120	44.00
	PF0023	90	3		
	PF0024	110	4	72	78.000
	PF0038	160	6	24	219.00
	CLEANSING PIPE				
	Pf0025	75	2½	48	96.75
	PF0026	90	3		
	PF0027	110	4	30	195.50
	REDUCING TEE				
	PF0028	110 x 75	4 x 2½	30	180.50
	PF0029	110 x 90	4 x 3		
	PF0039	160 x 110	6 x 4	9	525.50
	REDUCING TEE WITH DOOR				
	PF0030	110 x 75	4 x 2½	26	221.25
	PF0031	160 x 110	6 x 4	8	596.00
	REDUCER				
	PF0040	160 x 90	6 x 3	22	230.00
	PF0041	160 x 110	6 x 4	22	242.50

[illegible]

U-PVC PIPES AS PER
ASTM D 1785



N.B. Size mm	N.B. Size Inch	Code (3 mtr)	Std. Pack (3 mtr) pc/ Bundle	Code (6 mtr)	Std. Pack (6 mtr) pc/ Bundle	Rate (Mtr)
SUMOLIGHT PLUMBING PIPES AS PER SCH 40						
15	1/2	SLP001	50	SLP004	30	43.50
20	3/4	SLP002	40	SLP005	25	56.00
25	1	SLP003	30	SLP006	20	81.00
32	1 1/4	SLP022	20	SLP023	15	122.75
40	1 1/2	SLP014	15	SLP015	10	157.50
50	2	SLP018	10	SLP019	10	185.75



SUMOLIGHT PLUMBING PIPES AS PER SCH 80						
15	1/2	SLP007	50	SLP010	30	53.00
20	3/4	SLP008	40	SLP011	25	71.50
25	1	SLP009	30	SLP012	20	102.75
32	1 1/4	SLP013	20	-	15	154.25
40	1 1/2	SLP016	15	SLP017	10	185.75
50	2	SLP020	10	SLP021	10	248.75

SUMOLIGHT PIPES & FITTING

Code	Std. Size mm	Std. Size Inch	Packing	Rate (Pc.)
------	-----------------	-------------------	---------	------------



SUMOLIGHT ELBOW				
SF0001	63	2	220	24.75
SF0002	75	2 1/2	140	33.25
SF0003	90	3	85	48.25
SF0004	110	4	45	76.25



SUMOLIGHT COUPLER				
SF0005	63	2	240	18.25
SF0006	75	2 1/2	246	22.25
SF0007	90	3	145	36.50
SF0008	110	4	76	65.75

Code	Std. Size mm	Std. Size Inch	Packing	Rate (Pc.)
------	-----------------	-------------------	---------	------------



SUMOLIGHT TEE				
SF0009	63	2	152	34.25
SF0010	75	2 1/2	103	42.50
SF0011	90	3	60	59.75
SF0012	110	4	30	101.00

Features of Sumolex **COLUMN**

Pvc Pipe Joint System With Coupler And A Quality Solvent Cement Lock For Extra Pump Safety

Solvent Cement Lock : for your pump safety) The couplers are fitted on the pipe sizes from 33mm OD (1") up to 100mm OD (4"). The coupler are locked with a special quality solvent cement to ensure that during installation and removal of pumps, the coupler dies not come out, result in pipes slippage. The Solvent cement lock system with the unique design made only by Sumolex Pipes is a new development adding value to the product.

MANUFACTURING PROCESS

Sumolex uses the latest extrusion technology and quality control procedures and has a fully equipped laboratory, ensuring the best quality of pipes and perfect inner/outer dimension. The Solvent Cement Lock mechanism is an in-house development by Sumolex R and D team, which is a constant endeavour to always be first and best.

SPECIAL FORMULATION

Sumolex pipes are made with specially designed formulation so that pipes are capable of handling both internal hydro static pressure as well as vertical tensile load due to the column water and pump weight. The special formulation ensures that the threads do not get drittle and break or chip even after loosening and tightening several times during its life span. Special raw materials are processed and used in combination with the latest extrusion technology to make these pipes.

DUAL FUNCTION OF SUMOLEX DROP/ RISER PIPE

Sumolex Drop / Riser pipes have a dual function to perform. On one hand it has to withstand the pump delivery hydro static pressure which is maximum in the first pipe connected to the pump and may be as high as 45kg/cm² and on the other hand, the top most pipe bears the load of the entire column filled with water and pump which may range to 2 tons. This dual type of loading application makes this product unique and requires special manufacturing techniques which is available only with sumolex.

ADVANTAGES OF SUMOLEX uPVC

Long life, Power saver, Light in weight, 10 to 30% extra water, Easy installation No electrolytic deposition, Cost saver, No rusting or corrosion

BENEFITS

Long Life, Non Corrosive, Lightweight, Easy to Install, Continuous Flow, Less Electricity Cost, Resistance to Chemical, Prevent Bacterial Growth, Non Conductor to Heat-electricity, Non Toxic

FIELD OF APPLICATIONS

Drinking Water Supply., Lifting Water For Agriculture., Obtain Water Through Pumps., Industrial Disposal of Chemical Efficient, Transportation of Aggressive Fluids Chemical And Acid.

BEST

Alternative to Galvanized, M.S. & HDPE Pipes

**PIPES ARE
SUBJECT TO
TESTED
LIKE...**

Impact strength, Tensile strength
Pressure Test, Joint Leakage Test



Code	Std. Size Inch	NAME	PRESSURE KG / CM	Packing	Rate
COLUMN PIPE					
CLP0001	1	V4 12.5 Light Duty	12.5KG	30	275.25
CLP0002	1	V4 15 Light Plus	15 KG	30	301.50
CLP0003	1	Medium Duty	21 KG	25	403.00
CLP0004	1	Standard Duty	30 KG	25	555.50
CLP0005	1¼	V4 12.5 Light Duty	12.5 KG	25	400.25
CLP0006	1¼	V4 15 Light Plus	15 KG	25	453.00
CLP0007	1¼	Medium Duty	21 KG	25	526.75
CLP0008	1¼	Standard Duty	25 KG	25	621.75
CLP0009	1¼	Heavy Duty	35 KG	15	794.50
CLP0010	1½	V4 15 Light Plus	15 KG	20	549.00
CLP0011	1½	Medium Duty	21 KG	20	683.50
CLP0012	1½	Standard Duty	26 KG	20	880.75
CLP0013	1½	Heavy Duty	35 KG	15	996.00
CLP0014	2	Eco Medium	8 KG	15	646.25
CLP0015	2	Medium Duty	13 KG	15	785.00
CLP0016	2	Crystal	17 KG	15	950.50
CLP0017	2	Standard Duty	20 KG	15	1083.75
CLP0018	2	Heavy Duty	27 KG	15	1375.75
CLP0019	2½	Medium Duty	10 KG	10	1003.25
CLP0020	2½	Standard Duty	16 KG	10	1386.75
CLP0021	2½	Standard Plus	21 KG	10	1634.00
CLP0022	2½	Heavy Duty	26 KG	10	2104.00
CLP0023	3	Medium Duty	11 KG	5	1428.25
CLP0024	3	Standard Duty	17 KG	5	1789.50
CLP0025	3	Standard Plus	21 KG	5	2273.25
CLP0026	3	Heavy Duty	26 KG	5	2659.25
CLP0027	4	Medium Duty	10 KG	4	2110.25
CLP0028	4	Standard Duty	15 KG	4	2865.00
CLP0029	4	Standard Plus	21 KG	4	3512.50
CLP0030	4	Heavy Duty	26 KG	4	4441.00

BELL TYPE COLUMN PIPE					
CB0001	1	V4 12.5 Light Duty	12.5KG	40	250.00
CB0002	1	V4 15 Light Plus	15KG	40	269.75
CB0003	1¼	V4 12.5 Light Duty	12.5KG	30	351.75
CB0004	1¼	V4 15 Light Plus	15 KG	30	386.50

AGRICULTURE PIPES & FITTINGS

AGRICULTURE & WATER DISTRIBUTION SYSTEM

AGRICULTURAL

SUMOLEX offers wide range of PVC Pressure Pipes and Fittings used for Agriculture and Water Distribution System.

SUMOLEX Agrimaster PVC Pressure pipes are manufactured as per IS:4985 standard covering complete range from 20mm to 250mm with various pressure ratings as defined in the standard.

SUMOLEX Agrimaster Fittings are manufactured as per IS:7834 as well as company's standards covering complete range from 20mm to 200mm with various pressure ratings.

PRODUCT RANGE

- ▶ **Class 1** : (2.5kg/cm²) from 90mm to 250mm
- ▶ **Class 2** : (4kg/cm²) from 63mm to 250mm
- ▶ **Class 3** : (6kg/cm²) from 40mm to 250mm
- ▶ **Class 5** : (10kg/cm²) from 20mm to 250mm

MARKING & UNIFORMITY

Pipes and Fittings made from uPVC Compound and are clearly marked with the Manufacturers trademark, Size, Class & Pressure rating and applicable IS standard.

Class of Pipe	Marking Colour
Class 1	Red
Class 2	Blue
Class 3	Green
Class 5	Yellow

FEATURES

Long Life | Non Corrosive | Continuous Flow | Cost Effective | Lightweight | Less Electricity Cost | Easy to Install, Repair & Replace
Hygienic Water Supply | Non Conductor to Heat-electric | High Strength to Weight Ratio | Non Toxic.

FIELD OF APPLICATIONS

Rural & Urban Water Distribution System | Tubewell Connections | Agricultural & Irrigation Schemes | Industrial Process Line | Protective Conering for Power & Communication Cables.

STANDARDS & SPECIFICATIONS

- ▶ **IS:7834** : Specification for Injection Moulded PVC Socket Fitting with Solvent Cement Joints for Water Supplies.
- ▶ **IS:4985** : Specification for unplasticized PVC Pipes for Potable Water Supplies.

FITTING ARE SUBJECT TO TESTS LIKE

Burst Pressure, Flattening, Metal part Leakage, Vicat softening temperature

TESTS ON PIPES & FITTINGS

Dimension & Visual Appearance Test,
Stress Relief Test, Reversion Test, Density Test,
Opacity Test, Drop Impact Test, Hydrostatic Pressure Test,
Sulphate Ash Content Test,
Vicat Softening Temperature Test, Effect on Water Test



Std. Size mm	Std. Size Inch	Code 2.5 kg./cm ²	2.5 kg./cm ² (Rate per mtr.)	Code 4 k.g./cm ²	4 k.g./cm ² (Rate per mtr.)	Code 6 k.g./cm ²	6 k.g./cm ² (Rate per mtr.)	Code 10 k.g./cm ²	10 k.g./cm ² (Rate per mtr.)
20 MM	½"							AP0071	24.00
25 MM	¾"							AP0072	36.25
32 MM	1"							AP0070	58.50
40 MM	1 ¼"					AP0023	59.50	AP0043	88.50
50 MM	1 ½"					AP0024	85.50	AP0044	140.25
63 MM	2"			AP0015	102.25	AP0025	146.00	AP0045	221.00
75 MM	2½"			AP0016	139.75	AP0026	197.75	AP0046	317.50
90 MM	3"	AP0001	129.00	AP0017	197.00	AP0027	287.75	AP0047	454.75
110 MM	4"	AP0002	203.25	AP0018	285.25	AP0028	408.50	AP0048	688.50
140 MM	5"	AP0003	311.00	AP0019	488.25	AP0029	696.00	AP0049	1106.25
160 MM	6"	AP0004	417.75	AP0020	647.75	AP0030	892.75	AP0050	1436.50
180 MM	7"	AP0005	499.50	AP0021	781.50	AP0031	1117.50	AP0051	1766.75
200 MM	8"	AP0006	620.00	AP0022	1013.50	AP0032	1440.25	AP0052	2290.25

Technical Specification

Nominal Outside Diameter Nominal Size	Socket Length	Mean Outside Diameter		Outside Diameter at Any Point		Wall Thickness								Mean Stock Internal Diameter of Mid Point of Socket Length	
						Class 1 / 0.25 Mpa / 2.5 Kg. / Cm²		Class 2 / 0.40 Mpa / 4.0 Kg. / Cm²		Class 3 / 0.60 Mpa / 6.0 Kg. / Cm²		Class 5 / 1.00 Mpa / 10.0 Kg. / Cm²			
		Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
40	26.0	40.0	40.3	39.5	40.5	-	-	-	-	1.4	1.8	2.2	2.7	40.1	40.3
50	31.0	50.0	50.3	49.4	50.6	-	-	-	-	1.7	2.1	2.8	3.3	50.1	50.3
63	37.5	63.0	63.3	62.2	63.8	-	-	1.5	1.9	2.2	2.7	3.5	4.1	63.1	63.3
75	43.5	75.0	75.3	74.1	75.9	-	-	1.8	2.2	2.6	3.1	4.2	4.9	75.1	75.3
90	51.0	90.0	90.3	88.9	91.1	1.3	1.7	2.1	2.6	3.1	3.7	5.0	5.7	90.1	90.3
110	61.0	110.0	110.4	108.6	111.4	1.6	2.0	2.5	3.0	3.7	4.3	6.1	7.1	110.1	110.4
125	68.5	125.0	125.4	123.5	126.5	1.8	2.2	2.9	3.4	4.3	5.0	6.9	8.0	125.1	125.4
140	76.0	140.0	140.5	138.3	141.7	2.0	2.4	3.2	3.8	4.8	5.5	7.7	8.9	140.2	140.5
160	86.0	160.0	160.5	158.0	162.0	2.3	2.8	3.7	4.3	5.4	6.2	8.8	10.2	160.2	160.5
180	96.0	180.0	180.6	177.8	182.2	2.6	3.1	4.2	4.9	6.1	7.1	9.9	11.4	180.2	180.5
200	106.0	200.0	200.6	197.6	202.4	2.9	3.4	4.6	5.3	6.8	7.9	11.0	12.7	200.3	200.6

AGRICULTURAL FABRICATED FITTING

Code	Std. Size mm	Std. Size Inch	Packing	Rate (Pc.)
------	--------------	----------------	---------	------------



LONG BEND 4 KG ISI

AF0178	63	2	60	71.25
AF0179	75	2½	40	104.25
AF0180	90	3	30	181.50
AF0181	110	4	20	250.50
AF0182	140			688.75
AF0183	160			1106.25



LONG BEND 6 KG ISI

AF0184	63	2	60	96.00
AF0185	75	2½	40	152.50
AF0186	90	3	30	265.25
AF0187	110	4	20	438.25
AF0188	140			1022.75
AF0189	160			1544.25



4 KG ELASTOMERIC REPAIR COUPLER

AF0174	63	2	65	108.50
AF0175	75	2½	45	153.25
AF0176	90	3	35	189.75
AF0177	110	4	20	265.25



FABRICATED COUPLER 4 KG ISI

AF0190	63	2	77	29.25
AF0191	75	2½	60	40.00
AF0192	90	3	30	56.25
AF0193	110	4	20	83.50
AF0194	140			171.00
AF0195	160			246.25



FABRICATED COUPLER 6 KG ISI

AF0196	63	2	77	38.00
AF0197	75	2½	60	54.25
AF0198	90	3	30	75.25
AF0199	110	4	20	133.75
AF0200	140			261.00
AF0201	160			375.75

Code	Std. Size mm	Std. Size Inch	Packing	Rate (Pc.)
ELBOW (ISI) (PN - 6)				
AF0001	20	½	1000	6.25
AF0002	25	¾	500	10.00
AF0003	32	1	300	13.75
AF0004	40	1 ¼	110	21.25
AF0005	50	1 ½	60	33.50
AF0006	63	2	90	51.50
AF0007	75	2½	86	74.50
AF0008	90	3	36	119.00
AF0009	110	4	33	180.00

				
ELBOW (ISI) (PN - 4)				
AF0010	63	2	100	45.50
AF0011	75	2½	105	64.75
AF0012	90	3	54	91.25
AF0013	110	4	36	133.75

				
ELBOW (PN - 4)				
AF0014	63	2	110	31.25
AF0015	75	2½	104	44.25
AF0016	90	3	67	68.50
AF0017	110	4	40	89.00
AF0018	160	6	14	210.00

				
REDUCER ELBOW				
AF0142	110 x 90	4 x 3	48	178.00

				
BEND 45				
AF0156	25	¾	700	11.50
AF0157	32	1	400	16.75
AF0158	40	1 ¼	240	21.00

				
REDUCER BRASS ELBOW				
AF0136	25 x 15	¾ x ½	70	59.75
AF0137	32 x 15	1 x ½	32	69.75

				
TEE (ISI) (PN - 6)				
AF0019	20	½	800	8.75
AF0020	25	¾	400	13.50
AF0021	32	1	200	18.50
AF0022	40	1 ¼	72	28.50
AF0023	50	1 ½	40	43.25
AF0024	63	2	70	68.25
AF0025	75	2½	46	97.25
AF0026	90	3	45	159.75
AF0027	110	4	24	248.75

				
COUPLER (ISI) (PN - 6)				
AF0049	20	½	1600	4.50
AF0050	25	¾	900	7.25
AF0051	32	1	500	9.25
AF0052	40	1 ¼	210	12.25
AF0053	50	1 ½	100	19.00
AF0054	63	2	184	32.00
AF0055	75	2½	114	46.25
AF0056	90	3	72	73.50
AF0057	110	4	38	111.75

				
TEE (ISI) (PN - 4)				
AF0028	63	2	70	61.25
AF0029	75	2½	46	82.25
AF0030	90	3	45	119.00
AF0031	110	4	26	175.25

				
TEE (PN - 4)				
AF0032	63	2	120	43.00
AF0033	75	2½	78	59.50
AF0034	90	3	45	87.75
AF0035	110	4	30	134.00
AF0036	160	6	9	292.50

				
END CAP (P) (ISI) (PN - 6)				
AF0159	20 (PN-10)	½	2500	3.25
AF0160	25 (PN-10)	¾	2000	4.50
AF0161	32 (PN-10)	1	550	6.00
AF0037	40	1 ¼	360	11.50
AF0038	50	1 ½	200	16.00
AF0039	63	2	112	24.75
AF0040	75	2½	189	32.00
AF0041	90	3	132	51.25
AF0042	110	4	66	77.75
AF0153	140 (PN-4)	5	40	118.25
AF0154	160 (PN-4)	6	24	147.00
AF0155	200 (PN-4)	8	20	300.50

				
END CAP (T)				
AF0165	20 (PN-10)	½	2500	4.25
AF0166	25 (PN-10)	¾	1500	6.50
AF0167	32 (PN-10)	1	1000	9.50
AF0043	40	1 ¼	340	12.50
AF0044	50	1 ½	240	19.00
AF0045	63	2	128	26.75
AF0046	75	2½	63	37.50
AF0047	90	3	140	61.25
AF0048	110	4	90	82.25

				
REDUCER BRASS TEE				
AF0138	25 x 15	¾ x ½	42	69.00
AF0139	32 x 15	1 x ½	32	80.50

				
REDUCER BRASS FEMALE THREAD ADAPTOR				
AF0140	25 x 15	¾ x ½	70	59.50
AF0141	32 x 15	1 x ½	56	66.75

				
UNION				
AF0168	25	¾	160	33.50
AF0169	32	1	125	42.00
AF0170	40	1¼	72	56.25

				
REDUCER FEMALE THREAD ADAPTOR				
AF0162	25 x 20	¾ x ½	1300	6.75
AF0163	32 x 20	1 x ½	800	10.00
AF0164	32 x 25	1 x ¾	700	10.00

Code	Std. Size mm	Std. Size Inch	Packing	Rate (Pc.)
REDUCER BUSH (PN - 6)				
AF0150	25 x 20	½ x ¾	1200	3.75
AF0151	32 x 20	1 x ½	1500	6.25
AF0152	32 x 25	1 x ¾	700	6.25
AF0076	50 x 40	1½ x 1¼	280	14.00
AF0077	63 x 40	2 x 1¼	140	23.50
AF0078	63 x 50	2 x 1½	140	24.00
AF0079	75 x 40	2½ x 1¼	96	33.50
AF0080	75 x 50	2½ x 1½	96	42.50
AF0081	75 x 63	2½ x 2	96	38.75
AF0082	90 x 63	3 x 2	165	48.25
AF0083	90 x 75	3 x 2½	165	44.00
AF0084	110 x 63	4 x 2	96	78.75
AF0085	110 x 75	4 x 2½	96	87.75
AF0086	110 x 90	4 x 3	96	81.75

REDUCER (PN - 6)				
AF0087	25 x 20	¾ x ½	550	6.25
AF0088	32 x 20	1 x ½	380	9.00
AF0089	32 x 25	1 x ¾	320	9.00
AF0090	50 x 40	1½ x 1¼	175	18.75
AF0091	63 x 40	2 x 1¼	324	30.00
AF0092	63 x 50	2 x 1½	324	30.50
AF0093	75 x 50	2½ x 1½	200	40.50
AF0094	75 x 63	2½ x 2	200	42.75
AF0095	90 x 63	3 x 2	108	65.25
AF0096	90 x 75	3 x 2½	108	68.25
AF0097	110 x 63	4 x 2	57	99.50
AF0098	110 x 75	4 x 2½	57	103.25
AF0099	110 x 90	4 x 3	57	107.25

MALE THREAD ADAPTOR (PN - 6)				
AF0058	20	½	1900	3.75
AF0059	25	¾	1100	5.75
AF0060	32	1	600	9.00
AF0061	40	1 ¼	200	13.00
AF0062	50	1 ½	175	21.00
AF0063	63	2	324	30.75
AF0064	75	2½	165	54.00
AF0065	90	3	90	86.25
AF0066	110	4	34	140.75

FEMALE THREAD ADAPTOR (PN - 6)				
AF0067	20	½	1500	5.00
AF0068	25	¾	900	6.75
AF0069	32	1	500	8.75
AF0070	40	1 ¼	180	14.50
AF0071	50	1 ½	125	24.25
AF0072	63	2	192	41.75
AF0073	75	2½	105	60.00
AF0074	90	3	72	100.75
AF0075	110	4	36	154.75

REDUCER TEE				
AF0145	25 x 20	¾ x ½	500	17.25
AF0146	32 x 20	1 x ½	300	20.75
AF0202	32 x 25	1 x ¾	300	24.00
AF0147	40 x 20	1¼ x ½	100	28.75
AF0148	40 x 25	1¼ x ¾	100	31.75
AF0149	40 x 32	1¼ x 1	90	36.00
AF0100	63 x 20	2 x ½	96	48.50
AF0101	63 x 25	2 x ¾	96	49.25
AF0102	63 x 32	2 x 1	96	49.50
AF0103	63 x 40	2 x 1¼	84	50.00
AF0104	75 x 20	2½ x ½	72	56.75
AF0105	75 x 25	2½ x ¾	72	57.50
AF0106	75 x 32	2½ x 1	70	59.50
AF0107	75 x 40	2½ x 1¼	68	59.50
AF0144	110 x 75	4 x 2½	30	204.25
AF0143	110 x 90	4 x 3	30	215.00

CROSS TEE				
AF0171	40 x 20	1¼ x ½	90	30.50
AF0172	40 x 25	1¼ x ¾	80	30.50
AF0173	40 x 32	1¼ x 1	70	32.50
AF0108	63 x 20	2 x ½	92	59.00
AF0109	63 x 25	2 x ¾	84	59.00
AF0110	63 x 32	2 x 1	80	59.00
AF0111	63 x 40	2 x 1¼	72	66.50
AF0112	75 x 20	2½ x ½	70	70.75
AF0113	75 x 25	2½ x ¾	70	70.75
AF0114	75 x 32	2½ x 1	62	77.00
AF0115	75 x 40	2½ x 1¼	56	80.00

SERVICE SADDLE				
AF0116	63 x 20	2 x ½	54	77.75
AF0117	63 x 25	2 x ¾	54	77.75
AF0118	63 x 32	2 x 1	48	77.75
AF0119	63 x 40	2 x 1¼	42	82.25
AF0120	63 x 40(Plain)	2 x 1¼	42	84.00
AF0121	75 x 20	2½ x ½	45	95.25
AF0122	75 x 25	2½ x ¾	45	95.25
AF0123	75 x 32	2½ x 1	48	95.25
AF0124	75 x 40	2½ x 1¼	42	98.50
AF0125	75 x 40(Plain)	2½ x 1¼	42	99.75
AF0126	90 x 20	3 x ½	45	114.25
AF0127	90 x 25	3 x ¾	45	114.25
AF0128	90 x 32	3 x 1	45	114.25
AF0129	90 x 40	3 x 1¼	40	119.00
AF0130	90 x 40(Plain)	3 x 1¼	40	119.00
AF0131	110 x 20	4 x ½	32	136.50
AF0132	110 x 25	4 x ¾	32	136.50
AF0133	110 x 32	4 x 1	32	136.50
AF0134	110 x 40	4 x 1¼	32	142.75
AF0135	110 x 40(Plain)	4 x 1¼	32	142.75

SOLVENT PVC				
SO0011	100 ml	-	24	94.00
SO0012	250 ml		24	155.00
SO0013	500 ml		20	267.00
SO0014	1000 ml		12	470.00

Unique Flushing System

FLUSHING CISTERN

FEATURES

- ▶ Comes With Unique Facility of Air Freshner Technology on The Top.
- ▶ Smart and Slim Design
- ▶ 100% Unbreakable
- ▶ Made of Advanced Material
- ▶ Water Saving
- ▶ Rapid Flush
- ▶ Urbanity with Everlasting Strenth
- ▶ Easy Maintenance



Sumolex provides 100% quality assurance on Cisterns manufactured with certified raw material.

** Parts Guaranty for 1 Year (Manufacture defects Only)



FLUSHING CISTERN

	Code	Product Name	Tank Capacity (Ltr.)	Flus Capacity (Ltr.)	Tank Colour	Ring Colour	Packing	Rate (P.C.) White	Rate (P.C.) Ivory
	SILVER FLUSHING CISTERN								
	AC001	SILVER SIDE HANDLE	8.5	-	☐	☐	10	1085.00	1085.00
	AC002	SILVER TOP	8.5	-	☐	☐	10	1230.00	1290.00
	AC003	SILVER DUAL	8.5	4/8	☐	☐	10	1520.00	1575.00
	GOLD FLUSHING CISTERN								
	AC004	GOLD SIDE HANDLE	10	-	☐	☐	10	1230.00	1290.00
	AC005	GOLD TOP	10	-	☐	☐	10	1345.00	1405.00
	AC006	GOLD DUAL	10	4/9	☐	☐	10	1665.00	1722.00
	PLATINUM FLUSHING CISTERN								
	AC007	PLATINUM TOP	10	-	☐	☐	10	1460.00	1520.00
	AC008	PLATINUM DUAL	10	4/9	☐	☐	10	1695.00	1750.00
	SEAT COVER								
	AC009	EWC			☐	☐	20	560.00	615.00
	AC010	ANGLO INDIAN			☐	☐	20	565.00	620.00
	AC011	SLEEK (SOFT CLOSE)			☐	☐	20	730.00	790.00

Company View



Factory Building



Production Unit

Terms & Conditions :

- 1) **U- PVC / C-PVC/ Agriculture / Sumolight** - Pipes Prices are for 1 Meter only, Fittings Prices are per piece only.
S.W.R Ring Fit - Pipes & Fittings Prices are per piece only, inclusive of Co-Moulded Yellow Rubber Ring.
S.W.R Pasting - Pipes & Fittings Prices are per piece only.
 18% GST extra as applicable.
- 2) Prices are Ex-Factory (G.I.D.C. Metoda), Price are change without any prior notice.
- 3) All Disputes are subject to Rajkot jurisdiction only.
- 4) Payment should be deposited in our account before Delivery
- 5) Payment Crossing Company Norms will be Charged @ 24% P.A.

Warranty NOT APPLICABLE incase of use in combination with any other brand / Make of Pipe, Fittings and Solvent.
 Always allow minimum 12 hours curing period to end joint and the pressure test to be carried thereafter. For colder temperature, it is necessary to wait a longer period. Pressure test to be carried out necessarily before concealing.



Discount on Pipes.....

Discount in Fittings.....

Discount on Solvent Cement.....

C-PVC **U-PVC** **AGRICULTURAL**
COLUMN **SWR** **Pipes & Fittings**
FLUSHING CISTERN

Sumo**lex**[®]
We-The Piping People

Dealer :

SUMO POLYPLAST PVT. LTD.

Plot No. : G-925, G.I.D.C. Lodhika, Kishan Gate, Kalawad Road,
At. Metoda. Dist. Rajkot (Gujarat) India - 360021

Phone : (02827) 287640, 287641 **E-mail :** sumopoly@rediffmail.com