Name: Vanshika Wadhwani
Class: D20A
Roll no: 35

Experiment: 7

Aim:

To understand the Truffle framework, establish a local Ethereum blockchain using Ganache, and compile, deploy, and interact with a Solidity smart contract on the local blockchain.

Theory:

Truffle is a development framework used for building, compiling, testing, and deploying Ethereum-based smart contracts. It provides a structured project environment containing directories for smart contracts, deployment migrations, tests, and configuration.
Ganache is a local blockchain environment used for Ethereum development and testing. It provides local blockchain accounts with test Ether and allows transactions and smart contracts to be executed without connecting to a public Ethereum network.
In this experiment, Truffle is used to create and configure a blockchain project. A Solidity smart contract named SimpleStorage is created to store and retrieve an integer value. The contract is compiled using Truffle and deployed to the local Ganache blockchain through a migration script.
The overall process is:

Truffle Project
↓
Smart Contract Creation
↓
Contract Compilation
↓
Start Ganache Local Blockchain
↓
Truffle Network Configuration
↓
Contract Deployment
↓
Contract Interaction

The smart contract contains two main functions:

- set(uint256 value) – stores a value in the blockchain.
- get() – retrieves the stored value.

Once deployed, the contract receives a unique contract address on the local blockchain. Transactions generated while deploying and interacting with the contract are recorded as blockchain transactions.

Output:

```
C:\Users\Lenovo>truffle version
Truffle v5.11.5 (core: 5.11.5)
Ganache v7.9.1
Solidity v0.5.16 (solc-js)
Node v24.13.1
Web3.js v1.10.0

C:\Users\Lenovo>mkdir exp7

C:\Users\Lenovo>cd exp7

C:\Users\Lenovo\exp7>truffle init

Starting init...
================

> Copying project files to C:\Users\Lenovo\exp7

Init successful, sweet!

Try our scaffold commands to get started:
  $ truffle create contract YourContractName # scaffold a contract
  $ truffle create test YourTestName         # scaffold a test

http://trufflesuite.com/docs
```

Release Notes: 1.143.1 | SimpleStorage.sol | 2_deploy_contracts.js | truffle-config.js

contracts > SimpleStorage.sol

```
1   // SPDX-License-Identifier: MIT
2   pragma solidity ^0.8.0;
3
4   contract SimpleStorage {
5       uint256 private storedValue;
6
7       function set(uint256 value) public {
8           storedValue = value;
9       }
10
11      function get() public view returns (uint256) {
12          return storedValue;
13      }
14  }
```

```
PS C:\Users\Lenovo\exp7> truffle compile

Compiling your contracts...
===========================
✓ Fetching solc version list from solc-bin. Attempt #1
✓ Downloading compiler. Attempt #1.
> Compiling .\contracts\SimpleStorage.sol
> Artifacts written to C:\Users\Lenovo\exp7\build\contracts
> Compiled successfully using:
   - solc: 0.8.21+commit.d9974bed.Emscripten.clang
PS C:\Users\Lenovo\exp7>
```

```
PS C:\Users\Lenovo\exp7> truffle migrate --reset --network development
This version of µWS is not compatible with your Node.js build:

Error: Cannot find module '../binaries/uws_win32_x64_137.node'
Require stack:
- C:\Users\Lenovo\AppData\Roaming\npm\node_modules\truffle\node_modules\ganache\node_modules\@trufflesuite\uws-
ws.js
- C:\Users\Lenovo\AppData\Roaming\npm\node_modules\truffle\node_modules\ganache\dist\node\core.js
- C:\Users\Lenovo\AppData\Roaming\npm\node_modules\truffle\build\migrate.bundled.js
- C:\Users\Lenovo\AppData\Roaming\npm\node_modules\truffle\node_modules\original-require\index.js
- C:\Users\Lenovo\AppData\Roaming\npm\node_modules\truffle\build\cli.bundled.js
Falling back to a NodeJS implementation; performance may be degraded.


Compiling your contracts...
===========================
> Compiling .\contracts\SimpleStorage.sol
> Artifacts written to C:\Users\Lenovo\exp7\build\contracts
> Compiled successfully using:
```


```
2_deploy_contracts.js
=====================

   Deploying 'SimpleStorage'
   -------------------------
   > transaction hash:    0x0caefa943474c1f2678842a9e249faf9608fb8968fa20fde3d16235f59b01b54
   > Blocks: 0            Seconds: 0
   > contract address:    0x42cfE353d71C0730883eDcB49d9e43189f77bD5A
   > block number:        1
   > block timestamp:     1792992231
   > account:             0x81b70B608607f5d546Ae007B78FBEB855B8a82DB
   > balance:             99.999575921125
   > gas used:            125653 (0x1ead5)
   > gas price:           3.375 gwei
   > value sent:          0 ETH
   > total cost:          0.000424078875 ETH
```

```
   > gas price:           3.375 gwei
   > value sent:          0 ETH
   > total cost:          0.000424078875 ETH

   > Saving artifacts
   -------------------------------------
   > Total cost:      0.000424078875 ETH


Summary
=======
> Total deployments:   1
> Final cost:          0.000424078875 ETH
```




```
PS C:\Users\Lenovo\exp7> truffle console --network development

truffle(development)> let instance = await SimpleStorage.deployed()
undefined
truffle(development)> await instance.set(100)
{
  tx: '0x6349b714d20f1a12e9450786a552107e9dea72385ff89f80fe934c3089f0056e',
  receipt: {
    transactionHash: '0x6349b714d20f1a12e9450786a552107e9dea72385ff89f80fe934c3089f0056e',
    transactionIndex: 0,
    blockNumber: 2,
    blockHash: '0xc7b3ee5221b3c9a3d923ac259f249600f866c4fb44fe944b27ccba704952a691',
    from: '0x81b70b608607f5d546ae007b78fbeb855b8a82db',
    to: '0x42cfe353d71c0730883edcb49d9e43189f77bd5a',
    cumulativeGasUsed: 43702,
    gasUsed: 43702,
    contractAddress: null,
    logs: [],
    logsBloom: '0x00000000000
```

```
0000000000
```



Conclusion:

Thus, the Truffle framework was successfully used to create and configure a blockchain project. A local Ethereum blockchain was established using Ganache, and the SimpleStorage smart contract was successfully compiled, deployed, and tested. The stored value was successfully retrieved from the deployed contract, demonstrating the basic process of smart contract development and deployment on a local blockchain.