

MAD & PWA Lab

Journal

Experiment No.	04
Experiment Title.	To create an interactive Form using form widget
Roll No.	02
Name	Vanshika Ambwani
Class	D15A/D15B
Subject	MAD & PWA Lab
Lab Outcome	LO2: Design and Develop interactive Flutter App by using widgets, layouts, gestures and animation
Grade:	

Experiment 4

Aim: Guidelines To create an interactive Form using form widget

Code:

login page

```
import 'package:cloud_firestore/cloud_firestore.dart';
import 'package:firebase_auth/firebase_auth.dart';
import 'package:flutter/cupertino.dart';
import 'package:flutter/material.dart';
// import 'package:;
// import 'sign_up_page.dart';
// import
'package:flutter_firebase/features/user_auth/presentation/pages/sign_up_page.dart';
// import
'package:flutter_firebase/features/user_auth/presentation/widgets/form_container_widget.dart';
// import 'package';
// import 'package:flutter_firebase/global/common/toast.dart';
import 'package:font_awesome_flutter/font_awesome_flutter.dart';
import
'package:login_auth_new/features/user_auth/firebase_auth_implementation/firebase_auth_services.dart';
import
'package:login_auth_new/features/user_auth/presentation/pages/login_page.dart';
import
'package:login_auth_new/features/user_auth/presentation/widgets/form_container_widget.dart';
import 'package:login_auth_new/global/common/toast.dart';

// import 'package:google_sign_in/google_sign_in.dart';
```

```
import
'package:login_auth_new/features/user_auth/presentation/pages/sign_up_page.dart'
;
```

```
import 'package:login_auth_new/global/common/toast.dart';
```

```
import '../firebase_auth_implementation/firebase_auth_services.dart';
```

```
class LoginPage extends StatefulWidget {
  const LoginPage({super.key});

  @override
  State<LoginPage> createState() => _LoginPageState();
}
```

```
class _LoginPageState extends State<LoginPage> {
  bool _isSigning = false;
  final FirebaseAuthService _auth = FirebaseAuthService();
  final FirebaseAuth _firebaseAuth = FirebaseAuth.instance;
  TextEditingController _emailController = TextEditingController();
  TextEditingController _passwordController = TextEditingController();

  @override
  void dispose() {
    _emailController.dispose();
    _passwordController.dispose();
    super.dispose();
  }
}
```

```
@override
Widget build(BuildContext context) {
  return Scaffold(
```

```
appBar: AppBar(  
  automaticallyImplyLeading: false,  
  title: Text("Login"),  
)  
body: Center(  
  child: Padding(  
    padding: const EdgeInsets.symmetric(horizontal: 15),  
    child: Column(  
      mainAxisAlignment: MainAxisAlignment.center,  
      children: [  
        Text(  
          "Login",  
          style: TextStyle(fontSize: 27, fontWeight: FontWeight.bold),  
        ),  
        SizedBox(  
          height: 30,  
        ),  
        FormContainerWidget(  
          controller: _emailController,  
          hintText: "Email",  
          isPasswordField: false,  
        ),  
        SizedBox(  
          height: 10,  
        ),  
        FormContainerWidget(  
          controller: _passwordController,  
          hintText: "Password",  
          isPasswordField: true,  
        ),  
      ],  
    ),  
  ),  
)
```

```

    SizedBox(
      height: 30,
    ),
    GestureDetector(
      onTap: () {
        _signIn();
      },
      child: Container(
        width: double.infinity,
        height: 45,
        decoration: BoxDecoration(
          color: Colors.blue,
          borderRadius: BorderRadius.circular(10),
        ),
        child: Center(
          child: _isSigning ? CircularProgressIndicator(
            color: Colors.white,) : Text(
            "Login",
            style: TextStyle(
              color: Colors.white,
              fontWeight: FontWeight.bold,
            ),
          ),
        ),
      ),
    ),
    SizedBox(height: 10,),
    // GestureDetector(
    //   onTap: () {
    //     _signInWithGoogle();
  
```

```

// },
// child: Container(
//   width: double.infinity,
//   height: 45,
//   decoration: BoxDecoration(
//     color: Colors.red,
//     borderRadius: BorderRadius.circular(10),
//   ),
//   child: Center(
//     child: Row(
//       mainAxisAlignment: MainAxisAlignment.center,
//       children: [
//         Icon(FontAwesomeIcons.google, color: Colors.white,),
//         SizedBox(width: 5,),
//         Text(
//           "Sign in with Google",
//           style: TextStyle(
//             color: Colors.white,
//             fontWeight: FontWeight.bold,
//           ),
//         ),
//       ],
//     ),
//   ),
// ),
// ),
// ),
// ),

```

SizedBox(

```

        height: 20,
    ),

    Row(
      mainAxisAlignment: MainAxisAlignment.center,
      children: [
        Text("Don't have an account?"),
        SizedBox(
          width: 5,
        ),
        GestureDetector(
          onTap: () {
            Navigator.pushAndRemoveUntil(
              context,
              MaterialPageRoute(builder: (context) => SignUpPage()),
              (route) => false,
            );
          },
          child: Text(
            "Sign Up",
            style: TextStyle(
              color: Colors.blue,
              fontWeight: FontWeight.bold,
            ),
          ),
        ),
      ],
    ),
  ],
),
],
),

```

```
    ),  
    ),  
);  
}
```

```
void _signIn() async {  
  setState(() {  
    _isSigning = true;  
  });
```

```
  String email = _emailController.text;  
  String password = _passwordController.text;
```

```
  User? user = await _auth.signInWithEmailAndPassword(email, password);
```

```
  setState(() {  
    _isSigning = false;  
  });
```

```
  if (user != null) {  
    showToast(message: "User is successfully signed in");  
    Navigator.pushNamed(context, "/home");  
  } else {  
    showToast(message: "some error occurred");  
  }  
}
```

```
// _signInWithGoogle()async{
```



```
//    final GoogleSignIn _googleSignIn = GoogleSignIn();

//    try {

//        final GoogleSignInAccount? googleSignInAccount = await
//_googleSignIn.signIn();

//        if(googleSignInAccount != null ){
//            final GoogleSignInAuthentication googleSignInAuthentication = await
//googleSignInAccount.authentication;


//            final AuthCredential credential = GoogleAuthProvider.credential(
//                idToken: googleSignInAuthentication.idToken,
//                accessToken: googleSignInAuthentication.accessToken,
//            );

//            await _firebaseAuth.signInWithCredential(credential);
//            Navigator.pushNamed(context, "/home");
//        }

//    }catch(e) {
//        showToast(message: "some error occurred $e");
//    }

// }

}
```



signup page

```
import 'package:firebase_auth/firebase_auth.dart';  
import 'package:flutter/material.dart';
```

```
// import
'package:flutter_firebase/features/user_auth/firebase_auth_implementation/firebase_auth_services.dart';

// import 'package:flutter_firebase';

// import
'package:flutter_firebase/features/user_auth/presentation/pages/login_page.dart';

// import
'package:flutter_firebase/features/user_auth/presentation/widgets/form_container_widget.dart';

// import 'package:flutter_firebase/global/common/toast.dart';
```

```
import
'package:login_auth_new/features/user_auth/firebase_auth_implementation/firebase_auth_services.dart';

import
'package:login_auth_new/features/user_auth/presentation/pages/login_page.dart';

import
'package:login_auth_new/features/user_auth/presentation/widgets/form_container_widget.dart';

import 'package:login_auth_new/global/common/toast.dart';

import
'package:login_auth_new/features/user_auth/firebase_auth_implementation/firebase_auth_services.dart';

import
'package:login_auth_new/features/user_auth/presentation/pages/login_page.dart';

import 'package:login_auth_new/global/common/toast.dart';
```

```
class SignUpPage extends StatefulWidget {
  const SignUpPage({super.key});

  @override
  State<SignUpPage> createState() => _SignUpPageState();
}
```

```
class _SignUpPageState extends State<SignUpPage> {
```

```
final FirebaseAuthService _auth = FirebaseAuthService();
```

```
TextEditingController _usernameController = TextEditingController();
```

```
TextEditingController _emailController = TextEditingController();
```

```
TextEditingController _passwordController = TextEditingController();
```

```
bool isSigningUp = false;
```

```
@override
```

```
void dispose() {
```

```
  _usernameController.dispose();
```

```
  _emailController.dispose();
```

```
  _passwordController.dispose();
```

```
  super.dispose();
```

```
}
```

```
@override
```

```
Widget build(BuildContext context) {
```

```
  return Scaffold(
```

```
    appBar: AppBar(
```

```
      automaticallyImplyLeading: false,
```

```
      title: Text("SignUp"),
```

```
    ),
```

```
    body: Center(
```

```
      child: Padding(
```

```
        padding: const EdgeInsets.symmetric(horizontal: 15),
```

```
        child: Column(
```

```
          mainAxisAlignment: MainAxisAlignment.center,
```

```
          children: [
```

```
            Text(
```

```
    "Sign Up",
    style: TextStyle(fontSize: 27, fontWeight: FontWeight.bold),
  ),
  SizedBox(
    height: 30,
  ),
  FormContainerWidget(
    controller: _usernameController,
    hintText: "Username",
    isPasswordField: false,
  ),
  SizedBox(
    height: 10,
  ),
  FormContainerWidget(
    controller: _emailController,
    hintText: "Email",
    isPasswordField: false,
  ),
  SizedBox(
    height: 10,
  ),
  FormContainerWidget(
    controller: _passwordController,
    hintText: "Password",
    isPasswordField: true,
  ),
  SizedBox(
    height: 30,
  ),
```

```

GestureDetector(
  onTap: (){
    _signUp();

  },
  child: Container(
    width: double.infinity,
    height: 45,
    decoration: BoxDecoration(
      color: Colors.blue,
      borderRadius: BorderRadius.circular(10),
    ),
    child: Center(
      child: isSigningUp ? CircularProgressIndicator(color:
Colors.white,):Text(
        "Sign Up",
        style: TextStyle(
          color: Colors.white, fontWeight: FontWeight.bold),
        )),
    ),
  ),
  SizedBox(
    height: 20,
  ),
  Row(
    mainAxisAlignment: MainAxisAlignment.center,
    children: [
      Text("Already have an account?"),
      SizedBox(
        width: 5,
      ),
    ],
  ),

```

```

GestureDetector(
  onTap: () {
    Navigator.pushAndRemoveUntil(
      context,
      MaterialPageRoute(
        builder: (context) => LoginPage(),
        (route) => false);
    },
  child: Text(
    "Login",
    style: TextStyle(
      color: Colors.blue, fontWeight: FontWeight.bold),
    ))
  ],
)
],
),
),
),
);
}

```

```

void _signUp() async {

```

```

  setState(() {
    isSigningUp = true;
  });

```

```

  String username = _usernameController.text;

```

```


  String email = _emailController.text;

```

```
String password = _passwordController.text;
```

```
User? user = await _auth.signUpWithEmailAndPassword(email, password);
```

```
setState(() {  
  isSigningUp = false;  
});  
if (user != null) {  
  showToast(message: "User is successfully created");  
  Navigator.pushNamed(context, "/home");  
} else {  
  showToast(message: "Some error happend");  
}  
}  
}
```



11:32 00:12

SignUp

Sign Up

food

food@gmail.com

.....3

Already have an account? [Login](#)

1 2 3 4 5 6 7 8 9 0

q w e r t y u i o p

a s d f g h j k l

⬆ z x c v b n m ⬆