WOUND CARE PROVIDER DOCUMENTATION TEMPLATE

Patient Information

Patient Name: _____
DOB: _____
Date of Service: _____
Physician: _____
Scribe: _____
Facility: _____

WOUND ASSESSMENT TABLE

Field	Wound 1	Wound 2	Wound 3		
MIST Therapy	___	___	___		
Wound Location	_____		_____		
Outcome	_____		_____		
Wound Type	Pressure Ulcer / Arterial Ulcer / Other	Pressure Ulcer / Arterial Ulcer / Other	Pressure Ulcer / Arterial Ulcer / Other		
Wound Status	_____	_____	_____		
Measurements (L x W x D)	___ x ___ x ___	___ x ___ x ___	___ x ___ x ___		
Area (sq cm)	_____	_____	_____		
Volume (cm^3)	_____	_____	_____		
Tunnels	_____	_____	_____		
Max Depth (cm)	3.5 cm	_____	_____		

Undermining (cm)	4..00 cm from 12 to 6 o'clock	_____	_____		
Stage / Grade	NPIAP Stage IV	_____	_____		
Exudate Amount	moderate	_____	_____		
Exudate Type	serous	_____	_____		
Odor	not malodorous	_____	_____		
Wound Margin	undermined, well defined	_____	_____		
Periwound	confluent - pale	_____	_____		
Necrotic Material (%)	Yellow slough 30%	_____	_____		
Granulation (%)	Granulation 70%	_____	_____		
Granulation pattern	Confluent/scattered/ hypergranulation				
Granulation quality	Beefy red/pale/friable				
Tissue Exposed	-	_____	_____		
Debridement	No/sharp	_____	_____		
Wound cleanser					
Periwound skin treatment					
Wound filler					
Primary Dressing		_____	_____		
Secondary Dressing		_____	_____		

Frequency	TID/BID/same	_____	_____		
Duration	2 weeks				
Care provider	Facility/staff				
Special Equipment	daily	_____	_____		
Compression wrap	Ace wrap				
Additional orders	Referrals/labs/studies				

DETAILED VISIT SUMMARY

🩹 Wound 1: Wound type and location

Procedure:

This section should include any procedure/testing done in the clinic including debridement details/autoflorescnece imaging details.

Eg. Debridement (SDM) was performed, with a post-debridement depth of 0.6 cm.

Treatment/instructions:

If treatment for the related wound is same as before then we can just add the phrase "continue current treatment for wound 1".

Scribe will anyway has to choose the option from drop down option in the EMR or choose "last values" to enter previous treatment.

Eg. The wound will be cleansed with quarter strength Dakin's solution. The treatment will be switched to collagen powder with calcium alginate and a super absorbent dressing applied daily. The patient was educated on offloading and prevention. The patient was advised to be extra careful with the site this week and to avoid sitting on it more.

Wound #2: Wound type

Procedure

Eg. Wound was examined using autofluorescence imaging and noted positive. Targeted debridement was performed.

Treatment/instructions:

Continue current treatment for autolytic debridement. Case discussed with staff who states patient has had multiple falls this week which may have caused the bruising to area.

PROVIDER COMMENTS

Dr. Cullen Chiu with Visit intro (note if initial exam or follow up exam)

Eg. "The patient is seen for a follow-up evaluation of treatment."

Below the introduction phrase, Dr. Chiu prefers summary of all the wound type/location in bullet points.

Additional care instructions/education/counselling is also mentioned in this section in bullets.

Basically, in provider comment, wound note should describe

1. Wound location and type

2. Status

3. Wound bed and periwound description

4. Any procedures done

5. Treatment staying the same or changing

6. Offloading measures, referrals, any other suggestions

Eg.

- VLU to the left dorsal foot has improved, noted with small remaining opening,100% yellow slough and moderate serous drainage. Wound was examined using

autofluorescence imaging and noted negative. A debridement was performed to remove slough to allow for closure. Continue current treatment recommendations

- VLU to the right dorsal great toe is present, noted with 100% dermis and an open blister with moderate serous drainage. Wound was examined using autofluorescence imaging and noted negative. Discontinue current treatment plan and see current updated recommendations.
- Stage III pressure injury to the sacrum is overall stable, slightly smaller in size but noted with darkened wound bed and edges. Wound bed noted with 50% yellow slough, 50% pale/dark granulation tissue, and moderate serous drainage, slight maceration. Wound was examined using autofluorescence imaging and noted positive. Targeted debridement was performed. Continue current treatment for autolytic debridement. Case discussed with staff who states patient has had multiple falls this week which may have caused the bruising to area.
- Continued to educate patient on leg elevation and importance of compliance with compression.
- Recommend use of a ROHO cushion. The family brought in a donut cushion, which is not recommended.
- Patient is not a candidate for vascular surgery.

E/M justification:
Mainly three sections are filled in this case and the total time spent will depend on E/M cheat sheet which I will share separately.

Common phrase which comes in almost all the notes:
Eg. I spent *** minutes performing a medically appropriate examination and/or evaluation, and *** minutes documenting clinical information in the electronic or other health record, and **** minutes care coordination for a total of *** minutes.

Commented [KK1]: Some sections of this part can be copied pasted directly in the note but E/M justification needs to be selected from the drop down option in the EMR. The blanks will be filled based on cheat sheet that Kalani has shared.

Common Phrases/Notes

- **"Patient is new to service, seen for wound evaluation and management. "**
- **" The patient is seen for a follow-up evaluation of treatment."**
- **"Patient presents with (wound type) to the (wound location). Wound is noted with _____. Discontinue prior wound care orders, please see new recommendations. "**
- **"(Wound type) to the (wound location) is (wound status). Wound is noted with**

_____. Continue with current treatment plan. “

• “Wound was examined using autofluorescence imaging and noted to be negative.” • “Wound was examined using autofluorescence imaging and noted with

(cyan/red/red and cyan) fluorescence.”

• “Targeted debridement was performed.” - if biofilm was debrided • “Debridement was performed today. “ - only if necrotic tissue was debrided.