

SYMBIOSIS INSTITUTE OF TECHNOLOGY, NAGPUR

Symbiosis International (Deemed University)

(Established under section 3 of the UGC Act, 1956)

Re-accredited by NAAC with 'A++' Grade | Awarded Category - I by UGC

Experiment No.: 1 Name: Vansh Mahant PRN: 24070521038 Section: A Batch: A1

1. Experiment Title:

Student Registration Portal — a dynamic web page using HTML, CSS and JavaScript that registers students into a table via a form, supports quick-fill of sample data, and allows deletion of records using DOM manipulation.

2. Software/Tools Required:

Google Chrome (Web Browser), Visual Studio Code (Code Editor), Browser Developer Tools / Console, HTML, CSS, JavaScript

3. Experiment Program Code:

[index.html](#)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Student Registration Portal</title>
  <link rel="stylesheet" href="styles.css">
</head>
<body>
  <!-- Instant Popup Banner -->
  <div id="welcomePopup" class="popup-box">
    <div class="popup-content">
      <h2>Welcome!</h2>
      <p>Welcome to the Student Registration Portal.</p>
      <button onclick="closePopup()">OK</button>
    </div>
  </div>
  <div class="container">
    <h1>Student Registration Portal</h1>
    <form id="studentForm">
      <div class="form-field">
        <label for="name">Name:</label>
        <input type="text" id="name" required placeholder="Full Name">
      </div>
      <div class="form-field">
        <label for="email">Email:</label>
        <input type="email" id="email" required placeholder="email@example.com">
      </div>
      <div class="form-field">
        <label for="course">Course:</label>
        <select id="course" required>
          <option value="Computer Science">Computer Science</option>
          <option value="Engineering">Engineering</option>
          <option value="Business">Business</option>
          <option value="Arts">Arts</option>
        </select>
      </div>
      <div class="form-field">
        <label for="age">Age:</label>
        <input type="number" id="age" value="20" required>
      </div>
      <div class="button-group">
        <button type="submit">Fast Register</button>
        <button type="button" onclick="quickFill()">Quick Fill Sample</button>
        <button type="reset">Clear</button>
      </div>
    </form>
  </div>
</body>
```

```

</form>
<hr>
<h2>Registered Students (<span id="count">0</span>)</h2>
<table border="1" cellpadding="6" cellspacing="0">
  <thead>
    <tr>
      <th>ID</th><th>Name</th><th>Email</th>
      <th>Course</th><th>Age</th><th>Action</th>
    </tr>
  </thead>
  <tbody id="tableBody"></tbody>
</table>
</div>
<script src="script.js"></script>
</body>
</html>

```

styles.css

```

body {
  font-family: system-ui, -apple-system, sans-serif;
  margin: 15px;
  background: #fff;
  color: #000;
}
.container { max-width: 550px; }
.form-field { margin-bottom: 8px; }
.form-field label { display: inline-block; width: 70px; font-weight: bold; }
.form-field input, .form-field select { padding: 4px; width: 250px; }
.button-group { margin-top: 10px; }
button { padding: 4px 10px; cursor: pointer; }
table { width: 100%; border-collapse: collapse; margin-top: 10px; }
th { background: #f0f0f0; }
.popup-box {
  position: fixed; inset: 0;
  background: rgba(0,0,0,0.3);
  display: flex; align-items: center; justify-content: center;
}
.popup-content {
  background: #fff; padding: 15px 25px;
  border: 1px solid #000; text-align: center;
}

```

script.js

```

let students = [
  { id: 101, name: "Alice Smith", email: "alice@univ.edu", course: "Computer Science", age: 21 }
];
let nextId = 102;
document.addEventListener("DOMContentLoaded", () => { render(); });
function closePopup() {
  document.getElementById("welcomePopup").style.display = "none";
}
function quickFill() {
  const names = ["Bob Taylor", "Charlie Brown", "Diana Prince", "Ethan Hunt"];
  const courses = ["Computer Science", "Engineering", "Business", "Arts"];
  const randomName = names[Math.floor(Math.random() * names.length)];
  document.getElementById("name").value = randomName;
  document.getElementById("email").value = randomName.toLowerCase().replace(" ", ".") +
"@univ.edu";
  document.getElementById("course").value = courses[Math.floor(Math.random() * courses.length)];
  document.getElementById("age").value = Math.floor(18 + Math.random() * 6);
}
document.getElementById("studentForm").addEventListener("submit", (e) => {
  e.preventDefault();
  const name = document.getElementById("name").value;
  const email = document.getElementById("email").value;
  const course = document.getElementById("course").value;

```

```

const age = document.getElementById("age").value;
students.push({ id: nextId++, name, email, course, age });
render();
alert("Welcome " + name + "! Registration fast-completed.");
document.getElementById("name").value = "";
document.getElementById("email").value = "";
document.getElementById("name").focus();
});
function render() {
  document.getElementById("count").textContent = students.length;
  let html = "";
  for (let i = 0; i < students.length; i++) {
    const s = students[i];
    html += `<tr>
      <td>${s.id}</td><td>${s.name}</td><td>${s.email}</td>
      <td>${s.course}</td><td>${s.age}</td>
      <td><button onclick="del(${i})">X</button></td>
    </tr>`;
  }
  document.getElementById("tableBody").innerHTML = html;
}
function del(i) { students.splice(i, 1); render(); }

```

4. Output:

PRN: 24070521038 | Name: Vansh Mahant | File Path: /webapp/index.html

The screenshot shows a web browser window with the title 'Student Registration Portal'. The page has a light gray background. At the top, there's a header with the title. Below the header, there's a registration form with the following fields: 'Name' (text input), 'Email' (text input), 'Course' (dropdown menu), and 'Age' (text input). Below the form, there are three buttons: 'Fast Register' (red), 'Quick Fill Sample' (gray), and 'Clear' (gray). Below the form, there's a section titled 'Registered Students (1)' which contains a table with the following data:

ID	Name	Email	Course	Age	Action
101	Alice Smith	alice@univ.edu	Computer Science	21	X

Overlaid on the table is a white alert dialog box with the title 'Welcome!' and the message 'Welcome to the Student Registration Portal.' with an 'OK' button.

PRN: 24070521038 | Name: Vansh Mahant | File Path: /webapp/index.html

Student Registration Portal

Name:

Email:

Course:

Age:

Registered Students (1)

ID	Name	Email	Course	Age	Action
101	Alice Smith	alice@univ.edu	Computer Science	21	X

5. Result/Conclusion:

A Student Registration Portal web page was successfully designed and implemented using HTML, CSS and JavaScript. The form captures a student's name, email, course and age, validates required fields, and dynamically adds each new entry to an on-page table using DOM manipulation. Quick-fill and delete functionality were also implemented, along with a welcome popup on page load. This experiment reinforced the concepts of event handling, form validation, and dynamic DOM updates in JavaScript.

Upload the Soft copy as well as complete code on GitHub link is mandatory.

File name: 24070521038_Vansh Mahant_A_A1