

# PRD: Intelligent MCP, LLM and Agentic Internal Linking System for Ken Research

## Product Name

Ken Intelligence Linking Engine

## Product Type

MCP-powered, LLM-assisted, agentic internal linking and content intelligence system.

## Business Owner

Digital / SEO / Product Growth Team

## Primary Users

SEO Team  
Content Team  
Research Team  
Tech Team  
Business Research Team  
Consulting Team  
Report Store Team  
Leadership / Executive Review Team

## Version

Strategy PRD  
June 2026

---

## 1. Executive Summary

Ken Research needs an intelligent internal linking system that goes beyond manual SEO linking.

The system should not simply recommend links based on keywords.

It should understand:

Market relationships  
Industry hierarchy  
Global vs India segmentation  
Country and region mapping  
Report relationships

- Article relevance
- Case study support
- Paragraph-level evidence
- Commercial intent
- Search intent
- AI search readiness
- User journey
- Crawlability
- Authority distribution
- Content freshness
- Conversion potential

The proposed system is an MCP-powered, LLM-assisted, agentic internal linking platform.

It will connect Ken's existing content inventory across:

- Report pages
- Market pages
- Industry pages
- Country pages
- Region pages
- Articles
- Case studies
- Survey pages
- Consulting pages
- Procurement pages
- Expert panel pages
- Paragraph-level research evidence
- Charts, tables, images and product references

The system will create an internal content intelligence graph.

This graph will recommend:

- Which page should link to which page
- Which anchor text should be used
- Where the link should be placed
- Why the link should exist
- Whether the link is SEO-safe
- Whether the link supports conversion
- Whether the link supports global/local segmentation
- Whether the link strengthens AI discoverability
- Whether the link should be auto-applied or reviewed manually

The final goal is to create a system where Ken Research's website behaves like a structured market intelligence network, not a collection of disconnected pages.

---

## 2. Problem Statement

Ken Research has large-scale content across reports, articles, industries, countries, markets, services and research assets.

The current internal linking challenge is not just SEO.

The deeper challenge is intelligence connectivity.

Current problems:

Pages are not connected based on market relationships.  
High-value report pages may not receive enough internal authority.  
Articles may not move users toward relevant reports or consulting pages.  
Country and global pages may not be clearly connected.  
Old content may not link to new reports.  
Case studies may not support relevant market pages.  
Research evidence may not remain connected to paragraphs after editing.  
Duplicate or repeated report insights may not be detected.  
Related content modules may be generic and not intelligence-led.  
Internal links may not always support user journey or conversion.  
Filtered marketplace URLs may create crawl waste if not governed.  
SEO, content and research teams may not have a single linking intelligence dashboard.

Manual internal linking will not solve this at Ken's scale.

A rule-based system alone will also not solve it.

Ken needs an intelligent system that combines:

Structured data  
Knowledge graph  
LLM reasoning  
MCP tool access  
Agentic workflows  
SEO rules  
Editorial governance  
Performance feedback

---

## 3. Product Vision

Build Ken Research's internal website intelligence layer.

The system should make every important content asset discoverable, connected, evidence-backed, conversion-ready and AI-readable.

The system should work like this:

Every page becomes a node.  
Every market, country, industry, company and segment becomes an entity.  
Every relationship becomes an edge.  
Every paragraph can be connected to evidence.  
Every link recommendation is scored.  
Every high-risk link is reviewed.  
Every approved link is deployed through CMS or code workflow.  
Every deployed link is measured for SEO and business impact.

The long-term vision is to create a Ken Research knowledge graph that can support:

Internal linking  
AEO / GEO / AI search readiness  
Report editing  
Content refresh  
Evidence validation  
Case study mapping  
Global and India market segmentation  
Topic authority building  
Lead generation paths  
Executive market intelligence

---

## **4. Goals**

### **4.1 SEO Goals**

Improve crawlability of priority pages.  
Reduce orphan pages.  
Improve crawl depth.  
Improve internal authority flow to high-value pages.  
Improve topical authority across industries and countries.  
Improve anchor text quality.  
Improve indexability of important report and market pages.  
Improve discovery of newly published reports.  
Reduce crawl waste from low-value filtered pages.  
Improve structured navigation through breadcrumbs, TOC and hub pages.

### **4.2 Business Goals**

Increase report enquiries.  
Increase consulting enquiries.  
Increase sample report requests.  
Increase cross-sell from articles to reports.  
Increase cross-sell from reports to consulting, survey and expert panel services.  
Improve discovery of high-priority reports.  
Improve user journey from awareness to conversion.  
Increase visibility of strategic sectors and countries.

## 4.3 Content Intelligence Goals

Connect reports with supporting articles.  
Connect articles with related reports.  
Connect case studies with relevant markets.  
Connect paragraph-level claims with evidence.  
Detect repeated or unsupported content.  
Map global, regional and country-level market relationships.  
Create section-level purpose mapping.  
Improve report editing quality.  
Preserve research intelligence during content refresh.

## 4.4 AI Search Goals

Make Ken Research content more entity-rich.  
Make relationships between pages explicit.  
Improve AI-readability of market, country and segment structures.  
Support citation-worthy evidence clusters.  
Create clear market definitions, methodology sections and evidence-backed claims.  
Support future AI Overview / AI Mode / LLM citation readiness.

---

# 5. Non-Goals

The first version will not fully auto-publish all links without review.

The first version will not rewrite full articles automatically.

The system will not replace SEO judgment.

The system will not replace research validation.

The system will not create fake citations or unsupported claims.

The system will not create indexable filtered URLs without SEO approval.

The system will not blindly link every related page.

The system will not use LLM output as final truth without validation.

---

# 6. Product Scope

## 6.1 In Scope

Content inventory creation  
Page and entity extraction

Internal relationship index  
Knowledge graph structure  
MCP servers for data/tool access  
LLM-based link recommendation  
Agent-based audit and execution workflow  
SEO rule validation  
Anchor text recommendation  
Canonical URL validation  
Crawlability validation  
Link placement recommendation  
Editorial approval workflow  
CMS deployment workflow  
Paragraph-to-evidence mapping  
Case study mapping  
Global/local segmentation mapping  
Performance tracking  
Monthly link decay audit

## **6.2 Out of Scope for V1**

Fully autonomous publishing across entire website  
Automated creation of new landing pages  
Automatic faceted URL indexation  
Automatic rewriting of all old reports  
External backlink automation  
Paid media integration  
Direct changes to legal/privacy pages  
Automatic changes to noindex/canonical rules without approval

---

# **7. Target Users and Use Cases**

## **7.1 SEO Team**

Primary need:

Find internal linking opportunities at scale.

Use cases:

Find orphan report pages.  
Find high-value pages with low internal links.  
Find old articles that should link to new reports.  
Find high-authority pages that can pass authority to commercial pages.  
Find bad anchors and repeated exact-match anchors.  
Find links pointing to non-canonical URLs.  
Approve or reject AI-recommended links.

## 7.2 Content Team

Primary need:

Know what to link while writing or editing.

Use cases:

Get suggested report links while drafting articles.

Get suggested case studies for evidence sections.

Add section-specific links.

Improve TOC structure.

Avoid generic related posts.

Create better user journey from content to commercial pages.

## 7.3 Research Team

Primary need:

Preserve evidence and market context.

Use cases:

Map paragraphs to research evidence.

Attach case studies to market claims.

Detect repeated research statements.

Flag unsupported claims.

Connect charts, tables and product images to relevant paragraphs.

## 7.4 Tech Team

Primary need:

Build system architecture and integrations.

Use cases:

Expose CMS, database, crawl and search tools through MCP.

Create recommendation APIs.

Create editorial dashboard.

Create link insertion workflow.

Maintain audit logs.

Implement access control.

Track deployment and rollback.

## 7.5 Leadership

Primary need:

Understand market intelligence structure and impact.

Use cases:

View internal linking coverage.

View AI-readiness of priority sectors.

View report discovery improvement.

View business impact from link deployment.

View content intelligence gaps by market, region and industry.

---

## 8. Core Product Principle

The system should not ask only:

Which page is similar?

It should ask:

What is the relationship?

What is the user intent?

What is the business value?

What is the SEO value?

What is the evidence value?

What is the segmentation value?

What is the AI-readability value?

What is the risk?

Where should the link be placed?

Which anchor should be used?

Should this be auto-applied or reviewed?

---

## 9. System Architecture

### 9.1 High-Level Architecture

Content Sources

→ Crawl and Content Inventory

→ Entity Extraction Layer

→ Knowledge Graph / Relationship Index

→ Embedding and Semantic Search Layer

→ MCP Tool Layer

→ LLM Reasoning Layer

→ Agentic Workflow Layer

→ SEO Validation Layer

→ Recommendation Engine

→ Editorial Review Dashboard


→ CMS Deployment Layer



→ Performance Measurement Layer

→ Feedback Loop

## 9.2 Architecture Diagram



## 10. MCP Layer

### 10.1 Purpose of MCP

MCP should be used as the standardized tool-access layer.

Instead of hardcoding every integration directly into the LLM application, Ken should expose approved internal systems as MCP tools.

The LLM and agents can then safely call specific tools for:

Fetching page data

Reading content metadata

- Checking canonical URLs
- Finding related pages
- Running crawl audits
- Reading search performance
- Generating link recommendations
- Creating draft CMS changes
- Submitting links for approval
- Running post-deployment audits

## 10.2 MCP Host

The MCP host will be the internal AI application used by SEO, content and tech teams.

Possible interfaces:

- Internal dashboard
- Chat-based SEO assistant
- CMS sidebar assistant
- Report editing assistant
- Jira/Slack workflow assistant
- Admin console

## 10.3 MCP Clients

The MCP client will sit inside the host application and communicate with approved MCP servers.

## 10.4 MCP Servers Required

Ken should create multiple MCP servers instead of one large uncontrolled server.

Recommended MCP servers:

- Content Inventory MCP Server
- CMS MCP Server
- Search Console MCP Server
- GA4 MCP Server
- Crawler MCP Server
- Knowledge Graph MCP Server
- Embedding Search MCP Server
- Report Store MCP Server
- Evidence Library MCP Server
- SEO Rules MCP Server
- Jira MCP Server
- Deployment MCP Server

---

# 11. Proposed MCP Tools

## 11.1 Content Inventory MCP

Purpose:

Provide structured page and metadata access.

Tools:

get\_page\_by\_url  
get\_page\_by\_id  
search\_pages  
list\_pages\_by\_industry  
list\_pages\_by\_country  
list\_pages\_by\_market  
list\_pages\_by\_node\_type  
get\_canonical\_url  
get\_page\_status  
get\_internal\_links\_in  
get\_internal\_links\_out  
get\_orphan\_pages  
get\_recently\_published\_pages

Required data:

URL  
Title  
Meta title  
Meta description  
H1  
Content type  
Industry  
Sub-industry  
Country  
Region  
Market  
Segment  
Published date  
Updated date  
Canonical URL  
Indexability status  
Crawl depth  
Internal links in  
Internal links out  
Conversion score  
Business priority

---

## 11.2 CMS MCP

Purpose:

Allow controlled content edits and draft link insertions.

Tools:

fetch\_cms\_content  
create\_link\_insertion\_draft  
update\_related\_reports\_block  
update\_related\_articles\_block  
update\_toc\_block  
update\_breadcrumb\_mapping  
submit\_for\_editorial\_review  
publish\_approved\_change  
rollback\_change

V1 rule:

No direct publishing without approval.

---

## 11.3 Search Console MCP

Purpose:

Use search data to prioritize internal links.

Tools:

get\_page\_queries  
get\_page\_impressions  
get\_page\_clicks  
get\_page\_ctr  
get\_page\_average\_position  
get\_pages\_with\_high\_impressions\_low\_ctr  
get\_pages\_ranking\_positions\_4\_to\_20  
get\_indexing\_status  
get\_crawl\_errors

Use cases:

Push internal links to pages ranking between position 4 and 20.

Improve pages with impressions but low clicks.

Find pages indexed but underlinked.

Prioritize pages with business value and search opportunity.

---

## 11.4 GA4 MCP

Purpose:

Use behavior and conversion data.

Tools:

get\_page\_sessions  
get\_page\_engagement  
get\_scroll\_depth  
get\_internal\_link\_clicks  
get\_conversion\_events  
get\_report\_enquiries  
get\_sample\_requests  
get\_lead\_sources  
get\_assisted\_conversions

Use cases:

Find high-traffic articles that should link to reports.  
Find reports with traffic but weak conversion path.  
Find links that generate enquiries.  
Improve content-to-lead journeys.

---

## 11.5 Crawler MCP

Purpose:

Audit crawlability and link health.

Tools:

crawl\_url  
crawl\_section  
get\_broken\_links  
get\_redirect\_chains  
get\_non\_canonical\_internal\_links  
get\_pages\_deeper\_than\_depth  
get\_pages\_without\_breadcrumbs  
get\_pages\_without\_toc  
get\_pages\_with\_excessive\_links  
get\_pages\_with\_js\_only\_links  
get\_blocked\_urls  
get\_faceted\_url\_patterns

Use cases:

Detect technical SEO risks.  
Prevent links to wrong URLs.  
Audit crawl depth.  
Control marketplace/faceted navigation.

---

## 11.6 Knowledge Graph MCP

Purpose:

Query and update relationship index.

Tools:

get\_related\_entities  
get\_relationships\_for\_page  
get\_parent\_child\_relationships  
get\_global\_local\_relationships  
get\_country\_region\_relationships  
get\_case\_study\_relationships  
get\_evidence\_relationships  
create\_relationship\_edge  
update\_relationship\_confidence  
reject\_relationship  
get\_relationship\_explanation

Use cases:

Understand why two pages should link.  
Create structured relationships between market entities.  
Support global-to-local linking.  
Support report-to-case-study linking.

---

## 11.7 Embedding Search MCP

Purpose:

Find semantically similar pages and paragraphs.

Tools:

semantic\_search\_pages  
semantic\_search\_paragraphs  
find\_similar\_reports  
find\_similar\_articles  
find\_similar\_case\_studies  
find\_duplicate\_paragraphs

find\_claim\_similarity  
get\_embedding\_similarity\_score

Use cases:

Find relevant links beyond keyword match.  
Detect duplicate claims.  
Map paragraphs to evidence.  
Cluster related content.

---

## 11.8 Evidence Library MCP

Purpose:

Connect paragraphs to research proof.

Tools:

search\_evidence  
get\_evidence\_by\_id  
search\_case\_studies  
search\_charts  
search\_tables  
search\_product\_images  
map\_paragraph\_to\_evidence  
get\_evidence\_confidence\_score  
flag\_unsupported\_claim

Use cases:

Improve report editing.  
Support research-backed claims.  
Add case study links.  
Add evidence blocks.  
Improve AI citation readiness.

---

## 11.9 SEO Rules MCP

Purpose:

Validate link recommendations before deployment.

Tools:

validate\_anchor\_text  
validate\_crawlable\_href  
validate\_canonical\_target

validate\_indexable\_target  
validate\_link\_placement  
validate\_anchor\_diversity  
validate\_link\_count  
validate\_faceted\_url\_risk  
validate\_internal\_nofollow\_risk  
validate\_redirect\_risk  
validate\_schema\_breadcrumb

Use cases:

Prevent SEO-damaging links.  
Prevent over-optimized anchors.  
Prevent links to non-canonical URLs.  
Prevent marketplace crawl traps.

---

## 11.10 Jira MCP

Purpose:

Convert recommendations into execution tickets.

Tools:

create\_jira\_epic  
create\_jira\_story  
create\_jira\_task  
update\_task\_status  
assign\_owner  
attach\_recommendation\_export  
create\_monthly\_audit\_task

Use cases:

Turn internal linking recommendations into execution workflow.  
Assign SEO, content, tech or research owners.  
Track completion.

---

## 12. LLM Layer

### 12.1 Role of the LLM

The LLM should not be the database.

The LLM should be the reasoning and explanation layer.



It should use MCP tools to fetch real data and then reason over it.

The LLM will:

- Interpret content meaning.
- Classify user intent.
- Explain relationship type.
- Suggest anchor variations.
- Recommend link placement.
- Detect weak or irrelevant links.
- Summarize why a link is useful.
- Generate editorial notes.
- Create Jira-ready implementation instructions.

## 12.2 LLM Responsibilities

- Relationship reasoning
- Anchor text generation
- Content section analysis
- Paragraph claim classification
- Evidence mapping explanation
- Editorial recommendation
- Risk explanation
- Recommendation prioritization
- Natural language summary for reviewers

## 12.3 LLM Should Not Do

- Invent data.
- Invent sources.
- Invent market numbers.
- Publish links without validation.
- Override canonical/indexing rules.
- Add irrelevant commercial CTAs.
- Create spammy anchor text.
- Ignore human rejection feedback.

---

# 13. Agentic System Design

The system should use multiple focused agents.

Do not create one large uncontrolled agent.

Each agent should have a clear job, allowed MCP tools and output schema.

---

## 13.1 Agent 1: Content Inventory Agent

Purpose:

Build and update the content node database.

Inputs:

Sitemap  
CMS URLs  
Report store URLs  
Blog/resource URLs  
Case study URLs  
Service URLs

Actions:

Fetch page metadata.  
Classify content type.  
Extract title, H1 and content.  
Check canonical URL.  
Check indexability.  
Store page as content node.

Output:

Updated content\_nodes table.

---

## 13.2 Agent 2: Entity Extraction Agent

Purpose:

Extract entities from pages and paragraphs.

Entities:

Industry  
Sub-industry  
Market  
Segment  
Country  
Region  
Company  
Product  
Technology  
Service intent  
Buyer persona

Claim type  
Time period

Output:

Entity map per page and paragraph.

---

### 13.3 Agent 3: Relationship Mapping Agent

Purpose:

Create relationship edges between content nodes.

Relationship types:

Parent-child  
Industry-market  
Market-segment  
Country-region  
Global-local  
Same market  
Adjacent market  
Upstream  
Downstream  
Competitor  
Case study support  
Evidence support  
Survey support  
Consulting intent  
Procurement intent  
Expert panel intent  
Freshness update  
Authority redistribution  
Conversion path

Output:

relationship\_edges table.

---

### 13.4 Agent 4: SEO Opportunity Agent

Purpose:

Find SEO-driven internal linking opportunities.

Inputs:

GSC data  
Crawl data  
Internal links  
Crawl depth  
Indexability  
Page authority  
Anchor data

Finds:

Orphan pages  
Underlinked pages  
High-impression pages needing authority  
Position 4 to 20 pages  
Pages with poor anchor diversity  
Pages with broken links  
Pages with redirected internal links  
High-value pages with low links  
Old articles that should support new reports

Output:

SEO opportunity queue.

---

## 13.5 Agent 5: Business Priority Agent

Purpose:

Rank linking opportunities by commercial value.

Inputs:

Report revenue potential  
Lead conversion rate  
Strategic industry priority  
Country priority  
Consulting relevance  
Survey relevance  
Sales priority  
Leadership priority  
New report priority

Output:

Business priority score.

---

## 13.6 Agent 6: Link Recommendation Agent

Purpose:

Generate actual internal link recommendations.

For each recommendation, generate:

Source URL  
Target URL  
Relationship type  
Anchor text  
Anchor variation  
Placement  
Suggested sentence/section  
SEO score  
Business score  
Confidence score  
Reason  
Risk flag  
Approval status

Output:

link\_recommendations table.

---

## 13.7 Agent 7: Anchor Text Agent

Purpose:

Create safe, natural and diverse anchor text.

Rules:

Use descriptive anchors.  
Avoid generic anchors.  
Avoid repeated exact-match anchors.  
Avoid over-optimization.  
Align anchor with target page intent.  
Use country + market + intent format where useful.

Example anchor formats:

India electric vehicle market outlook  
Saudi Arabia healthcare market opportunity  
UAE facility management market size  
Global biohacking market trends

India EV charging infrastructure report  
Middle East wellness industry growth

Output:

Anchor bank per target page.

---

## 13.8 Agent 8: Paragraph Evidence Agent

Purpose:

Map paragraph claims to evidence and internal links.

Actions:

- Classify each paragraph.
- Detect market claims.
- Detect unsupported claims.
- Find supporting reports.
- Find case studies.
- Find survey evidence.
- Find charts, tables and images.
- Create knowledge hash.
- Recommend evidence links.

Output:

paragraph\_evidence\_map table.

---

## 13.9 Agent 9: Section Purpose Agent

Purpose:

Evaluate section-level usefulness.

Actions:

- Detect TOC sections.
- Identify each section's purpose.
- Recommend section-specific links.
- Flag purposeless sections.
- Flag missing section links.
- Recommend CTA by section intent.

Output:

section\_purpose\_map table.

---

## 13.10 Agent 10: SEO Validation Agent

Purpose:

Validate recommendations before approval.

Checks:

Target URL is canonical.  
Target URL is indexable.  
Link uses crawlable href.  
Anchor is descriptive.  
Anchor is not overused.  
Link placement is contextually relevant.  
Target is not blocked.  
Target is not redirected unnecessarily.  
Target is not faceted/low-value URL.  
Page is not overloaded with links.  
Link does not create cannibalization risk.

Output:

Approved for editorial review  
Needs revision  
Rejected

---

## 13.11 Agent 11: Editorial Review Agent

Purpose:

Prepare human-friendly review notes.

Output:

Why this link is recommended.  
Where to place it.  
What anchor to use.  
Which relationship it supports.  
What SEO value it has.  
What business value it has.  
What risk exists.

This agent does not publish.

---

## 13.12 Agent 12: Deployment Agent

Purpose:

Apply approved changes through CMS or code workflow.

Actions:

Create CMS draft.  
Insert approved link.  
Update related blocks.  
Update TOC links.  
Update breadcrumb mapping.  
Log change.  
Submit for final publish.

V1 rule:

Human approval required before final publishing.

---

## 13.13 Agent 13: Measurement Agent

Purpose:

Measure post-deployment impact.

Tracks:

Internal link clicks  
GA4 engagement  
Report enquiries  
Sample requests  
Search impressions  
Search clicks  
Average position  
Crawl frequency  
Indexing changes  
Conversion path movement  
Lead contribution

Output:

Performance report.

---

## 13.14 Agent 14: Link Decay Agent

Purpose:



Monthly maintenance.

Finds:

- Broken links
- Redirect chains
- Links to archived reports
- Links to old year pages
- Links to non-canonical URLs
- Links to noindex pages
- Repeated anchors
- Irrelevant links
- Pages missing links to new reports

Output:

Monthly internal link hygiene report.

---

## 14. Data Model

### 14.1 content\_nodes

Fields:

- node\_id
- url
- canonical\_url
- title
- meta\_title
- meta\_description
- h1
- content\_type
- node\_type
- industry
- sub\_industry
- market
- segment
- country
- region
- global\_or\_local
- intent\_stage
- business\_priority
- conversion\_value
- published\_date
- updated\_date
- indexability\_status
- crawl\_depth
- internal\_links\_in

internal\_links\_out  
orphan\_status  
page\_authority\_score  
search\_opportunity\_score  
ai\_readiness\_score  
status

---

## 14.2 content\_entities

Fields:

entity\_id  
entity\_name  
entity\_type  
normalized\_name  
aliases  
parent\_entity\_id  
industry  
country  
region  
confidence\_score  
created\_at  
updated\_at

Entity types:

Market  
Industry  
Sub-industry  
Segment  
Country  
Region  
Company  
Product  
Technology  
Service  
Persona  
Regulation  
Claim  
Evidence

---

## 14.3 relationship\_edges

Fields:

edge\_id  
source\_node\_id  
target\_node\_id

source\_entity\_id  
target\_entity\_id  
relationship\_type  
relationship\_direction  
confidence\_score  
semantic\_similarity\_score  
entity\_overlap\_score  
geo\_match\_score  
market\_match\_score  
business\_value\_score  
seo\_value\_score  
created\_by  
reviewed\_by  
status  
created\_at  
updated\_at

---

## 14.4 link\_recommendations

Fields:

recommendation\_id  
source\_url  
target\_url  
target\_canonical\_url  
anchor\_text  
anchor\_variant  
placement\_type  
placement\_section  
suggested\_sentence  
relationship\_type  
link\_score  
seo\_score  
business\_score  
ai\_readiness\_score  
confidence\_score  
risk\_flag  
risk\_reason  
recommendation\_reason  
status  
approved\_by  
deployed\_by  
deployed\_at  
rollback\_available

---

## 14.5 anchor\_banks

Fields:

anchor\_id  
target\_url  
primary\_anchor  
secondary\_anchors  
long\_tail\_anchors  
country\_specific\_anchors  
market\_specific\_anchors  
commercial\_anchors  
restricted\_anchors  
anchor\_usage\_count  
last\_used\_date  
overuse\_flag

---

## 14.6 paragraph\_evidence\_map

Fields:

paragraph\_id  
page\_id  
paragraph\_text  
claim\_type  
market\_entity  
geo\_entity  
segment\_entity  
time\_period  
knowledge\_hash  
evidence\_id  
case\_study\_id  
chart\_id  
table\_id  
image\_id  
supporting\_url  
evidence\_confidence\_score  
unsupported\_claim\_flag  
duplicate\_claim\_flag

---

## 14.7 section\_purpose\_map

Fields:

section\_id  
page\_id  
section\_title  
section\_type  
section\_purpose  
intent\_stage  
recommended\_links  
recommended\_cta

missing\_link\_flag  
weak\_section\_flag  
created\_at  
updated\_at

---

## 14.8 deployment\_logs

Fields:

deployment\_id  
recommendation\_id  
source\_url  
target\_url  
anchor\_text  
change\_type  
old\_content\_snapshot  
new\_content\_snapshot  
approved\_by  
deployed\_by  
deployed\_at  
rollback\_status  
performance\_tracking\_id

---

## 15. Relationship Types

The relationship index must support these relationship types.

### 15.1 Market Relationships

Parent market  
Child market  
Same market  
Adjacent market  
Substitute market  
Upstream market  
Downstream market  
Emerging market  
Mature market  
High-growth market  
Declining market

### 15.2 Geography Relationships

Global to regional  
Regional to country  
Country to city

Global to India  
India to state-level  
Middle East to Saudi Arabia  
Asia Pacific to India  
Europe to Germany

## **15.3 Content Relationships**

Article supports report  
Report supports article  
Case study supports report  
Survey supports market claim  
Chart supports paragraph  
Table supports data point  
Image supports product explanation  
Methodology supports trust  
FAQ supports long-tail query

## **15.4 Business Relationships**

Report to consulting  
Report to survey  
Report to procurement  
Report to expert panel  
Article to report  
Case study to consulting  
Country page to consulting  
Industry page to report store  
Market page to sample request

## **15.5 SEO Relationships**

Authority redistribution  
Orphan recovery  
Freshness update  
Crawl depth reduction  
Anchor diversity improvement  
Cannibalization control  
Canonical consolidation  
Topic cluster strengthening

---

# **16. Types of Internal Links to Support**

The system must support these internal link types:

Navigational links  
Breadcrumb links  
Contextual links

Related report links  
Related article links  
Hub-and-spoke links  
Parent-child links  
Global-to-local links  
Section-level links  
Table of contents links  
Evidence-based links  
Case study links  
Commercial CTA links  
Footer links  
Sidebar links  
Image/infographic links  
FAQ links  
Pagination links  
Cross-service links  
Entity-based links  
Freshness-based links  
Conversion-path links  
Authority redistribution links  
Broken-link replacement links

Each link type must have a different scoring and placement logic.

---

## 17. Link Score Formula

### 17.1 Final Internal Link Score

```
Final Internal Link Score =  
16% Semantic Similarity  
+ 12% Entity Overlap  
+ 10% Market / Segment Relationship  
+ 8% Geography Match  
+ 8% Search Intent Match  
+ 8% Business Value  
+ 8% Page Authority Transfer Value  
+ 6% Freshness  
+ 5% Crawl Priority  
+ 5% Anchor Text Quality  
+ 5% Evidence / Case Study Support  
+ 4% Conversion Path Value  
+ 3% AI Readiness Value  
+ 2% Sentiment / External Potential
```

### 17.2 Score Decision

90 to 100:

Priority internal link.  
Can be recommended strongly for approval.

80 to 89:

Strong recommendation.  
Needs editor review.

65 to 79:

Secondary recommendation.  
Useful for related blocks or sidebars.

50 to 64:

Hold in queue.  
Use only if content is being refreshed.

Below 50:

Do not recommend.

---

## 18. SEO Validation Rules

### 18.1 Crawlability Rules

All priority links must use standard crawlable HTML href.

Important links should not depend only on JavaScript click events.

Important links should not be hidden behind tabs that are not rendered.

Important links should not point to blocked URLs.

Important links should not point to internal search result pages.

---

### 18.2 Canonical Rules

Always link to canonical URL.

Do not link to:

Tracking URLs  
Duplicate URLs  
Old slugs  
Redirected URLs



Filtered URLs unless approved  
HTTP version  
Non-preferred trailing slash version  
Search result URLs  
Session URLs

---

## 18.3 Anchor Text Rules

Use descriptive anchor text.

Avoid:

Click here  
Read more  
This report  
Learn more  
Best report  
Market research report  
Generic country-only anchors

Use:

Country + market  
Region + market  
Market + segment  
Market + intent  
Service + business outcome

---

## 18.4 Anchor Diversity Rules

Each target URL should maintain an anchor bank.

No single exact-match anchor should dominate all internal links.

Anchor variation should be natural.

Anchor text should match the source paragraph context.

---

## 18.5 Link Quantity Rules

Do not overload a page with unnecessary links.

Recommended ranges:

Short article:

5 to 8 internal links.

Long article:

8 to 15 internal links.

Report page:

10 to 25 internal links depending on length.

Industry hub:

30 plus internal links if structured properly.

Country hub:

20 plus internal links if structured properly.

Case study:

5 to 12 internal links.

---

## 18.6 Placement Rules

Priority order:

Relevant body paragraph

Section-specific block

Related report module

Case study/evidence block

TOC section

Sidebar

Footer

Footer links should not be used as the main strategy for report pages.

---

## 18.7 Faceted Navigation Rules

Marketplace and report-store filters must be controlled.

Do not index every combination of:

Industry

Country

Year

Report type

Price  
Sort order  
Publisher  
Date  
Search query

Create static SEO landing pages for high-value combinations.

Example:

India Healthcare Market Research Reports  
Saudi Arabia Facility Management Reports  
UAE Logistics Market Reports  
Asia Pacific Electric Vehicle Market Reports

Non-indexable patterns:

Sort by latest  
Price filter  
Session ID  
Search query result  
Random pagination with parameters  
Low-value combinations

---

## 19. Recommendation Output Format

Every internal link recommendation must have the following output:

Source URL  
Target URL  
Target canonical URL  
Suggested anchor text  
Anchor variation options  
Suggested placement  
Suggested section  
Relationship type  
Reason for recommendation  
SEO value  
Business value  
AI-readiness value  
Risk level  
Validation result  
Approval status

Example:

Source URL:

/blog/indian-buyers-considering-evs-but-choosing-ice

Target URL:

/industry/automotive/india-electric-vehicle-market

Anchor:

India electric vehicle market outlook

Placement:

Growth Drivers section

Relationship type:

Article supports report

India local market

EV adoption segment

Reason:

The article discusses EV buyer behavior and should pass contextual relevance to the India EV market report.

Risk:

Low

Status:

Pending editorial approval

---

## 20. User Workflow

### 20.1 New Report Published Workflow

Trigger:

New report is published.

Agent actions:

Add report to content inventory.

Extract market, country, industry and segment.

Create content node.

Find related hub pages.

Find related articles.  
Find related case studies.  
Find related surveys.  
Find global/local pages.  
Generate incoming link opportunities.  
Generate outgoing link recommendations.  
Submit to SEO editor.

Expected output:

10 to 30 relevant internal link opportunities.

---

## 20.2 New Article Published Workflow

Trigger:

New article is published.

Agent actions:

Extract article topic and intent.  
Find related reports.  
Find related market pages.  
Find related case studies.  
Find related service pages.  
Generate 3 to 8 internal links.  
Recommend commercial CTA.  
Recommend related report block.  
Submit for editorial approval.

Expected output:

Article becomes connected to report-store and commercial journeys.

---

## 20.3 Existing Page Refresh Workflow

Trigger:

Content refresh task starts.

Agent actions:

Audit existing links.  
Remove broken or outdated links.  
Replace links to old reports.  
Add links to new reports.  
Improve anchor diversity.

Add missing case study/evidence links.  
Update TOC and section purpose.  
Submit revised link plan.

Expected output:

Page becomes fresh, connected and commercially useful.

---

## 20.4 Monthly Internal Link Audit Workflow

Trigger:

Monthly SEO cycle.

Agent actions:

Find orphan pages.  
Find broken links.  
Find redirect chains.  
Find non-canonical internal links.  
Find underlinked priority pages.  
Find high-authority pages that can support weak pages.  
Find pages with poor anchor diversity.  
Find pages with missing breadcrumbs.  
Find pages with missing TOC.  
Find faceted URL crawl issues.

Expected output:

Monthly internal linking audit dashboard.

---

## 20.5 Report Editing Workflow

Trigger:

Research/content team edits report.

Agent actions:

Break report into paragraphs.  
Extract claims.  
Detect repeated claims.  
Detect unsupported claims.  
Map paragraphs to evidence.  
Find supporting case studies.  
Recommend evidence links.

Recommend related report links.  
Generate knowledge hashes.

Expected output:

Report content becomes evidence-backed and intelligence-linked.

---

## 21. Knowledge Hash System

### 21.1 Purpose

Knowledge Hash is a unique fingerprint for a market insight or claim.

It helps detect:

- Repeated insights
- Duplicate paragraphs
- Unsupported claims
- Outdated statements
- Conflicting data
- Evidence gaps
- Cross-report repetition

### 21.2 Knowledge Hash Structure

Recommended format:

```
KH_[MARKET]_[COUNTRY]_[SEGMENT]_[CLAIM_TYPE]_[YEAR]_[SOURCE_TYPE]_[CONFIDENCE]
```

Example:

```
KH_EV_INDIA_CHARGING_BARRIER_2026_SURVEY_82
```

### 21.3 Required Components

- Market
- Country/region
- Segment
- Claim type
- Time period
- Evidence source
- Confidence score

---

## 22. AI Readiness Scoring

Each priority page should receive an AI-readiness score.

### 22.1 AI Readiness Factors

Clear market definition  
Clear country/region context  
Structured headings  
TOC available  
FAQ available  
Evidence available  
Case study support  
Methodology section  
Internal links to related entities  
Structured data  
Updated date  
Author/research attribution  
Original data or unique insight

### 22.2 AI Readiness Output

High:

Strong entity structure and evidence support.

Medium:

Good content but missing evidence or links.

Low:

Thin, isolated or unsupported content.

---

## 23. Business Priority Score

### 23.1 Inputs

Revenue potential  
Report sales priority  
Consulting relevance  
Survey relevance  
Expert panel relevance  
Procurement relevance  
Industry priority  
Country priority



Sales team demand  
Search demand  
Lead conversion potential

## 23.2 Output

High:

Push internal links aggressively from relevant authority pages.

Medium:

Add normal contextual and related links.

Low:

Add only where highly relevant.

---

# 24. Dashboard Requirements

## 24.1 SEO Dashboard

Metrics:

Total pages  
Total internal links  
Average internal links per page  
Orphan pages  
Broken internal links  
Redirected internal links  
Non-canonical internal links  
Pages deeper than 3 clicks  
High-value underlinked pages  
Anchor diversity score  
Link deployment status

## 24.2 Business Dashboard

Metrics:

Internal link clicks  
Report enquiries from internal links  
Sample requests from internal links  
Consulting enquiries from internal links  
Top converting source pages  
Top converting target pages

Assisted conversions  
Revenue opportunity by link cluster

## 24.3 Intelligence Dashboard

Metrics:

Entity coverage  
Relationship coverage  
Global/local mapping coverage  
Paragraph evidence mapping coverage  
Case study linkage coverage  
Unsupported claim count  
Duplicate claim count  
Pages missing TOC  
Sections missing purpose  
AI-readiness score by industry

## 24.4 Editorial Dashboard

Features:

Recommendation queue  
Approve link  
Reject link  
Edit anchor  
Edit placement  
View reason  
View risk  
View source and target preview  
Bulk approve low-risk links  
Assign to content owner  
Export to Jira

---

# 25. Access Control

## 25.1 Roles

Admin  
SEO Manager  
Content Editor  
Research Reviewer  
Tech Developer  
Read-only Leadership Viewer

## 25.2 Permissions

Admin:

All permissions.

SEO Manager:

Approve/reject SEO links.  
Run audits.  
Export recommendations.

Content Editor:

Review content placement.  
Edit anchor text.  
Approve content-level links.

Research Reviewer:

Approve evidence and case study mapping.  
Reject unsupported claims.

Tech Developer:

Manage MCP tools.  
Deploy approved changes.  
View logs.

Leadership Viewer:

View dashboards only.

---

## 26. Human Approval Rules

### 26.1 Auto-Approval Eligible

Only in later versions.

Possible candidates:

Broken-link replacement with exact canonical equivalent.  
Breadcrumb correction.  
Related block update from approved relationship.  
Internal link to same parent category with high confidence.

## 26.2 Always Requires Human Approval

New contextual body links.  
Commercial CTA changes.  
Links to consulting pages.  
Links involving market numbers or evidence claims.  
Canonical/indexability changes.  
Faceted URL indexation changes.  
Report page template changes.  
Bulk deployment across more than 50 pages.

---

## 27. Security and Risk Control

### 27.1 Main Risks

LLM hallucination  
Wrong link recommendation  
Spammy anchor text  
Over-optimization  
Incorrect canonical link  
Links to non-indexable pages  
Crawl waste from faceted pages  
Unapproved publishing  
Prompt injection through page content  
Data leakage from internal reports  
Broken CMS deployment  
Loss of editorial quality

### 27.2 Controls

MCP tool permission scoping  
Read-only mode by default  
Write actions require approval  
Structured output schemas  
SEO validation before recommendation approval  
Audit logs for every action  
Rollback available for every deployment  
Prompt injection filtering  
Tool call logging  
Rate limits  
Role-based access  
Human-in-the-loop for V1

---

## 28. Technical Requirements

### 28.1 Backend

Recommended:

Python / Django service or Node.js service  
PostgreSQL for structured data  
Graph database layer optional  
Vector database for embeddings  
Redis queue for background jobs  
Crawler integration  
CMS integration  
GA4 and GSC API integration  
MCP server layer  
Audit log system

### 28.2 Frontend

Recommended:

Internal dashboard  
Recommendation queue  
Page detail view  
Graph relationship view  
Approval workflow  
Audit dashboard  
Export center  
Role-based access

### 28.3 AI Layer

LLM for reasoning  
Embedding model for semantic search  
Prompt templates for agents  
Structured JSON output  
Evaluation framework  
Human feedback loop

### 28.4 Integrations

Ken website CMS  
Report store  
GhostCMS resources  
Django Admin  
GA4  
Google Search Console  
Crawler

Sitemap  
Jira  
Lead tracking / CRM if available

---

## 29. API Requirements

### 29.1 Recommendation API

Endpoint:

POST /api/internal-linking/recommend

Input:

source\_url  
content\_type  
optional\_target\_type  
industry  
country  
market  
intent  
max\_recommendations

Output:

recommendations array.

---

### 29.2 Validation API

Endpoint:

POST /api/internal-linking/validate

Input:

source\_url  
target\_url  
anchor\_text  
placement

Output:

crawlability\_status  
canonical\_status  
indexability\_status  
anchor\_quality\_score

risk\_flags  
approval\_required

---

## 29.3 Approval API

Endpoint:

POST /api/internal-linking/approve

Input:

recommendation\_id  
approved\_by  
edited\_anchor  
edited\_placement  
notes

Output:

approval\_status  
deployment\_status

---

## 29.4 Deployment API

Endpoint:

POST /api/internal-linking/deploy

Input:

approved\_recommendation\_id  
deployment\_mode

Output:

deployment\_id  
status  
rollback\_id

---

## 30. Success Metrics

### 30.1 SEO Metrics

Orphan pages reduced by 80%.  
Priority report pages receive minimum required internal links.  
Crawl depth improves for high-value pages.  
Broken internal links reduced to near zero.  
Non-canonical internal links reduced.  
Anchor diversity improves.  
Pages ranking 4 to 20 improve after targeted internal links.  
Indexing of priority pages improves.

### 30.2 Business Metrics

Report enquiry clicks increase.  
Sample request clicks increase.  
Consulting CTA clicks increase.  
Internal assisted conversions increase.  
High-value report discovery improves.  
Article-to-report journey improves.  
Report-to-consulting journey improves.

### 30.3 Content Intelligence Metrics

Paragraph evidence mapping coverage improves.  
Unsupported claims reduce.  
Duplicate claims reduce.  
Case study linkage increases.  
Global/local relationship coverage increases.  
Pages with TOC increase.  
Pages with section purpose mapping increase.

### 30.4 AI Readiness Metrics

Priority pages with entity-rich internal links increase.  
Pages with methodology/evidence links increase.  
FAQ-linked pages increase.  
Case-study-supported pages increase.  
AI-readiness score improves by industry cluster.

---

## 31. MVP Scope

### 31.1 MVP Duration

Build as an internal prototype first.



Do not expose publicly.

## 31.2 MVP Content Scope

Start with 3 industries:

Healthcare  
Automotive  
Technology / Telecom

Start with 3 geographies:

India  
Saudi Arabia  
UAE

Start with 5 content types:

Report pages  
Articles  
Industry pages  
Country pages  
Case studies

## 31.3 MVP Capabilities

Content inventory  
Entity extraction  
Relationship index  
Semantic search  
Link recommendations  
Anchor suggestions  
SEO validation  
Editorial dashboard  
Manual deployment export  
Basic performance tracking

## 31.4 MVP Exclusions

Full auto-publishing  
Full paragraph evidence mapping for all reports  
Full marketplace faceted URL automation  
Full CRM attribution  
Full enterprise permission model

---

## 32. Roadmap

### Phase 1: Foundation

- Build content inventory.
- Normalize canonical URLs.
- Classify content types.
- Create core taxonomy.
- Create content nodes.
- Create base dashboard.

### Phase 2: Intelligence Layer

- Add entity extraction.
- Add relationship index.
- Add semantic embeddings.
- Add global/local segmentation.
- Add business priority score.

### Phase 3: Recommendation Engine

- Generate link opportunities.
- Generate anchor text.
- Generate placement suggestions.
- Add SEO validation.
- Add editorial review queue.

### Phase 4: Deployment Workflow

- Create CMS draft insertion.
- Create related block updates.
- Create Jira export.
- Create approval logs.
- Create rollback workflow.

### Phase 5: Evidence and Report Intelligence

- Add paragraph mapping.
- Add knowledge hash.
- Add case study mapping.
- Add chart/table/image support.
- Add unsupported claim detection.

### Phase 6: Learning Loop

- Add GA4 feedback.
- Add GSC feedback.
- Add conversion scoring.

Add recommendation learning.  
Add monthly link decay agent.

---

## 33. Jira Epics

### Epic 1: Content Inventory Foundation

Objective:

Create the base database of all Ken content nodes.

Stories:

As a system, I need to crawl all active URLs.

As a system, I need to identify canonical URLs.

As a system, I need to classify content type.

As an SEO user, I need to view all pages in one inventory.

As an SEO user, I need to filter pages by industry, country and content type.

Acceptance Criteria:

All active URLs are stored.

Canonical URLs are stored.

Content type is classified.

Basic filters work.

Export is available.

---

### Epic 2: Taxonomy and Entity Extraction

Objective:

Extract market, industry, country, region and segment entities.

Stories:

As a system, I need to extract market names.

As a system, I need to extract geography.

As a system, I need to map industry and sub-industry.

As a user, I need to manually correct entity mapping.

As a system, I need to store entity confidence score.

Acceptance Criteria:

Entity extraction works on MVP content types.

Manual correction is possible.

Confidence score is visible.  
Entities are searchable.

---

## **Epic 3: Relationship Index**

Objective:

Create relationship edges between content nodes.

Stories:

As a system, I need to identify parent-child relationships.  
As a system, I need to identify global-local relationships.  
As a system, I need to identify same-market relationships.  
As a system, I need to identify case study support relationships.  
As a user, I need to approve or reject relationship edges.

Acceptance Criteria:

Relationship types are stored.  
Confidence score is stored.  
Relationship graph is viewable.  
Rejected relationships are not used for recommendations.

---

## **Epic 4: MCP Tool Layer**

Objective:

Expose approved internal tools to the LLM and agents.

Stories:

As a system, I need a Content Inventory MCP server.  
As a system, I need a Knowledge Graph MCP server.  
As a system, I need an SEO Rules MCP server.  
As a system, I need a Crawler MCP server.  
As a system, I need tool call logging.

Acceptance Criteria:

Each MCP server exposes approved tools only.  
Tool permissions are scoped.  
Tool calls are logged.  
Invalid tool calls fail safely.

---

## **Epic 5: Link Recommendation Engine**

Objective:

Generate internal link recommendations.

Stories:

As an SEO user, I need link recommendations for a source URL.

As an SEO user, I need recommended anchor text.

As an SEO user, I need recommended placement.

As an SEO user, I need to see reason and score.

As an SEO user, I need to filter by priority.

Acceptance Criteria:

Recommendations include source, target, anchor, placement and reason.

Link score is visible.

Risk flag is visible.

Recommendations can be approved or rejected.

---

## **Epic 6: SEO Validation Engine**

Objective:

Prevent bad internal links.

Stories:

As a system, I need to validate crawlability.

As a system, I need to validate canonical target.

As a system, I need to validate indexability.

As a system, I need to validate anchor quality.

As a system, I need to flag faceted URL risks.

Acceptance Criteria:

Invalid links are flagged.

Non-canonical targets are flagged.

Generic anchors are flagged.

Faceted URLs are flagged.

Validation runs before approval.

---

## **Epic 7: Editorial Review Dashboard**

Objective:

Allow human approval and control.

Stories:

As an editor, I need to view recommendations.

As an editor, I need to approve links.

As an editor, I need to reject links.

As an editor, I need to edit anchor text.

As an editor, I need to edit placement.

As an editor, I need to leave notes.

Acceptance Criteria:

Queue is visible.

Approve/reject works.

Edited anchors are saved.

Status updates correctly.

History is stored.

---

## **Epic 8: CMS Deployment Workflow**

Objective:

Deploy approved links safely.

Stories:

As a system, I need to create CMS drafts.

As a system, I need to insert approved links.

As a system, I need to update related blocks.

As a system, I need to log changes.

As a system, I need rollback support.

Acceptance Criteria:

Approved links can be deployed.

Changes are logged.

Rollback is possible.

Unapproved links cannot be published.

---

## **Epic 9: Paragraph Evidence Mapping**

Objective:

Connect report paragraphs with evidence and case studies.

Stories:

As a system, I need to split content into paragraphs.  
As a system, I need to classify claim type.  
As a system, I need to find supporting evidence.  
As a system, I need to create knowledge hash.  
As a researcher, I need to approve evidence mapping.

Acceptance Criteria:

Paragraphs are mapped.  
Claims are classified.  
Evidence suggestions are generated.  
Knowledge hash is created.  
Research reviewer can approve/reject.

---

## **Epic 10: Performance Feedback Loop**

Objective:

Measure impact after deployment.

Stories:

As a system, I need to track internal link clicks.  
As a system, I need to track report enquiries.  
As a system, I need to track GSC performance.  
As a system, I need to compare pre/post deployment.  
As a user, I need to view performance dashboard.

Acceptance Criteria:

Metrics are collected.  
Pre/post view is available.  
Performance by recommendation is visible.  
Insights feed future scoring.

---

## **34. Acceptance Criteria for MVP**

The MVP is successful if:

At least 5,000 priority URLs are inventoried.  
At least 80% of MVP pages have correct entity extraction.  
At least 70% of recommendations are judged useful by SEO/content reviewers.  
All recommendations include reason, score and placement.  
No recommendation points to non-canonical URL.  
No recommendation points to blocked/noindex URL.  
Orphan priority pages are identified.  
At least 500 link recommendations are generated.

At least 100 approved links are deployed manually or through CMS draft.  
Dashboard shows SEO, business and intelligence metrics.

---

## 35. Quality Evaluation

### 35.1 Recommendation Quality

Measure:

Relevance  
Anchor quality  
Placement quality  
Business usefulness  
SEO usefulness  
Editorial acceptance rate

### 35.2 Agent Quality

Measure:

Tool call accuracy  
Wrong tool usage  
Hallucination rate  
Rejected recommendation rate  
Average steps per task  
Cost per recommendation  
Human correction rate

### 35.3 SEO Quality

Measure:

Canonical correctness  
Crawlability correctness  
Anchor diversity  
Indexability validation  
Faceted URL avoidance  
Broken link avoidance

---

## 36. Prompting and Agent Guardrails

Each agent must follow structured output.

Example output schema:



```
{
  "source_url": "",
  "target_url": "",
  "relationship_type": "",
  "anchor_text": "",
  "placement": "",
  "section": "",
  "seo_score": 0,
  "business_score": 0,
  "confidence_score": 0,
  "reason": "",
  "risk_flags": [],
  "approval_required": true
}
```

Guardrails:

Use tools before making claims.

Do not invent URLs.

Do not invent report names.

Do not invent market numbers.

Always validate canonical target.

Always validate indexability.

Always explain recommendation reason.

Always include confidence score.

Always require approval for content body changes.

---

## 37. Example Output

### Source Page

Why Indian Car Buyers Consider EVs but Still Choose ICE

### Recommended Links

#### Recommendation 1

Target:

India Electric Vehicle Market Report

Anchor:

India electric vehicle market outlook

Placement:

Growth Drivers section

Relationship:

Article supports report

India local market

EV adoption behavior

Reason:

The article discusses EV buyer behavior and should contextually support the India EV market report.

Score:

91

Risk:

Low

Approval:

Required

---

## **Recommendation 2**

Target:

India EV Charging Infrastructure Market Report

Anchor:

India EV charging infrastructure market

Placement:

Challenges section

Relationship:

Downstream infrastructure dependency

Reason:

Charging infrastructure is a key barrier to EV adoption and directly supports the article's challenge narrative.

Score:

87

Risk:

Low

Approval:

Required

---

### **Recommendation 3**

Target:

Consumer Perception Survey Solution

Anchor:

EV consumer perception survey

Placement:

Consumer Insights section

Relationship:

Survey support

Reason:

The article discusses buyer hesitation and perception. A survey CTA supports primary research conversion.

Score:

82

Risk:

Medium

Approval:

Required

---

## 38. Ken-Specific Internal Linking Rules

### Rule 1

Every new report page must receive incoming links from:

- Industry hub
- Country hub
- Region hub
- Related articles
- Related reports
- Related case studies
- Relevant service pages

### Rule 2

Every article must include:

- 3 to 5 contextual links
- 1 report link
- 1 market/category link
- 1 related article link
- 1 commercial CTA where relevant

### Rule 3

Every market page must link to:

- Parent industry
- Child segments
- Country pages
- Global page
- Related reports
- Related services
- Relevant case studies

### Rule 4

Every case study must link to:

- Related market page
- Related report page
- Related service page
- Industry page
- Country page

## Rule 5

Every paragraph with a market claim should be mapped to:

Evidence  
Report  
Case study  
Market segment  
Country/region  
Knowledge hash

---

## 39. Open Questions

What is the final source of truth for all report URLs?  
Will GhostCMS and Django Admin both need write access?  
Which pages are highest business priority for MVP?  
Will GA4 internal link click tracking already exist or need implementation?  
Will the system integrate with CRM/lead source tracking?  
Who approves SEO recommendations?  
Who approves research evidence mapping?  
Who owns taxonomy correction?  
Should deployment be CMS draft only or direct publish after approval?  
Which industries and countries should be included in MVP beyond the recommended set?

---

## 40. Required Team Ownership

### Product Owner

Owns PRD, priority, acceptance criteria and business outcomes.

### SEO Owner

Owns SEO logic, anchor rules, crawlability rules and recommendation approval.

### Content Owner

Owns content placement, article/report readability and editorial approval.

### Research Owner

Owns evidence mapping, paragraph validation and knowledge hash quality.

## Tech Owner

Owns MCP servers, database, dashboard, integrations and deployment pipeline.

## Analytics Owner

Owns GA4, GSC, click tracking and performance dashboards.

---

# 41. Final Product Outcome

The final system should answer:

Which reports should this article link to?  
Which articles should support this report?  
Which case study validates this paragraph?  
Which survey supports this claim?  
Which global page should connect with this India page?  
Which country page is underlinked?  
Which report is orphaned?  
Which old article should link to a new report?  
Which high-authority page should support a business-priority page?  
Which anchor text should be used?  
Where should the link be placed?  
Which links are unsafe?  
Which pages have weak AI-readiness?  
Which pages are disconnected from the market graph?  
Which sections exist without purpose?  
Which internal links are generating leads?

---

# 42. Final Strategic Statement

Ken Research should not build a basic internal linking tool.

Ken should build an MCP-powered market intelligence linking system.

The system must be:

Entity-led  
Relationship-led  
Evidence-backed  
SEO-safe  
Crawlable  
LLM-assisted  
Agent-orchestrated  
Human-approved  
Business-priority-driven

AI-search ready  
Global/local segmentation aware  
Paragraph-aware  
Conversion-focused

This will convert Ken Research's website from a large content repository into a connected intelligence graph.

The outcome is stronger SEO, better AI discoverability, better report quality, better user navigation and stronger commercial conversion.