

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

- customer_name
- email
- city
- state
- signup_date
- Indexes
- Foreign Keys
- Triggers
- orders
 - Columns
 - order_id
 - customer_id
 - product_id
 - order_date
 - quantity
 - total_amount
 - payment_method
 - order_status
 - Indexes
 - Foreign Keys
 - Triggers
- products

Column: payment_method

Collation: utf8mb4_0900_ai_ci

Definition: payment_method varchar

SQL File 3: task3_queries ecommerce_db

```
102 -- Cust: Execute the statement under the keyboard cursor
103
104 SELECT customer_name
105 FROM customers
106 WHERE customer_id IN
107 (
108   SELECT customer_id
109   FROM orders
110   WHERE total_amount >
111   (
112     SELECT AVG(total_amount)
113     FROM orders
114   )
115 );
116
117 -- Views
118 -- Create Sales View
```

Result Grid

customer_name
Customer_440
Customer_489
Customer_10
Customer_793
Customer_9
Customer_360
Customer_322
Customer_136
Customer_519
Customer_66

customers 30 x

Output

#	Time	Action	Message	Duration / Fetch
79	20:27:09	SELECT * FROM products WHERE price > (SELECT AVG(price) FROM products) LIMIT 0, 1000	51 row(s) returned	0.031 sec / 0.000 sec

Read Only Context Help Snippets

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Rain warning In effect

Search

ENG IN

08:27 PM 02-07-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

- customer_name
- email
- city
- state
- signup_date
- Indexes
- Foreign Keys
- Triggers
- orders
 - Columns
 - order_id
 - customer_id
 - product_id
 - order_date
 - quantity
 - total_amount
 - payment_method
 - order_status
 - Indexes
 - Foreign Keys
 - Triggers
- products

SQL File 3: task3_queries ecommerce_db

Limit to 1000 rows

```
92
93 # Sub: Execute the statement under the keyboard cursor
94 -- Products priced above average
95 SELECT *
96 FROM products
97 WHERE price >
98 (
99     SELECT AVG(price)
100    FROM products
101 );
```

Result Grid

product_id	product_name	category	price	STOCK
1	Product_1	Fashion	4299.00	196
3	Product_3	Sports	2620.00	491
6	Product_6	Sports	3010.00	421
8	Product_8	Sports	3053.00	69
9	Product_9	Sports	3789.00	183

products 29

Output

Action Output

#	Time	Action	Message	Duration / Fetch
71	20:24:28	SELECT * FROM products LIMIT 0, 1000	100 row(s) returned	0.016 sec / 0.000 sec
72	20:24:54	SELECT * FROM customers LIMIT 0, 1000	1000 row(s) returned	0.015 sec / 0.000 sec
73	20:25:09	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	100 row(s) returned	0.016 sec / 0.000 sec
74	20:25:18	SELECT payment_method, COUNT(*) AS total_orders FROM orders GROUP BY payment_method LIMIT 0, 10...	4 row(s) returned	0.015 sec / 0.000 sec
75	20:25:31	SELECT SUM(total_amount) AS REVENUE FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
76	20:25:59	SELECT c.customer_name, o.order_id, o.total_amount FROM customers c INNER JOIN orders o ON c.customer...	1000 row(s) returned	0.016 sec / 0.000 sec
77	20:26:54	SELECT c.customer_name, o.order_id FROM customers c LEFT JOIN orders o ON c.customer_id = o.customer...	1000 row(s) returned	0.016 sec / 0.000 sec
78	20:26:58	SELECT c.customer_name, o.order_id FROM customers c RIGHT JOIN orders o ON c.customer_id = o.customer...	1000 row(s) returned	0.015 sec / 0.000 sec
79	20:27:09	SELECT * FROM products WHERE price > (SELECT AVG(price) FROM products) LIMIT 0, 1000	51 row(s) returned	0.031 sec / 0.000 sec

Column: payment_method

Collation: utf8mb4_0900_ai_ci

Definition: payment_method varchar

Object Info Session

Rain warning In effect

Search

ENG IN

08:27 PM 02-07-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- customer_name
- email
- city
- state
- signup_date
- Indexes
- Foreign Keys
- Triggers
- orders
 - Columns
 - order_id
 - customer_id
 - product_id
 - order_date
 - quantity
 - total_amount
 - payment_method
 - order_status
 - Indexes
 - Foreign Keys
 - Triggers
- products

SQL File 3: task3_queries ecommerce_db

Limit to 1000 rows

```
82 # RIGHT JOIN
83 -- Execute the statement under the keyboard cursor
84 -- Show all orders with customer names
85 SELECT
86 c.customer_name,
87 o.order_id
88 FROM customers c
89 RIGHT JOIN orders o
90 ON c.customer_id = o.customer_id;
```

Result Grid

customer_name	order_id
Customer_440	1
Customer_489	2
Customer_10	3
Customer_490	4
Customer_106	5

Result 28 x

Read Only

Context Help

SQL Snippets

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
70	20:20:52	SELECT* FROM orders WHERE order_status= 'delivered' LIMIT 0, 1000	245 row(s) returned	0.000 sec / 0.000 sec
71	20:24:28	SELECT* FROM products LIMIT 0, 1000	100 row(s) returned	0.016 sec / 0.000 sec
72	20:24:54	SELECT* FROM customers LIMIT 0, 1000	1000 row(s) returned	0.015 sec / 0.000 sec
73	20:25:09	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	100 row(s) returned	0.016 sec / 0.000 sec
74	20:25:18	SELECT payment_method, COUNT(*) AS total_orders FROM orders GROUP BY payment_method LIMIT 0, 10...	4 row(s) returned	0.015 sec / 0.000 sec
75	20:25:31	SELECT SUM(total_amount) AS REVENUE FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
76	20:25:59	SELECT c.customer_name, o.order_id, o.total_amount FROM customers c INNER JOIN orders o ON c.customer...	1000 row(s) returned	0.016 sec / 0.000 sec
77	20:26:54	SELECT c.customer_name, o.order_id FROM customers c LEFT JOIN orders o ON c.customer_id = o.customer...	1000 row(s) returned	0.016 sec / 0.000 sec
78	20:26:58	SELECT c.customer_name, o.order_id FROM customers c RIGHT JOIN orders o ON c.customer_id = o.custo...	1000 row(s) returned	0.015 sec / 0.000 sec

Object Info

Session

Column: payment_method

Collation: utf8mb4_0900_ai_ci

Definition: payment_method varchar

Rain warning In effect

Search

ENG IN

08:27 PM 02-07-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: task3_queries ecommerce_db

SCHEMAS

Filter objects

- customer_name
- email
- city
- state
- signup_date
- Indexes
- Foreign Keys
- Triggers
- orders
 - Columns
 - order_id
 - customer_id
 - product_id
 - order_date
 - quantity
 - total_amount
 - payment_method
 - order_status
 - Indexes
 - Foreign Keys
 - Triggers
- products

SQL File 3'

```
72
73 # LEF: Execute the statement under the keyboard cursor
74 -- Show all customers with their orders
75 * SELECT
76   c.customer_name,
77   o.order_id
78 FROM customers c
79 LEFT JOIN orders o
80 ON c.customer_id = o.customer_id;
81
```

Result Grid

customer_name	order_id
Customer_1	994
Customer_1	435
Customer_1	204
Customer_1	79
Customer_2	1008

Result 27 x

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
69	20:20:37	SELECT* FROM orders WHERE order_status= 'delivered' LIMIT 0, 1000	245 row(s) returned	0.016 sec / 0.000 sec
70	20:20:52	SELECT* FROM orders WHERE order_status= 'delivered' LIMIT 0, 1000	245 row(s) returned	0.000 sec / 0.000 sec
71	20:24:28	SELECT* FROM products LIMIT 0, 1000	100 row(s) returned	0.016 sec / 0.000 sec
72	20:24:54	SELECT* FROM customers LIMIT 0, 1000	1000 row(s) returned	0.015 sec / 0.000 sec
73	20:25:09	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	100 row(s) returned	0.016 sec / 0.000 sec
74	20:25:18	SELECT payment_method, COUNT(*) AS total_orders FROM orders GROUP BY payment_method LIMIT 0, 10...	4 row(s) returned	0.015 sec / 0.000 sec
75	20:25:31	SELECT SUM(total_amount) AS REVENUE FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
76	20:25:59	SELECT c.customer_name, o.order_id, o.total_amount FROM customers c INNER JOIN orders o ON c.custom...	1000 row(s) returned	0.016 sec / 0.000 sec
77	20:26:54	SELECT c.customer_name, o.order_id FROM customers c LEFT JOIN orders o ON c.customer_id = o.custome...	1000 row(s) returned	0.016 sec / 0.000 sec

Column: payment_method

Collation: utf8mb4_0900_ai_ci

Definition: payment_method varchar

Object Info Session

Rain warning In effect

Search

ENG IN

08:26 PM 02-07-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: task3_queries ecommerce_db

SCHMAS

Filter objects

- customer_name
- email
- city
- state
- signup_date
- Indexes
- Foreign Keys
- Triggers
- orders
 - Columns
 - order_id
 - customer_id
 - product_id
 - order_date
 - quantity
 - total_amount
 - payment_method
 - order_status
 - Indexes
 - Foreign Keys
 - Triggers
- products

SQL File 3'

```
57 # INNER JOIN
58 -- Cus! Execute the statement under the keyboard cursor
59 SELECT
60 c.customer_name,
61 o.order_id,
62 o.total_amount
63 FROM customers c
64 INNER JOIN orders o
65 ON c.customer_id = o.customer_id;
```

Result Grid

customer_name	order_id	total_amount
Customer_440	1	9674.00
Customer_489	2	8598.00
Customer_10	3	7580.00
Customer_490	4	2254.00
Customer_106	5	3010.00

Result 26 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
68	20:20:20	SELECT* FROM products LIMIT 0, 1000	100 row(s) returned	0.125 sec / 0.000 sec
69	20:20:37	SELECT* FROM orders WHERE order_status= 'delivered' LIMIT 0, 1000	245 row(s) returned	0.016 sec / 0.000 sec
70	20:20:52	SELECT* FROM orders WHERE order_status= 'delivered' LIMIT 0, 1000	245 row(s) returned	0.000 sec / 0.000 sec
71	20:24:28	SELECT* FROM products LIMIT 0, 1000	100 row(s) returned	0.016 sec / 0.000 sec
72	20:24:54	SELECT* FROM customers LIMIT 0, 1000	1000 row(s) returned	0.015 sec / 0.000 sec
73	20:25:09	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	100 row(s) returned	0.016 sec / 0.000 sec
74	20:25:18	SELECT payment_method, COUNT(*) AS total_orders FROM orders GROUP BY payment_method LIMIT 0, 10...	4 row(s) returned	0.015 sec / 0.000 sec
75	20:25:31	SELECT SUM(total_amount) AS REVENUE FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
76	20:25:59	SELECT c.customer_name, o.order_id, o.total_amount FROM customers c INNER JOIN orders o ON c.customer...	1000 row(s) returned	0.016 sec / 0.000 sec

Column: payment_method

Collation: utf8mb4_0900_ai_ci

Definition: payment_method varchar

Object Info Session

Rain warning In effect

Search

ENG IN

08:26 PM 02-07-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: Filter objects

Schemas

- customer_nai
- email
- city
- state
- signup_date
- Indexes
- Foreign Keys
- Triggers
- orders
 - Columns
 - order_id
 - customer_id
 - product_id
 - order_date
 - quantity
 - total_amount
 - payment_mel
 - order_status
 - Indexes
 - Foreign Keys
 - Triggers
- products

SQL File 3 task3_queries ecommerce_db

Limit to 1000 rows

```
43
44 # Aggregate Functions
45 -- Total sales.
46 SELECT SUM(total_amount) AS REVENUE
47 FROM orders;
48
49 -- Average order value.
```

Result Grid

REVENUE
7575374.00

Result 25 x

Read Only

Context Help Snippets

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

Information

Column: payment_method

Collation: utf8mb4_0900_ai_ci

Definition: payment_method varchar

Object Info Session

Output

#	Time	Action	Message	Duration / Fetch
67	19:49:21	SELECT * FROM sales_summary LIMIT 0, 1000	1000 row(s) returned	0.031 sec / 0.000 sec
68	20:20:20	SELECT* FROM products LIMIT 0, 1000	100 row(s) returned	0.125 sec / 0.000 sec
69	20:20:37	SELECT* FROM orders WHERE order_status= 'delivered' LIMIT 0, 1000	245 row(s) returned	0.016 sec / 0.000 sec
70	20:20:52	SELECT* FROM orders WHERE order_status= 'delivered' LIMIT 0, 1000	245 row(s) returned	0.000 sec / 0.000 sec
71	20:24:28	SELECT* FROM products LIMIT 0, 1000	100 row(s) returned	0.016 sec / 0.000 sec
72	20:24:54	SELECT* FROM customers LIMIT 0, 1000	1000 row(s) returned	0.015 sec / 0.000 sec
73	20:25:09	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	100 row(s) returned	0.016 sec / 0.000 sec
74	20:25:18	SELECT payment_method, COUNT(*) AS total_orders FROM orders GROUP BY payment_method LIMIT 0, 10...	4 row(s) returned	0.015 sec / 0.000 sec
75	20:25:31	SELECT SUM(total_amount) AS REVENUE FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Rain warning In effect

Search

ENG IN

08:25 PM 02-07-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- customer_name
- email
- city
- state
- signup_date
- Indexes
- Foreign Keys
- Triggers
- orders
 - Columns
 - order_id
 - customer_id
 - product_id
 - order_date
 - quantity
 - total_amount
 - payment_method
 - order_status
 - Indexes
 - Foreign Keys
 - Triggers
- products

SQL File 3 task3_queries ecommerce_db

Limit to 1000 rows

```
31 # GROUP BY
32 -- Total orders by payment method.
33 * SELECT payment_method,
34 COUNT(*) AS total_orders
35 FROM orders
36 GROUP BY payment_method;
37
```

Result Grid

payment_method	total_orders
UPI	249
Card	262
Cash on Delivery	240
Net Banking	249

Result 24 x

Read Only

Context Help Snippets

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
66	19:49:14	CREATE VIEW sales_summary AS SELECT o.order_id, c.customer_name, p.product_name, o.total_amount	0 row(s) affected	0.015 sec
67	19:49:21	SELECT * FROM sales_summary LIMIT 0, 1000	1000 row(s) returned	0.031 sec / 0.000 sec
68	20:20:20	SELECT * FROM products LIMIT 0, 1000	100 row(s) returned	0.125 sec / 0.000 sec
69	20:20:37	SELECT * FROM orders WHERE order_status = 'delivered' LIMIT 0, 1000	245 row(s) returned	0.016 sec / 0.000 sec
70	20:20:52	SELECT * FROM orders WHERE order_status = 'delivered' LIMIT 0, 1000	245 row(s) returned	0.000 sec / 0.000 sec
71	20:24:28	SELECT * FROM products LIMIT 0, 1000	100 row(s) returned	0.016 sec / 0.000 sec
72	20:24:54	SELECT * FROM customers LIMIT 0, 1000	1000 row(s) returned	0.015 sec / 0.000 sec
73	20:25:09	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	100 row(s) returned	0.016 sec / 0.000 sec
74	20:25:18	SELECT payment_method, COUNT(*) AS total_orders FROM orders GROUP BY payment_method LIMIT 0, 10...	4 row(s) returned	0.015 sec / 0.000 sec

Column: payment_method

Collation: utf8mb4_0900_ai_ci

Definition: payment_method varchar

Object Info Session

Rain warning In effect

Search

ENG IN

08:25 PM 02-07-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas Filter objects

- customer_name
- email
- city
- state
- signup_date
- Indexes
- Foreign Keys
- Triggers
- orders
 - Columns
 - order_id
 - customer_id
 - product_id
 - order_date
 - quantity
 - total_amount
 - payment_method
 - order_status
 - Indexes
 - Foreign Keys
 - Triggers
- products

SQL File 3 task3_queries ecommerce_db

Limit to 1000 rows

```
21
22 # ORDER BY
23 -- Products sorted by highest price.
24 • SELECT * FROM products
25 ORDER BY price DESC;
26
27 -- Orders sorted by latest date.
```

Result Grid

product_id	product_name	category	price	STOCK
37	Product_37	Sports	4908.00	236
90	Product_90	Sports	4837.00	423
89	Product_89	Books	4683.00	86
69	Product_69	Fashion	4613.00	185
39	Product_39	Fashion	4602.00	304

products 23

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

Information

Column: payment_method

Collation: utf8mb4_0900_ai_ci

Definition: payment_method varchar

Object Info Session

Output

Action Output

#	Time	Action	Message	Duration / Fetch
65	19:48:48	SELECT * FROM sales_summary LIMIT 0, 1000	Error Code: 1146. Table 'ecommerce.sales_summary' doesn't exist	0.015 sec
66	19:49:14	CREATE VIEW sales_summary AS SELECT o.order_id, c.customer_name, p.product_name, o.total_amount ...	0 row(s) affected	0.015 sec
67	19:49:21	SELECT * FROM sales_summary LIMIT 0, 1000	1000 row(s) returned	0.031 sec / 0.000 sec
68	20:20:20	SELECT* FROM products LIMIT 0, 1000	100 row(s) returned	0.125 sec / 0.000 sec
69	20:20:37	SELECT* FROM orders WHERE order_status= 'delivered' LIMIT 0, 1000	245 row(s) returned	0.016 sec / 0.000 sec
70	20:20:52	SELECT* FROM orders WHERE order_status= 'delivered' LIMIT 0, 1000	245 row(s) returned	0.000 sec / 0.000 sec
71	20:24:28	SELECT* FROM products LIMIT 0, 1000	100 row(s) returned	0.016 sec / 0.000 sec
72	20:24:54	SELECT* FROM customers LIMIT 0, 1000	1000 row(s) returned	0.015 sec / 0.000 sec
73	20:25:09	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	100 row(s) returned	0.016 sec / 0.000 sec

Rain warning In effect

Search

ENG IN

08:25 PM 02-07-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

- customer_name
- email
- city
- state
- signup_date
- Indexes
- Foreign Keys
- Triggers
- orders
 - Columns
 - order_id
 - customer_id
 - product_id
 - order_date
 - quantity
 - total_amount
 - payment_method
 - order_status
 - Indexes
 - Foreign Keys
 - Triggers
- products

SQL File 3: task3_queries ecommerce_db

```
7 * SELECT* FROM customers;
8
9 # WHERE Clause
10 -- Show all delivered orders
11 * SELECT* FROM orders
12 WHERE order_status= 'delivered';
13
```

Result Grid

	customer_id	customer_name	email	city	state	signup_date
1	Customer_1	customer1@example.com	Mumbai	Delhi	2023-10-09	
2	Customer_2	customer2@example.com	Hyderabad	Telangana	2023-05-23	
3	Customer_3	customer3@example.com	Mumbai	West Bengal	2023-03-31	
4	Customer_4	customer4@example.com	Ahmedabad	Rajasthan	2023-02-02	
5	Customer_5	customer5@example.com	Delhi	Maharashtra	2023-08-12	

customers 22 x

Output

#	Time	Action	Message	Duration / Fetch
64	19:48:40	CREATE INDEX idx_product ON orders(product_id)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.438 sec
65	19:48:48	SELECT * FROM sales_summary LIMIT 0, 1000	Error Code: 1146 Table 'ecommerce.sales_summary' doesn't exist	0.015 sec
66	19:49:14	CREATE VIEW sales_summary AS SELECT o.order_id, c.customer_name, p.product_name, o.total_amount ...	0 row(s) affected	0.015 sec
67	19:49:21	SELECT * FROM sales_summary LIMIT 0, 1000	1000 row(s) returned	0.031 sec / 0.000 sec
68	20:20:20	SELECT* FROM products LIMIT 0, 1000	100 row(s) returned	0.125 sec / 0.000 sec
69	20:20:37	SELECT* FROM orders WHERE order_status= 'delivered' LIMIT 0, 1000	245 row(s) returned	0.016 sec / 0.000 sec
70	20:20:52	SELECT* FROM orders WHERE order_status= 'delivered' LIMIT 0, 1000	245 row(s) returned	0.000 sec / 0.000 sec
71	20:24:28	SELECT* FROM products LIMIT 0, 1000	100 row(s) returned	0.016 sec / 0.000 sec
72	20:24:54	SELECT* FROM customers LIMIT 0, 1000	1000 row(s) returned	0.015 sec / 0.000 sec

Column: payment_method

Collation: utf8mb4_0900_ai_ci

Definition: payment_method varchar

World Cup cover... FIFA World Cup...

08:24 PM 02-07-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: task3_queries ecommerce_db

SCHMAS

Filter objects

- customer_nai
- email
- city
- state
- signup_date
- Indexes
- Foreign Keys
- Triggers
- orders
 - Columns
 - order_id
 - customer_id
 - product_id
 - order_date
 - quantity
 - total_amount
 - payment_mel
 - order_status
 - Indexes
 - Foreign Keys
 - Triggers
- products

SQL File 3'

```
1 # SELECT Statement
2 -- Execute the statement under the keyboard cursor
3 -- Display all products.
4 * SELECT* FROM products;
5 -- Display all orders.
6 * SELECT* FROM orders;
7 -- Display all customers
8 * SELECT* FROM customers;
```

Limit to 1000 rows

Result Grid

product_id	product_name	category	price	STOCK
1	Product_1	Fashion	4299.00	196
2	Product_2	Sports	401.00	73
3	Product_3	Sports	2620.00	491
4	Product_4	Electronics	903.00	445
5	Product_5	Home	1360.00	179

products 21 x

Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
63	19:45:05	SELECT p.product_name, o.order_id, o.total_amount FROM products p INNER JOIN orders o ON p.product_id = o.product_id	1000 row(s) returned	0.031 sec / 0.000 sec
64	19:48:40	CREATE INDEX idx_product ON orders(product_id)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.438 sec
65	19:48:48	SELECT * FROM sales_summary LIMIT 0, 1000	Error Code: 1146. Table 'ecommerce.sales_summary' doesn't exist	0.015 sec
66	19:49:14	CREATE VIEW sales_summary AS SELECT o.order_id, c.customer_name, p.product_name, o.total_amount	0 row(s) affected	0.015 sec
67	19:49:21	SELECT * FROM sales_summary LIMIT 0, 1000	1000 row(s) returned	0.031 sec / 0.000 sec
68	20:20:20	SELECT * FROM products LIMIT 0, 1000	100 row(s) returned	0.125 sec / 0.000 sec
69	20:20:37	SELECT * FROM orders WHERE order_status = 'delivered' LIMIT 0, 1000	245 row(s) returned	0.016 sec / 0.000 sec
70	20:20:52	SELECT * FROM orders WHERE order_status = 'delivered' LIMIT 0, 1000	245 row(s) returned	0.000 sec / 0.000 sec
71	20:24:28	SELECT * FROM products LIMIT 0, 1000	100 row(s) returned	0.016 sec / 0.000 sec

Column: payment_method

Collation: utf8mb4_0900_ai_ci

Definition: payment_method varchar

Object Info Session

World Cup cover... FIFA World Cup...

Search

ENG IN

08:24 PM 02-07-2026