



QBot Platform

Line Following

© 2024 Quanser Inc., All rights reserved.

Quanser Inc.
119 Spy Court
Markham, Ontario
L3R 5H6
Canada

info@quanser.com
Phone: 19059403575
Fax: 19059403576
Printed in Markham, Ontario.



For more information on the solutions Quanser Inc. offers, please visit the web site at:
<http://www.quanser.com>


This document and the software described in it are provided subject to a license agreement. Neither the software nor this document may be used or copied except as specified under the terms of that license agreement. Quanser Inc. grants the following rights: a) The right to reproduce the work, to incorporate the work into one or more collections, and to reproduce the work as incorporated in the collections, b) to create and reproduce adaptations provided reasonable steps are taken to clearly identify the changes that were made to the original work, c) to distribute and publicly perform the work including as incorporated in collections, and d) to distribute and publicly perform adaptations. The above rights may be exercised in all media and formats whether now known or hereafter devised. These rights are granted subject to and limited by the following restrictions: a) You may not exercise any of the rights granted to You in above in any manner that is primarily intended for or directed toward commercial advantage or private monetary compensation, and b) You must keep intact all copyright notices for the Work and provide the name Quanser Inc. for attribution. These restrictions may not be waved without express prior written permission of Quanser Inc.

QBot Platform – Application Guide

Line Following

Why implement line following?

With the forward and inverse kinematic formulations implemented, applications such as line following provide opportunities to explore task automation. Both labs encouraged you to follow a line visually, wherein, the operator acted as the visual servoing controller, taking actions for the QBot based on the motion and tracking information observed. With line following, the robot will be able to take decisions to track the line automatically.



Arcade Drive

In this application, the QBot Platform's downward camera will provide visual feedback regarding the line to be followed, and an image processing routine will provide the body velocity command to automate line following. As such, inverse kinematics will be used to map the body velocity to the corresponding wheel velocity commands for the QBot Platform to follow.

Image Processing

This routine will focus on thresholding the image to identify bright markers in the image corresponding to the line, while ignoring the areas around it. Connected component labelling will be utilized to extract positional information about the line in the image, and this information will be translated into body velocity commands.

Before you begin

Please review the following before beginning this lab,

1. Ensure you have completed the following labs in your language of choice,
 - a. **Play** lab from Skills Progressions 0
 - b. **Forward Kinematics** and **Inverse Kinematics** labs from Skills Progressions 1
2. Ensure that you have read the following concept reviews,
 - a. Color Spaces
 - b. Image Filters
 - c. Blob Detection