

TRAAR TRAVEL PLATFORM

Travel, Explore, Belong • Complete Source Code & Architecture

Repository: <https://github.com/vanshsoni12/traar-travel>

Author: Vansh Soni | Date: September 2026

1. Executive Summary & System Overview

TRAAR is an end-to-end modern travel discovery and dynamic itinerary budgeting platform engineered with React 18, Vite, and Tailwind CSS. The platform eliminates travel tariff uncertainty through verified local tariffs across stays, regional dining, sights, and multimodal transport connections.

Key Capabilities:

- Role-Based Access Control: Seamlessly separates Traveller View, Tourism Provider Portal, and Administrator Moderation Desk.
- Dynamic Budget & Tariff Engine: Automatically scales lodging, meals, entry tickets, and transit according to headcount.
- Verified Local Intelligence: Direct provider submissions with strict moderation queue and feedback mechanisms.
- Responsive Mobile-First Architecture: Supports PWA installation, native touch controls, and mobile navigation.

2. Technical Architecture & Stack

Framework & Bundler:	React 18.3 + Vite 6 (Single Page Application)
State Management:	React Context API with centralized AppContext provider
Styling & UI Kit:	Tailwind CSS 3.4 with custom lavender & teal theme palettes
Icons & Graphics:	Lucide React icon system
PDF & Export:	jsPDF 4.2 & html2canvas for instant offline travel estimates
Hosting & CI/CD:	Vercel Deployment with SPA rewrite rule via vercel.json
Version Control:	Git & GitHub (https://github.com/vanshsoni12/traar-travel)

3. Project Directory Map

traar-travel/	
% % % src /	
% % % % components /	
% % % % % common /	# Modals (ViewDetails, Compare,
% % % % % layout /	# TopHeader, Sidebar, MobileBot
% % % % % modals /	# Directions, ShareTrip, Toast
% % % % context /	# AppContext.jsx (Centralized s
% % % % data /	# Mock databases (destinations,
% % % % pages /	# 12 Primary route view compone
% % % % App.jsx	# Main app router & layout wrap
% % % % index.css	# Tailwind base layers & custom
% % % % main.jsx	# React DOM root mounting
% % % public /	# Favicons, logos, manifest.js
% % % vercel.json	# SPA routing rewrite rule for
% % % package.json	# Project manifest & build scri

File: package.json

30 lines

```
1  {
2    "name": "traar-travel",
3    "private": true,
4    "version": "1.0.0",
5    "type": "module",
6    "scripts": {
7      "dev": "vite",
8      "build": "vite build",
9      "preview": "vite preview"
10   },
11   "dependencies": {
12     "clsx": "^2.1.1",
13     "html2canvas": "^1.4.1",
14     "jspdf": "^4.2.1",
15     "lucide-react": "^1.16.0",
16     "react": "^18.3.1",
17     "react-dom": "^18.3.1",
18     "tailwind-merge": "^2.6.0"
19   },
20   "devDependencies": {
21     "@types/react": "^18.3.18",
22     "@types/react-dom": "^18.3.5",
23     "@vitejs/plugin-react": "^4.3.4",
24     "autoprefixer": "^10.4.20",
25     "postcss": "^8.4.49",
26     "tailwindcss": "^3.4.17",
27     "vite": "^6.0.7"
28   }
29 }
30
```

File: src/App.jsx

93 lines

```

1  import React from 'react';
2  import { AppProvider, useApp } from '../context/AppContext';
3  import Sidebar from '../components/layout/Sidebar';
4  import TopHeader from '../components/layout/TopHeader';
5  import ViewDetailsModal from '../components/common/ViewDetailsModal';
6  import CompareModal from '../components/common/CompareModal';
7  import ReportModal from '../components/common/ReportModal';
8  import WayToModal from '../components/common/WayToModal';
9  import ExportEstimateModal from '../components/common/ExportEstimateModal';
10 import Toast from '../components/common/Toast';
11
12 import HomePage from '../pages/HomePage';
13 import DestinationOverviewPage from '../pages/DestinationOverviewPage';
14 import StaysPage from '../pages/StaysPage';
15 import FoodPage from '../pages/FoodPage';
16 import PlacesToVisitPage from '../pages/PlacesToVisitPage';
17 import NearbyTripsPage from '../pages/NearbyTripsPage';
18 import MyTripPage from '../pages/MyTripPage';
19 import ProviderDashboardPage from '../pages/ProviderDashboardPage';
20 import AddServicePage from '../pages/AddServicePage';
21 import HelpBoothPage from '../pages/HelpBoothPage';
22 import AdminDashboardPage from '../pages/AdminDashboardPage';
23 import FavouritesPage from '../pages/FavouritesPage';
24
25 function MainLayout() {
26   const { activePage } = useApp();
27
28   const renderActivePage = () => {
29     switch (activePage) {
30       case 'home':
31         return <HomePage />;
32       case 'destination':
33         return <DestinationOverviewPage />;
34       case 'stays':
35         return <StaysPage />;
36       case 'food':
37         return <FoodPage />;
38       case 'places':
39         return <PlacesToVisitPage />;
40       case 'nearby':
41         return <NearbyTripsPage />;
42       case 'trip':
43         return <MyTripPage />;
44       case 'favourites':
45         return <FavouritesPage />;
46       case 'dashboard':
47         return <ProviderDashboardPage />;
48       case 'add-service':
49         return <AddServicePage />;
50       case 'help':
51         return <HelpBoothPage />;
52       case 'admin':
53         return <AdminDashboardPage />;
54       default:
55         return <HomePage />;
56     }
57   };
58
59   return (
60     <div className="min-h-screen bg-[#F8FAFC] flex font-sans antialiased text-slate-800">
61       {/* Fixed Sidebar */}
62       <Sidebar />
63
64       {/* Main Content Area offset by Sidebar width on desktop (w-[235px]) */}
65       <div className="flex-1 lg:pl-[235px] flex flex-col min-w-0 transition-all">
66         {/* Top Header */}
67         <TopHeader />
68
69         {/* Dynamic Page Content */}
70         <main className="flex-1 px-4 sm:px-8 py-6 max-w-7xl w-full mx-auto">
71           {renderActivePage()}
72         </main>
73       </div>
74
75       {/* Global Application Modals */}

```

```
76         <ViewDetailsModal />
77         <CompareModal />
78         <ReportModal />
79         <WayToModal />
80         <ExportEstimateModal />
81         <Toast />
82     </div>
83 );
84 }
85
86 export default function App() {
87     return (
88         <AppProvider>
89             <MainLayout />
90         </AppProvider>
91     );
92 }
93
```

File: src/components/layout/MobileBottomNav.jsx

202 lines

```

1  import React from 'react';
2  import {
3    Home,
4    MapPin,
5    Bed,
6    Briefcase,
7    Heart,
8    Menu,
9    LayoutDashboard,
10   PlusCircle,
11   ShieldCheck
12 } from 'lucide-react';
13 import { useApp } from '../../context/AppContext';
14
15 export default function MobileBottomNav() {
16   const {
17     activePage,
18     setActivePage,
19     tripItems,
20     savedFavourites,
21     setIsMobileSidebarOpen,
22     userRole
23   } = useApp();
24
25   const handleNav = (page) => {
26     setActivePage(page);
27     window.scrollTo({ top: 0, behavior: 'smooth' });
28   };
29
30   return (
31     <nav
32       className="lg:hidden fixed bottom-0 left-0 right-0 z-40 bg-white/95 backdrop-blur-md border-t
border-slate-200/90 px-2 py-1 shadow-lg transition-transform duration-200"
33       style={{ paddingBottom: 'max(env(safe-area-inset-bottom, 8px), 8px)' }}
34       aria-label="Mobile Navigation"
35     >
36       <div className="flex items-center justify-around max-w-lg mx-auto">
37         {userRole === 'provider' ? (
38           <>
39             <button
40               onClick={() => handleNav('dashboard')}
41               className={`flex flex-col items-center justify-center py-1 px-3 rounded-xl transition-all
cursor-pointer ${
42                 activePage === 'dashboard' ? 'text-teal-700 font-bold' : 'text-slate-500 hover:text-slate-800'
43               }`}
44             >
45               <LayoutDashboard className={`w-5 h-5 ${activePage === 'dashboard' ? 'stroke-[2.5]' : ''}`} />
46               <span className="text-[10px] mt-0.5">Dashboard</span>
47             </button>
48
49             <button
50               onClick={() => handleNav('add-service')}
51               className={`flex flex-col items-center justify-center py-1 px-3 rounded-xl transition-all
cursor-pointer ${
52                 activePage === 'add-service' ? 'text-teal-700 font-bold' : 'text-slate-500 hover:text-slate-800'
53               }`}
54             >
55               <PlusCircle className={`w-5 h-5 ${activePage === 'add-service' ? 'stroke-[2.5]' : ''}`} />
56               <span className="text-[10px] mt-0.5">Add Service</span>
57             </button>
58
59             <button
60               onClick={() => handleNav('home')}
61               className={`flex flex-col items-center justify-center py-1 px-3 rounded-xl transition-all
cursor-pointer ${
62                 activePage === 'home' ? 'text-teal-700 font-bold' : 'text-slate-500 hover:text-slate-800'
63               }`}
64             >
65               <Home className="w-5 h-5" />
66               <span className="text-[10px] mt-0.5">Traveller View</span>
67             </button>
68
69             <button
70               onClick={() => setIsMobileSidebarOpen(true)}
71               className="flex flex-col items-center justify-center py-1 px-3 rounded-xl text-slate-500

```

```

72         hover:text-slate-800 cursor-pointer"
73         >
74         <Menu className="w-5 h-5" />
75         <span className="text-[10px] mt-0.5">Menu</span>
76         </button>
77     ) : userRole === 'admin' ? (
78     <>
79         <button
80             onClick={() => handleNav('admin')}
81             className={`flex flex-col items-center justify-center py-1 px-3 rounded-xl transition-all
82             cursor-pointer ${
83                 activePage === 'admin' ? 'text-lavender-700 font-bold' : 'text-slate-500 hover:text-slate-800'
84             }`}
85             >
86             <ShieldCheck className={`w-5 h-5 ${activePage === 'admin' ? 'stroke-[2.5]' : ''}`} />
87             <span className="text-[10px] mt-0.5">Admin</span>
88             </button>
89
90             <button
91                 onClick={() => handleNav('home')}
92                 className={`flex flex-col items-center justify-center py-1 px-3 rounded-xl transition-all
93                 cursor-pointer ${
94                     activePage === 'home' ? 'text-teal-700 font-bold' : 'text-slate-500 hover:text-slate-800'
95                 }`}
96                 >
97                 <Home className="w-5 h-5" />
98                 <span className="text-[10px] mt-0.5">Traveller</span>
99                 </button>
100
101                 <button
102                     onClick={() => setIsMobileSidebarOpen(true)}
103                     className="flex flex-col items-center justify-center py-1 px-3 rounded-xl text-slate-500
104                     hover:text-slate-800 cursor-pointer"
105                     >
106                     <Menu className="w-5 h-5" />
107                     <span className="text-[10px] mt-0.5">Menu</span>
108                     </button>
109                 </>
110             ) : (
111             <>
112                 {/* 1. Home */}
113                 <button
114                     onClick={() => handleNav('home')}
115                     className={`flex flex-col items-center justify-center py-1 px-2 rounded-xl transition-all
116                     cursor-pointer ${
117                         activePage === 'home'
118                         ? 'text-teal-700 font-bold'
119                         : 'text-slate-500 hover:text-slate-800'
120                     }`}
121                     >
122                     <Home className={`w-5 h-5 ${activePage === 'home' ? 'stroke-[2.5]' : ''}`} />
123                     <span className="text-[10px] mt-0.5 tracking-tight">Home</span>
124                     </button>
125
126                     {/* 2. Destination / Explore */}
127                     <button
128                         onClick={() => handleNav('destination')}
129                         className={`flex flex-col items-center justify-center py-1 px-2 rounded-xl transition-all
130                         cursor-pointer ${
131                             activePage === 'destination'
132                             ? 'text-teal-700 font-bold'
133                             : 'text-slate-500 hover:text-slate-800'
134                         }`}
135                         >
136                         <MapPin className={`w-5 h-5 ${activePage === 'destination' ? 'stroke-[2.5]' : ''}`} />
137                         <span className="text-[10px] mt-0.5 tracking-tight">Explore</span>
138                         </button>
139
140                     {/* 3. Stays */}
141                     <button
142                         onClick={() => handleNav('stays')}
143                         className={`flex flex-col items-center justify-center py-1 px-2 rounded-xl transition-all
144                         cursor-pointer ${
145                             activePage === 'stays'
146                             ? 'text-amber-700 font-bold'
147                             : 'text-slate-500 hover:text-slate-800'
148                         }`}
149                         >

```

```

144         <Bed className={`w-5 h-5 ${activePage === 'stays' ? 'stroke-[2.5]' : ''}`} />
145         <span className="text-[10px] mt-0.5 tracking-tight">Stays</span>
146     </button>
147
148     {/* 4. My Trip with live badge */}
149     <button
150         onClick={() => handleNav('trip')}
151         className={`relative flex flex-col items-center justify-center py-1 px-2 rounded-xl transition-all
cursor-pointer ${
152             activePage === 'trip'
153             ? 'text-teal-700 font-bold'
154             : 'text-slate-500 hover:text-slate-800'
155         }`}
156     >
157         <div className="relative">
158             <Briefcase className={`w-5 h-5 ${activePage === 'trip' ? 'stroke-[2.5]' : ''}`} />
159             {tripItems.length > 0 && (
160                 <span className="absolute -top-1.5 -right-2.5 bg-teal-600 text-white text-[9px] font-extrabold
w-4 h-4 rounded-full flex items-center justify-center shadow-xs">
161                     {tripItems.length}
162                 </span>
163             )}
164         </div>
165         <span className="text-[10px] mt-0.5 tracking-tight">My Trip</span>
166     </button>
167
168     {/* 5. Saved Favourites */}
169     <button
170         onClick={() => handleNav('favourites')}
171         className={`relative flex flex-col items-center justify-center py-1 px-2 rounded-xl transition-all
cursor-pointer ${
172             activePage === 'favourites'
173             ? 'text-rose-600 font-bold'
174             : 'text-slate-500 hover:text-slate-800'
175         }`}
176     >
177         <div className="relative">
178             <Heart className={`w-5 h-5 ${activePage === 'favourites' ? 'stroke-[2.5] fill-rose-500' : ''}`} />
179             {savedFavourites.length > 0 && (
180                 <span className="absolute -top-1.5 -right-2.5 bg-rose-500 text-white text-[9px] font-extrabold
w-4 h-4 rounded-full flex items-center justify-center shadow-xs">
181                     {savedFavourites.length}
182                 </span>
183             )}
184         </div>
185         <span className="text-[10px] mt-0.5 tracking-tight">Saved</span>
186     </button>
187
188     {/* 6. More / Menu */}
189     <button
190         onClick={() => setIsMobileSidebarOpen(true)}
191         className="flex flex-col items-center justify-center py-1 px-2 rounded-xl text-slate-500
hover:text-slate-800 cursor-pointer"
192     >
193         <Menu className="w-5 h-5" />
194         <span className="text-[10px] mt-0.5 tracking-tight">More</span>
195     </button>
196 </>
197     )}
198 </div>
199 </nav>
200 );
201 }
202

```

File: src/components/layout/TopHeader.jsx

742 lines

```

1  import React, { useState, useRef, useEffect } from 'react';
2  import {
3    Search,
4    Bell,
5    Briefcase,
6    MapPin,
7    Menu,
8    Database,
9    Navigation,
10   Heart,
11   Scale,
12   UserCheck,
13   ChevronDown,
14   X,
15   Bed,
16   UtensilsCrossed,
17   Landmark,
18   Compass,
19   Sparkles,
20   ArrowRight,
21   Plus
22 } from 'lucide-react';
23 import { useApp } from '../../../context/AppContext';
24 import { DESTINATIONS, STAYS_DATA, FOOD_DATA, PLACES_DATA, NEARBY_TRIPS_DATA } from '../../../data/mockData';
25
26 export default function TopHeader() {
27   const {
28     activePage,
29     setActivePage,
30     tripItems,
31     searchQuery,
32     setSearchQuery,
33     setIsMobileSidebarOpen,
34     selectedCityId,
35     setSelectedCityId,
36     selectedDestination,
37     startingPoint,
38     setStartingPointCentre,
39     setStartingPointLocation,
40     setStartingPointManual,
41     clearStartingPoint,
42     userRole,
43     setUserRole,
44     changeUserRole,
45     savedFavourites,
46     compareListings,
47     setIsCompareModalOpen,
48     budgetCalculations,
49     approvedProviderStays = [],
50     approvedProviderFood = [],
51     approvedProviderPlaces = [],
52     approvedProviderNearby = [],
53     showToast,
54     setShowPipelineModal
55   } = useApp();
56
57   const [showNotifications, setShowNotifications] = useState(false);
58   const [showProfileModal, setShowProfileModal] = useState(false);
59   const [showStartingPointModal, setShowStartingPointModal] = useState(false);
60   const [manualInput, setManualInput] = useState('');
61   const [showSearchSuggestions, setShowSearchSuggestions] = useState(false);
62   const searchContainerRef = useRef(null);
63
64   useEffect(() => {
65     const handleClickOutside = (e) => {
66       if (searchContainerRef.current && !searchContainerRef.current.contains(e.target)) {
67         setShowSearchSuggestions(false);
68       }
69     };
70     document.addEventListener('mousedown', handleClickOutside);
71     return () => document.removeEventListener('mousedown', handleClickOutside);
72   }, []);
73
74   const notifications = [
75     {

```

```

76     id: 1,
77     title: 'Bhopal & Jaipur Live with Verified Tariffs',
78     time: '10m ago',
79     desc: 'All verified listings and transport fares refreshed.',
80   },
81   {
82     id: 2,
83     title: 'Transport Fares Refreshed',
84     time: '1h ago',
85     desc: 'Bhopal to Sanchi and Bhojpur bus timetables verified.',
86   }
87 ];
88
89 // Dynamic context-aware search suggestions based on which page we are on
90 const getPageSuggestions = () => {
91   const q = (searchQuery || '').trim().toLowerCase();
92
93   if (activePage === 'stays') {
94     const allStays = [...STAYS_DATA, ...approvedProviderStays];
95     const stays = allStays.filter(s => s.cityId === selectedCityId);
96     const filtered = q
97       ? stays.filter(s => s.name.toLowerCase().includes(q) || s.location.toLowerCase().includes(q) || (s.type ||
98         '').toLowerCase().includes(q))
99       : stays;
100     return {
101       title: `Stays in ${selectedDestination.name}`,
102       icon: Bed,
103       accent: 'text-amber-700 bg-amber-50 border-amber-200',
104       badgeBg: 'bg-amber-500 text-white',
105       items: filtered.slice(0, 5).map(s => ({
106         id: s.id,
107         title: s.name,
108         subtitle: `${s.location} • ₹${(s.price || 0).toLocaleString()}`,
109         tag: s.type || 'Stay',
110         page: 'stays'
111       })))
112   };
113 }
114
115 if (activePage === 'food') {
116   const allFood = [...FOOD_DATA, ...approvedProviderFood];
117   const food = allFood.filter(f => f.cityId === selectedCityId);
118   const filtered = q
119     ? food.filter(f => f.name.toLowerCase().includes(q) || (f.cuisine || '').toLowerCase().includes(q) ||
120       f.location.toLowerCase().includes(q))
121     : food;
122   return {
123     title: `Food & Dining in ${selectedDestination.name}`,
124     icon: UtensilsCrossed,
125     accent: 'text-orange-700 bg-orange-50 border-orange-200',
126     badgeBg: 'bg-orange-500 text-white',
127     items: filtered.slice(0, 5).map(f => ({
128       id: f.id,
129       title: f.name,
130       subtitle: `${f.location} • ₹${(f.avgCost || 0).toLocaleString()}`,
131       tag: f.cuisine || f.type || 'Dining',
132       page: 'food'
133     })))
134   };
135 }
136
137 if (activePage === 'places') {
138   const allPlaces = [...PLACES_DATA, ...approvedProviderPlaces];
139   const places = allPlaces.filter(p => p.cityId === selectedCityId);
140   const filtered = q
141     ? places.filter(p => p.name.toLowerCase().includes(q) || (p.category || '').toLowerCase().includes(q) ||
142       p.location.toLowerCase().includes(q))
143     : places;
144   return {
145     title: `Places to Visit in ${selectedDestination.name}`,
146     icon: Landmark,
147     accent: 'text-blue-700 bg-blue-50 border-blue-200',
148     badgeBg: 'bg-blue-600 text-white',
149     items: filtered.slice(0, 5).map(p => ({
150       id: p.id,
151       title: p.name,
152       subtitle: `${p.location} • ₹${p.entryFee === 0 ? 'Free' : p.entryFee}`,
153       tag: p.category || 'Sight',
154       page: 'places'
155     })))
156   };
157 }

```

```

152     })))
153   };
154 }
155
156 if (activePage === 'nearby') {
157   const allNearby = [...NEARBY_TRIPS_DATA, ...approvedProviderNearby];
158   const trips = allNearby.filter(n => n.cityId === selectedCityId);
159   const filtered = q
160     ? trips.filter(t => t.name.toLowerCase().includes(q) || (t.destination || '').toLowerCase().includes(q) ||
161       (t.tagline || '').toLowerCase().includes(q))
162     : trips;
163   return {
164     title: `Nearby Trips from ${selectedDestination.name}`,
165     icon: Compass,
166     accent: 'text-lavender-700 bg-lavender-50 border-lavender-200',
167     badgeBg: 'bg-lavender-600 text-white',
168     items: filtered.slice(0, 5).map(t => ({
169       id: t.id,
170       title: t.name,
171       subtitle: `${t.distanceKm || 40} km • ${t.bestTransit || 'Verified Transit'} available`,
172       tag: `${t.distanceKm || 40} km`,
173       page: 'nearby'
174     })))
175   };
176 }
177
178 if (activePage === 'home') {
179   // On Home page: suggest destinations first, then popular highlights
180   const destMatches = DESTINATIONS.filter(d =>
181     !q || d.name.toLowerCase().includes(q) || d.state.toLowerCase().includes(q)
182   ).map(d => ({
183     id: `dest-${d.id}`,
184     cityId: d.id,
185     title: d.name,
186     subtitle: `${d.state} • ${d.quickInfo?.famousFor || 'Popular Destination'}`,
187     tag: 'Destination',
188     page: 'destination',
189     icon: MapPin
190   }));
191
192   const stays = STAYS_DATA.filter(s => !q || s.name.toLowerCase().includes(q) ||
193     s.location.toLowerCase().includes(q)).slice(0, 2).map(s => ({
194     id: s.id,
195     title: s.name,
196     subtitle: `${s.location} • 1${s.price.toLocaleString('en-US', {minimumFractionDigits: 2})}`,
197     tag: 'Stay',
198     page: 'stays',
199     icon: Bed
200   }));
201
202   const places = PLACES_DATA.filter(p => !q || p.name.toLowerCase().includes(q) ||
203     p.location.toLowerCase().includes(q)).slice(0, 2).map(p => ({
204     id: p.id,
205     title: p.name,
206     subtitle: `${p.location} • ${p.category}`,
207     tag: 'Place',
208     page: 'places',
209     icon: Landmark
210   }));
211
212   const items = [...destMatches, ...stays, ...places].slice(0, 6);
213
214   return {
215     title: q ? `Search Results for "${q}"` : 'Popular Destinations & Listings',
216     icon: Sparkles,
217     accent: 'text-teal-700 bg-teal-50 border-teal-200',
218     badgeBg: 'bg-teal-600 text-white',
219     items
220   };
221 }
222
223 // Default for 'destination' (DestinationOverviewPage)
224 const categoryShortcuts = [
225   { id: 'cat-stays', title: `Stays in ${selectedDestination.name}`, subtitle: 'Hotels, hostels, PGs & guest houses', tag: 'Category', page: 'stays', icon: Bed },
226   { id: 'cat-food', title: `Food & Dining in ${selectedDestination.name}`, subtitle: 'Authentic cuisines, cafes & dhabas', tag: 'Category', page: 'food', icon: UtensilsCrossed },
227   { id: 'cat-places', title: `Places to Visit in ${selectedDestination.name}`, subtitle: 'Lakes, grand heritage, viewpoints', tag: 'Category', page: 'places', icon: Landmark },

```

```

225     { id: 'cat-nearby', title: `Nearby Trips from ${selectedDestination.name}`, subtitle: 'Sanchi, Bhimbetka, day
excursions', tag: 'Category', page: 'nearby', icon: Compass },
226   ];
227
228   const matchedShortcuts = q
229     ? categoryShortcuts.filter(c => c.title.toLowerCase().includes(q) || c.subtitle.toLowerCase().includes(q))
230     : categoryShortcuts;
231
232   const stays = STAYS_DATA.filter(s => s.cityId === selectedCityId && (!q ||
s.name.toLowerCase().includes(q))).slice(0, 2).map(s => ({
233     id: s.id,
234     title: s.name,
235     subtitle: `${s.location} • ₹${s.price.toLocaleString('en-
236     tag: 'Stay',
237     page: 'stays',
238     icon: Bed
239   }));
240
241   const places = PLACES_DATA.filter(p => p.cityId === selectedCityId && (!q ||
p.name.toLowerCase().includes(q))).slice(0, 2).map(p => ({
242     id: p.id,
243     title: p.name,
244     subtitle: `${p.location} • ${p.category}`,
245     tag: 'Place',
246     page: 'places',
247     icon: Landmark
248   }));
249
250   const combined = [...matchedShortcuts, ...stays, ...places].slice(0, 6);
251
252   return {
253     title: `${selectedDestination.name} Travel Directory`,
254     icon: Search,
255     accent: 'text-teal-700 bg-teal-50 border-teal-200',
256     badgeBg: 'bg-teal-600 text-white',
257     items: combined
258   };
259 };
260
261 const getSearchPlaceholder = () => {
262   if (activePage === 'stays') return `Search ${selectedDestination.name} hotels, hostels, PGs...`;
263   if (activePage === 'food') return `Search ${selectedDestination.name} restaurants, food, dishes...`;
264   if (activePage === 'places') return `Search ${selectedDestination.name} lakes, heritage, monuments...`;
265   if (activePage === 'nearby') return `Search ${selectedDestination.name} excursions & nearby trips...`;
266   if (activePage === 'home') return `Search destinations, stays, attractions...`;
267   return `Search ${selectedDestination.name} stays, food, places, routes...`;
268 };
269
270 const handleSelectSuggestion = (item) => {
271   if (item.cityId) {
272     setSelectedCityId(item.cityId);
273   }
274   setSearchQuery(item.tag === 'Category' ? '' : item.title);
275   setShowSearchSuggestions(false);
276   if (item.page && item.page !== activePage) {
277     setActivePage(item.page);
278   }
279   showToast(`Viewing: ${item.title}`);
280 };
281
282 const handleSearchSubmit = (e) => {
283   e.preventDefault();
284   if (!searchQuery.trim()) return;
285   setShowSearchSuggestions(false);
286   const q = searchQuery.toLowerCase();
287   if (q.includes('hotel') || q.includes('stay') || q.includes('hostel') || q.includes('pg')) {
288     setActivePage('stays');
289   } else if (q.includes('food') || q.includes('cafe') || q.includes('restaurant') || q.includes('poha')) {
290     setActivePage('food');
291   } else if (q.includes('lake') || q.includes('place') || q.includes('visit') || q.includes('temple')) {
292     setActivePage('places');
293   } else if (q.includes('sanchi') || q.includes('nearby') || q.includes('bhimbetka') || q.includes('ajmer')) {
294     setActivePage('nearby');
295   }
296 };
297
298 const handleManualStartingSubmit = (e) => {
299   e.preventDefault();
300   if (!manualInput.trim()) return;

```

```

301     setStartingPointManual(manualInput, selectedDestination.lat, selectedDestination.lng);
302     setShowStartingPointModal(false);
303     showToast(`Starting point set to "${manualInput}"`);
304     setManualInput('');
305 };
306
307 const currentSuggestions = getPageSuggestions();
308 const HeaderComponentIcon = currentSuggestions.icon;
309
310 return (
311     <>
312     <header className="sticky top-0 z-30 bg-white border-b border-slate-200/80 h-16 flex items-center px-4
sm:px-6 lg:px-8 shadow-xs">
313         <div className="flex items-center justify-between w-full gap-3">
314             {/* Left: Mobile hamburger, Destination Badge & Starting Point */}
315             <div className="flex items-center gap-2">
316                 <button
317                     onClick={() => setIsMobileSidebarOpen(true)}
318                     className="p-2 -ml-1 text-slate-600 rounded-lg lg:hidden hover:bg-slate-100"
319                 >
320                     <Menu className="w-5 h-5" />
321                 </button>
322
323                 {/* Active Destination Selector Indicator */}
324                 <div className="flex items-center gap-1.5 px-2.5 py-1.5 bg-teal-50 border border-teal-200/70
rounded-full text-xs font-medium text-teal-900">
325                     <MapPin className="w-3.5 h-3.5 text-teal-600 shrink-0" />
326                     <select
327                         value={selectedCityId}
328                         onChange={(e) => {
329                             setSelectedCityId(e.target.value);
330                             showToast(`Switched active destination to ${e.target.value.toUpperCase()}`);
331                         }}
332                         className="bg-transparent font-bold text-slate-900 focus:outline-none cursor-pointer pr-1"
333                     >
334                         <option value="bhopal">Bhopal, MP</option>
335                         <option value="jaipur">Jaipur, RJ</option>
336                         <option value="udaipur">Udaipur, RJ</option>
337                     </select>
338                 </div>
339
340                 {/* Starting Point Indicator */}
341                 <button
342                     onClick={() => setShowStartingPointModal(true)}
343                     className="hidden xl:flex items-center gap-1.5 px-2.5 py-1.5 bg-slate-100 hover:bg-slate-200/80
border border-slate-200 rounded-full text-xs font-medium text-slate-700 transition-colors cursor-pointer"
344                     title="Change distance calculation origin"
345                 >
346                     <Navigation className="w-3 h-3 text-teal-600 shrink-0" />
347                     <span className="text-[11px] text-slate-500">From:</span>
348                     <span className="font-semibold text-slate-800 truncate max-w-[130px]">
349                         {startingPoint.status === 'active' ? startingPoint.label : 'None'}
350                     </span>
351                 </button>
352             </div>
353
354             {/* Center: Search input with Context-Aware Auto-Suggestions */}
355             <div className="flex-1 max-w-md mx-2 relative" ref={searchContainerRef}>
356                 <form onSubmit={handleSearchSubmit} className="relative">
357                     <Search className="w-4 h-4 text-slate-400 absolute left-3.5 top-1/2 -translate-y-1/2
pointer-events-none" />
358                     <input
359                         type="text"
360                         value={searchQuery}
361                         onFocus={() => setShowSearchSuggestions(true)}
362                         onChange={(e) => {
363                             setSearchQuery(e.target.value);
364                             setShowSearchSuggestions(true);
365                         }}
366                         placeholder={getSearchPlaceholder()}
367                         className="w-full pl-9 pr-8 py-1.5 text-sm bg-slate-50 border border-slate-200 rounded-xl
text-slate-800 placeholder-slate-400 focus:outline-none focus:ring-2 focus:ring-teal-500/20 focus:border-teal-600
transition-all"
368                     />
369                     {searchQuery && (
370                         <button
371                             type="button"
372                             onClick={() => {
373                                 setSearchQuery('');

```

```

374         setShowSearchSuggestions(false);
375     }}
376     className="absolute right-2.5 top-1/2 -translate-y-1/2 text-slate-400 hover:text-slate-600 p-0.5
cursor-pointer"
377     >
378         <X className="w-3.5 h-3.5" />
379     </button>
380 }}
381 </form>
382
383 {/* Dynamic Auto-Suggestions Popover based on current page */}
384 {showSearchSuggestions && (
385     <div className="absolute top-full left-0 right-0 mt-1.5 bg-white border border-slate-200 rounded-2xl
shadow-xl z-50 overflow-hidden max-h-80 overflow-y-auto animate-in fade-in zoom-in-95 duration-100">
386         <div className={`px-3 py-2 border-b text-[11px] font-bold uppercase tracking-wider flex
items-center justify-between ${currentSuggestions.accent}`>
387             <div className="flex items-center gap-1.5">
388                 <HeaderCategoryIcon className="w-3.5 h-3.5" />
389                 <span>{currentSuggestions.title}</span>
390             </div>
391             <span className="text-[10px] opacity-80 lowercase font-medium">page suggestions</span>
392         </div>
393
394         {currentSuggestions.items.length === 0 ? (
395             <div className="p-4 text-center text-xs text-slate-400">
396                 No suggestions found for "{searchQuery}"
397             </div>
398         ) : (
399             currentSuggestions.items.map((item) => {
400                 const ItemIcon = item.icon || HeaderCategoryIcon;
401                 return (
402                     <div
403                         key={item.id}
404                         onClick={() => handleSelectSuggestion(item)}
405                         className="px-3.5 py-2.5 hover:bg-slate-50 border-b border-slate-50 last:border-none
cursor-pointer flex items-center justify-between transition-colors group"
406                     >
407                         <div className="flex items-center gap-2.5 min-w-0">
408                             <div className="p-1.5 rounded-lg bg-slate-100 group-hover:bg-teal-50 text-slate-600
group-hover:text-teal-700 shrink-0 transition-colors">
409                                 <ItemIcon className="w-3.5 h-3.5" />
410                             </div>
411                             <div className="min-w-0">
412                                 <p className="text-xs font-bold text-slate-900 group-hover:text-teal-700 truncate
transition-colors">
413                                     {item.title}
414                                 </p>
415                                 <p className="text-[11px] text-slate-500 truncate">
416                                     {item.subtitle}
417                                 </p>
418                             </div>
419                         </div>
420
421                         {item.tag && (
422                             <span className="text-[10px] font-bold px-2 py-0.5 rounded-md bg-slate-100 text-slate-600
shrink-0 ml-2">
423                                 {item.tag}
424                             </span>
425                         )}
426                     </div>
427                 );
428             })
429         )}
430     </div>
431 )}
432 </div>
433
434 {/* Right side controls */}
435 <div className="flex items-center gap-2 sm:gap-2.5">
436     {/* Role Switcher Pills (Desktop & Tablet: Instant 1-Click Access) */}
437     <div className="hidden sm:flex items-center bg-slate-100/90 p-1 rounded-2xl border border-slate-200/80
text-xs shadow-2xs">
438         <button
439             type="button"
440             onClick={() => {
441                 changeUserRole('traveller');
442                 showToast('Active Portal: Traveller View');
443             }}
444             className={`px-3 py-1.5 rounded-xl font-bold transition-all flex items-center gap-1.5

```

```

445     cursor-pointer ${
446         userRole === 'traveller'
447         ? 'bg-white text-slate-900 shadow-xs'
448         : 'text-slate-600 hover:text-slate-900 hover:bg-slate-200/50'
449     }`
450     < s p a n >Üd   T r a v e l l e r < / s p a n >
451 </button>
452
453 <button
454     type="button"
455     onClick={() => {
456         changeUserRole('provider');
457         setActivePage('dashboard');
458         showToast('Active Portal: Provider Desk');
459     }}
460     className={`px-3 py-1.5 rounded-xl font-bold transition-all flex items-center gap-1.5
461 cursor-pointer ${
462     userRole === 'provider'
463     ? 'bg-teal-600 text-white shadow-xs'
464     : 'text-slate-600 hover:text-teal-800 hover:bg-teal-50'
465 }`
466 >
467     < s p a n >0<ßè   P r o v i d e r   P o r t a l < / s p a n >
468     {userRole === 'provider' && <span className="w-1.5 h-1.5 rounded-full bg-white animate-pulse" />}
469 </button>
470
471 <button
472     type="button"
473     onClick={() => {
474         changeUserRole('admin');
475         setActivePage('admin');
476         showToast('Active Portal: Administrator Desk');
477     }}
478     className={`px-2.5 py-1.5 rounded-xl font-bold transition-all flex items-center gap-1
479 cursor-pointer ${
480     userRole === 'admin'
481     ? 'bg-lavender-600 text-white shadow-xs'
482     : 'text-slate-500 hover:text-slate-900 hover:bg-slate-200/50'
483 }`
484 >
485     < s p a n >0=Þáp   A d m i n < / s p a n >
486 </button>
487 </div>
488
489 {/ Mobile Dropdown Fallback */}
490 <div className={`sm:hidden flex items-center rounded-xl p-0.5 border text-xs transition-colors ${
491     userRole === 'provider'
492     ? 'bg-teal-50 border-teal-300'
493     : userRole === 'admin'
494     ? 'bg-lavender-50 border-lavender-300'
495     : 'bg-slate-100 border-slate-200'
496 }`>
497     <select
498         value={userRole}
499         onChange={(e) => {
500             const newRole = e.target.value;
501             changeUserRole(newRole);
502             if (newRole === 'provider') setActivePage('dashboard');
503             else if (newRole === 'admin') setActivePage('admin');
504             showToast(`Switched active portal to ${newRole.toUpperCase()} mode`);
505         }}
506         className={`bg-transparent text-xs font-bold px-2 py-1 focus:outline-none cursor-pointer ${
507             userRole === 'provider' ? 'text-teal-900' : userRole === 'admin' ? 'text-lavender-900' :
508             'text-slate-700'
509         }`
510         >
511             < o p t i o n   v a l u e = " t r a v e l l e r " >0=Üd   T r a v e l l e r < / o p t i o n >
512             < o p t i o n   v a l u e = " p r o v i d e r " >0<ßè   P r o v i d e r   P o r t a l < / o p t i o n >
513             < o p t i o n   v a l u e = " a d m i n " >0=Þáp   A d m i n i s t r a t o r < / o p t i o n >
514         </select>
515     </div>
516
517 {/ Quick Provider Add Service Shortcut when in Provider Mode */}
518 {userRole === 'provider' && (
519     <button
520         type="button"

```

```

520         onClick={() => setActivePage('add-service')}
521         className="hidden lg:flex items-center gap-1.5 px-3 py-1.5 bg-teal-600 hover:bg-teal-700 text-white
rounded-xl text-xs font-bold shadow-2xs transition-colors cursor-pointer"
522         title="Register a new service"
523     >
524         <Plus className="w-3.5 h-3.5" />
525         <span>+ Add Service</span>
526     </button>
527 })
528
529 {/* Compare Shortcut */}
530 {compareListings.length > 0 && (
531     <button
532         onClick={() => setIsCompareModalOpen(true)}
533         className="p-1.5 text-slate-600 hover:text-slate-900 rounded-lg bg-amber-50 border border-amber-200
text-xs font-bold flex items-center gap-1"
534         title="Compare Listings"
535     >
536         <Scale className="w-4 h-4 text-amber-700" />
537         <span>{compareListings.length}</span>
538     </button>
539 })
540
541 {/* Notifications */}
542 <div className="relative">
543     <button
544         onClick={() => setShowNotifications(!showNotifications)}
545         className="relative p-2 text-slate-600 hover:bg-slate-100 rounded-lg"
546     >
547         <Bell className="w-4 h-4" />
548         <span className="absolute top-1.5 right-1.5 w-2 h-2 bg-red-500 rounded-full ring-2 ring-white" />
549     </button>
550
551     {showNotifications && (
552         <div className="absolute right-0 mt-2 w-80 bg-white rounded-xl shadow-xl border border-slate-100
p-3 z-50 animate-in fade-in slide-in-from-top-2 duration-150">
553             <div className="flex items-center justify-between pb-2 border-b border-slate-100 mb-2">
554                 <span className="text-xs font-semibold text-slate-900">Platform Notifications</span>
555                 <button onClick={() => setShowNotifications(false)} className="text-slate-400
hover:text-slate-600 text-xs">
556                     Close
557                 </button>
558             </div>
559             <div className="space-y-2">
560                 {notifications.map(n => (
561                     <div key={n.id} className="p-2.5 rounded-lg bg-slate-50 border border-slate-100/80 text-xs">
562                         <span className="font-bold text-slate-800 block">{n.title}</span>
563                         <p className="text-slate-500 mt-0.5 leading-relaxed">{n.desc}</p>
564                     </div>
565                 ))}
566             </div>
567         </div>
568     )}
569 </div>
570
571 {/* My Trip Shortcut */}
572 <button
573     onClick={() => setActivePage('trip')}
574     className={`flex items-center gap-1.5 px-3 py-1.5 rounded-lg text-xs sm:text-sm font-semibold
transition-all ${
575         activePage === 'trip'
576         ? 'bg-teal-700 text-white shadow-xs'
577         : 'bg-slate-100 text-slate-700 hover:bg-slate-200/80'
578     }`}
579 >
580     <Briefcase className="w-4 h-4" />
581     <span className="hidden md:inline">My Trip</span>
582     <span className={`text-xs px-1.5 py-0.2 rounded-full font-bold ${
583         activePage === 'trip' ? 'bg-white text-teal-800' : 'bg-teal-600 text-white'
584     }`}>
585         {tripItems.length}
586     </span>
587 </button>
588
589 {/* Profile Avatar */}
590 <button
591     onClick={() => setShowProfileModal(true)}
592     className="flex items-center justify-center w-8 h-8 rounded-full bg-teal-800 text-white font-semibold
text-xs border-2 border-teal-200/50 hover:bg-teal-900 transition-colors shadow-xs"

```

```

593         title="User Profile & Settings"
594     >
595         VS
596     </button>
597 </div>
598 </div>
599
600 {/* Profile Modal */}
601 {showProfileModal && (
602     <div className="fixed inset-0 bg-slate-900/50 backdrop-blur-xs flex items-center justify-center z-50
p-4">
603         <div className="bg-white rounded-2xl max-w-sm w-full p-6 shadow-2xl border border-slate-100">
604             <div className="flex items-center justify-between mb-4">
605                 <h3 className="text-base font-bold text-slate-900">User Profile</h3>
606                 <button onClick={() => setShowProfileModal(false)} className="text-slate-400 hover:text-slate-600">
607                     <X className="w-4 h-4" />
608                 </button>
609             </div>
610             <div className="flex items-center gap-3 p-3 bg-slate-50 rounded-xl mb-4 border border-slate-100">
611                 <div className="w-10 h-10 rounded-full bg-teal-700 text-white flex items-center justify-center
font-bold text-sm">
612                     VS
613                 </div>
614                 <div>
615                     <p className="font-semibold text-slate-800 text-sm">Vansh Soni</p>
616                     <p className="text-xs text-slate-500">Active Role: <strong className="text-teal-700
uppercase">{userRole}</strong></p>
617                 </div>
618             </div>
619             <div className="text-xs text-slate-600 space-y-2 mb-5">
620                 <div className="flex justify-between py-1 border-b border-slate-100">
621                     <span>Selected City</span>
622                     <span className="font-medium text-slate-800">{selectedDestination.name},
{selectedDestination.state}</span>
623                 </div>
624                 <div className="flex justify-between py-1 border-b border-slate-100">
625                     <span>Starting Point</span>
626                     <span className="font-medium text-slate-800 truncate max-w-[150px]">{startingPoint.label}</span>
627                 </div>
628                 <div className="flex justify-between py-1">
629                     <span>Saved Favourites</span>
630                     <span className="font-medium text-teal-700">>
631                 </div>
632             </div>
633             <button
634                 onClick={() => setShowProfileModal(false)}
635                 className="w-full py-2 bg-teal-600 hover:bg-teal-700 text-white rounded-lg text-sm font-semibold
transition-colors">
636                 >
637                 Done
638             </button>
639         </div>
640     </div>
641 )}
642
643 {/* Starting Point Modal (Section 26) */}
644 {showStartingPointModal && (
645     <div className="fixed inset-0 bg-slate-950/70 backdrop-blur-xs flex items-center justify-center z-50
p-4">
646         <div className="bg-white rounded-3xl max-w-md w-full p-6 shadow-2xl border border-slate-100 space-y-4">
647             <div className="flex items-center justify-between pb-2 border-b border-slate-100">
648                 <div className="flex items-center gap-2 text-teal-800 font-bold">
649                     <Navigation className="w-4 h-4" />
650                     <span>Choose Starting Point</span>
651                 </div>
652                 <button onClick={() => setShowStartingPointModal(false)} className="text-slate-400
hover:text-slate-600">
653                     <X className="w-4 h-4" />
654                 </button>
655             </div>
656
657             <p className="text-xs text-slate-500 leading-relaxed">
658                 Choose how distance should be calculated to stays, food, and attractions. Location access is
completely optional.
659             </p>
660
661             <div className="space-y-2.5 text-xs">
662                 {/* Option 1: City Centre */}
663                 <button

```

```

664         onClick={() => {
665             setStartingPointCentre();
666             setShowStartingPointModal(false);
667             showToast('Starting point set to ${selectedDestination.name} City Centre');
668         }}
669         className={`w-full p-3 rounded-xl border text-left flex items-center justify-between ${
670             startingPoint.type === 'centre' ? 'bg-teal-50 border-teal-500 text-teal-900 font-bold' :
        'bg-slate-50 border-slate-200'
        }`}
671     >
672     <div>
673         <span className="block font-semibold">Use selected city centre</span>
674         <span className="text-[11px] text-slate-500">Center coordinates of
675 {selectedDestination.name}</span>
676     </div>
677         { startingPoint.type === 'centre' && <span c l a
678     </button>
679
680     { /* Option 2: Device Location */ }
681     <button
682         onClick={() => {
683             setStartingPointLocation();
684             setShowStartingPointModal(false);
685         }}
686         className={`w-full p-3 rounded-xl border text-left flex items-center justify-between ${
687             startingPoint.type === 'location' ? 'bg-teal-50 border-teal-500 text-teal-900 font-bold' :
        'bg-slate-50 border-slate-200'
        }`}
688     >
689     <div>
690         <span className="block font-semibold">Use my current location</span>
691         <span className="text-[11px] text-slate-500">Browser GPS (Will not change selected city)</span>
692     </div>
693         { startingPoint.type === 'location' && <span a n c
694     </button>
695
696     { /* Option 3: Manual Input */ }
697     <form onSubmit={handleManualStartingSubmit} className="pt-2 border-t border-slate-100">
698         <label className="block font-bold text-slate-700 mb-1">Enter a starting point manually</label>
699         <div className="flex gap-2">
700             <input
701                 type="text"
702                 value={manualInput}
703                 onChange={(e) => setManualInput(e.target.value)}
704                 placeholder="e.g. Bhopal Junction, Airport, Hotel..."
705                 className="flex-1 px-3 py-2 bg-slate-50 border border-slate-200 rounded-xl text-xs
706 text-slate-800"
707             />
708             <button
709                 type="submit"
710                 className="px-4 py-2 bg-teal-600 hover:bg-teal-700 text-white rounded-xl font-bold"
711             >
712                 Set
713             </button>
714         </div>
715     </form>
716 </div>
717
718 <div className="flex justify-between items-center pt-2 border-t border-slate-100 text-xs">
719     <button
720         onClick={() => {
721             clearStartingPoint();
722             setShowStartingPointModal(false);
723             showToast('Starting point cleared. ');
724         }}
725         className="text-slate-400 hover:text-red-600"
726     >
727         Skip / Clear Starting Point
728     </button>
729     <button
730         onClick={() => setShowStartingPointModal(false)}
731         className="px-4 py-1.5 bg-slate-100 text-slate-700 font-semibold rounded-lg"
732     >
733         Close
734     </button>
735 </div>
736 </div>
737 </div>
738 })

```

```
739         </header>
740     </>
741 );
742 }
```

File: src/components/layout/Sidebar.jsx

284 lines

```

1  import React from 'react';
2  import {
3    Home,
4    MapPin,
5    Bed,
6    UtensilsCrossed,
7    Landmark,
8    Compass,
9    Briefcase,
10   HelpCircle,
11   LayoutDashboard,
12   ShieldCheck,
13   Sprout,
14   X,
15   Scale,
16   Heart,
17   Database,
18   Building2,
19   Plus,
20   ArrowLeft
21 } from 'lucide-react';
22 import { useApp } from '../../context/AppContext';
23
24 export default function Sidebar() {
25   const {
26     activePage,
27     setActivePage,
28     tripItems,
29     userRole,
30     changeUserRole,
31     savedFavourites,
32     compareListings,
33     setIsCompareModalOpen,
34     isMobileSidebarOpen,
35     setIsMobileSidebarOpen,
36     setShowPipelineModal
37   } = useApp();
38
39   const navItems = [
40     { id: 'home', label: 'Home', icon: Home },
41     { id: 'destination', label: 'Destination Overview', icon: MapPin },
42     { id: 'stays', label: 'Stays', icon: Bed },
43     { id: 'food', label: 'Food', icon: UtensilsCrossed },
44     { id: 'places', label: 'Places to Visit', icon: Landmark },
45     { id: 'nearby', label: 'Nearby Trips', icon: Compass },
46     { id: 'trip', label: 'My Trip', icon: Briefcase, count: tripItems.length },
47     { id: 'help', label: 'Help Booth', icon: HelpCircle },
48   ];
49
50   const handleNavClick = (pageId) => {
51     setActivePage(pageId);
52     setIsMobileSidebarOpen(false);
53     window.scrollTo({ top: 0, behavior: 'smooth' });
54   };
55
56   return (
57     <>
58       {isMobileSidebarOpen && (
59         <div
60           className="fixed inset-0 bg-slate-900/60 backdrop-blur-sm z-40 lg:hidden"
61           onClick={() => setIsMobileSidebarOpen(false)}
62         />
63       )}
64
65       <aside
66         className={`
67           fixed top-0 bottom-0 left-0 z-50 w-[235px] bg-white text-slate-800 flex flex-col justify-between
68           transition-transform duration-200 ease-in-out border-r border-slate-200/80 shadow-xs
69           ${isMobileSidebarOpen ? 'translate-x-0' : '-translate-x-full lg:translate-x-0'}
70         `}
71       >
72         { /* Brand header with new Logo */ }
73         <div className="px-4 pt-5 pb-3">
74           <div className="flex items-center justify-between">

```

```

75         onClick={() => handleNavClick('home')}
76         className="flex flex-col items-start gap-1 text-left group w-full focus:outline-none cursor-pointer"
77     >
78         <div className="py-1 px-0.5 w-full flex items-center justify-start transition-all">
79             
84         </div>
85         <div className="flex items-center justify-between w-full px-0.5 pt-0.5">
86             <span className="text-[10px] uppercase font-bold tracking-wider text-teal-700">
87                 Plan • Explore
88             </span>
89             <span className="text-[9px] font-semibold px-2 py-0.5 rounded-full bg-teal-50 text-teal-700 border
border-teal-200">
90                 Support Local
91             </span>
92         </div>
93     </button>
94     <button
95         onClick={() => setIsMobileSidebarOpen(false)}
96         className="p-1 rounded-md text-slate-400 hover:text-slate-700 lg:hidden ml-2 cursor-pointer"
97     >
98         <X className="w-5 h-5" />
99     </button>
100 </div>
101 </div>
102
103 {/* Navigation list */}
104 <div className="px-3 flex-1 overflow-y-auto py-2 space-y-1">
105     <p className="px-3 text-[11px] font-bold uppercase tracking-wider text-slate-400 pb-1">
106         Menu
107     </p>
108
109     {navItems.map((item) => {
110         const Icon = item.icon;
111         const isActive = activePage === item.id;
112         return (
113             <button
114                 key={item.id}
115                 onClick={() => handleNavClick(item.id)}
116                 className={`
117                     w-full flex items-center justify-between px-3 py-2 rounded-xl text-sm font-medium transition-all
118                     text-left cursor-pointer
119                     ${isActive
120                         ? 'bg-teal-50 text-teal-900 font-bold border border-teal-200/80 shadow-2xs'
121                         : 'text-slate-600 hover:bg-slate-50 hover:text-slate-900'}
122                 `}
123             >
124                 <div className="flex items-center gap-3">
125                     <Icon className={`w-4 h-4 ${isActive ? 'text-teal-600' : 'text-slate-400'}}` />
126                     <span>{item.label}</span>
127                 </div>
128                 {item.count !== undefined && item.count > 0 && (
129                     <span className={`text-[11px] font-bold px-2 py-0.5 rounded-full ${
130                         isActive ? 'bg-teal-600 text-white' : 'bg-slate-100 text-slate-600 border border-slate-200'
131                     `}>
132                         {item.count}
133                     </span>
134                 )}
135             </button>
136         );
137     })}
138
139 {/* Saved Favourites Menu Shortcut */}
140 <button
141     onClick={() => handleNavClick('favourites')}
142     className={`
143         w-full flex items-center justify-between px-3 py-2 rounded-xl text-sm font-medium transition-all
144         text-left cursor-pointer
145         ${activePage === 'favourites'
146             ? 'bg-rose-50 text-rose-900 font-bold border border-rose-200/80 shadow-2xs'
147             : 'text-slate-600 hover:bg-slate-50 hover:text-slate-900'}
148     `}
149 >
150     <div className="flex items-center gap-3">

```

```

151         <Heart className={`w-4 h-4 ${activePage === 'favourites' ? 'text-rose-600 fill-rose-500' :
'text-rose-400'}}` />
152         <span>Saved Favourites</span>
153     </div>
154     {savedFavourites.length > 0 && (
155         <span className="text-[11px] font-bold px-2 py-0.5 rounded-full bg-rose-100 text-rose-700 border
border-rose-200">
156             {savedFavourites.length}
157         </span>
158     )}
159 </button>
160
161     {/* Quick Shortcuts: Compare */}
162     {compareListings.length > 0 && (
163         <button
164             onClick={() => setIsCompareModalOpen(true)}
165             className="w-full flex items-center justify-between px-3 py-1.5 rounded-xl text-xs font-semibold
text-amber-800 bg-amber-50 border border-amber-200 mt-1 cursor-pointer"
166         >
167             <div className="flex items-center gap-2">
168                 <Scale className="w-3.5 h-3.5 text-amber-600" />
169                 <span>Compare Listings</span>
170             </div>
171             <span className="bg-amber-500 text-white font-bold px-1.5 py-0.2 rounded-full text-[10px]">
172                 {compareListings.length}
173             </span>
174         </button>
175     )}
176
177     {/* Provider Desk Section (Strictly visible ONLY when active in provider mode) */}
178     {userRole === 'provider' && (
179         <div className="pt-3 mt-2 border-t border-slate-100 space-y-1">
180             <div className="px-3 flex items-center justify-between pb-1">
181                 <span className="text-[11px] font-bold uppercase tracking-wider text-teal-800">
182                     Provider Desk
183                 </span>
184                 <span className="text-[10px] bg-teal-100 text-teal-800 font-bold px-1.5 py-0.2
rounded-md">Active</span>
185             </div>
186
187             <button
188                 type="button"
189                 onClick={() => handleNavClick('dashboard')}
190                 className={`
191                     w-full flex items-center gap-3 px-3 py-2 rounded-xl text-sm font-medium transition-all text-left
cursor-pointer
192                     ${activePage === 'dashboard'
193                         ? 'bg-teal-50 text-teal-900 font-bold border border-teal-200/80 shadow-2xs'
194                         : 'text-slate-600 hover:bg-slate-50 hover:text-slate-900'}
195                     `
196                 >
197                 <LayoutDashboard className={`w-4 h-4 ${activePage === 'dashboard' ? 'text-teal-600' :
'text-slate-400'}}` />
198                 <span>Provider Dashboard</span>
199             </button>
200
201             <button
202                 type="button"
203                 onClick={() => handleNavClick('add-service')}
204                 className={`
205                     w-full flex items-center gap-3 px-3 py-2 rounded-xl text-sm font-medium transition-all text-left
cursor-pointer
206                     ${activePage === 'add-service'
207                         ? 'bg-teal-50 text-teal-900 font-bold border border-teal-200/80 shadow-2xs'
208                         : 'text-slate-600 hover:bg-slate-50 hover:text-slate-900'}
209                     `
210                 >
211                 <Plus className={`w-4 h-4 ${activePage === 'add-service' ? 'text-teal-600' : 'text-slate-400'}}` />
212                 <span>+ Register Service</span>
213             </button>
214
215             <button
216                 type="button"
217                 onClick={() => {
218                     changeUserRole('traveller');
219                     handleNavClick('home');
220                 }}
221             >

```

```

223         className="w-full flex items-center gap-2 px-3 py-1.5 text-xs text-slate-500 hover:text-slate-800
hover:bg-slate-50 rounded-xl transition-colors cursor-pointer mt-1"
224     >
225         <ArrowLeft className="w-3.5 h-3.5" />
226         <span>Return to Traveller View</span>
227     </button>
228 </div>
229 }}
230
231 {/* Administration Section (Only visible when active in admin mode) */}
232 {userRole === 'admin' && (
233     <div className="pt-3 mt-2 border-t border-slate-100 space-y-1">
234         <div className="px-3 flex items-center justify-between pb-1">
235             <span className="text-[11px] font-bold uppercase tracking-wider text-teal-800">
236                 Admin Portal
237             </span>
238             <span className="text-[10px] bg-teal-100 text-teal-800 font-bold px-1.5 py-0.2
rounded-md">Active</span>
239         </div>
240
241         <button
242             type="button"
243             onClick={() => handleNavClick('admin')}
244             className={`
245                 w-full flex items-center gap-3 px-3 py-2 rounded-xl text-sm font-medium transition-all text-left
cursor-pointer
246                 ${activePage === 'admin'
247                     ? 'bg-teal-50 text-teal-900 font-bold border border-teal-200/80 shadow-2xs'
248                     : 'text-slate-600 hover:bg-slate-50 hover:text-slate-900'
249                 }
250             `}
251         >
252             <ShieldCheck className={`w-4 h-4 ${activePage === 'admin' ? 'text-teal-600' :
'text-lavender-600'} `} />
253             <span>Administration</span>
254         </button>
255
256         <button
257             type="button"
258             onClick={() => {
259                 changeUserRole('traveller');
260                 handleNavClick('home');
261             }}
262             className="w-full flex items-center gap-2 px-3 py-1.5 text-xs text-slate-500 hover:text-slate-800
hover:bg-slate-50 rounded-xl transition-colors cursor-pointer mt-1"
263         >
264             <ArrowLeft className="w-3.5 h-3.5" />
265             <span>Return to Traveller View</span>
266         </button>
267     </div>
268 }}
269 </div>
270
271 {/* Footer info badge */}
272 <div className="p-3.5 m-3 rounded-2xl bg-teal-50/70 border border-teal-100 text-center">
273     <div className="flex items-center justify-center gap-1.5 text-teal-800 text-xs font-bold mb-1">
274         <Sprout className="w-3.5 h-3.5 text-teal-600" />
275         <span>Support Local</span>
276     </div>
277     <p className="text-[11px] text-teal-700/80 leading-relaxed font-medium">
278         "Plan • Explore • Support Local"
279     </p>
280 </div>
281 </aside>
282 </>
283 );
284 }

```

File: src/context/AppContext.jsx

839 lines

```

1  import React, { createContext, useContext, useState, useMemo, useEffect } from 'react';
2  import { DESTINATIONS, STAYS_DATA, FOOD_DATA, PLACES_DATA, NEARBY_TRIPS_DATA, INITIAL_PROVIDER_LISTINGS } from
   '.../data/mockData';
3
4  const AppContext = createContext();
5
6  export function AppProvider({ children }) {
7    // Navigation & User Roles
8    const getInitialPage = () => {
9      if (typeof window === 'undefined') return 'home';
10     const path = window.location.pathname.replace(/^\/+|\/+$/g, '');
11     if (!path) return 'home';
12     if (path.includes('admin')) return 'admin';
13     if (path.includes('trip')) return 'trip';
14     if (path.includes('stays')) return 'stays';
15     if (path.includes('food')) return 'food';
16     if (path.includes('places')) return 'places';
17     if (path.includes('nearby')) return 'nearby';
18     if (path.includes('dashboard') || path.includes('provider/services/new')) {
19       return path.includes('new') ? 'add-service' : 'dashboard';
20     }
21     if (path.includes('provider')) return 'dashboard';
22     if (path.includes('add-service')) return 'add-service';
23     if (path.includes('help')) return 'help';
24     if (path.includes('destination')) return 'destination';
25     return 'home';
26   };
27
28   const [activePage, _setActivePage] = useState(getInitialPage);
29   const [pageHistory, setPageHistory] = useState(['home']);
30
31   const setActivePage = (newPage) => {
32     _setActivePage((current) => {
33       if (current !== newPage) {
34         setPageHistory((prev) => [...prev, current]);
35       }
36       return newPage;
37     });
38   };
39
40   const goBack = () => {
41     if (['stays', 'food', 'places', 'nearby'].includes(activePage)) {
42       _setActivePage('destination');
43       return;
44     }
45     if (activePage === 'destination') {
46       _setActivePage('home');
47       return;
48     }
49     if (activePage === 'add-service') {
50       _setActivePage('dashboard');
51       return;
52     }
53     if (activePage === 'dashboard' || activePage === 'admin') {
54       _setActivePage('home');
55       return;
56     }
57     setPageHistory((prev) => {
58       if (prev.length === 0) {
59         _setActivePage('home');
60         return [];
61       }
62       const previousPage = prev[prev.length - 1];
63       _setActivePage(previousPage);
64       return prev.slice(0, -1);
65     });
66   };
67
68   const [userRole, setUserRole] = useState(() => {
69     return window.location.pathname.includes('admin') ? 'admin' :
70       window.location.pathname.includes('provider') ? 'provider' : 'traveller';
71   }); // 'traveller' | 'provider' | 'admin'
72   const currentProviderId = 'prov-user-1';
73   const currentUserId = (userRole === 'provider' || activePage === 'dashboard' || activePage === 'add-service')
74     ? currentProviderId

```

```

75     : userRole === 'admin' ? 'admin-user' : 'user-traveller-1';
76
77 // Automatically sync userRole when navigating to provider or admin pages
78 useEffect(() => {
79   if (activePage === 'dashboard' || activePage === 'add-service') {
80     if (userRole !== 'provider') setUserRole('provider');
81   } else if (activePage === 'admin') {
82     if (userRole !== 'admin') setUserRole('admin');
83   }
84 }, [activePage]);
85
86 // Sync URL with activePage
87 useEffect(() => {
88   const pageToPath = {
89     home: '/',
90     destination: '/destinations/bhopal',
91     stays: '/stays',
92     food: '/food',
93     places: '/places',
94     nearby: '/nearby',
95     trip: '/trip',
96     dashboard: '/provider',
97     'add-service': '/provider/services/new',
98     help: '/help',
99     admin: '/admin'
100   };
101   const targetPath = pageToPath[activePage] || '/';
102   if (window.location.pathname !== targetPath) {
103     window.history.pushState(null, '', targetPath);
104   }
105 }, [activePage]);
106
107 useEffect(() => {
108   const onPop = () => {
109     setActivePage(getInitialPage());
110   };
111   window.addEventListener('popstate', onPop);
112   return () => window.removeEventListener('popstate', onPop);
113 }, []);
114
115 // Selected Destination (Default: Bhopal, MP)
116 const [selectedCityId, setSelectedCityId] = useState('bhopal');
117
118 const selectedDestination = useMemo(() => {
119   return DESTINATIONS.find(d => d.id === selectedCityId) || DESTINATIONS[0];
120 }, [selectedCityId]);
121
122 // Global search
123 const [searchQuery, setSearchQuery] = useState('');
124
125 // Starting Point & Distance Engine (Section 26 & Pages 14-16)
126 const [startingPoint, setStartingPoint] = useState({
127   type: 'centre', // 'centre' | 'manual' | 'location' | 'none'
128   label: 'Bhopal City Centre',
129   name: 'Bhopal City Centre',
130   lat: 23.2599,
131   lng: 77.4126,
132   status: 'active', // 'active' | 'denied' | 'unavailable' | 'none'
133   statusMessage: null
134 });
135
136 // Calculate distance from starting point to any target coordinates
137 const calculateDistance = (targetLat, targetLng, overrideRoadDistance = null) => {
138   if (!startingPoint || startingPoint.status !== 'active' || !startingPoint.lat || !targetLat) {
139     return {
140       rawKm: 999999,
141       label: 'Distance unavailable',
142       distanceText: 'Distance unavailable',
143       formattedLabel: 'Distance unavailable',
144       basis: 'Distance unavailable',
145       isStraightLine: false,
146       durationMinutes: null,
147       isAvailable: false
148     };
149   }
150
151   // Haversine formula for straight-line distance
152   const R = 6371; // Earth radius in km
153   const dLat = (targetLat - startingPoint.lat) * (Math.PI / 180);

```

```

154     const dLon = (targetLng - startingPoint.lng) * (Math.PI / 180);
155     const a =
156       Math.sin(dLat / 2) * Math.sin(dLat / 2) +
157       Math.cos(startingPoint.lat * (Math.PI / 180)) *
158       Math.cos(targetLat * (Math.PI / 180)) *
159       Math.sin(dLon / 2) * Math.sin(dLon / 2);
160     const c = 2 * Math.atan2(Math.sqrt(a), Math.sqrt(1 - a));
161     const straightLine = R * c;
162
163     // Use road distance if available, otherwise straight-line estimate fallback
164     let distanceValue = overrideRoadDistance !== null ? overrideRoadDistance : straightLine * 1.25; // 1.25
empirical road factor
165     const isRoad = overrideRoadDistance !== null;
166
167     // Formatting rules: metres below 1 km, kilometres from 1 km onward rounded to 1 decimal place
168     let distanceText = '';
169     if (distanceValue < 1.0) {
170       const metres = Math.round(distanceValue * 1000);
171       distanceText = `${metres} m away`;
172     } else {
173       distanceText = `${distanceValue.toFixed(1)} km away`;
174     }
175
176     const basisLabel = isRoad ? 'Road distance' : 'Straight-line estimate';
177     const durationMinutes = Math.max(5, Math.round(distanceValue * 2.8)); // approx driving time in Indian city
traffic
178
179     return {
180       rawKm: distanceValue,
181       label: distanceText,
182       distanceText,
183       formattedLabel: `${distanceText} · ${basisLabel}`,
184       basis: basisLabel,
185       isStraightLine: !isRoad,
186       durationMinutes,
187       isAvailable: true
188     };
189   };
190
191   // Set Starting Point Actions
192   const setStartingPointCentre = () => {
193     setStartingPoint({
194       type: 'centre',
195       label: `${selectedDestination.name} City Centre`,
196       name: `${selectedDestination.name} City Centre`,
197       lat: selectedDestination.lat,
198       lng: selectedDestination.lng,
199       status: 'active',
200       statusMessage: null
201     });
202   };
203
204   const setStartingPointManual = (label, lat, lng) => {
205     const ptName = label || 'Custom Starting Point';
206     setStartingPoint({
207       type: 'manual',
208       label: ptName,
209       name: ptName,
210       lat: lat || selectedDestination.lat,
211       lng: lng || selectedDestination.lng,
212       status: 'active',
213       statusMessage: null
214     });
215   };
216
217   const setStartingPointLocation = () => {
218     if (!navigator.geolocation) {
219       setStartingPoint({
220         type: 'location',
221         label: 'Device Location',
222         name: 'Device Location',
223         lat: null,
224         lng: null,
225         status: 'unavailable',
226         statusMessage: 'We could not determine your location. Try again or enter a starting point manually.'
227       });
228       return;
229     }
230

```

```

231     navigator.geolocation.getCurrentPosition(
232       (pos) => {
233         // Rule: Using device location must never silently change the selected destination!
234         setStartingPoint({
235           type: 'location',
236           label: 'Current Location (GPS)',
237           name: 'Current Location (GPS)',
238           lat: pos.coords.latitude,
239           lng: pos.coords.longitude,
240           status: 'active',
241           statusMessage: null
242         });
243       },
244       (err) => {
245         // Location permission denied rule
246         setStartingPoint({
247           type: 'location',
248           label: 'Location Access Denied',
249           name: 'Location Access Denied',
250           lat: null,
251           lng: null,
252           status: 'denied',
253           statusMessage: 'Location access was not granted. You can enter a starting point manually or continue
without distance information.'
254         });
255       }
256     );
257   };
258
259   const clearStartingPoint = () => {
260     setStartingPoint({
261       type: 'none',
262       label: 'No starting point selected',
263       name: 'No starting point selected',
264       lat: null,
265       lng: null,
266       status: 'none',
267       statusMessage: 'Choose a starting point to see distances.'
268     });
269   };
270
271   // Trip Items State - with Day Number & Cost Calculation Attributes (Default for 1 person)
272   const [tripItems, setTripItems] = useState([
273     {
274       id: 'trip-stay-1',
275       sourceId: 'stay-1',
276       title: 'Hotel Lake View Ashok',
277       category: 'Stays',
278       itemType: 'hotel',
279       unitPricePaise: 250000,
280       price: 2500,
281       priceUnit: 'per room/night',
282       rooms: 1,
283       nights: 1,
284       quantity: 1,
285       dayNumber: 1,
286       isVehicleRate: false,
287       isUnknownPrice: false,
288       image: 'https://images.unsplash.com/photo-1566073771259-6a8506099945?auto=format&fit=crop&w=400&q=80',
289       location: 'Near Upper Lake',
290       sublabel: 'Deluxe Room • 1 Night'
291     },
292     {
293       id: 'trip-food-1',
294       sourceId: 'food-1',
295       title: 'Manohar Dairy & Restaurant',
296       category: 'Food',
297       itemType: 'food',
298       unitPricePaise: 20000,
299       price: 200,
300       priceUnit: 'per person/meal',
301       people: 1,
302       meals: 1,
303       quantity: 1,
304       dayNumber: 1,
305       isVehicleRate: false,
306       isUnknownPrice: false,
307       image: 'https://images.unsplash.com/photo-1601050690597-df0568f70950?auto=format&fit=crop&w=400&q=80',
308       location: 'MP Nagar',

```

```

309     sublabel: '1 Person • 1 Meal'
310   },
311   {
312     id: 'trip-place-1',
313     sourceId: 'place-3',
314     title: 'Van Vihar National Park',
315     category: 'Attractions',
316     itemType: 'attraction',
317     unitPricePaise: 5000,
318     price: 50,
319     priceUnit: 'per entry ticket',
320     ticketQuantity: 1,
321     quantity: 1,
322     dayNumber: 2,
323     isVehicleRate: false,
324     isUnknownPrice: false,
325     image: 'https://images.unsplash.com/photo-1534177616072-ef7dc120449d?auto=format&fit=crop&w=400&q=80',
326     location: 'Lake View Road',
327     sublabel: '1 Entry Ticket'
328   },
329   {
330     id: 'trip-trans-1',
331     sourceId: 'nearby-1-bus',
332     title: 'Sanchi Intercity Express Bus',
333     category: 'Transport',
334     itemType: 'public_transport',
335     unitPricePaise: 6500,
336     price: 65,
337     priceUnit: 'per passenger / leg',
338     passengers: 1,
339     legs: 1,
340     quantity: 1,
341     dayNumber: 2,
342     isVehicleRate: false,
343     isUnknownPrice: false,
344     image: 'https://images.unsplash.com/photo-1590077428593-a55bb07c4665?auto=format&fit=crop&w=400&q=80',
345     location: 'ISBT Bhopal to Sanchi',
346     sublabel: '1 Passenger • 1 Leg'
347   }
348 ];
349
350 // Trip Days & Person Count (Fixed/default for 1 person)
351 const [tripDays, setTripDays] = useState(3);
352 const [personCount, setPersonCount] = useState(1);
353
354 // Trip Meta
355 const [tripMeta, setTripMeta] = useState({
356   destination: 'Bhopal, Madhya Pradesh',
357   startDate: '2026-10-12',
358   endDate: '2026-10-14',
359   travellers: 1,
360   days: 3,
361   budget: 6000,
362   budgetPaise: 600000,
363   isReviewed: false
364 });
365
366 const setTripBudget = (newBudget) => {
367   const val = Number(newBudget) || 0;
368   setTripMeta(prev => ({
369     ...prev,
370     budget: val,
371     budgetPaise: val * 100
372   }));
373 };
374
375 // Budget warning dismiss state
376 const [isBudgetWarningDismissed, setIsBudgetWarningDismissed] = useState(false);
377
378 // Favourites & Comparison
379 const [savedFavourites, setSavedFavourites] = useState(['stay-1', 'food-1']);
380 const [compareListings, setCompareListings] = useState([]);
381 const [isCompareModalOpen, setIsCompareModalOpen] = useState(false);
382
383 const toggleFavourite = (id) => {
384   setSavedFavourites(prev => {
385     const exists = prev.includes(id);
386     const updated = exists ? prev.filter(item => item !== id) : [...prev, id];
387     showToast(exists ? 'Removed from saved favourites' : 'Saved')

```

```

388     return updated;
389   });
390 };
391
392 const addToCompare = (listing) => {
393   if (compareListings.some(l => l.id === listing.id)) {
394     setCompareListings(prev => prev.filter(l => l.id !== listing.id));
395     showToast(`Removed "${listing.name}" from comparison`);
396     return;
397   }
398   if (compareListings.length >= 3) {
399     showToast('You can compare up to 3 listings at a time.');
```

400 return;

401 }

402 setCompareListings(prev => [...prev, listing]);

403 showToast(`Added "\${listing.name}" to compare list`);

404 };

405

406 const removeFromCompare = (id) => {

407 setCompareListings(prev => prev.filter(l => l.id !== id));

408 };

409

410 // Provider Scoping & Admin Listings State

411 const [providerListings, setProviderListings] = useState(INITIAL_PROVIDER_LISTINGS);

412

413 // User Reports & Feedback System

414 const [userReports, setUserReports] = useState([

415 {

416 id: 'rep-1',

417 listingId: 'stay-1',

418 listingName: 'Hotel Lake View Ashok',

419 category: 'Stays',

420 issueType: 'Incorrect Price',

421 comments: 'Standard room rack rate is currently 12,800 or

422 reporterEmail: 'traveller@traar.in',

423 submittedAt: '18 Sep 2026, 02:45 PM',

424 status: 'Pending'

425 },

426 {

427 id: 'rep-2',

428 listingId: 'nearby-1-bus',

429 listingName: 'Sanchi Intercity Express Bus',

430 category: 'Nearby Trips',

431 issueType: 'Outdated Timings',

432 comments: 'Morning 6:00 AM bus departure shifted to 06:15 AM from platform 3.',

433 reporterEmail: 'local.rider@gmail.com',

434 submittedAt: '17 Sep 2026, 11:20 AM',

435 status: 'Reviewed'

436 }

437]);

438

439 const submitUserReport = (reportData) => {

440 const newReport = {

441 id: `rep-\${Date.now()}`,

442 listingId: reportData.listingId || reportModalItem?.id || 'gen-1',

443 listingName: reportData.listingName || reportModalItem?.name || 'Listing',

444 category: reportData.category || reportModalItem?.type || 'Listing',

445 issueType: reportData.issueType || 'Incorrect Information',

446 comments: reportData.comments || reportData.explanation || '',

447 reporterEmail: reportData.email || 'user@traar.in',

448 submittedAt: new Date().toLocaleString('en-IN', { dateStyle: 'medium', timeStyle: 'short' }),

449 status: 'Pending'

450 };

451 setUserReports(prev => [newReport, ...prev]);

452 showToast('Feedback submitted to administration. Thank you!');

453 };

454

455 const updateReportStatus = (reportId, newStatus) => {

456 setUserReports(prev => prev.map(r => r.id === reportId ? { ...r, status: newStatus } : r));

457 showToast(`Report marked as \${newStatus}`);

458 };

459

460 // Modals & UI states

461 const [viewDetailsItem, setViewDetailsItem] = useState(null);

462 const [wayToItem, setWayToItem] = useState(null);

463 const [reportModalItem, setReportModalItem] = useState(null);

464 const [isTripDrawerOpen, setIsTripDrawerOpen] = useState(false);

465 const [showExportModal, setShowExportModal] = useState(false);

466 const [showPipelineModal, setShowPipelineModal] = useState(false);

```

467 const [showSupportModal, setShowSupportModal] = useState(false);
468 const [isMobileSidebarOpen, setIsMobileSidebarOpen] = useState(false);
469 const [toastMessage, setToastMessage] = useState(null);
470
471 const showToast = (message) => {
472   setToastMessage(message);
473   setTimeout(() => setToastMessage(null), 3200);
474 };
475
476 // Cost calculation rules (Section 16)
477 const budgetCalculations = useMemo(() => {
478   let staysTotalPaise = 0;
479   let foodTotalPaise = 0;
480   let placesTotalPaise = 0;
481   let transportTotalPaise = 0;
482   let excludedItemsCount = 0;
483
484   tripItems.forEach(item => {
485     // If unknown price, mark as excluded (never treat as zero)
486     if (item.isUnknownPrice || item.price === null || item.price === undefined) {
487       excludedItemsCount++;
488       return;
489     }
490
491     const unitPaise = item.unitPricePaise || ((Number(item.price) || 0) * 100);
492     let linePaise = 0;
493
494     const cat = (item.category || '').toLowerCase();
495     const travellers = Number(tripMeta.travellers) || 1;
496     const qty = item.quantity || 1;
497
498     if (cat.includes('stay') || cat.includes('hotel') || cat.includes('hostel')) {
499       // Hotel: Nightly room price × rooms × nights/qty
500       const rooms = item.rooms || 1;
501       linePaise = unitPaise * rooms * qty;
502       staysTotalPaise += linePaise;
503     } else if (cat.includes('food') || cat.includes('restaurant') || cat.includes('dhaba')) {
504       // Food: Cost per person per meal × travellers count × selected meals/qty
505       linePaise = unitPaise * travellers * qty;
506       foodTotalPaise += linePaise;
507     } else if (cat.includes('attraction') || cat.includes('place') || cat.includes('sight')) {
508       // Attraction: Ticket price × travellers count × quantity
509       linePaise = unitPaise * travellers * qty;
510       placesTotalPaise += linePaise;
511     } else if (cat.includes('transport') || cat.includes('travel') || cat.includes('bus') ||
512       cat.includes('train') || cat.includes('nearby') || item.mode || item.isVehicleRate) {
513       if (item.isVehicleRate) {
514         // Rule: Taxi / Quoted vehicle fare - Flat vehicle fare (does NOT multiply by passenger count)
515         linePaise = unitPaise * qty;
516       } else {
517         // Public transport: Fare per passenger per leg × travellers count × legs/qty
518         linePaise = unitPaise * travellers * qty;
519       }
520       transportTotalPaise += linePaise;
521     } else {
522       linePaise = unitPaise * qty;
523       placesTotalPaise += linePaise;
524     }
525   });
526
527   const grandTotalPaise = staysTotalPaise + foodTotalPaise + placesTotalPaise + transportTotalPaise;
528   const grandTotal = Math.round(grandTotalPaise / 100);
529   const userBudget = Number(tripMeta.budget) || 0;
530   const difference = userBudget - grandTotal;
531   const isOverBudget = grandTotal > userBudget;
532
533   return {
534     staysTotal: Math.round(staysTotalPaise / 100),
535     foodTotal: Math.round(foodTotalPaise / 100),
536     placesTotal: Math.round(placesTotalPaise / 100),
537     transportTotal: Math.round(transportTotalPaise / 100),
538     grandTotal,
539     grandTotalPaise,
540     totalRupees: grandTotal,
541     userBudget,
542     difference,
543     isOverBudget,
544     excludedItemsCount
545   };

```

```

545   }, [tripItems, tripMeta.budget, tripMeta.travellers]);
546
547   // Trip item operations
548   const addToTrip = (item, categoryName, options = {}) => {
549     const effectiveCategory = categoryName || item.category || 'Other';
550     const effectiveOptions = typeof categoryName === 'object' ? categoryName : options;
551     const isVehicle = item.isVehicleRate !== undefined
552       ? item.isVehicleRate
553       : (effectiveOptions.isVehicle || (item.fareUnit && item.fareUnit.includes('vehicle'))) || false);
554     const isUnknown = item.isUnknownPrice !== undefined
555       ? item.isUnknownPrice
556       : (item.price === null || item.price === undefined);
557     const sourceId = item.sourceId || item.id;
558
559     const existingIndex = tripItems.findIndex(i =>
560       i.sourceId === sourceId || i.id === sourceId || (item.id && (i.sourceId === item.id || i.id === item.id))
561     );
562
563     if (existingIndex > -1) {
564       setTripItems(prev => prev.map((it, idx) =>
565         idx === existingIndex ? { ...it, quantity: (it.quantity || 1) + 1 } : it
566       ));
567       showToast(`Updated quantity for "${item.title || item.name}" in My Trip`);
568     } else {
569       // Always initialize new trip items for 1 person with quantity 1
570       const newItem = {
571         id: item.id || `trip-${Date.now()}`,
572         sourceId: sourceId || item.id,
573         title: item.title || item.name,
574         name: item.name || item.title,
575         category: effectiveCategory,
576         itemType: effectiveCategory.toLowerCase(),
577         unitPricePaise: isUnknown ? null : (item.pricePaise || (Number(item.price !== undefined ? item.price :
578 (item.avgCost || item.entryPrice || 0)) * 100)),
579         price: isUnknown ? null : (item.price !== undefined ? item.price : (item.avgCost || item.entryPrice || 0)),
580         priceUnit: item.priceUnit || item.fareUnit || 'per unit',
581         quantity: 1,
582         rooms: 1,
583         nights: 1,
584         people: 1,
585         meals: 1,
586         ticketQuantity: 1,
587         passengers: 1,
588         legs: 1,
589         dayNumber: item.day || item.dayNumber || effectiveOptions.dayNumber || 1,
590         isVehicleRate: isVehicle,
591         isUnknownPrice: isUnknown,
592         image: item.image,
593         location: item.location || (item.distanceKm ? `${item.distanceKm} km from center` :
594 selectedDestination.name),
595         sublabel: item.sublabel || item.tagline || item.type || item.cuisine || 'Verified Item'
596       };
597       setTripItems(prev => [...prev, newItem]);
598       showToast(`Added "${item.title || item.name}" to your Trip (1 person)!`);
599     }
600   };
601
602   const removeFromTrip = (id) => {
603     setTripItems(prev => prev.filter(item => item.id !== id && item.sourceId !== id));
604     showToast('Item removed from trip planner');
605   };
606
607   const updateItemQuantity = (id, newQty) => {
608     if (newQty <= 0) {
609       removeFromTrip(id);
610       return;
611     }
612     setTripItems(prev => prev.map(item => item.id === id ? { ...item, quantity: newQty } : item));
613   };
614
615   const updateItemDay = (id, dayNum) => {
616     setTripItems(prev => prev.map(item => item.id === id ? { ...item, dayNumber: dayNum } : item));
617   };
618
619   const duplicateTrip = () => {
620     showToast('Itinerary duplicated as "My Trip (Copy)"');
621   };
622
623   // Provider operations (Section 17: Providers manage their registered listings)

```

```

622     const addProviderListing = (newListing) => {
623         const assignedProviderId = newListing.providerId || currentProviderId || 'prov-user-1';
624         const listingWithMeta = {
625             ...newListing,
626             id: newListing.id || `prov-${Date.now()}`,
627             providerId: assignedProviderId,
628             status: newListing.status || 'Pending Review',
629             reviewFeedback: newListing.reviewFeedback || 'Submitted and queued for administrative verification.',
630             lastUpdated: 'Just now',
631             image: newListing.image || (newListing.images && newListing.images[0]) ||
        'https://images.unsplash.com/photo-1566073771259-6a8506099945?auto=format&fit=crop&w=400&q=80'
632         };
633         setUserRole('provider');
634         setProviderListings(prev => [listingWithMeta, ...prev]);
635         showToast(`Service "${newListing.name}" registered and submitted for review!`);
636     };
637
638     const deleteProviderListing = (id) => {
639         setProviderListings(prev => prev.filter(l => l.id !== id));
640         showToast('Listing withdrawn successfully');
641     };
642
643     // Administrator Moderation
644     const adminApproveListing = (id, comments) => {
645         setProviderListings(prev => prev.map(l =>
646             l.id === id ? { ...l, status: 'Approved', reviewFeedback: comments || 'Verified by Administrator.' } : l
647         ));
648         showToast('Listing marked as Approved and published to directory');
649     };
650
651     const adminRejectListing = (id, feedback) => {
652         setProviderListings(prev => prev.map(l =>
653             l.id === id ? { ...l, status: 'Rejected', reviewFeedback: feedback || 'Documentation does not meet
        verification requirements.' } : l
654         ));
655         showToast('Listing marked as Rejected');
656     };
657
658     // Mapped approved provider listings to appear seamlessly in public directories
659     const approvedProviderStays = useMemo(() => {
660         return providerListings
661             .filter(l => l.status === 'Approved' && (l.category === 'Stays' || l.category === 'Stay'))
662             .map(l => ({
663                 id: l.id,
664                 cityId: l.cityId || 'bhopal',
665                 name: l.name,
666                 type: l.type || 'Hotel',
667                 price: Number(l.price) || 2000,
668                 pricePaise: (Number(l.price) || 2000) * 100,
669                 priceUnit: l.priceUnit || 'per room/night',
670                 location: l.location || l.neighbourhood || 'Bhopal',
671                 rating: l.rating || 4.8,
672                 reviewsCount: l.reviewsCount || 1,
673                 lat: Number(l.lat) || 23.2599,
674                 lng: Number(l.lng) || 77.4126,
675                 image: l.image ||
        'https://images.unsplash.com/photo-1566073771259-6a8506099945?auto=format&fit=crop&w=400&q=80',
676                 images: l.images && l.images.length > 0 ? l.images : [l.image],
677                 gallery: l.images && l.images.length > 0 ? l.images : [l.image],
678                 description: l.description || 'Verified accommodation registered on TRAAR.',
679                 amenities: l.amenities || ['Verified Listing', 'Wi-Fi'],
680                 contact: l.contact,
681                 email: l.email,
682                 address: l.address,
683                 isProviderListing: true,
684                 status: 'Approved'
685             }));
686     }, [providerListings]);
687
688     const approvedProviderFood = useMemo(() => {
689         return providerListings
690             .filter(l => l.status === 'Approved' && (l.category === 'Food' || l.category === 'Dining'))
691             .map(l => ({
692                 id: l.id,
693                 cityId: l.cityId || 'bhopal',
694                 name: l.name,
695                 cuisine: l.cuisine || 'Authentic & Multi-Cuisine',
696                 type: l.type || 'Restaurant',
697                 avgCost: Number(l.price) || 350,

```

```

698     price: Number(l.price) || 350,
699     location: l.location || l.neighbourhood || 'Bhopal',
700     rating: l.rating || 4.7,
701     reviewsCount: l.reviewsCount || 1,
702     lat: Number(l.lat) || 23.2599,
703     lng: Number(l.lng) || 77.4126,
704     image: l.image ||
    'https://images.unsplash.com/photo-1501339847302-ac426a4a7cbb?auto=format&fit=crop&w=400&q=80',
705     images: l.images && l.images.length > 0 ? l.images : [l.image],
706     gallery: l.images && l.images.length > 0 ? l.images : [l.image],
707     description: l.description || 'Verified dining establishment registered on TRAAR.',
708     isVeg: l.isVeg ?? true,
709     contact: l.contact,
710     email: l.email,
711     address: l.address,
712     isProviderListing: true,
713     status: 'Approved'
714   }));
715 }, [providerListings]);
716
717 const approvedProviderPlaces = useMemo(() => {
718   return providerListings
719     .filter(l => l.status === 'Approved' && (l.category === 'Places' || l.category === 'Attraction'))
720     .map(l => ({
721       id: l.id,
722       cityId: l.cityId || 'bhopal',
723       name: l.name,
724       category: l.type || 'Historical & Heritage',
725       location: l.location || l.neighbourhood || 'Bhopal',
726       entryFee: Number(l.price) || 0,
727       rating: l.rating || 4.8,
728       reviewsCount: l.reviewsCount || 1,
729       lat: Number(l.lat) || 23.2599,
730       lng: Number(l.lng) || 77.4126,
731       image: l.image,
732       images: l.images && l.images.length > 0 ? l.images : [l.image],
733       gallery: l.images && l.images.length > 0 ? l.images : [l.image],
734       description: l.description,
735       highlights: l.amenities || ['Verified Sight'],
736       isProviderListing: true,
737       status: 'Approved'
738     }));
739 }, [providerListings]);
740
741 const approvedProviderNearby = useMemo(() => {
742   return providerListings
743     .filter(l => l.status === 'Approved' && (l.category === 'Nearby Trips' || l.category === 'Transport'))
744     .map(l => ({
745       id: l.id,
746       cityId: l.cityId || 'bhopal',
747       name: l.name,
748       destination: l.location || 'Excursion',
749       distanceKm: l.distanceKm || 45,
750       tagline: l.description || 'Verified excursion & transport route',
751       description: l.description,
752       image: l.image,
753       images: l.images && l.images.length > 0 ? l.images : [l.image],
754       gallery: l.images && l.images.length > 0 ? l.images : [l.image],
755       transportOptions: {
756         bus: { fare: Number(l.price) || 120, operator: 'Verified Operator', departurePoint: 'Main Depot',
757           boardingPoint: 'ISBT', arrivalPoint: l.location, travelTime: '1 hr 15 mins' },
758         car: { fare: (Number(l.price) || 120) * 8, operator: 'Verified Fleet', vehicle: 'Sedan / SUV',
759           boardingPoint: 'Doorstep', arrivalPoint: l.location, travelTime: '55 mins' }
760       },
761       isProviderListing: true,
762       status: 'Approved'
763     }));
764 }, [providerListings]);
765
766 const changeUserRole = (newRole) => {
767   setUserRole(newRole);
768   if (newRole === 'admin') {
769     setActivePage('admin');
770   } else if (newRole === 'provider') {
771     setActivePage('dashboard');
772   } else if (newRole === 'traveller') {
773     if (activePage === 'admin' || activePage === 'dashboard' || activePage === 'add-service') {
774       setActivePage('home');
775     }
776   }
777 }

```

```

774     }
775   };
776
777   const clearTrip = () => {
778     setTripItems([]);
779     showToast('Trip planner itinerary cleared');
780   };
781
782   // Check schedule validity
783   const scheduleWarnings = useMemo(() => {
784     return [];
785   }, [tripItems]);
786
787   const isItemInTrip = (id) => {
788     if (!id) return false;
789     return tripItems.some(item => item.id === id || item.sourceId === id);
790   };
791
792   const toggleTripItem = (item, categoryName, options = {}) => {
793     const id = item.sourceId || item.id;
794     if (isItemInTrip(id)) {
795       removeFromTrip(id);
796     } else {
797       addToTrip(item, categoryName, options);
798     }
799   };
800
801   return (
802     <AppContext.Provider
803       value={{
804         activePage, setActivePage, goBack, pageHistory,
805         userRole, setUserRole, changeUserRole, currentUserId, currentProviderId,
806         selectedCityId, setSelectedCityId, selectedDestination,
807         searchQuery, setSearchQuery,
808         startingPoint, setStartingPointCentre, setStartingPointManual, setStartingPointLocation,
809         clearStartingPoint,
810         calculateDistance,
811         tripItems, addToTrip, removeFromTrip, updateItemQuantity, updateItemDay, duplicateTrip, clearTrip,
812         isItemInTrip, toggleTripItem,
813         tripDays, setTripDays,
814         personCount, setPersonCount, travellerCount: personCount,
815         tripMeta, setTripMeta, setTripBudget,
816         budgetCalculations,
817         isBudgetWarningDismissed, setIsBudgetWarningDismissed,
818         savedFavourites, toggleFavourite,
819         compareListings, addToCompare, removeFromCompare, isCompareModalOpen, setIsCompareModalOpen,
820         providerListings, addProviderListing, deleteProviderListing,
821         approvedProviderStays, approvedProviderFood, approvedProviderPlaces, approvedProviderNearby,
822         adminApproveListing, adminRejectListing,
823         userReports, submitUserReport, updateReportStatus,
824         scheduleWarnings,
825         viewDetailsItem, setViewDetailsItem,
826         wayToItem, setWayToItem,
827         reportModalItem, setReportModalItem,
828         isTripDrawerOpen, setIsTripDrawerOpen,
829         showExportModal, setShowExportModal,
830         showSupportModal, setShowSupportModal,
831         isMobileSidebarOpen, setIsMobileSidebarOpen,
832         toastMessage, showToast
833       }}
834     >
835     {children}
836   </AppContext.Provider>
837 );
838 }
839 export const useApp = () => useContext(AppContext);

```

File: src/pages/HomePage.jsx

458 lines

```

1  import React, { useState, useRef, useEffect, useMemo } from 'react';
2  import {
3    ArrowRight,
4    MapPin,
5    Info,
6    Wallet,
7    Sparkles,
8    Search,
9    X,
10   Building2,
11   ShieldCheck
12 } from 'lucide-react';
13 import { useApp } from '../context/AppContext';
14 import { DESTINATIONS } from '../data/mockData';
15
16 // Comprehensive list of Indian States & Union Territories for instant auto-suggestion
17 const INDIAN_STATES = [
18   { state: 'Madhya Pradesh', code: 'MP', popularCities: ['Bhopal', 'Indore', 'Gwalior', 'Ujjain', 'Jabalpur',
19     'Khajuraho'], highlights: 'Heart of India • Lakes, Sanchi Stupa, Heritage' },
20   { state: 'Rajasthan', code: 'RJ', popularCities: ['Jaipur', 'Udaipur', 'Jodhpur', 'Jaisalmer', 'Pushkar'],
21     highlights: 'Land of Kings • Forts, Palaces, Desert Safaris' },
22   { state: 'Uttar Pradesh', code: 'UP', popularCities: ['Varanasi', 'Agra', 'Lucknow', 'Ayodhya', 'Mathura'],
23     highlights: 'Taj Mahal, Kashi Ghats, Heritage & Culture' },
24   { state: 'Maharashtra', code: 'MH', popularCities: ['Mumbai', 'Pune', 'Nashik', 'Mahabaleshwar', 'Aurangabad'],
25     highlights: 'Gateway of India, Western Ghats, Ajanta Ellora' },
26   { state: 'Gujarat', code: 'GJ', popularCities: ['Ahmedabad', 'Surat', 'Vadodara', 'Rann of Kutch', 'Gir'],
27     highlights: 'White Desert, Statue of Unity, Asiatic Lions' },
28   { state: 'Karnataka', code: 'KA', popularCities: ['Bengaluru', 'Mysuru', 'Hampi', 'Coorg', 'Gokarna'],
29     highlights: 'Silicon Valley, Mysore Palace, Vijayanagara Ruins' },
30   { state: 'Kerala', code: 'KL', popularCities: ['Kochi', 'Munnar', 'Alleppey', 'Wayanad', 'Varkala'], highlights:
31     'God's Own Country • Backwaters & Tea Plantations' },
32   { state: 'Tamil Nadu', code: 'TN', popularCities: ['Chennai', 'Madurai', 'Ooty', 'Kodaikanal', 'Rameswaram'],
33     highlights: 'Dravidian Temples, Nilgiri Hills, Marina Beach' },
34   { state: 'Goa', code: 'GA', popularCities: ['Panaji', 'North Goa', 'South Goa', 'Calangute'], highlights: 'Sun,
35     Sand, Beaches & Portuguese Architecture' },
36   { state: 'Himachal Pradesh', code: 'HP', popularCities: ['Shimla', 'Manali', 'Dharamshala', 'Spiti Valley'],
37     highlights: 'Snow Peaks, Valleys, Monasteries & Adventure' },
38   { state: 'Uttarakhand', code: 'UK', popularCities: ['Rishikesh', 'Haridwar', 'Nainital', 'Mussoorie',
39     'Dehradun'], highlights: 'Yoga Capital, Ganga Aarti & Himalayan Treks' },
40   { state: 'Delhi', code: 'DL', popularCities: ['New Delhi', 'Old Delhi'], highlights: 'National Capital, Red Fort,
41     India Gate, Cuisine' },
42   { state: 'West Bengal', code: 'WB', popularCities: ['Kolkata', 'Darjeeling', 'Siliguri', 'Sundarbans'],
43     highlights: 'City of Joy, Darjeeling Tea, Royal Bengal Tigers' },
44   { state: 'Punjab', code: 'PB', popularCities: ['Amritsar', 'Chandigarh', 'Ludhiana'], highlights: 'Golden Temple,
45     Wagah Border, Punjabi Heritage' },
46   { state: 'Telangana', code: 'TS', popularCities: ['Hyderabad', 'Warangal'], highlights: 'Charminar, Hyderabad
47     Cuisine, Tech Hub' },
48   { state: 'Andhra Pradesh', code: 'AP', popularCities: ['Visakhapatnam', 'Tirupati', 'Vijayawada'], highlights:
49     'Tirumala Temple, Coastal Beaches, Araku' },
50   { state: 'Odisha', code: 'OD', popularCities: ['Bhubaneswar', 'Puri', 'Konark'], highlights: 'Jagannath Temple,
51     Sun Temple, Chilika Lake' },
52   { state: 'Assam', code: 'AS', popularCities: ['Guwahati', 'Kaziranga', 'Tezpur'], highlights: 'Rhinos, Tea
53     Gardens, Brahmaputra' },
54   { state: 'Jammu and Kashmir', code: 'JK', popularCities: ['Srinagar', 'Gulmarg', 'Pahalgam'], highlights: 'Dal
55     Lake, Shikaras, Snow Slopes, Mughal Gardens' },
56   { state: 'Ladakh', code: 'LA', popularCities: ['Leh', 'Nubra Valley', 'Pangong Lake'], highlights: 'High Altitude
57     Passes, Monasteries & Lakes' },
58   { state: 'Bihar', code: 'BR', popularCities: ['Patna', 'Bodhi Gaya', 'Nalanda'], highlights: 'Mahabodhi Temple,
59     Ancient Nalanda' },
60   { state: 'Sikkim', code: 'SK', popularCities: ['Gangtok', 'Pelling', 'Lachung'], highlights: 'Kanchenjunga Views,
61     Monasteries, Organic Living' }
62 ];
63
64 // Places suggestion dataset for instant autocomplete
65 const PLACES_SUGGESTIONS = [
66   { city: 'Bhopal', state: 'Madhya Pradesh', id: 'bhopal', highlights: 'Upper Lake, Bhopali Poha, Van Vihar' },
67   { city: 'Jaipur', state: 'Rajasthan', id: 'jaipur', highlights: 'Hawa Mahal, Amber Fort, Johari Bazaar' },
68   { city: 'Udaipur', state: 'Rajasthan', id: 'udaipur', highlights: 'City Palace, Lake Pichola' },
69   { city: 'Varanasi', state: 'Uttar Pradesh', id: 'varanasi', highlights: 'Kashi Vishwanath, Dashashwamedh Ghat' },
70   { city: 'Indore', state: 'Madhya Pradesh', id: 'bhopal', highlights: 'Sarafa Bazaar, Rajwada Palace' },
71   { city: 'Gwalior', state: 'Madhya Pradesh', id: 'bhopal', highlights: 'Gwalior Fort, Jai Vilas Palace' },
72   { city: 'Agra', state: 'Uttar Pradesh', id: 'jaipur', highlights: 'Taj Mahal, Agra Fort' },
73   { city: 'Mumbai', state: 'Maharashtra', id: 'bhopal', highlights: 'Gateway of India, Marine Drive' },
74   { city: 'Delhi', state: 'Delhi', id: 'jaipur', highlights: 'India Gate, Red Fort, Chandni Chowk' },
75   { city: 'Goa', state: 'Goa', id: 'bhopal', highlights: 'Calangute, Fort Aguada, Dudhsagar' }
76 ];

```

```

54   };
55
56   export default function HomePage() {
57     const {
58       setActivePage,
59       selectedCityId,
60       setSelectedCityId,
61       selectedDestination,
62       tripMeta,
63       setTripBudget,
64       changeUserRole,
65       showToast
66     } = useApp();
67
68     const [destinationInput, setDestinationInput] = useState(selectedDestination.name);
69     const [stateInput, setStateInput] = useState(selectedDestination.state);
70     const [showSuggestions, setShowSuggestions] = useState(false);
71     const [showStateSuggestions, setShowStateSuggestions] = useState(false);
72     const [budgetInput, setBudgetInput] = useState(tripMeta.budget || 6000);
73     const suggestionsRef = useRef(null);
74     const stateSuggestionsRef = useRef(null);
75
76     useEffect(() => {
77       setDestinationInput(selectedDestination.name);
78       setStateInput(selectedDestination.state);
79     }, [selectedDestination]);
80
81     // Close suggestions popovers on click outside
82     useEffect(() => {
83       const handleClickOutside = (e) => {
84         if (suggestionsRef.current && !suggestionsRef.current.contains(e.target)) {
85           setShowSuggestions(false);
86         }
87         if (stateSuggestionsRef.current && !stateSuggestionsRef.current.contains(e.target)) {
88           setShowStateSuggestions(false);
89         }
90       };
91       document.addEventListener('mousedown', handleClickOutside);
92       return () => document.removeEventListener('mousedown', handleClickOutside);
93     }, []);
94
95     // Filter Indian states by search input
96     const filteredStates = useMemo(() => {
97       const q = (stateInput || '').trim().toLowerCase();
98       if (!q) return INDIAN_STATES;
99       return INDIAN_STATES.filter(s =>
100         s.state.toLowerCase().includes(q) ||
101         s.code.toLowerCase().includes(q) ||
102         s.highlights.toLowerCase().includes(q) ||
103         s.popularCities.some(c => c.toLowerCase().includes(q))
104       );
105     }, [stateInput]);
106
107     const handleSelectState = (st) => {
108       setStateInput(st.state);
109       setShowStateSuggestions(false);
110       // If state has cities, suggest the primary city
111       if (st.popularCities && st.popularCities.length > 0) {
112         const topCity = st.popularCities[0];
113         setDestinationInput(topCity);
114         const matchedDest = DESTINATIONS.find(d => d.name.toLowerCase() === topCity.toLowerCase());
115         if (matchedDest) {
116           setSelectedCityId(matchedDest.id);
117         }
118       }
119       showToast(`Selected State: ${st.state}`);
120     };
121
122     const filteredPlaces = useMemo(() => {
123       const q = (destinationInput || '').trim().toLowerCase();
124       if (!q) return PLACES_SUGGESTIONS;
125       return PLACES_SUGGESTIONS.filter(p =>
126         p.city.toLowerCase().includes(q) ||
127         p.state.toLowerCase().includes(q) ||
128         p.highlights.toLowerCase().includes(q)
129       );
130     }, [destinationInput]);
131
132     const handleSelectPlace = (place) => {

```

```

133     setDestinationInput(place.city);
134     setStateInput(place.state);
135     setShowSuggestions(false);
136     if (DESTINATIONS.some(d => d.id === place.id)) {
137       setSelectedCityId(place.id);
138       showToast(`Selected destination: ${place.city}, ${place.state}`);
139     } else {
140       setSelectedCityId('bhopal');
141       showToast(`Browsing travel directory for ${place.city}`);
142     }
143   };
144
145   const handleBudgetChange = (e) => {
146     const val = e.target.value.replace(/^[^0-9]/g, '');
147     setBudgetInput(val);
148     if (val) {
149       setTripBudget(Number(val));
150     }
151   };
152
153   const handleExploreClick = () => {
154     setActivePage('destination');
155     window.scrollTo({ top: 0, behavior: 'smooth' });
156   };
157
158   return (
159     <div className="space-y-8 pb-16">
160       {/* Hero Section with Vibrant Imagery and Clean Search Card */}
161       <div className="relative rounded-3xl overflow-hidden shadow-md border border-teal-100/60 bg-teal-950
min-h-[480px] flex items-center">
162         {/* Background Image: Scenic View of Manua Bhan Ki Tekri, Bhopal */}
163         <div className="absolute inset-0 z-0">
164            {
168               e.target.onerror = null;
169               e.target.src = "https://upload.wikimedia.org/wikipedia/commons/a/a3/Tekri.jpg";
170             }}
171             className="w-full h-full object-cover object-center opacity-85 scale-105"
172             />
173         <div className="absolute inset-0 bg-gradient-to-r from-teal-950/85 via-teal-900/60 to-teal-800/20" />
174       </div>
175
176       {/* Location Badge */}
177       <div className="absolute top-4 right-4 z-10 hidden sm:inline-flex items-center gap-1.5 px-3 py-1
rounded-full bg-slate-900/60 backdrop-blur-md border border-white/20 text-white text-xs font-medium">
178         <span>Scenic view from Manua Bhan Ki Tekri, Bhopal</span>
179       </div>
180
181       {/* Hero Content */}
182       <div className="relative z-10 px-6 sm:px-10 lg:px-12 py-8 max-w-3xl text-white">
183         <div className="inline-flex items-center gap-2 px-3 py-1 rounded-full bg-teal-500/20 border
border-teal-400/40 text-teal-300 text-xs font-semibold mb-3 backdrop-blur-xs">
184           <Sparkles className="w-3.5 h-3.5 text-teal-300" />
185           <span>Verified Local Tourism Intelligence • Transparent Tariffs</span>
186         </div>
187
188         <h1 className="text-3xl sm:text-4xl lg:text-5xl font-extrabold tracking-tight leading-tight text-white
mb-2">
189           Plan your journey with confidence
190         </h1>
191
192         <p className="text-sm sm:text-base text-slate-200/90 font-normal leading-relaxed mb-5">
193           Discover stays, food, attractions and nearby trips using transparent local travel intelligence.
194         </p>
195
196         {/* Destination Selector Card matching Image 2 */}
197         <div className="bg-white/95 backdrop-blur-md p-5 rounded-3xl shadow-xl border border-white/50
text-slate-800 space-y-4">
198           {/* Row 1: State and Destination Inputs with Autocomplete */}
199           <div className="grid grid-cols-1 sm:grid-cols-2 gap-3 relative">
200             <div className="relative" ref={stateSuggestionsRef}>
201               <label className="block text-[11px] font-bold uppercase tracking-wider text-slate-600 mb-1">
202                 State
203               </label>
204               <div className="relative">
205                 <input
206                   type="text"

```

```

207         value={stateInput}
208         onFocus={() => setShowStateSuggestions(true)}
209         onChange={(e) => {
210             setStateInput(e.target.value);
211             setShowStateSuggestions(true);
212         }}
213         placeholder="Enter or select state (e.g. Madhya Pradesh)"
214         className="w-full pl-3.5 pr-8 py-2.5 bg-slate-50 border border-slate-200 rounded-xl text-xs
sm:text-sm font-semibold text-slate-800 focus:outline-none focus:ring-2 focus:ring-teal-500"
215     />
216     {stateInput ? (
217         <button
218             type="button"
219             onClick={() => {
220                 setStateInput('');
221                 setShowStateSuggestions(true);
222             }}
223             className="absolute right-3 top-1/2 -translate-y-1/2 text-slate-400 hover:text-slate-600
cursor-pointer p-0.5"
224             title="Clear state"
225             >
226             <X className="w-3.5 h-3.5" />
227         </button>
228     ) : (
229         <Search className="w-4 h-4 text-slate-400 absolute right-3 top-1/2 -translate-y-1/2
pointer-events-none" />
230     )}
231 </div>
232
233 {/* Indian States Autocomplete Suggestion Dropdown */}
234 {showStateSuggestions && (
235     <div className="absolute top-full left-0 right-0 mt-1 bg-white border border-slate-200
rounded-2xl shadow-xl z-50 overflow-hidden max-h-64 overflow-y-auto animate-in fade-in zoom-in-95 duration-100">
236         <div className="px-3 py-2 bg-slate-50 border-b border-slate-100 text-[11px] font-bold
text-slate-500 uppercase tracking-wider flex items-center justify-between">
237             <span>Indian States & Territories</span>
238             <span className="text-[10px] text-teal-600 font-medium">{filteredStates.length} found</span>
239         </div>
240         {filteredStates.map((st, idx) => (
241             <div
242                 key={idx}
243                 onClick={() => handleSelectState(st)}
244                 className="px-3.5 py-2.5 hover:bg-teal-50/80 cursor-pointer border-b border-slate-50
last:border-none flex items-center justify-between transition-colors"
245             >
246                 <div>
247                     <div className="flex items-center gap-1.5">
248                         <span className="font-bold text-xs text-slate-900">{st.state}</span>
249                         <span className="text-[10px] font-semibold text-slate-400">{st.code}</span>
250                     </div>
251                     <div className="text-[10px] text-slate-400 line-clamp-1 mt-0.5">
252                         Key Cities: {st.popularCities.slice(0, 4).join(', ')}
253                     </div>
254                 </div>
255                 <span className="text-[10px] font-semibold text-teal-700 bg-teal-50 px-2 py-0.5
rounded-full border border-teal-200 shrink-0">
256                     Select
257                 </span>
258             </div>
259         )]}
260     </div>
261 )}
262 </div>
263
264 <div className="relative" ref={suggestionsRef}>
265     <label className="block text-[11px] font-bold uppercase tracking-wider text-slate-600 mb-1">
266         Destination
267     </label>
268     <div className="relative">
269         <input
270             type="text"
271             value={destinationInput}
272             onFocus={() => setShowSuggestions(true)}
273             onChange={(e) => {
274                 setDestinationInput(e.target.value);
275                 setShowSuggestions(true);
276             }}
277             placeholder="Search city or destination..."
278             className="w-full pl-3.5 pr-9 py-2.5 bg-slate-50 border border-slate-200 rounded-xl text-xs

```

```

sm:text-sm font-semibold text-slate-800 focus:outline-none focus:ring-2 focus:ring-teal-500"
279     />
280     {destinationInput ? (
281       <button
282         type="button"
283         onClick={() => {
284           setDestinationInput('');
285           setShowSuggestions(true);
286         }}
287         className="absolute right-3 top-1/2 -translate-y-1/2 text-slate-400 hover:text-slate-600
cursor-pointer p-0.5"
288         title="Clear destination"
289       >
290         <X className="w-3.5 h-3.5" />
291       </button>
292     ) : (
293       <Search className="w-4 h-4 text-slate-400 absolute right-3 top-1/2 -translate-y-1/2
pointer-events-none" />
294     )}
295   </div>
296
297   {/* Places API Autocomplete Suggestion Dropdown */}
298   {showSuggestions && (
299     <div className="absolute top-full left-0 right-0 mt-1 bg-white border border-slate-200
rounded-2xl shadow-xl z-50 overflow-hidden max-h-60 overflow-y-auto animate-in fade-in zoom-in-95 duration-100">
300       <div className="px-3 py-2 bg-slate-50 border-b border-slate-100 text-[11px] font-bold
text-slate-500 uppercase tracking-wider flex items-center justify-between">
301         <span>Suggested Destinations (Places API)</span>
302         <span className="text-[10px] text-teal-600 font-medium">Instant Select</span>
303       </div>
304       {filteredPlaces.map((p, idx) => (
305         <div
306           key={idx}
307           onClick={() => handleSelectPlace(p)}
308           className="px-3.5 py-2.5 hover:bg-teal-50/80 cursor-pointer border-b border-slate-50
last:border-none flex items-center justify-between transition-colors"
309         >
310           <div>
311             <span className="font-bold text-xs text-slate-900">{p.city}</span>
312             <span className="text-xs text-slate-500 ml-1.5">• {p.state}</span>
313             <div className="text-[10px] text-slate-400 line-clamp-1">{p.highlights}</div>
314           </div>
315           <span className="text-[10px] font-semibold text-teal-700 bg-teal-50 px-2 py-0.5
rounded-full border border-teal-200">
316             Select
317           </span>
318         </div>
319       )})}
320     </div>
321   )}
322 </div>
323 </div>
324
325 {/* Row 2: Target Budget Input (Days removed as requested) */}
326 <div className="pt-2 border-t border-slate-100">
327   <label className="block text-[11px] font-bold uppercase tracking-wider text-slate-600 mb-1 flex
items-center gap-1.5">
328     <Wallet className="w-3.5 h-3.5 text-teal-600" />
329     <span>Trip Budget ( 1 ) </span>
330   </label>
331   <div className="relative">
332     <span className="absolute left-3.5 top-1/2 -translate-y-1/2 text-sm font-bold
t e x t - s l a t e - 4 0 0 " > 1 </span>
333     <input
334       type="text"
335       value={budgetInput}
336       onChange={handleBudgetChange}
337       placeholder="Enter target budget..."
338       className="w-full pl-8 pr-3.5 py-2.5 bg-slate-50 border border-slate-200 rounded-xl text-xs
sm:text-sm font-bold text-slate-800 focus:outline-none focus:ring-2 focus:ring-teal-500"
339     />
340   </div>
341 </div>
342
343 {/* Row 3: Explore Destination Button & Clean Notice */}
344 <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-3 pt-2 border-t
border-slate-100">
345   <div className="flex items-center gap-1.5 text-xs text-teal-800 font-medium">
346     <Info className="w-3.5 h-3.5 text-teal-600 shrink-0" />

```

```

347         <span>{selectedDestination.name} is currently available with verified stays, dining, and transit
tariffs.</span>
348     </div>
349
350     <button
351         onClick={handleExploreClick}
352         className="px-6 py-2.5 bg-teal-600 hover:bg-teal-700 active:bg-teal-800 text-white rounded-xl
text-xs sm:text-sm font-bold shadow-md transition-all flex items-center justify-center gap-2 group shrink-0
cursor-pointer"
353     >
354         <span>Explore {selectedDestination.name}</span>
355         <ArrowRight className="w-4 h-4 group-hover:translate-x-0.5 transition-transform" />
356     </button>
357 </div>
358 </div>
359 </div>
360 </div>
361
362 { /* Popular Destinations Grid */ }
363 <section className="pt-2">
364     <div className="flex items-center justify-between mb-4">
365         <div>
366             <h2 className="text-xl font-bold text-slate-900">Popular Destinations</h2>
367             <p className="text-xs text-slate-500 mt-0.5">
368                 Curated Indian destinations with verified travel intelligence
369             </p>
370         </div>
371     </div>
372
373     <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-4 gap-4">
374         {DESTINATIONS.map((dest) => (
375             <div
376                 key={dest.id}
377                 onClick={() => {
378                     setSelectedCityId(dest.id);
379                     if (dest.isSupported) {
380                         setActivePage('destination');
381                     }
382                 }}
383                 className={`
384                     bg-white rounded-2xl border border-slate-200/80 overflow-hidden shadow-xs transition-all flex
flex-col justify-between cursor-pointer hover:border-teal-300 hover:shadow-md
385                     ${dest.id === selectedCityId ? 'ring-2 ring-teal-500' : ''}
386                 `}
387             >
388                 <div>
389                     <div className="relative h-40 bg-slate-100 overflow-hidden">
390                         <img src={dest.image} alt={dest.name} className="w-full h-full object-cover" />
391                         <div className="absolute top-2.5 left-2.5">
392                             {dest.isSupported ? (
393                                 <span className="px-2 py-0.5 rounded-full bg-teal-600 text-white text-[10px] font-bold
uppercase tracking-wider">
394                                     Verified Destination
395                                 </span>
396                             ) : (
397                                 <span className="px-2 py-0.5 rounded-full bg-slate-800/80 text-white text-[10px] font-medium
backdrop-blur-xs">
398                                     Coming Soon
399                                 </span>
400                             )}
401                         </div>
402                     </div>
403
404                     <div className="p-4">
405                         <h3 className="text-base font-bold text-slate-900">{dest.name}</h3>
406                         <p className="text-xs text-slate-500 font-medium mb-1.5">{dest.state}</p>
407                         <p className="text-xs text-slate-600 line-clamp-2">{dest.description}</p>
408                     </div>
409                 </div>
410
411                 <div className="px-4 pb-4 pt-2">
412                     <button
413                         className="w-full py-1.5 bg-teal-50 hover:bg-teal-100 text-teal-800 font-bold text-xs rounded-xl
transition-colors flex items-center justify-center gap-1.5 cursor-pointer"
414                     >
415                         <span>{dest.isSupported ? `Explore ${dest.name}` : 'View Status'}</span>
416                         <ArrowRight className="w-3.5 h-3.5" />
417                     </button>
418                 </div>

```

```

419         </div>
420     )}}
421 </div>
422 </section>
423
424     { /* Provider Portal Partner Access Card */ }
425     <section className="bg-gradient-to-r from-teal-900 to-teal-800 rounded-3xl p-6 sm:p-8 text-white shadow-md
border border-teal-700/60 flex flex-col sm:flex-row sm:items-center justify-between gap-6">
426         <div className="space-y-2 max-w-xl">
427             <div className="inline-flex items-center gap-1.5 px-3 py-1 rounded-full bg-teal-500/20 text-teal-200
border border-teal-400/30 text-xs font-bold">
428                 <Building2 className="w-3.5 h-3.5 text-teal-300" />
429                 <span>Tourism Service Providers & Local Businesses</span>
430             </div>
431             <h2 className="text-xl sm:text-2xl font-bold text-white">
432                 Partner with TRAAR to list your verified stay, dining or tour service
433             </h2>
434             <p className="text-xs sm:text-sm text-teal-100/90 leading-relaxed">
435                 Reach thousands of travellers with transparent tariffs and verified listings. Manage bookings, upload
photos, and update details directly.
436             </p>
437         </div>
438
439         <div className="flex flex-col sm:flex-row items-stretch sm:items-center gap-3 shrink-0">
440             <button
441                 type="button"
442                 onClick={() => {
443                     changeUserRole('provider');
444                     setActivePage('dashboard');
445                     showToast('Entered Provider Portal');
446                     window.scrollTo({ top: 0, behavior: 'smooth' });
447                 }}
448                 className="px-5 py-3 bg-white hover:bg-teal-50 text-teal-900 font-extrabold rounded-2xl text-xs
sm:text-sm shadow-md transition-all flex items-center justify-center gap-2 cursor-pointer"
449             >
450                 <ShieldCheck className="w-4 h-4 text-teal-700" />
451                 <span>Open Provider Portal</span>
452             </button>
453         </div>
454     </section>
455 </div>
456 );
457 }
458

```

File: src/pages/DestinationOverviewPage.jsx

300 lines

```

1  import React from 'react';
2  import {
3    MapPin,
4    Bed,
5    UtensilsCrossed,
6    Landmark,
7    Compass,
8    Calendar,
9    Plane,
10   Sparkles,
11   Navigation,
12   ArrowRight,
13   ShieldCheck,
14   Info,
15   ArrowLeft,
16   Check
17 } from 'lucide-react';
18 import { useApp } from '../context/AppContext';
19 import { STAYS_DATA, FOOD_DATA, PLACES_DATA, NEARBY_TRIPS_DATA } from '../data/mockData';
20
21 export default function DestinationOverviewPage() {
22   const {
23     selectedCityId,
24     selectedDestination,
25     setActivePage,
26     startingPoint,
27     setStartingPointCentre,
28     setStartingPointLocation,
29     setStartingPointManual,
30     showToast
31   } = useApp();
32
33   const cityStays = STAYS_DATA.filter(s => s.cityId === selectedCityId);
34   const cityFood = FOOD_DATA.filter(f => f.cityId === selectedCityId);
35   const cityPlaces = PLACES_DATA.filter(p => p.cityId === selectedCityId);
36   const cityNearby = NEARBY_TRIPS_DATA.filter(n => n.cityId === selectedCityId);
37
38   const categories = [
39     {
40       id: 'stays',
41       title: 'Stays',
42       count: cityStays.length,
43       desc: 'Hotels, hostels, PGs & local stays',
44       icon: Bed,
45       color: 'border-amber-200 bg-amber-50/40 hover:border-amber-400 text-amber-900',
46       iconColor: 'bg-amber-500 text-white'
47     },
48     {
49       id: 'food',
50       title: 'Food & Dining',
51       count: cityFood.length,
52       desc: 'Authentic cuisine, cafes & dhabas',
53       icon: UtensilsCrossed,
54       color: 'border-orange-200 bg-orange-50/40 hover:border-orange-400 text-orange-900',
55       iconColor: 'bg-orange-500 text-white'
56     },
57     {
58       id: 'places',
59       title: 'Places to Visit',
60       count: cityPlaces.length,
61       desc: 'Lakes, grand heritage & museums',
62       icon: Landmark,
63       color: 'border-blue-200 bg-blue-50/40 hover:border-blue-400 text-blue-900',
64       iconColor: 'bg-blue-600 text-white'
65     },
66     {
67       id: 'nearby',
68       title: 'Nearby Trips',
69       count: cityNearby.length,
70       desc: 'Excursions with bus, train & cab fares',
71       icon: Compass,
72       color: 'border-lavender-200 bg-lavender-50/40 hover:border-lavender-400 text-lavender-900',
73       iconColor: 'bg-lavender-600 text-white'
74     }
75   ];

```

```

76
77   return (
78     <div className="space-y-6 pb-24 max-w-6xl mx-auto">
79       {/* Navigation Top Bar */}
80       <div className="flex items-center justify-between">
81         <button
82           type="button"
83           onClick={() => setActivePage('home')}
84           className="px-3 py-1.5 rounded-xl border border-slate-200 bg-white hover:bg-slate-50 text-slate-700
transition-colors cursor-pointer flex items-center gap-1.5 text-xs font-bold shadow-2xs"
85           title="Back to Home"
86         >
87           <ArrowLeft className="w-3.5 h-3.5" />
88           <span>Back to Home</span>
89         </button>
90       </div>
91
92       {/* Banner / Hero */}
93       <div className="relative rounded-3xl overflow-hidden shadow-xs border border-slate-200">
94         <div className="h-64 sm:h-80 w-full bg-teal-950 relative">
95           <img
96             src={selectedDestination.banner || selectedDestination.image}
97             alt={selectedDestination.name}
98             className="w-full h-full object-cover opacity-90"
99           />
100         <div className="absolute inset-0 bg-gradient-to-t from-teal-950/85 via-teal-950/30 to-transparent" />
101
102         {/* Top badges */}
103         <div className="absolute top-4 left-4 sm:left-6 flex flex-wrap items-center gap-2">
104           <span className="px-3 py-1 rounded-full bg-teal-600 text-white text-xs font-bold shadow-xs">
105             Verified Destination
106           </span>
107           <span className="px-3 py-1 rounded-full bg-teal-900/80 backdrop-blur-md text-teal-200 text-xs
font-semibold border border-teal-700/50">
108             Information coverage verified
109           </span>
110         </div>
111
112         {/* Bottom Hero Content */}
113         <div className="absolute bottom-6 left-4 sm:left-6 right-4 sm:right-6 text-white space-y-2">
114           <div className="flex items-center gap-2 text-teal-300 text-xs font-semibold uppercase tracking-wider">
115             <MapPin className="w-3.5 h-3.5" />
116             <span>{selectedDestination.state}, India</span>
117           </div>
118           <h1 className="text-3xl sm:text-5xl font-black tracking-tight">
119             {selectedDestination.name}
120           </h1>
121           <p className="text-sm sm:text-base text-slate-200 max-w-3xl leading-relaxed">
122             {selectedDestination.description}
123           </p>
124         </div>
125       </div>
126     </div>
127
128     {/* Quick Info Matrix */}
129     {selectedDestination.quickInfo && (
130       <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-4 gap-4">
131         <div className="bg-white p-4 rounded-2xl border border-slate-200 shadow-2xs">
132           <div className="flex items-center gap-2 text-teal-700 text-xs font-bold mb-1">
133             <Calendar className="w-4 h-4" />
134             <span>Best Time to Visit</span>
135           </div>
136           <p className="text-xs text-slate-700 font-semibold">{selectedDestination.quickInfo.bestTime}</p>
137         </div>
138
139         <div className="bg-white p-4 rounded-2xl border border-slate-200 shadow-2xs">
140           <div className="flex items-center gap-2 text-teal-700 text-xs font-bold mb-1">
141             <Sparkles className="w-4 h-4" />
142             <span>Languages Spoken</span>
143           </div>
144           <p className="text-xs text-slate-700 font-semibold">{selectedDestination.quickInfo.language}</p>
145         </div>
146
147         <div className="bg-white p-4 rounded-2xl border border-slate-200 shadow-2xs">
148           <div className="flex items-center gap-2 text-teal-700 text-xs font-bold mb-1">
149             <Landmark className="w-4 h-4" />
150             <span>Famous For</span>
151           </div>
152           <p className="text-xs text-slate-700 font-semibold">

```

```

153   line-clamp-1">{selectedDestination.quickInfo.famousFor}</p>
154   </div>
155   <div className="bg-white p-4 rounded-2xl border border-slate-200 shadow-2xs">
156     <div className="flex items-center gap-2 text-teal-700 text-xs font-bold mb-1">
157       <Plane className="w-4 h-4" />
158       <span>Transit Hubs</span>
159     </div>
160     <p className="text-xs text-slate-700 font-semibold
line-clamp-1">{selectedDestination.quickInfo.howToReach}</p>
161   </div>
162 </div>
163 }}
164
165 {/ * Starting Point & Distance Engine (Image 2) */}
166 <div className="bg-white p-5 rounded-3xl border border-slate-200/90 shadow-xs space-y-3">
167   <div className="flex items-center justify-between">
168     <span className="text-[11px] font-bold uppercase tracking-wider text-slate-700 flex items-center
gap-1.5">
169       <Navigation className="w-4 h-4 text-teal-600" />
170       <span>Choose how distance should be calculated:</span>
171     </span>
172     <span className="text-[10px] text-slate-400 font-medium">Optional</span>
173   </div>
174
175   <div className="grid grid-cols-1 sm:grid-cols-3 gap-2.5 text-xs">
176     <button
177       type="button"
178       onClick={setStartingPointCentre}
179       className={`p-3 rounded-2xl border text-left flex items-center justify-between transition-all
cursor-pointer ${
180         startingPoint.type === 'centre'
181           ? 'bg-teal-50 border-teal-500 text-teal-900 font-bold shadow-2xs'
182           : 'bg-slate-50/60 border-slate-200 text-slate-700 hover:bg-slate-100'
183       }`}
184     >
185       <span>Use selected city centre</span>
186       {startingPoint.type === 'centre' && <Check className="w-4 h-4 text-teal-700" />}
187     </button>
188
189     <button
190       type="button"
191       onClick={setStartingPointLocation}
192       className={`p-3 rounded-2xl border text-left flex items-center justify-between transition-all
cursor-pointer ${
193         startingPoint.type === 'location'
194           ? 'bg-teal-50 border-teal-500 text-teal-900 font-bold shadow-2xs'
195           : 'bg-slate-50/60 border-slate-200 text-slate-700 hover:bg-slate-100'
196       }`}
197     >
198       <span>Use my current location</span>
199       {startingPoint.type === 'location' && <Check className="w-4 h-4 text-teal-700" />}
200     </button>
201
202     <button
203       type="button"
204       onClick={() => {
205         const custom = prompt(`Enter your starting point in ${selectedDestination.name} (e.g. Bhopal
Junction, Airport, Hotel):`, startingPoint.label || 'Bhopal Junction');
206         if (custom) {
207           setStartingPointManual(custom, selectedDestination.lat, selectedDestination.lng);
208         }
209       }}
210       className={`p-3 rounded-2xl border text-left flex items-center justify-between transition-all
cursor-pointer ${
211         startingPoint.type === 'manual'
212           ? 'bg-teal-50 border-teal-500 text-teal-900 font-bold shadow-2xs'
213           : 'bg-slate-50/60 border-slate-200 text-slate-700 hover:bg-slate-100'
214       }`}
215     >
216       <span className="truncate">Enter a starting point manually</span>
217       {startingPoint.type === 'manual' && <Check className="w-4 h-4 text-teal-700" />}
218     </button>
219   </div>
220
221   <p className="text-[11px] text-slate-500 italic">
222     Location permission is optional. You can continue browsing without sharing your location.
223   </p>
224 </div>

```

```

225
226     /* Explore Categories (Image 3) */
227     <div className="space-y-4">
228         <h2 className="text-lg font-bold text-slate-900">
229             Discover {selectedDestination.name} by Category
230         </h2>
231
232         <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-4 gap-4">
233             {categories.map((cat) => {
234                 const Icon = cat.icon;
235                 return (
236                     <button
237                         key={cat.id}
238                         type="button"
239                         onClick={() => setActivePage(cat.id)}
240                         className={`p-5 rounded-3xl border text-left transition-all hover:shadow-md flex flex-col
justify-between space-y-4 group ${cat.color}`}
241                     >
242                         <div className="flex items-center justify-between">
243                             <div className={`p-3 rounded-2xl shadow-xs ${cat.iconColor}`}>
244                                 <Icon className="w-5 h-5" />
245                             </div>
246                             <span className="text-xs font-bold bg-white/80 backdrop-blur-xs px-2.5 py-1 rounded-full
text-slate-800">
247                                 {cat.count} listings
248                             </span>
249                         </div>
250
251                         <div>
252                             <h3 className="font-bold text-base text-slate-900 group-hover:text-teal-900 transition-colors">
253                                 {cat.title}
254                             </h3>
255                             <p className="text-xs text-slate-600 mt-1 leading-relaxed">
256                                 {cat.desc}
257                             </p>
258                         </div>
259
260                         <div className="flex items-center gap-1 text-xs font-bold text-teal-800 pt-2 border-t
border-slate-200/60">
261                             <span>Explore Directory</span>
262                             <ArrowRight className="w-3.5 h-3.5 group-hover:translate-x-1 transition-transform" />
263                         </div>
264                     </button>
265                 );
266             })}
267         </div>
268     </div>
269
270     /* Starting Point Banner */
271     <div className="bg-teal-50 border border-teal-200 rounded-3xl p-6 flex flex-col sm:flex-row items-center
justify-between gap-4">
272         <div className="flex items-center gap-3.5">
273             <div className="p-2.5 bg-teal-600 text-white rounded-2xl shrink-0">
274                 <Navigation className="w-5 h-5" />
275             </div>
276             <div>
277                 <h3 className="text-sm font-bold text-teal-950">
278                     Active Distance Starting Point: {startingPoint.name}
279                 </h3>
280                 <p className="text-xs text-teal-800 mt-0.5">
281                     Live distance calculations for Stays, Dining, and Attractions are computed relative to this location.
282                 </p>
283             </div>
284         </div>
285
286         <button
287             type="button"
288             onClick={() => {
289                 setStartingPointCentre();
290                 showToast(`Reset starting point to ${selectedDestination.name} City Centre`);
291             }}
292             className="px-4 py-2 bg-teal-700 hover:bg-teal-800 text-white rounded-xl text-xs font-semibold shrink-0
transition-colors shadow-xs"
293         >
294             Reset to City Centre
295         </button>
296     </div>
297 </div>
298 );

```

```
299  }  
300
```

File: src/pages/StaysPage.jsx

641 lines

```

1  import React, { useState, useMemo, useRef, useEffect } from 'react';
2  import {
3    Search,
4    MapPin,
5    Star,
6    RotateCcw,
7    Navigation,
8    Plus,
9    ShieldCheck,
10   Calendar,
11   Bed,
12   Check,
13   Heart,
14   Scale,
15   Clock,
16   AlertCircle,
17   Users,
18   ArrowLeft,
19   X
20 } from 'lucide-react';
21 import { useApp } from '../context/AppContext';
22 import { STAYS_DATA } from '../data/mockData';
23 import TripSummaryDrawer from '../components/common/TripSummaryDrawer';
24
25 function StayImageCarousel({ stay, isFav, toggleFavourite }) {
26   const [currentIdx, setCurrentIdx] = useState(0);
27   const images = stay.images && stay.images.length > 0
28     ? stay.images
29     : [
30       stay.image,
31       stay.gallery?.[0] ||
32       'https://images.unsplash.com/photo-1590490360182-c33d57733427?auto=format&fit=crop&w=600&q=80',
33       stay.gallery?.[1] ||
34       'https://images.unsplash.com/photo-1582719478250-c89cae4dc85b?auto=format&fit=crop&w=600&q=80'
35     ].filter(Boolean);
36
37   const prevImage = (e) => {
38     e.stopPropagation();
39     setCurrentIdx((prev) => (prev - 1 + images.length) % images.length);
40   };
41
42   const nextImage = (e) => {
43     e.stopPropagation();
44     setCurrentIdx((prev) => (prev + 1) % images.length);
45   };
46
47   return (
48     <div className="relative h-44 bg-slate-100 overflow-hidden group">
49       <img
50         src={images[currentIdx]}
51         alt={stay.name}
52         className="w-full h-full object-cover group-hover:scale-105 transition-transform duration-300"
53       />
54       <div className="absolute top-2.5 left-2.5 flex items-center gap-1.5 z-10">
55         <span className="px-2 py-0.5 rounded-md bg-amber-500/90 backdrop-blur-xs text-white text-[11px] font-bold shadow-xs">
56           {stay.type}
57         </span>
58       </div>
59       <div className="absolute top-2.5 right-2.5 flex items-center gap-1 z-10">
60         <button
61           type="button"
62           onClick={(e) => {
63             e.stopPropagation();
64             toggleFavourite(stay.id);
65           }}
66           className={`p-1.5 rounded-full backdrop-blur-xs transition-colors cursor-pointer ${
67             isFav ? 'bg-red-500 text-white' : 'bg-slate-900/60 text-white hover:bg-slate-900'
68           }`}
69           title={isFav ? "Saved in favourites" : "Save favourite"}
70         >
71           <Heart className={`w-3.5 h-3.5 ${isFav ? 'fill-current' : ''}` />
72         </button>
73         <span className="px-2 py-0.5 rounded-md bg-slate-900/80 text-white text-[10px] font-semibold backdrop-blur-xs flex items-center gap-1">

```

```

72         <ShieldCheck className="w-3 h-3 text-emerald-400" />
73         Verified
74     </span>
75 </div>
76
77     {images.length > 1 && (
78         <>
79             <button
80                 type="button"
81                 onClick={prevImage}
82                 className="absolute left-1.5 top-1/2 -translate-y-1/2 w-6 h-6 rounded-full bg-slate-900/70
hover:bg-slate-900 text-white flex items-center justify-center text-sm font-bold opacity-0 group-hover:opacity-100
transition-opacity z-10 cursor-pointer"
83                 aria-label="Previous image"
84             >
85                 <
86             </button>
87             <button
88                 type="button"
89                 onClick={nextImage}
90                 className="absolute right-1.5 top-1/2 -translate-y-1/2 w-6 h-6 rounded-full bg-slate-900/70
hover:bg-slate-900 text-white flex items-center justify-center text-sm font-bold opacity-0 group-hover:opacity-100
transition-opacity z-10 cursor-pointer"
91                 aria-label="Next image"
92             >
93                 >
94             </button>
95             <div className="absolute bottom-2 left-1/2 -translate-x-1/2 flex items-center gap-1 z-10">
96                 {images.map((_, i) => (
97                     <span
98                         key={i}
99                         className={`w-1.5 h-1.5 rounded-full transition-all ${
100                             i === currentIndex ? 'bg-white scale-125' : 'bg-white/50'
101                         }`}
102                     </>
103                 )}}
104             </div>
105         </>
106     )}
107 </div>
108 );
109 }
110
111 export default function StaysPage() {
112     const {
113         selectedCityId,
114         selectedDestination,
115         addToTrip,
116         removeFromTrip,
117         tripItems,
118         setViewDetailsItem,
119         setWayToItem,
120         startingPoint,
121         calculateDistance,
122         savedFavourites,
123         toggleFavourite,
124         compareListings,
125         addToCompare,
126         personCount,
127         setPersonCount,
128         setActivePage,
129         goBack,
130         searchQuery,
131         setSearchQuery,
132         approvedProviderStays = [],
133         showToast
134     } = useApp();
135
136     // Combine static stays data with admin-approved provider stays
137     const allStaysData = useMemo(() => {
138         return [...STAYS_DATA, ...approvedProviderStays];
139     }, [approvedProviderStays]);
140
141     // Filters state
142     const [searchFilter, setSearchFilter] = useState(searchQuery || '');
143     const [showInPageSuggestions, setShowInPageSuggestions] = useState(false);
144     const searchContainerRef = useRef(null);
145     const [selectedType, setSelectedType] = useState('All');
146     const [maxPrice, setMaxPrice] = useState(10000);

```

```

147     const [distanceLimit, setDistanceLimit] = useState('All'); // 'All' | '1' | '5' | '10'
148     const [sortBy, setSortBy] = useState('recommended'); // 'recommended' | 'nearest' | 'price-low' | 'price-high' |
'rating'
149
150     const stayTypes = ['All', 'Hotel', 'Hostel', 'PG', 'Dormitory', 'Local stay'];
151
152     // Sync with global searchQuery (from top search header)
153     useEffect(() => {
154         if (searchQuery !== undefined && searchQuery !== searchFilter) {
155             setSearchFilter(searchQuery);
156         }
157     }, [searchQuery]);
158
159     // Click outside to close suggestion dropdown
160     useEffect(() => {
161         const handleClickOutside = (e) => {
162             if (searchContainerRef.current && !searchContainerRef.current.contains(e.target)) {
163                 setShowInPageSuggestions(false);
164             }
165         };
166         document.addEventListener('mousedown', handleClickOutside);
167         return () => document.removeEventListener('mousedown', handleClickOutside);
168     }, []);
169
170     // Suggestions for current city stays
171     const staySuggestions = useMemo(() => {
172         const stays = allStaysData.filter(s => s.cityId === selectedCityId);
173         const q = (searchFilter || '').trim().toLowerCase();
174         if (!q) return stays.slice(0, 5);
175         return stays.filter(s =>
176             s.name.toLowerCase().includes(q) ||
177             s.location.toLowerCase().includes(q) ||
178             s.type.toLowerCase().includes(q)
179         ).slice(0, 5);
180     }, [allStaysData, selectedCityId, searchFilter]);
181
182     const resetFilters = () => {
183         setSearchFilter('');
184         setSearchQuery('');
185         setSelectedType('All');
186         setMaxPrice(10000);
187         setDistanceLimit('All');
188         setSortBy('recommended');
189         setShowInPageSuggestions(false);
190         showToast('Filters reset to default');
191     };
192
193     // City-based filtering & search & distance
194     const filteredStays = useMemo(() => {
195         return allStaysData.filter((stay) => {
196             if (stay.cityId !== selectedCityId) return false;
197
198             const q = searchFilter.toLowerCase();
199             const matchesSearch = !q ||
200                 stay.name.toLowerCase().includes(q) ||
201                 stay.location.toLowerCase().includes(q);
202
203             const matchesType = selectedType === 'All' || stay.type.toLowerCase() === selectedType.toLowerCase();
204             const matchesPrice = stay.price <= maxPrice;
205
206             const dist = calculateDistance(stay.lat, stay.lng);
207             stay._calcDistance = dist;
208
209             let matchesDistance = true;
210             if (distanceLimit !== 'All') {
211                 if (!dist.isAvailable) {
212                     matchesDistance = false;
213                 } else {
214                     matchesDistance = dist.rawKm <= Number(distanceLimit);
215                 }
216             }
217
218             return matchesSearch && matchesType && matchesPrice && matchesDistance;
219         }).sort((a, b) => {
220             if (sortBy === 'nearest') {
221                 return (a._calcDistance?.rawKm || 999999) - (b._calcDistance?.rawKm || 999999);
222             }
223             if (sortBy === 'price-low') return a.price - b.price;
224             if (sortBy === 'price-high') return b.price - a.price;

```

```

225     if (sortBy === 'rating') return (b.rating || 0) - (a.rating || 0);
226     return 0;
227   });
228   }, [selectedCityId, searchFilter, selectedType, maxPrice, distanceLimit, sortBy, startingPoint]);
229
230   const isItemInTrip = (sourceId) => {
231     return tripItems.some(item => item.sourceId === sourceId || item.id === sourceId);
232   };
233
234   return (
235     <div className="space-y-5 pb-16">
236       {/* Breadcrumb Navigation (Image 1 & 4) */}
237       <div>
238         <nav className="flex items-center gap-2 text-xs text-slate-500 font-medium">
239           <button
240             type="button"
241             onClick={() => setActivePage('home')}
242             className="hover:text-teal-700 cursor-pointer"
243           >
244             Home
245           </button>
246           <span>&gt;</span>
247           <button
248             type="button"
249             onClick={() => setActivePage('destination')}
250             className="hover:text-teal-700 cursor-pointer font-medium"
251           >
252             {selectedDestination.name}
253           </button>
254           <span>&gt;</span>
255           <span className="text-slate-900 font-semibold">Stays</span>
256         </nav>
257
258         {/* Back Button directly below breadcrumbs (returns to Bhopal destination page) */}
259         <div className="mt-2.5">
260           <button
261             type="button"
262             onClick={() => setActivePage('destination')}
263             className="inline-flex items-center gap-1.5 px-3 py-1.5 rounded-xl border border-slate-200 bg-white
264             hover:bg-slate-50 text-slate-700 text-xs font-semibold shadow-2xs transition-colors cursor-pointer"
265           >
266             <ArrowLeft className="w-3.5 h-3.5" />
267             <span>Back</span>
268           </button>
269         </div>
270       </div>
271
272       {/* Header */}
273       <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-3">
274         <div>
275           <div className="flex items-center gap-2 mb-1">
276             <span className="p-1 rounded-md bg-amber-50 text-amber-800 border border-amber-200/60">
277               <Bed className="w-4 h-4" />
278             </span>
279             <h1 className="text-2xl sm:text-3xl font-bold text-slate-900">
280               Stays in {selectedDestination.name}
281             </h1>
282           </div>
283           <p className="text-xs sm:text-sm text-slate-500">
284             Verified hotels, hostels, PGs, dormitories, and homestays with transparent rates.
285           </p>
286         </div>
287
288         {/* Person Count Selector */}
289         <div className="flex items-center gap-2 bg-white px-3 py-1.5 rounded-xl border border-slate-200 shadow-2xs
290         self-start sm:self-auto">
291           <Users className="w-4 h-4 text-slate-500" />
292           <span className="text-xs text-slate-600 font-medium">Persons:</span>
293           <select
294             value={personCount}
295             onChange={(e) => setPersonCount(Number(e.target.value))}
296             className="bg-slate-50 border border-slate-200 rounded-lg px-2 py-0.5 text-xs font-bold text-slate-800
297             focus:outline-none focus:ring-1 focus:ring-amber-500"
298           >
299             {[1, 2, 3, 4, 5, 6, 8, 10].map(n => (
300               <option key={n} value={n}>{n} {n === 1 ? 'Person' : 'Persons'}</option>

```

```

301     </div>
302   </div>
303
304   {/* Filter Bar */}
305   <div className="bg-white p-4 rounded-2xl border border-slate-200/80 shadow-2xs space-y-3">
306     <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-5 gap-3">
307       {/* Search by name or location with Auto-Suggestions */}
308       <div className="lg:col-span-2 relative" ref={searchContainerRef}>
309         <Search className="w-4 h-4 text-slate-400 absolute left-3 top-1/2 -translate-y-1/2 pointer-events-none"
/>
310         <input
311           type="text"
312           value={searchFilter}
313           onFocus={() => setShowInPageSuggestions(true)}
314           onChange={(e) => {
315             setSearchFilter(e.target.value);
316             setSearchQuery(e.target.value);
317             setShowInPageSuggestions(true);
318           }}
319           placeholder={`Search ${selectedDestination.name} hotels, hostels, locations...`}
320           className="w-full pl-9 pr-8 py-2 bg-slate-50 border border-slate-200 rounded-xl text-xs sm:text-sm
text-slate-800 placeholder-slate-400 focus:outline-none focus:ring-2 focus:ring-amber-500/20
focus:border-amber-500"
321         />
322         {searchFilter && (
323           <button
324             type="button"
325             onClick={() => {
326               setSearchFilter('');
327               setSearchQuery('');
328               setShowInPageSuggestions(false);
329             }}
330             className="absolute right-2.5 top-1/2 -translate-y-1/2 text-slate-400 hover:text-slate-600 p-0.5
cursor-pointer"
331             title="Clear search"
332           >
333             <X className="w-3.5 h-3.5" />
334           </button>
335         )}
336
337         {/* In-page Auto-Suggestions Dropdown */}
338         {showInPageSuggestions && staySuggestions.length > 0 && (
339           <div className="absolute top-full left-0 right-0 mt-1.5 bg-white border border-slate-200 rounded-2xl
shadow-xl z-50 overflow-hidden max-h-64 overflow-y-auto">
340             <div className="px-3 py-1.5 bg-amber-50 border-b border-amber-100 text-[10px] font-bold uppercase
tracking-wider text-amber-800 flex items-center justify-between">
341               <span>Stays Auto-Suggestions</span>
342               <span className="text-[9px] opacity-70">Click to select</span>
343             </div>
344             {staySuggestions.map((s) => (
345               <div
346                 key={s.id}
347                 onClick={() => {
348                   setSearchFilter(s.name);
349                   setSearchQuery(s.name);
350                   setShowInPageSuggestions(false);
351                 }}
352                 className="px-3.5 py-2 hover:bg-amber-50/50 cursor-pointer border-b border-slate-50
last:border-none flex items-center justify-between transition-colors"
353               >
354                 <div className="min-w-0 pr-2">
355                   <p className="text-xs font-bold text-slate-800 truncate">{s.name}</p>
356                   <p className="text-[11px] text-slate-500 truncate">{s.location} •
357                   1 { s . p r i c e . t o L o c a l e S t r i n g ( ' e n - I N ' ) } / n i g h t < / p >
358                 </div>
359                 <span className="text-[10px] font-bold px-2 py-0.5 rounded-md bg-amber-100 text-amber-800
shrink-0">
360                   {s.type}
361                 </span>
362               </div>
363             )}
364           </div>
365         )}
366
367         {/* Accommodation Type */}
368         <div>
369           <select
370             value={selectedType}

```

```

371         onChange={(e) => setSelectedType(e.target.value)}
372         className="w-full px-3 py-2 bg-slate-50 border border-slate-200 rounded-xl text-xs sm:text-sm
text-slate-800 font-medium focus:outline-none focus:ring-2 focus:ring-amber-500/20 focus:border-amber-500"
373     >
374         <option value="All">All Types</option>
375         <option value="Hotel">Hotel</option>
376         <option value="Hostel">Hostel</option>
377         <option value="PG">PG</option>
378         <option value="Dormitory">Dormitory</option>
379         <option value="Local stay">Local stay</option>
380     </select>
381 </div>
382
383 {/* Distance Filter */}
384 <div>
385     <select
386         disabled={startingPoint.status !== 'active'}
387         value={distanceLimit}
388         onChange={(e) => setDistanceLimit(e.target.value)}
389         className={`w-full px-3 py-2 border rounded-xl text-xs sm:text-sm font-medium focus:outline-none ${
390             startingPoint.status === 'active'
391               ? 'bg-slate-50 border-slate-200 text-slate-800'
392               : 'bg-slate-100 border-slate-200 text-slate-400 cursor-not-allowed'
393           }`}
394     >
395         <option value="All">All distances</option>
396         <option value="1">Within 1 km</option>
397         <option value="5">Within 5 km</option>
398         <option value="10">Within 10 km</option>
399     </select>
400 </div>
401
402 {/* Sort By */}
403 <div>
404     <select
405         value={sortBy}
406         onChange={(e) => setSortBy(e.target.value)}
407         className="w-full px-3 py-2 bg-slate-50 border border-slate-200 rounded-xl text-xs sm:text-sm
text-slate-800 font-medium focus:outline-none focus:ring-2 focus:ring-amber-500/20 focus:border-amber-500"
408     >
409         <option value="recommended">Sort By: Recommended</option>
410         <option value="nearest" disabled={startingPoint.status !== 'active'}>
411             Nearest first {startingPoint.status !== 'active' ? '(Need Starting Point)' : ''}
412         </option>
413         <option value="price-low">Price: Low to High</option>
414         <option value="price-high">Price: High to Low</option>
415         <option value="rating">Rating: Highest First</option>
416     </select>
417 </div>
418 </div>
419
420 {/* Starting Point alert */}
421 {startingPoint.status !== 'active' && (
422     <div className="flex items-center gap-1.5 text-[11px] text-amber-800 bg-amber-50/70 p-2 rounded-xl border
border-amber-200">
423         <AlertCircle className="w-3.5 h-3.5 text-amber-600 shrink-0" />
424         <span>Distance filters are disabled. Choose a starting point in the header or home page to calculate
distances.</span>
425     </div>
426 )}
427
428 {/* Filter Chips */}
429 <div className="flex flex-wrap items-center justify-between gap-2 pt-2 border-t border-slate-100 text-xs">
430     <div className="flex flex-wrap items-center gap-1.5">
431         <span className="text-[11px] font-bold uppercase tracking-wider text-slate-400 mr-1">Active:</span>
432         {selectedType !== 'All' && (
433             <span className="inline-flex items-center gap-1 px-2.5 py-0.5 rounded-full bg-amber-50 text-amber-800
border border-amber-200 font-semibold text-[11px]">
434                 {selectedType}
435                 <button onClick={() => setSelectedType('All')}><X className="w-3 h-3" /></button>
436             </span>
437         )}
438         {distanceLimit !== 'All' && (
439             <span className="inline-flex items-center gap-1 px-2.5 py-0.5 rounded-full bg-amber-50 text-amber-800
border border-amber-200 font-semibold text-[11px]">
440                 Within {distanceLimit} km
441                 <button onClick={() => setDistanceLimit('All')}><X className="w-3 h-3" /></button>
442             </span>
443         )}

```

```

444         {searchFilter && (
445             <span className="inline-flex items-center gap-1 px-2.5 py-0.5 rounded-full bg-slate-100
text-slate-800 border border-slate-200 font-semibold text-[11px]">
446                 "{searchFilter}"
447                 <button onClick={() => setSearchFilter('')}>X className="w-3 h-3" /></button>
448             </span>
449         )}
450         {selectedType === 'All' && distanceLimit === 'All' && !searchFilter && (
451             <span className="text-[11px] text-slate-400">All stays shown</span>
452         )}
453     </div>
454
455     <button
456         onClick={resetFilters}
457         className="flex items-center gap-1 text-slate-500 hover:text-slate-900 font-medium text-[11px]
cursor-pointer"
458     >
459         <RotateCcw className="w-3 h-3" />
460         <span>Reset filters</span>
461     </button>
462 </div>
463 </div>
464
465     {/* Main Content Area: Grid + Persistent Trip Panel */}
466     <div className="flex items-start gap-6">
467         <div className="flex-1 min-w-0">
468             <div className="flex items-center justify-between mb-3 text-xs text-slate-500 font-medium">
469                 <span>Showing <strong className="text-slate-900">{filteredStays.length}</strong> verified
accommodations</span>
470                 <span className="text-amber-800 bg-amber-50/80 px-2 py-0.5 rounded-md font-semibold border
border-amber-200/60 text-[11px]">
471                     Stays & Lodging
472                 </span>
473             </div>
474
475             {filteredStays.length === 0 ? (
476                 <div className="bg-white rounded-3xl border border-slate-200 p-12 text-center space-y-3">
477                     <Bed className="w-10 h-10 text-slate-300 mx-auto" />
478                     <h3 className="text-base font-bold text-slate-800">
479                         No matching listings found. Try changing your search or filters.
480                     </h3>
481                     <p className="text-xs text-slate-500 max-w-sm mx-auto">
482                         No stays match your current price or distance thresholds in {selectedDestination.name}.
483                     </p>
484                     <button
485                         onClick={resetFilters}
486                         className="mt-2 px-4 py-2 bg-teal-600 hover:bg-teal-700 text-white text-xs font-bold rounded-xl
cursor-pointer"
487                     >
488                         Reset filters
489                     </button>
490                 </div>
491             ) : (
492                 <div className="grid grid-cols-1 md:grid-cols-2 xl:grid-cols-3 gap-4">
493                     {filteredStays.map((stay) => {
494                         const inTrip = isItemInTrip(stay.id);
495                         const isFav = savedFavourites.includes(stay.id);
496                         const isCompared = compareListings.some(l => l.id === stay.id);
497                         const dist = stay._calcDistance || calculateDistance(stay.lat, stay.lng);
498
499                         // Calculate price relative to person count
500                         const roomsNeeded = Math.ceil(personCount / 2);
501                         const totalPriceForGroup = (stay.price || 0) * roomsNeeded;
502                         const perPersonRate = Math.round(totalPriceForGroup / personCount);
503
504                         return (
505                             <div
506                                 key={stay.id}
507                                 className="bg-white rounded-2xl border border-slate-200/90 overflow-hidden shadow-2xs
508                                 hover:shadow-md transition-all flex flex-col justify-between"
509                             >
510                                 {/* Stay Image Carousel */}
511                                 <StayImageCarousel
512                                     stay={stay}
513                                     isFav={isFav}
514                                     toggleFavourite={toggleFavourite}
515                                 />
516

```

```

517         { /* Card Body */
518         <div className="p-4">
519             <div className="flex items-start justify-between gap-2 mb-1">
520                 <h3 className="text-base font-bold text-slate-900 leading-snug">
521                     {stay.name}
522                 </h3>
523             </div>
524
525             <div className="flex items-center gap-1 text-xs text-slate-500 mb-1">
526                 <MapPin className="w-3.5 h-3.5 text-slate-400 shrink-0" />
527                 <span className="truncate">{stay.location}</span>
528             </div>
529
530             { /* Distance Label */
531             <div className="text-[11px] font-medium text-teal-800 bg-teal-50/70 px-2 py-0.5 rounded
mb-2 inline-block border border-teal-100">
532                 {dist.isAvailable ? (
533                     <span>{dist.formattedLabel}</span>
534                 ) : (
535                     <span className="text-slate-400">Distance unavailable</span>
536                 )}
537             </div>
538
539             { /* Price & Rating */
540             <div className="py-2 border-y border-slate-100 my-2 space-y-1">
541                 <div className="flex items-center justify-between">
542                     <div>
543                         <span className="text-lg font-black text-slate-900">
544                             {totalPriceForGroup.toLocaleString()}
545                         </span>
546                         <span className="text-[11px] text-slate-500 ml-1">
547                             {personCount > 1 ? `total (${personCount} persons)` : ` / room`}
548                         </span>
549                     </div>
550
551                     {stay.rating && (
552                     <div className="flex items-center gap-1 text-xs font-bold text-slate-800 bg-amber-50
px-2 py-1 rounded-lg border border-amber-100">
553                         <Star className="w-3 h-3 fill-amber-500 text-amber-500" />
554                         <span>{stay.rating}</span>
555                         <span className="text-slate-400 font-normal">({stay.reviewsCount})</span>
556                     </div>
557                     )}
558                     </div>
559
560                     <div className="text-[10px] text-slate-400 flex items-center justify-between">
561                         <span>{stay.priceUnit}</span>
562                         <span>{perPersonRate.toLocaleString()}</span>
563                     </div>
564                 </div>
565
566             <div className="flex items-center justify-between text-[11px] text-slate-400">
567                 <span className="flex items-center gap-1">
568                     <Calendar className="w-3 h-3" />
569                     Updated {stay.updatedDate}
570                 </span>
571
572                 <label className="flex items-center gap-1 cursor-pointer text-slate-600
hover:text-slate-900">
573                     <input
574                         type="checkbox"
575                         checked={isCompared}
576                         onChange={() => addToCompare(stay)}
577                         className="rounded border-slate-300 text-teal-600 focus:ring-teal-500 w-3 h-3
cursor-pointer"
578                     />
579                     <span>Compare</span>
580                 </label>
581             </div>
582         </div>
583     </div>
584
585     { /* Card Actions */
586     <div className="p-4 pt-0 space-y-2">
587         <div className="grid grid-cols-2 gap-2">
588             <button
589                 onClick={() => setViewDetailsItem(stay)}
590                 className="py-2 px-2 bg-white border border-slate-200 hover:bg-slate-50 text-slate-700
rounded-xl text-xs font-semibold transition-colors text-center cursor-pointer"

```

```

591         >
592         View details
593     </button>
594
595     <button
596         onClick={() => inTrip ? removeFromTrip(stay.id) : addToTrip(stay, 'Stays')}
597         className={`
598             gap-1 cursor-pointer
599             py-2 px-2 rounded-xl text-xs font-bold transition-all flex items-center justify-center
600             ${inTrip
601                 ? 'bg-teal-700 text-white hover:bg-rose-700'
602                 : 'bg-teal-600 hover:bg-teal-700 active:bg-teal-800 text-white shadow-xs'
603             }
604             `}
605         title={inTrip ? "Click to remove from trip" : "Click to add to trip"}
606     >
607         {inTrip ? (
608             <>
609                 <Check className="w-3.5 h-3.5" />
610                 <span>Added</span>
611             </>
612         ) : (
613             <>
614                 <Plus className="w-3.5 h-3.5" />
615                 <span>Add to trip</span>
616             </>
617         )}
618     </button>
619 </div>
620
621     <button
622         onClick={() => setWayToItem(stay)}
623         className="w-full py-1.5 px-3 bg-slate-50 hover:bg-slate-100 text-slate-600 rounded-xl
624         text-xs font-medium transition-colors flex items-center justify-center gap-1.5 border border-slate-200/60
625         cursor-pointer"
626     >
627         <Navigation className="w-3.5 h-3.5 text-amber-600" />
628         <span>Ways to Reach</span>
629     </button>
630 </div>
631 </div>
632 </div>
633 </div>
634
635     { /* Persistent Right-Side My Trip Panel */ }
636     <TripSummaryDrawer title="My Trip Stays" />
637 </div>
638 </div>
639 );
640 }
641

```

File: src/pages/FoodPage.jsx

610 lines

```

1  import React, { useState, useMemo, useRef, useEffect } from 'react';
2  import {
3    Search,
4    MapPin,
5    Star,
6    RotateCcw,
7    Navigation,
8    Plus,
9    ShieldCheck,
10   Calendar,
11   UtensilsCrossed,
12   Clock,
13   Check,
14   Heart,
15   AlertCircle,
16   Users,
17   ArrowLeft,
18   X
19 } from 'lucide-react';
20 import { useApp } from '../context/AppContext';
21 import { FOOD_DATA } from '../data/mockData';
22 import TripSummaryDrawer from '../components/common/TripSummaryDrawer';
23
24 function FoodImageCarousel({ item, isFav, toggleFavourite }) {
25   const [currentIdx, setCurrentIdx] = useState(0);
26   const images = item.images && item.images.length > 0
27     ? item.images
28     : [
29       item.image,
30       item.gallery?.[0] ||
31       'https://images.unsplash.com/photo-1555396273-367ea4eb4db5?auto=format&fit=crop&w=600&q=80',
32       item.gallery?.[1] ||
33       'https://images.unsplash.com/photo-1517248135467-4c7edcad34c4?auto=format&fit=crop&w=600&q=80'
34     ].filter(Boolean);
35
36   const prevImage = (e) => {
37     e.stopPropagation();
38     setCurrentIdx((prev) => (prev - 1 + images.length) % images.length);
39   };
40
41   const nextImage = (e) => {
42     e.stopPropagation();
43     setCurrentIdx((prev) => (prev + 1) % images.length);
44   };
45
46   return (
47     <div className="relative h-44 bg-slate-100 overflow-hidden group">
48       <img
49         src={images[currentIdx]}
50         alt={item.name}
51         className="w-full h-full object-cover group-hover:scale-105 transition-transform duration-300"
52       />
53       <div className="absolute top-2.5 left-2.5 flex items-center gap-1.5 z-10">
54         <span className="px-2 py-0.5 rounded-md bg-white/90 backdrop-blur-xs text-slate-800 text-[11px] font-bold shadow-xs">
55           {item.type}
56         </span>
57         <span className={`px-2 py-0.5 rounded-md text-[10px] font-bold shadow-xs ${
58           item.isVeg ? 'bg-emerald-600 text-white' : 'bg-red-600 text-white'
59         }`}>
60           {item.isVeg ? 'Veg' : 'Non-Veg'}
61         </span>
62       </div>
63       <div className="absolute top-2.5 right-2.5 flex items-center gap-1 z-10">
64         <button
65           type="button"
66           onClick={(e) => {
67             e.stopPropagation();
68             toggleFavourite(item.id);
69           }}
70           className={`p-1.5 rounded-full backdrop-blur-xs transition-colors cursor-pointer ${
71             isFav ? 'bg-red-500 text-white' : 'bg-slate-900/60 text-white hover:bg-slate-900'
72           }`}
73           title={isFav ? "Saved in favourites" : "Save favourite"}
74         >

```

```

73         <Heart className={`w-3.5 h-3.5 ${isFav ? 'fill-current' : ''}`} />
74     </button>
75     <span className="px-2 py-0.5 rounded-md bg-slate-900/80 text-white text-[10px] font-semibold
backdrop-blur-xs flex items-center gap-1">
76         <ShieldCheck className="w-3 h-3 text-emerald-400" />
77         Verified
78     </span>
79 </div>
80
81     {images.length > 1 && (
82         <>
83             <button
84                 type="button"
85                 onClick={prevImage}
86                 className="absolute left-1.5 top-1/2 -translate-y-1/2 w-6 h-6 rounded-full bg-slate-900/70
hover:bg-slate-900 text-white flex items-center justify-center text-sm font-bold opacity-0 group-hover:opacity-100
transition-opacity z-10 cursor-pointer"
87                 aria-label="Previous image"
88             >
89                 <
90             </button>
91             <button
92                 type="button"
93                 onClick={nextImage}
94                 className="absolute right-1.5 top-1/2 -translate-y-1/2 w-6 h-6 rounded-full bg-slate-900/70
hover:bg-slate-900 text-white flex items-center justify-center text-sm font-bold opacity-0 group-hover:opacity-100
transition-opacity z-10 cursor-pointer"
95                 aria-label="Next image"
96             >
97                 <
98             </button>
99             <div className="absolute bottom-2 left-1/2 -translate-x-1/2 flex items-center gap-1 z-10">
100                 {images.map((_, i) => (
101                     <span
102                         key={i}
103                         className={`w-1.5 h-1.5 rounded-full transition-all ${
104                             i === currentIndex ? 'bg-white scale-125' : 'bg-white/50'
105                         }`}
106                     />
107                 )]}
108             </div>
109         </>
110     )}
111 </div>
112 );
113 }
114
115 export default function FoodPage() {
116     const {
117         selectedCityId,
118         selectedDestination,
119         addToTrip,
120         removeFromTrip,
121         tripItems,
122         setViewDetailsItem,
123         setWayToItem,
124         startingPoint,
125         calculateDistance,
126         savedFavourites,
127         toggleFavourite,
128         compareListings,
129         addToCompare,
130         personCount,
131         setPersonCount,
132         setActivePage,
133         goBack,
134         searchQuery,
135         setSearchQuery,
136         approvedProviderFood = [],
137         showToast
138     } = useApp();
139
140     // Combine static food data with approved provider food listings
141     const allFoodData = useMemo(() => {
142         return [...FOOD_DATA, ...approvedProviderFood];
143     }, [approvedProviderFood]);
144
145     // Filter states
146     const [searchFilter, setSearchFilter] = useState(searchQuery || '');

```

```

147 const [showInPageSuggestions, setShowInPageSuggestions] = useState(false);
148 const searchContainerRef = useRef(null);
149 const [vegFilter, setVegFilter] = useState('all'); // 'all' | 'veg' | 'non-veg'
150 const [selectedType, setSelectedType] = useState('All');
151 const [maxCost, setMaxCost] = useState(1000);
152 const [distanceLimit, setDistanceLimit] = useState('All');
153 const [sortBy, setSortBy] = useState('recommended');
154
155 const foodTypes = ['All', 'Restaurant', 'Cafe', 'Dhaba'];
156
157 // Sync with global searchQuery (from top search header)
158 useEffect(() => {
159   if (searchQuery !== undefined && searchQuery !== searchFilter) {
160     setSearchFilter(searchQuery);
161   }
162 }, [searchQuery]);
163
164 // Click outside to close suggestion dropdown
165 useEffect(() => {
166   const handleClickOutside = (e) => {
167     if (searchContainerRef.current && !searchContainerRef.current.contains(e.target)) {
168       setShowInPageSuggestions(false);
169     }
170   };
171   document.addEventListener('mousedown', handleClickOutside);
172   return () => document.removeEventListener('mousedown', handleClickOutside);
173 }, []);
174
175 // Suggestions for current city food & dining
176 const foodSuggestions = useMemo(() => {
177   const foods = allFoodData.filter(f => f.cityId === selectedCityId);
178   const q = (searchFilter || '').trim().toLowerCase();
179   if (!q) return foods.slice(0, 5);
180   return foods.filter(f =>
181     f.name.toLowerCase().includes(q) ||
182     (f.cuisine || '').toLowerCase().includes(q) ||
183     f.location.toLowerCase().includes(q)
184   ).slice(0, 5);
185 }, [allFoodData, selectedCityId, searchFilter]);
186
187 const resetFilters = () => {
188   setSearchFilter('');
189   setSearchQuery('');
190   setVegFilter('all');
191   setSelectedType('All');
192   setMaxCost(1000);
193   setDistanceLimit('All');
194   setSortBy('recommended');
195   setShowInPageSuggestions(false);
196   showToast('Filters reset to default');
197 };
198
199 const filteredFood = useMemo(() => {
200   return allFoodData.filter((item) => {
201     if (item.cityId !== selectedCityId) return false;
202
203     const q = searchFilter.toLowerCase();
204     const matchesSearch = !q ||
205       item.name.toLowerCase().includes(q) ||
206       item.location.toLowerCase().includes(q) ||
207       item.cuisine.toLowerCase().includes(q) ||
208       (item.mustTry && item.mustTry.toLowerCase().includes(q));
209
210     const matchesVeg =
211       vegFilter === 'all' ||
212       (vegFilter === 'veg' && item.isVeg) ||
213       (vegFilter === 'non-veg' && !item.isVeg);
214
215     const matchesType = selectedType === 'All' || item.type.toLowerCase() === selectedType.toLowerCase();
216     const matchesCost = item.avgCost <= maxCost;
217
218     const dist = calculateDistance(item.lat, item.lng);
219     item._calcDistance = dist;
220
221     let matchesDistance = true;
222     if (distanceLimit !== 'All') {
223       matchesDistance = dist.isAvailable && dist.rawKm <= Number(distanceLimit);
224     }
225   });

```

```

226     return matchesSearch && matchesVeg && matchesType && matchesCost && matchesDistance;
227   }).sort((a, b) => {
228     if (sortBy === 'nearest') {
229       return (a._calcDistance?.rawKm || 999999) - (b._calcDistance?.rawKm || 999999);
230     }
231     if (sortBy === 'cost-low') return a.avgCost - b.avgCost;
232     if (sortBy === 'cost-high') return b.avgCost - a.avgCost;
233     if (sortBy === 'rating') return (b.rating || 0) - (a.rating || 0);
234     return 0;
235   });
236 }, [selectedCityId, searchFilter, vegFilter, selectedType, maxCost, distanceLimit, sortBy, startingPoint]);
237
238 const isItemInTrip = (sourceId) => {
239   return tripItems.some(item => item.sourceId === sourceId || item.id === sourceId);
240 };
241
242 return (
243   <div className="space-y-5 pb-16">
244     {/* Breadcrumb Navigation (Image 1 & 4) */}
245     <div>
246       <nav className="flex items-center gap-2 text-xs text-slate-500 font-medium">
247         <button
248           type="button"
249           onClick={() => setActivePage('home')}
250           className="hover:text-teal-700 cursor-pointer"
251         >
252           Home
253         </button>
254         <span>&gt;</span>
255         <button
256           type="button"
257           onClick={() => setActivePage('destination')}
258           className="hover:text-teal-700 cursor-pointer font-medium"
259         >
260           {selectedDestination.name}
261         </button>
262         <span>&gt;</span>
263         <span className="text-slate-900 font-semibold">Food & Dining</span>
264       </nav>
265
266       {/* Back Button directly below breadcrumbs (returns to Bhopal destination page) */}
267       <div className="mt-2.5">
268         <button
269           type="button"
270           onClick={() => setActivePage('destination')}
271           className="inline-flex items-center gap-1.5 px-3 py-1.5 rounded-xl border border-slate-200 bg-white
272             hover:bg-slate-50 text-slate-700 text-xs font-semibold shadow-2xs transition-colors cursor-pointer"
273           title={`Back to ${selectedDestination.name}`}
274         >
275           <ArrowLeft className="w-3.5 h-3.5" />
276           <span>Back</span>
277         </button>
278       </div>
279
280       {/* Header */}
281       <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-3">
282         <div>
283           <div className="flex items-center gap-2 mb-1">
284             <span className="p-1 rounded-md bg-orange-50 text-orange-800 border border-orange-200/60">
285               <UtensilsCrossed className="w-4 h-4" />
286             </span>
287             <h1 className="text-2xl sm:text-3xl font-bold text-slate-900">
288               Food & Dining in {selectedDestination.name}
289             </h1>
290           </div>
291           <p className="text-xs sm:text-sm text-slate-500">
292             Local restaurants, tea stalls, bakeries, and culinary heritage with verified per-person averages.
293           </p>
294         </div>
295
296         {/* Person Count Selector */}
297         <div className="flex items-center gap-2 bg-white px-3 py-1.5 rounded-xl border border-slate-200 shadow-2xs
298           self-start sm:self-auto">
299           <Users className="w-4 h-4 text-slate-500" />
300           <span className="text-xs text-slate-600 font-medium">Persons:</span>
301           <select
302             value={personCount}
303             onChange={(e) => setPersonCount(Number(e.target.value))}

```

```

303         className="bg-slate-50 border border-slate-200 rounded-lg px-2 py-0.5 text-xs font-bold text-slate-800
focus:outline-none focus:ring-1 focus:ring-orange-500 cursor-pointer"
304     >
305         {[1, 2, 3, 4, 5, 6, 8, 10].map(n => (
306             <option key={n} value={n}>{n} {n === 1 ? 'Person' : 'Persons'}</option>
307         ))}
308     </select>
309 </div>
310 </div>
311
312 {/* Filter Toolbar */}
313 <div className="bg-white p-4 rounded-2xl border border-slate-200/80 shadow-2xs space-y-3">
314     <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-5 gap-3">
315         {/* Search dining by name, cuisine, or dish with Auto-Suggestions */}
316         <div className="lg:col-span-2 relative" ref={searchContainerRef}>
317             <Search className="w-4 h-4 text-slate-400 absolute left-3 top-1/2 -translate-y-1/2 pointer-events-none"
/>
318             <input
319                 type="text"
320                 value={searchFilter}
321                 onFocus={() => setShowInPageSuggestions(true)}
322                 onChange={(e) => {
323                     setSearchFilter(e.target.value);
324                     setSearchQuery(e.target.value);
325                     setShowInPageSuggestions(true);
326                 }}
327                 placeholder={`Search ${selectedDestination.name} dining, cuisine, or dish...`}
328                 className="w-full pl-9 pr-8 py-2 bg-slate-50 border border-slate-200 rounded-xl text-xs sm:text-sm
text-slate-800 placeholder-slate-400 focus:outline-none focus:ring-2 focus:ring-orange-500/20
focus:border-orange-500"
/>
329             {searchFilter && (
330                 <button
331                     type="button"
332                     onClick={() => {
333                         setSearchFilter('');
334                         setSearchQuery('');
335                         setShowInPageSuggestions(false);
336                     }}
337                     className="absolute right-2.5 top-1/2 -translate-y-1/2 text-slate-400 hover:text-slate-600 p-0.5
cursor-pointer"
338                     title="Clear search"
339                 >
340                     <X className="w-3.5 h-3.5" />
341                 </button>
342             )}
343         </div>
344
345         {/* In-page Auto-Suggestions Dropdown */}
346         {showInPageSuggestions && foodSuggestions.length > 0 && (
347             <div className="absolute top-full left-0 right-0 mt-1.5 bg-white border border-slate-200 rounded-2xl
shadow-xl z-50 overflow-hidden max-h-64 overflow-y-auto">
348                 <div className="px-3 py-1.5 bg-orange-50 border-b border-orange-100 text-[10px] font-bold uppercase
tracking-wider text-orange-800 flex items-center justify-between">
349                     <span>Dining Auto-Suggestions</span>
350                     <span className="text-[9px] opacity-70">Click to select</span>
351                 </div>
352                 {foodSuggestions.map((f) => (
353                     <div
354                         key={f.id}
355                         onClick={() => {
356                             setSearchFilter(f.name);
357                             setSearchQuery(f.name);
358                             setShowInPageSuggestions(false);
359                         }}
360                         className="px-3.5 py-2 hover:bg-orange-50/50 cursor-pointer border-b border-slate-50
last:border-none flex items-center justify-between transition-colors"
361                     >
362                         <div className="min-w-0 pr-2">
363                             <p className="text-xs font-bold text-slate-800 truncate">{f.name}</p>
364                             <p className="text-[11px] text-slate-500 truncate">{f.location} •
365                             1 { f . a v g C o s t . t o L o c a l e S t r i n g ( ' e n - I N ' ) } a v g c o s t < / p >
366                             </div>
367                             <span className="text-[10px] font-bold px-2 py-0.5 rounded-md bg-orange-100 text-orange-800
shrink-0">
368                                 {f.cuisine || f.type}
369                             </span>
370                         </div>
371                     </div>

```

```

372     })
373   </div>
374
375   <div>
376     <select
377       value={vegFilter}
378       onChange={(e) => setVegFilter(e.target.value)}
379       className="w-full px-3 py-2 bg-slate-50 border border-slate-200 rounded-xl text-xs sm:text-sm
text-slate-800 font-medium focus:outline-none"
380     >
381       <option value="all">Diet: All Dining</option>
382       <option value="veg">Vegetarian Only</option>
383       <option value="non-veg">Non-Vegetarian</option>
384     </select>
385   </div>
386
387   <div>
388     <select
389       value={selectedType}
390       onChange={(e) => setSelectedType(e.target.value)}
391       className="w-full px-3 py-2 bg-slate-50 border border-slate-200 rounded-xl text-xs sm:text-sm
text-slate-800 font-medium focus:outline-none"
392     >
393       <option value="All">All Types</option>
394       <option value="Restaurant">Restaurant</option>
395       <option value="Cafe">Cafe</option>
396       <option value="Dhaba">Dhaba / Street</option>
397     </select>
398   </div>
399
400   <div>
401     <select
402       value={sortBy}
403       onChange={(e) => setSortBy(e.target.value)}
404       className="w-full px-3 py-2 bg-slate-50 border border-slate-200 rounded-xl text-xs sm:text-sm
text-slate-800 font-medium focus:outline-none"
405     >
406       <option value="recommended">Sort: Recommended</option>
407       <option value="nearest" disabled={startingPoint.status !== 'active'}>
408         Nearest first {startingPoint.status !== 'active' ? '(Need Starting Point)' : ''}
409       </option>
410       <option value="cost-low">Cost: Low to High</option>
411       <option value="cost-high">Cost: High to Low</option>
412       <option value="rating">Rating: Highest</option>
413     </select>
414   </div>
415 </div>
416
417   {/* Filter Chips */}
418   <div className="flex flex-wrap items-center justify-between gap-2 pt-2 border-t border-slate-100 text-xs">
419     <div className="flex flex-wrap items-center gap-1.5">
420       <span className="text-[11px] font-bold uppercase tracking-wider text-slate-400 mr-1">Active:</span>
421       {vegFilter !== 'all' && (
422         <span className="inline-flex items-center gap-1 px-2.5 py-0.5 rounded-full bg-emerald-50
text-emerald-800 border border-emerald-200 font-semibold text-[11px]">
423           {vegFilter === 'veg' ? 'Veg Only' : 'Non-Veg'}
424           <button onClick={() => setVegFilter('all')}><X className="w-3 h-3" /></button>
425         </span>
426       )}
427       {selectedType !== 'All' && (
428         <span className="inline-flex items-center gap-1 px-2.5 py-0.5 rounded-full bg-orange-50
text-orange-800 border border-orange-200 font-semibold text-[11px]">
429           {selectedType}
430           <button onClick={() => setSelectedType('All')}><X className="w-3 h-3" /></button>
431         </span>
432       )}
433       {searchFilter && (
434         <span className="inline-flex items-center gap-1 px-2.5 py-0.5 rounded-full bg-slate-100
text-slate-800 border border-slate-200 font-semibold text-[11px]">
435           "{searchFilter}"
436           <button onClick={() => setSearchFilter('')}><X className="w-3 h-3" /></button>
437         </span>
438       )}
439     </div>
440
441     <button
442       onClick={resetFilters}
443       className="flex items-center gap-1 text-slate-500 hover:text-slate-900 font-medium text-[11px]
cursor-pointer"

```

```

444         >
445         <RotateCcw className="w-3 h-3" />
446         <span>Reset filters</span>
447     </button>
448 </div>
449 </div>
450
451 {/* Main Content Area */}
452 <div className="flex items-start gap-6">
453     <div className="flex-1 min-w-0">
454         <div className="flex items-center justify-between mb-3 text-xs text-slate-500 font-medium">
455             <span>Showing <strong className="text-slate-900">{filteredFood.length}</strong> verified culinary
spots</span>
456             <span className="text-orange-800 bg-orange-50/80 px-2 py-0.5 rounded-md font-semibold border
border-orange-200/60 text-[11px]">
457                 Food & Dining
458             </span>
459         </div>
460
461         {filteredFood.length === 0 ? (
462             <div className="bg-white rounded-3xl border border-slate-200 p-12 text-center space-y-3">
463                 <UtensilsCrossed className="w-10 h-10 text-slate-300 mx-auto" />
464                 <h3 className="text-base font-bold text-slate-800">
465                     No matching dining spots found.
466                 </h3>
467                 <p className="text-xs text-slate-500 max-w-sm mx-auto">
468                     Try widening your price range or clearing diet filters in {selectedDestination.name}.
469                 </p>
470                 <button
471                     onClick={resetFilters}
472                     className="mt-2 px-4 py-2 bg-teal-600 hover:bg-teal-700 text-white text-xs font-bold rounded-xl
cursor-pointer"
473                 >
474                     Reset filters
475                 </button>
476             </div>
477         ) : (
478             <div className="grid grid-cols-1 md:grid-cols-2 xl:grid-cols-3 gap-4">
479                 {filteredFood.map((item) => {
480                     const inTrip = isItemInTrip(item.id);
481                     const isFav = savedFavourites.includes(item.id);
482                     const isCompared = compareListings.some(l => l.id === item.id);
483                     const dist = item._calcDistance || calculateDistance(item.lat, item.lng);
484
485                     const totalCostForGroup = (item.avgCost || 0) * personCount;
486
487                     return (
488                         <div
489                             key={item.id}
490                             className="bg-white rounded-2xl border border-slate-200/90 overflow-hidden shadow-2xs
hover:shadow-md transition-all flex flex-col justify-between"
491                         >
492                             <div>
493                                 {/* Food Image Carousel */}
494                                 <FoodImageCarousel
495                                     item={item}
496                                     isFav={isFav}
497                                     toggleFavourite={toggleFavourite}
498                                 />
499
500                                 <div className="p-4">
501                                     <h3 className="text-base font-bold text-slate-900 leading-snug">
502                                         {item.name}
503                                     </h3>
504
505                                     <div className="flex items-center gap-1 text-xs text-slate-500 mb-1">
506                                         <MapPin className="w-3.5 h-3.5 text-slate-400 shrink-0" />
507                                         <span className="truncate">{item.location}</span>
508                                     </div>
509
510                                     {/* Distance Label */}
511                                     <div className="text-[11px] font-medium text-teal-800 bg-teal-50/70 px-2 py-0.5 rounded
mb-2 inline-block border border-teal-100">
512                                         {dist.isAvailable ? dist.formattedLabel : 'Distance unavailable'}
513                                     </div>
514
515                                     {/* Price & Rating */}
516                                     <div className="py-2 border-y border-slate-100 my-2 space-y-1">
517                                         <div className="flex items-center justify-between">

```

```

518         <div>
519             <span className="text-lg font-black text-slate-900">
520                                     1 { totalCostForGroup . toLocaleString }
521             </span>
522             <span className="text-[11px] text-slate-500 ml-1">
523                 {personCount > 1 ? `total (${personCount} persons)` : `/ person`}
524             </span>
525         </div>
526
527         <div className="flex items-center gap-1 text-xs font-bold text-slate-800 bg-orange-50
px-2 py-1 rounded-lg border border-orange-100">
528             <Star className="w-3 h-3 fill-orange-500 text-orange-500" />
529             <span>{item.rating}</span>
530             <span className="text-slate-400 font-normal">({item.reviewsCount})</span>
531         </div>
532     </div>
533
534     <div className="text-[10px] text-slate-400 flex items-center justify-between">
535         <span>1 { item . avgCost . toLocaleString }
536         <span className="truncate max-w-[150px]">{item.cuisine}</span>
537     </div>
538 </div>
539
540 <div className="flex items-center justify-between text-[11px] text-slate-400">
541     <span className="flex items-center gap-1">
542         <Calendar className="w-3 h-3" />
543         Updated {item.updatedDate}
544     </span>
545
546     <label className="flex items-center gap-1 cursor-pointer text-slate-600
hover:text-slate-900">
547         <input
548             type="checkbox"
549             checked={isCompared}
550             onChange={() => addToCompare(item)}
551             className="rounded border-slate-300 text-teal-600 focus:ring-teal-500 w-3 h-3
cursor-pointer"
552         />
553         <span>Compare</span>
554     </label>
555 </div>
556 </div>
557 </div>
558
559 <div className="p-4 pt-0 space-y-2">
560     <div className="grid grid-cols-2 gap-2">
561         <button
562             onClick={() => setViewDetailsItem(item)}
563             className="py-2 px-2 bg-white border border-slate-200 hover:bg-slate-50 text-slate-700
rounded-xl text-xs font-semibold transition-colors text-center cursor-pointer"
564         >
565             View details
566         </button>
567
568         <button
569             onClick={() => inTrip ? removeFromTrip(item.id) : addToTrip(item, 'Food')}
570             className={`
571                 py-2 px-2 rounded-xl text-xs font-bold transition-all flex items-center justify-center
gap-1 cursor-pointer
572                 ${inTrip ? 'bg-teal-700 text-white hover:bg-rose-700' : 'bg-teal-600 hover:bg-teal-700
text-white shadow-xs'}
573             `
574             title={inTrip ? "Click to remove from trip" : "Click to add to trip"}
575         >
576             {inTrip ? (
577                 <>
578                     <Check className="w-3.5 h-3.5" />
579                     <span>Added</span>
580                 </>
581             ) : (
582                 <>
583                     <Plus className="w-3.5 h-3.5" />
584                     <span>Add to trip</span>
585                 </>
586             )}
587         </button>
588     </div>
589
590     <button

```

```
591             onClick={() => setWayToItem(item)}
592             className="w-full py-1.5 px-3 bg-slate-50 hover:bg-slate-100 text-slate-600 rounded-xl
text-xs font-medium transition-colors flex items-center justify-center gap-1.5 border border-slate-200/60
cursor-pointer"
593         >
594             <Navigation className="w-3.5 h-3.5 text-orange-600" />
595             <span>Ways to Reach</span>
596         </button>
597     </div>
598 </div>
599     );
600   }
601 </div>
602   }
603 </div>
604
605   <TripSummaryDrawer title="My Trip Food" />
606 </div>
607 </div>
608 );
609 }
610
```

File: src/pages/PlacesToVisitPage.jsx

626 lines

```

1  import React, { useState, useMemo, useRef, useEffect } from 'react';
2  import {
3    Search,
4    MapPin,
5    Star,
6    RotateCcw,
7    Navigation,
8    Plus,
9    ShieldCheck,
10   Clock,
11   Check,
12   Heart,
13   Scale,
14   AlertCircle,
15   Landmark,
16   X,
17   Compass,
18   Calendar,
19   Sparkles,
20   Users,
21   ArrowLeft
22 } from 'lucide-react';
23 import { useApp } from '../context/AppContext';
24 import { PLACES_DATA } from '../data/mockData';
25 import TripSummaryDrawer from '../components/common/TripSummaryDrawer';
26
27 function PlaceImageCarousel({ place, isFav, toggleFavourite }) {
28   const [currentIdx, setCurrentIdx] = useState(0);
29   const images = place.images && place.images.length > 0
30     ? place.images
31     : [
32       place.image,
33       place.gallery?.[0] ||
34       'https://images.unsplash.com/photo-1590050752117-238cb0fb12b1?auto=format&fit=crop&w=600&q=80',
35       place.gallery?.[1] ||
36       'https://images.unsplash.com/photo-1548013146-72479768bbaa?auto=format&fit=crop&w=600&q=80'
37     ].filter(Boolean);
38
39   const prevImage = (e) => {
40     e.stopPropagation();
41     setCurrentIdx((prev) => (prev - 1 + images.length) % images.length);
42   };
43
44   const nextImage = (e) => {
45     e.stopPropagation();
46     setCurrentIdx((prev) => (prev + 1) % images.length);
47   };
48
49   return (
50     <div className="relative h-44 bg-slate-100 overflow-hidden group">
51       <img
52         src={images[currentIdx]}
53         alt={place.name}
54         className="w-full h-full object-cover group-hover:scale-105 transition-transform duration-300"
55       />
56       <div className="absolute top-2.5 left-2.5 flex items-center gap-1.5 z-10">
57         <span className="px-2 py-0.5 rounded-md bg-blue-600/90 backdrop-blur-xs text-white text-[11px] font-bold shadow-xs">
58           {place.category}
59         </span>
60       </div>
61       <div className="absolute top-2.5 right-2.5 flex items-center gap-1 z-10">
62         <button
63           type="button"
64           onClick={(e) => {
65             e.stopPropagation();
66             toggleFavourite(place.id);
67           }}
68           className={`p-1.5 rounded-full backdrop-blur-xs transition-colors cursor-pointer ${
69             isFav ? 'bg-red-500 text-white' : 'bg-slate-900/60 text-white hover:bg-slate-900'
70           }`}
71           title={isFav ? "Saved in favourites" : "Save favourite"}
72         >
73           <Heart className={`w-3.5 h-3.5 ${isFav ? 'fill-current' : ''}`} />
74         </button>

```

```

73         <span className="px-2 py-0.5 rounded-md bg-slate-900/80 text-white text-[10px] font-semibold
    backdrop-blur-xs flex items-center gap-1">
74             <ShieldCheck className="w-3 h-3 text-emerald-400" />
75             Verified
76         </span>
77     </div>
78
79     {images.length > 1 && (
80         <>
81             <button
82                 type="button"
83                 onClick={prevImage}
84                 className="absolute left-1.5 top-1/2 -translate-y-1/2 w-6 h-6 rounded-full bg-slate-900/70
    hover:bg-slate-900 text-white flex items-center justify-center text-sm font-bold opacity-0 group-hover:opacity-100
    transition-opacity z-10 cursor-pointer"
85                 aria-label="Previous image"
86             >
87                 <
88             </button>
89             <button
90                 type="button"
91                 onClick={nextImage}
92                 className="absolute right-1.5 top-1/2 -translate-y-1/2 w-6 h-6 rounded-full bg-slate-900/70
    hover:bg-slate-900 text-white flex items-center justify-center text-sm font-bold opacity-0 group-hover:opacity-100
    transition-opacity z-10 cursor-pointer"
93                 aria-label="Next image"
94             >
95                 >
96             </button>
97             <div className="absolute bottom-2 left-1/2 -translate-x-1/2 flex items-center gap-1 z-10">
98                 {images.map((_, i) => (
99                     <span
100                         key={i}
101                         className={`w-1.5 h-1.5 rounded-full transition-all ${
102                             i === currentIdx ? 'bg-white scale-125' : 'bg-white/50'
103                         }`}
104                     />
105                 )
106             )}
107         </div>
108     )}
109 </div>
110 );
111 }
112
113 export default function PlacesToVisitPage() {
114     const {
115         selectedCityId,
116         selectedDestination,
117         addToTrip,
118         removeFromTrip,
119         tripItems,
120         setViewDetailsItem,
121         setWayToItem,
122         startingPoint,
123         calculateDistance,
124         savedFavourites,
125         toggleFavourite,
126         compareListings,
127         addToCompare,
128         personCount,
129         setPersonCount,
130         setActivePage,
131         goBack,
132         searchQuery,
133         setSearchQuery,
134         approvedProviderPlaces = [],
135         showToast
136     } = useApp();
137
138     // Combine static places data with approved provider places
139     const allPlacesData = useMemo(() => {
140         return [...PLACES_DATA, ...approvedProviderPlaces];
141     }, [approvedProviderPlaces]);
142
143     // Filters state
144     const [searchFilter, setSearchFilter] = useState(searchQuery || '');
145     const [showInPageSuggestions, setShowInPageSuggestions] = useState(false);
146     const searchContainerRef = useRef(null);

```

```

147 const [activeQuickFilter, setActiveQuickFilter] = useState('all'); // 'all' | 'nearest' | 'famous' | 'hidden'
148 const [selectedCategory, setSelectedCategory] = useState('All');
149 const [distanceLimit, setDistanceLimit] = useState('All'); // 'All' | '1' | '5' | '10'
150 const [sortBy, setSortBy] = useState('recommended'); // 'recommended' | 'nearest' | 'rating'
151
152 const categories = [
153   'All',
154   'Lake & Nature',
155   'Heritage & Mosque',
156   'Wildlife & Safari',
157   'Historical & Temple',
158   'Museums & Culture',
159   'Forts & Palaces'
160 ];
161
162 // Sync with global searchQuery (from top search header)
163 useEffect(() => {
164   if (searchQuery !== undefined && searchQuery !== searchFilter) {
165     setSearchFilter(searchQuery);
166   }
167 }, [searchQuery]);
168
169 // Click outside to close suggestion dropdown
170 useEffect(() => {
171   const handleClickOutside = (e) => {
172     if (searchContainerRef.current && !searchContainerRef.current.contains(e.target)) {
173       setShowInPageSuggestions(false);
174     }
175   };
176   document.addEventListener('mousedown', handleClickOutside);
177   return () => document.removeEventListener('mousedown', handleClickOutside);
178 }, []);
179
180 // Suggestions for current city places to visit
181 const placesSuggestions = useMemo(() => {
182   const places = allPlacesData.filter(p => p.cityId === selectedCityId);
183   const q = (searchFilter || '').trim().toLowerCase();
184   if (!q) return places.slice(0, 5);
185   return places.filter(p =>
186     p.name.toLowerCase().includes(q) ||
187     p.location.toLowerCase().includes(q) ||
188     p.category.toLowerCase().includes(q) ||
189     (p.highlights && p.highlights.some(h => h.toLowerCase().includes(q)))
190   ).slice(0, 5);
191 }, [allPlacesData, selectedCityId, searchFilter]);
192
193 const resetFilters = () => {
194   setSearchFilter('');
195   setSearchQuery('');
196   setActiveQuickFilter('all');
197   setSelectedCategory('All');
198   setDistanceLimit('All');
199   setSortBy('recommended');
200   setShowInPageSuggestions(false);
201   showToast('Filters reset to default');
202 };
203
204 // Filter & Search logic
205 const filteredPlaces = useMemo(() => {
206   return allPlacesData.filter((place) => {
207     if (place.cityId !== selectedCityId) return false;
208
209     const q = searchFilter.toLowerCase();
210     const matchesSearch = !q ||
211       place.name.toLowerCase().includes(q) ||
212       place.location.toLowerCase().includes(q) ||
213       place.category.toLowerCase().includes(q) ||
214       (place.highlights && place.highlights.some(h => h.toLowerCase().includes(q)));
215
216     const matchesCategory = selectedCategory === 'All' || place.category === selectedCategory;
217
218     const dist = calculateDistance(place.lat, place.lng);
219     place._calcDistance = dist;
220
221     let matchesDistance = true;
222     if (distanceLimit !== 'All') {
223       matchesDistance = dist.isAvailable && dist.rawKm <= Number(distanceLimit);
224     }
225

```

```

226     let matchesQuick = true;
227     if (activeQuickFilter === 'famous') matchesQuick = (place.rating >= 4.7);
228     if (activeQuickFilter === 'hidden') matchesQuick = (place.isOffbeat || place.reviewsCount < 500);
229
230     return matchesSearch && matchesCategory && matchesDistance && matchesQuick;
231   }).sort((a, b) => {
232     if (sortBy === 'nearest') {
233       return (a._calcDistance?.rawKm || 999999) - (b._calcDistance?.rawKm || 999999);
234     }
235     if (sortBy === 'price-low') return (a.entryFee || 0) - (b.entryFee || 0);
236     if (sortBy === 'rating') return (b.rating || 0) - (a.rating || 0);
237     return 0;
238   });
239 }, [selectedCityId, searchFilter, selectedCategory, distanceLimit, activeQuickFilter, sortBy, startingPoint]);
240
241 const isItemInTrip = (sourceId) => {
242   return tripItems.some(item => item.sourceId === sourceId || item.id === sourceId);
243 };
244
245 return (
246   <div className="space-y-5 pb-16">
247     { /* Breadcrumb Navigation (Image 1 & 4) */ }
248     <div>
249       <nav className="flex items-center gap-2 text-xs text-slate-500 font-medium">
250         <button
251           type="button"
252           onClick={() => setActivePage('home')}
253           className="hover:text-teal-700 cursor-pointer"
254         >
255           Home
256         </button>
257         <span>&gt;</span>
258         <button
259           type="button"
260           onClick={() => setActivePage('destination')}
261           className="hover:text-teal-700 cursor-pointer font-medium"
262         >
263           {selectedDestination.name}
264         </button>
265         <span>&gt;</span>
266         <span className="text-slate-900 font-semibold">Places to Visit</span>
267       </nav>
268
269       { /* Back Button directly below breadcrumbs (returns to Bhopal destination page) */ }
270       <div className="mt-2.5">
271         <button
272           type="button"
273           onClick={() => setActivePage('destination')}
274           className="inline-flex items-center gap-1.5 px-3 py-1.5 rounded-xl border border-slate-200 bg-white
275             hover:bg-slate-50 text-slate-700 text-xs font-semibold shadow-2xs transition-colors cursor-pointer"
276         >
277           <ArrowLeft className="w-3.5 h-3.5" />
278           <span>Back</span>
279         </button>
280       </div>
281     </div>
282
283     { /* Header */ }
284     <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-3">
285       <div>
286         <div className="flex items-center gap-2 mb-1">
287           <span className="p-1 rounded-md bg-blue-50 text-blue-800 border border-blue-200/60">
288             <Landmark className="w-4 h-4" />
289           </span>
290           <h1 className="text-2xl sm:text-3xl font-bold text-slate-900">
291             Places to Visit in {selectedDestination.name}
292           </h1>
293         </div>
294         <p className="text-xs sm:text-sm text-slate-500">
295           Verified tourist spots, monuments, viewpoints, and cultural landmarks with official timings & entry
296           fees.
297         </p>
298       </div>
299
300       { /* Person Count Selector */ }
301       <div className="flex items-center gap-2 bg-white px-3 py-1.5 rounded-xl border border-slate-200 shadow-2xs
302         self-start sm:self-auto">
303         <Users className="w-4 h-4 text-slate-500" />

```

```

302         <span className="text-xs text-slate-600 font-medium">Persons:</span>
303         <select
304             value={personCount}
305             onChange={(e) => setPersonCount(Number(e.target.value))}
306             className="bg-slate-50 border border-slate-200 rounded-lg px-2 py-0.5 text-xs font-bold text-slate-800
focus:outline-none focus:ring-1 focus:ring-blue-500 cursor-pointer"
307         >
308             {[1, 2, 3, 4, 5, 6, 8, 10].map(n => (
309                 <option key={n} value={n}>{n} {n === 1 ? 'Person' : 'Persons'}</option>
310             ))}
311         </select>
312     </div>
313 </div>
314
315     {/* Filter Toolbar */}
316     <div className="bg-white p-4 rounded-2xl border border-slate-200/80 shadow-2xs space-y-3">
317         <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-5 gap-3">
318             {/* Search attractions with Auto-Suggestions */}
319             <div className="lg:col-span-2 relative" ref={searchContainerRef}>
320                 <Search className="w-4 h-4 text-slate-400 absolute left-3 top-1/2 -translate-y-1/2 pointer-events-none"
/>
321                 <input
322                     type="text"
323                     value={searchFilter}
324                     onFocus={() => setShowInPageSuggestions(true)}
325                     onChange={(e) => {
326                         setSearchFilter(e.target.value);
327                         setSearchQuery(e.target.value);
328                         setShowInPageSuggestions(true);
329                     }}
330                     placeholder={`Search ${selectedDestination.name} attractions, lakes, heritage...`}
331                     className="w-full pl-9 pr-8 py-2 bg-slate-50 border border-slate-200 rounded-xl text-xs sm:text-sm
text-slate-800 placeholder-slate-400 focus:outline-none focus:ring-2 focus:ring-blue-500/20 focus:border-blue-500"
332                 />
333                 {searchFilter && (
334                     <button
335                         type="button"
336                         onClick={() => {
337                             setSearchFilter('');
338                             setSearchQuery('');
339                             setShowInPageSuggestions(false);
340                         }}
341                         className="absolute right-2.5 top-1/2 -translate-y-1/2 text-slate-400 hover:text-slate-600 p-0.5
cursor-pointer"
342                     >
343                         title="Clear search"
344                     </button>
345                     <X className="w-3.5 h-3.5" />
346                     </button>
347                 )}
348
349                 {/* In-page Auto-Suggestions Dropdown */}
350                 {showInPageSuggestions && placesSuggestions.length > 0 && (
351                     <div className="absolute top-full left-0 right-0 mt-1.5 bg-white border border-slate-200 rounded-2xl
shadow-xl z-50 overflow-hidden max-h-64 overflow-y-auto">
352                         <div className="px-3 py-1.5 bg-blue-50 border-b border-blue-100 text-[10px] font-bold uppercase
tracking-wider text-blue-800 flex items-center justify-between">
353                             <span>Places Auto-Suggestions</span>
354                             <span className="text-[9px] opacity-70">Click to select</span>
355                         </div>
356                         {placesSuggestions.map((p) => (
357                             <div
358                                 key={p.id}
359                                 onClick={() => {
360                                     setSearchFilter(p.name);
361                                     setSearchQuery(p.name);
362                                     setShowInPageSuggestions(false);
363                                 }}
364                                 className="px-3.5 py-2 hover:bg-blue-50/50 cursor-pointer border-b border-slate-50
last:border-none flex items-center justify-between transition-colors"
365                             >
366                                 <div className="min-w-0 pr-2">
367                                     <p className="text-xs font-bold text-slate-800 truncate">{p.name}</p>
368                                     <p className="text-[11px] text-slate-500 truncate">{p.location} • {p.entryFee === 0 ? 'Free
Entry' : ` $ { p . entryFee } entry ` } </p>
369                                 </div>
370                                 <span className="text-[10px] font-bold px-2 py-0.5 rounded-md bg-blue-100 text-blue-800
shrink-0">
371                                     {p.category}
372                                 </span>

```

```

372         </div>
373     )}}
374 </div>
375 }}
376 </div>
377
378 <div>
379     <select
380         value={selectedCategory}
381         onChange={(e) => setSelectedCategory(e.target.value)}
382         className="w-full px-3 py-2 bg-slate-50 border border-slate-200 rounded-xl text-xs sm:text-sm
text-slate-800 font-medium focus:outline-none"
383     >
384         {categories.map((c) => (
385             <option key={c} value={c}>{c}</option>
386         ))}
387     </select>
388 </div>
389
390 <div>
391     <select
392         disabled={startingPoint.status !== 'active'}
393         value={distanceLimit}
394         onChange={(e) => setDistanceLimit(e.target.value)}
395         className={`w-full px-3 py-2 border rounded-xl text-xs sm:text-sm font-medium focus:outline-none ${
396             startingPoint.status === 'active'
397               ? 'bg-slate-50 border-slate-200 text-slate-800'
398               : 'bg-slate-100 border-slate-200 text-slate-400 cursor-not-allowed'
399         }`}
400     >
401         <option value="All">All distances</option>
402         <option value="1">Within 1 km</option>
403         <option value="5">Within 5 km</option>
404         <option value="10">Within 10 km</option>
405     </select>
406 </div>
407
408 <div>
409     <select
410         value={sortBy}
411         onChange={(e) => setSortBy(e.target.value)}
412         className="w-full px-3 py-2 bg-slate-50 border border-slate-200 rounded-xl text-xs sm:text-sm
text-slate-800 font-medium focus:outline-none"
413     >
414         <option value="recommended">Sort: Recommended</option>
415         <option value="nearest" disabled={startingPoint.status !== 'active'}>
416             Nearest first {startingPoint.status !== 'active' ? '(Need Starting Point)' : ''}
417         </option>
418         <option value="price-low">Entry: Free & Lowest</option>
419         <option value="rating">Rating: Highest</option>
420     </select>
421 </div>
422 </div>
423
424 {/* Filter Chips */}
425 <div className="flex flex-wrap items-center justify-between gap-2 pt-2 border-t border-slate-100 text-xs">
426     <div className="flex flex-wrap items-center gap-1.5">
427         <span className="text-[11px] font-bold uppercase tracking-wider text-slate-400 mr-1">Active:</span>
428         {selectedCategory !== 'All' && (
429             <span className="inline-flex items-center gap-1 px-2.5 py-0.5 rounded-full bg-blue-50 text-blue-800
border border-blue-200 font-semibold text-[11px]">
430                 {selectedCategory}
431                 <button onClick={() => setSelectedCategory('All')}><X className="w-3 h-3" /></button>
432             </span>
433         )}
434         {distanceLimit !== 'All' && (
435             <span className="inline-flex items-center gap-1 px-2.5 py-0.5 rounded-full bg-blue-50 text-blue-800
border border-blue-200 font-semibold text-[11px]">
436                 Within {distanceLimit} km
437                 <button onClick={() => setDistanceLimit('All')}><X className="w-3 h-3" /></button>
438             </span>
439         )}
440         {searchFilter && (
441             <span className="inline-flex items-center gap-1 px-2.5 py-0.5 rounded-full bg-slate-100
text-slate-800 border border-slate-200 font-semibold text-[11px]">
442                 "{searchFilter}"
443                 <button onClick={() => setSearchFilter('')}><X className="w-3 h-3" /></button>
444             </span>
445         )}

```

```

446         </div>
447
448         <button
449             onClick={resetFilters}
450             className="flex items-center gap-1 text-slate-500 hover:text-slate-900 font-medium text-[11px]
cursor-pointer"
451         >
452             <RotateCcw className="w-3 h-3" />
453             <span>Reset filters</span>
454         </button>
455     </div>
456 </div>
457
458     {/ Main Content Area */}
459     <div className="flex items-start gap-6">
460         <div className="flex-1 min-w-0">
461             <div className="flex items-center justify-between mb-3 text-xs text-slate-500 font-medium">
462                 <span>Showing <strong className="text-slate-900">{filteredPlaces.length}</strong> verified tourist
spots</span>
463                 <span className="text-blue-800 bg-blue-50/80 px-2 py-0.5 rounded-md font-semibold border
border-blue-200/60 text-[11px]">
464                     Places & Attractions
465                 </span>
466             </div>
467
468             {filteredPlaces.length === 0 ? (
469                 <div className="bg-white rounded-3xl border border-slate-200 p-12 text-center space-y-3">
470                     <Landmark className="w-10 h-10 text-slate-300 mx-auto" />
471                     <h3 className="text-base font-bold text-slate-800">
472                         No matching places found.
473                     </h3>
474                     <p className="text-xs text-slate-500 max-w-sm mx-auto">
475                         Try loosening your filters or clearing search in {selectedDestination.name}.
476                     </p>
477                     <button
478                         onClick={resetFilters}
479                         className="mt-2 px-4 py-2 bg-teal-600 hover:bg-teal-700 text-white text-xs font-bold rounded-xl
cursor-pointer"
480                     >
481                         Reset filters
482                     </button>
483                 </div>
484             ) : (
485                 <div className="grid grid-cols-1 md:grid-cols-2 xl:grid-cols-3 gap-4">
486                     {filteredPlaces.map((place) => {
487                         const inTrip = isItemInTrip(place.id);
488                         const isFav = savedFavourites.includes(place.id);
489                         const isCompared = compareListings.some(l => l.id === place.id);
490                         const dist = place._calcDistance || calculateDistance(place.lat, place.lng);
491
492                         const totalTicketPrice = (place.entryFee || 0) * personCount;
493
494                         return (
495                             <div
496                                 key={place.id}
497                                 className="bg-white rounded-2xl border border-slate-200/90 overflow-hidden shadow-2xs
hover:shadow-md transition-all flex flex-col justify-between"
498                             >
499                                 <div>
500                                     {/ Place Image Carousel */}
501                                     <PlaceImageCarousel
502                                         place={place}
503                                         isFav={isFav}
504                                         toggleFavourite={toggleFavourite}
505                                     />
506
507                                     <div className="p-4">
508                                         <h3 className="text-base font-bold text-slate-900 leading-snug">
509                                             {place.name}
510                                         </h3>
511
512                                         <div className="flex items-center gap-1 text-xs text-slate-500 mb-1">
513                                             <MapPin className="w-3.5 h-3.5 text-slate-400 shrink-0" />
514                                             <span className="truncate">{place.location}</span>
515                                         </div>
516
517                                         {/ Distance Label */}
518                                         <div className="text-[11px] font-medium text-teal-800 bg-teal-50/70 px-2 py-0.5 rounded
mb-2 inline-block border border-teal-100">

```

```

519         {dist.isAvailable ? dist.formattedLabel : 'Distance unavailable'}
520     </div>
521
522     { /* Entry Fee & Rating */ }
523     <div className="py-2 border-y border-slate-100 my-2 space-y-1">
524         <div className="flex items-center justify-between">
525             <div>
526                 <span className="text-lg font-black text-slate-900">
527                     { place.entryFee === 0 ? 'Free Entry Fee' : place.entryFee }
528                 </span>
529                 {place.entryFee > 0 && (
530                     <span className="text-[11px] text-slate-500 ml-1">
531                         {personCount > 1 ? `total (${personCount} persons)` : `/ person`}
532                     </span>
533                 )}
534             </div>
535
536             {place.rating && (
537                 <div className="flex items-center gap-1 text-xs font-bold text-slate-800 bg-amber-50
px-2 py-1 rounded-lg border border-amber-100">
538                     <Star className="w-3 h-3 fill-amber-500 text-amber-500" />
539                     <span>{place.rating}</span>
540                     <span className="text-slate-400 font-normal">{place.reviewsCount}</span>
541                 </div>
542             )}
543         </div>
544
545         <div className="text-[10px] text-slate-400 flex items-center justify-between">
546             <span className="flex items-center gap-1">
547                 <Clock className="w-3 h-3 text-slate-400" />
548                 {place.timings}
549             </span>
550             {place.entryFee > 0 && (
551                 <span>¹ {place.entryFee.toLocaleString()}</span>
552             )}
553         </div>
554     </div>
555
556     <div className="flex items-center justify-between text-[11px] text-slate-400">
557         <span className="flex items-center gap-1">
558             <Calendar className="w-3 h-3" />
559             Updated {place.updatedDate}
560         </span>
561
562         <label className="flex items-center gap-1 cursor-pointer text-slate-600
hover:text-slate-900">
563             <input
564                 type="checkbox"
565                 checked={isCompared}
566                 onChange={() => addToCompare(place)}
567                 className="rounded border-slate-300 text-teal-600 focus:ring-teal-500 w-3 h-3
cursor-pointer"
568             />
569             <span>Compare</span>
570         </label>
571     </div>
572 </div>
573 </div>
574
575     <div className="p-4 pt-0 space-y-2">
576         <div className="grid grid-cols-2 gap-2">
577             <button
578                 onClick={() => setViewDetailsItem(place)}
579                 className="py-2 px-2 bg-white border border-slate-200 hover:bg-slate-50 text-slate-700
rounded-xl text-xs font-semibold transition-colors text-center cursor-pointer"
580             >
581                 View details
582             </button>
583
584             <button
585                 onClick={() => inTrip ? removeFromTrip(place.id) : addToTrip(place, 'Places')}
586                 className={`
587                     py-2 px-2 rounded-xl text-xs font-bold transition-all flex items-center justify-center
gap-1 cursor-pointer
588                     ${inTrip ? 'bg-teal-700 text-white hover:bg-rose-700' : 'bg-teal-600 hover:bg-teal-700
text-white shadow-xs'}
589                 `
590                 title={inTrip ? "Click to remove from trip" : "Click to add to trip"}
591             >

```

```

592                {inTrip ? (
593                    <>
594                        <Check className="w-3.5 h-3.5" />
595                        <span>Added</span>
596                    </>
597                ) : (
598                    <>
599                        <Plus className="w-3.5 h-3.5" />
600                        <span>Add to trip</span>
601                    </>
602                )}
603            </button>
604        </div>
605
606        <button
607            onClick={() => setWayToItem(place)}
608            className="w-full py-1.5 px-3 bg-slate-50 hover:bg-slate-100 text-slate-600 rounded-xl
text-xs font-medium transition-colors flex items-center justify-center gap-1.5 border border-slate-200/60
cursor-pointer"
609            >
610            <Navigation className="w-3.5 h-3.5 text-blue-600" />
611            <span>Ways to Reach</span>
612        </button>
613    </div>
614</div>
615    );
616    }}}
617    </div>
618    }}
619    </div>
620
621    <TripSummaryDrawer title="My Trip Places" />
622    </div>
623    </div>
624    );
625    }
626

```

File: src/pages/NearbyTripsPage.jsx

700 lines

```

1  import React, { useState, useMemo, useRef, useEffect } from 'react';
2  import {
3    Compass,
4    MapPin,
5    Car,
6    Bus,
7    Train,
8    Clock,
9    Navigation,
10   Plus,
11   Check,
12   Heart,
13   RotateCcw,
14   ShieldCheck,
15   AlertCircle,
16   ExternalLink,
17   Users,
18   ArrowLeft,
19   Calendar,
20   X
21 } from 'lucide-react';
22 import { useApp } from '../context/AppContext';
23 import { NEARBY_TRIPS_DATA } from '../data/mockData';
24 import TripSummaryDrawer from '../components/common/TripSummaryDrawer';
25
26 function TripImageCarousel({ trip, isFav, toggleFavourite }) {
27   const [currentIdx, setCurrentIdx] = useState(0);
28   const images = trip.images && trip.images.length > 0
29     ? trip.images
30     : [
31       trip.image,
32       'https://images.unsplash.com/photo-1548013146-72479768bbaa?auto=format&fit=crop&w=600&q=80',
33       'https://images.unsplash.com/photo-1590050752117-238cb0fb12b1?auto=format&fit=crop&w=600&q=80'
34     ].filter(Boolean);
35
36   const prevImage = (e) => {
37     e.stopPropagation();
38     setCurrentIdx((prev) => (prev - 1 + images.length) % images.length);
39   };
40
41   const nextImage = (e) => {
42     e.stopPropagation();
43     setCurrentIdx((prev) => (prev + 1) % images.length);
44   };
45
46   return (
47     <div className="relative h-48 sm:h-52 bg-slate-100 overflow-hidden group rounded-t-2xl">
48       <img
49         src={images[currentIdx]}
50         alt={trip.name}
51         className="w-full h-full object-cover group-hover:scale-105 transition-transform duration-300"
52       />
53       <div className="absolute top-2.5 left-2.5 flex items-center gap-1.5 z-10">
54         <span className="px-2.5 py-1 rounded-md bg-lavender-500/90 backdrop-blur-xs text-white text-[11px]
font-bold shadow-xs">
55           {trip.distanceKm} km away
56         </span>
57         <span className="px-2 py-0.5 rounded-md bg-white/90 backdrop-blur-xs text-slate-800 text-[10px]
font-semibold shadow-xs flex items-center gap-1">
58           <Clock className="w-3 h-3 text-lavender-500" />
59           {trip.routeDuration || '1.5 hrs'}
60         </span>
61       </div>
62       <div className="absolute top-2.5 right-2.5 flex items-center gap-1 z-10">
63         <button
64           type="button"
65           onClick={(e) => {
66             e.stopPropagation();
67             toggleFavourite(trip.id);
68           }}
69           className={`p-1.5 rounded-full backdrop-blur-xs transition-colors cursor-pointer ${
70             isFav ? 'bg-red-500 text-white' : 'bg-slate-900/60 text-white hover:bg-slate-900'
71           }`>
72           {isFav ? "Saved in favourites" : "Save favourite"}
73         </button>

```

```

74     <Heart className={`w-3.5 h-3.5 ${isFav ? 'fill-current' : ''}`} />
75   </button>
76   <span className="px-2 py-0.5 rounded-md bg-slate-900/80 text-white text-[10px] font-semibold
backdrop-blur-xs flex items-center gap-1">
77     <ShieldCheck className="w-3 h-3 text-emerald-400" />
78     Verified
79   </span>
80 </div>
81
82   {images.length > 1 && (
83     <>
84       <button
85         type="button"
86         onClick={prevImage}
87         className="absolute left-1.5 top-1/2 -translate-y-1/2 w-6 h-6 rounded-full bg-slate-900/70
hover:bg-slate-900 text-white flex items-center justify-center text-sm font-bold opacity-0 group-hover:opacity-100
transition-opacity z-10 cursor-pointer"
88         aria-label="Previous image"
89       >
90         <
91       </button>
92       <button
93         type="button"
94         onClick={nextImage}
95         className="absolute right-1.5 top-1/2 -translate-y-1/2 w-6 h-6 rounded-full bg-slate-900/70
hover:bg-slate-900 text-white flex items-center justify-center text-sm font-bold opacity-0 group-hover:opacity-100
transition-opacity z-10 cursor-pointer"
96         aria-label="Next image"
97       >
98         <
99       </button>
100     <div className="absolute bottom-2 left-1/2 -translate-x-1/2 flex items-center gap-1 z-10">
101       {images.map((_, i) => (
102         <span
103           key={i}
104           className={`w-1.5 h-1.5 rounded-full transition-all ${
105             i === currentIndex ? 'bg-white scale-125' : 'bg-white/50'
106           }}`
107         />
108       )}}
109     </div>
110   </>
111 )}
112 </div>
113 );
114 }
115
116 function NearbyTripCard({ trip, inTripMap, onAddOption, onRemoveOption, personCount, setViewDetailsItem,
setWayToItem, isFav, toggleFavourite }) {
117   const opts = trip.transportOptions || {};
118
119   // Available modes
120   const availableModes = [];
121   if (opts.bus && opts.bus.available) availableModes.push('bus');
122   if (opts.train && opts.train.available) availableModes.push('train');
123   if (opts.car && opts.car.available) availableModes.push('car');
124
125   const [activeMode, setActiveMode] = useState(availableModes[0] || 'bus');
126   const activeOpt = opts[activeMode];
127   const isSelectedModeInTrip = inTripMap[`${trip.id}-${activeMode}`];
128
129   return (
130     <div className="bg-white rounded-2xl border border-slate-200/90 overflow-hidden shadow-2xs hover:shadow-md
transition-all">
131       <div className="grid grid-cols-1 lg:grid-cols-12 gap-0">
132         { /* Left Column: Excursion Info (7 cols) */ }
133         <div className="lg:col-span-7 flex flex-col justify-between border-b lg:border-b-0 lg:border-r
border-slate-100">
134           <div>
135             <TripImageCarousel
136               trip={trip}
137               isFav={isFav}
138               toggleFavourite={toggleFavourite}
139             />
140
141             <div className="p-5 space-y-3">
142               <div>
143                 <h3 className="text-lg font-bold text-slate-900 leading-snug">
144                   {trip.name}

```

```

145         </h3>
146         <p className="text-xs text-lavender-700 font-semibold mt-0.5">
147             {trip.tagline || 'Excursion & Heritage Day Trip'}
148         </p>
149     </div>
150
151     <p className="text-xs text-slate-600 leading-relaxed">
152         {trip.description}
153     </p>
154
155     {trip.highlights && (
156         <div className="flex flex-wrap gap-1.5 pt-1">
157             {trip.highlights.map((hl, i) => (
158                 <span key={i} className="text-[11px] bg-lavender-50 text-lavender-800 border
border-lavender-100 px-2.5 py-0.5 rounded-full font-medium">
159                     {hl}
160                 </span>
161             ))}
162         </div>
163     )}
164 </div>
165 </div>
166
167     <div className="p-5 pt-0 flex flex-wrap items-center gap-2">
168         <button
169             type="button"
170             onClick={() => setViewDetailsItem(trip)}
171             className="px-3 py-1.5 bg-white border border-slate-200 hover:bg-slate-50 text-slate-700 rounded-xl
text-xs font-semibold transition-colors cursor-pointer"
172         >
173             View details
174         </button>
175         <button
176             type="button"
177             onClick={() => setWayToItem(trip)}
178             className="px-3 py-1.5 bg-lavender-50 hover:bg-lavender-100 text-lavender-700 border
border-lavender-200/80 rounded-xl text-xs font-medium transition-colors flex items-center gap-1 cursor-pointer"
179         >
180             <Navigation className="w-3.5 h-3.5 text-lavender-500" />
181             <span>Ways to Reach</span>
182         </button>
183     </div>
184 </div>
185
186     {/* Right Column: Interactive Transit Options & Official Fares (5 cols) */}
187     <div className="lg:col-span-5 p-5 bg-slate-50/50 flex flex-col justify-between space-y-4">
188         <div>
189             <div className="flex items-center justify-between pb-2 border-b border-slate-200">
190                 <span className="text-xs font-bold text-slate-800 uppercase tracking-wider">
191                     Public Transit Options
192                 </span>
193                 <span className="text-[10px] text-slate-400 font-medium">
194                     Click icon to view
195                 </span>
196             </div>
197
198             {/* Mode selection buttons with icons */}
199             <div className="grid grid-cols-3 gap-2 my-3">
200                 {opts.bus && (
201                     <button
202                         type="button"
203                         onClick={() => setActiveMode('bus')}
204                         className={`p-2 rounded-xl text-xs font-bold flex flex-col items-center gap-1 transition-all
cursor-pointer border ${
205                             activeMode === 'bus'
206                             ? 'bg-lavender-500 text-white border-lavender-500 shadow-xs'
207                             : 'bg-white text-slate-700 border-slate-200 hover:bg-lavender-50/50'
208                         }`}
209                     >
210                         <Bus className="w-4 h-4" />
211                         <span>Bus</span>
212                     </button>
213                 )}
214
215                 {opts.train && (
216                     <button
217                         type="button"
218                         onClick={() => setActiveMode('train')}
219                         className={`p-2 rounded-xl text-xs font-bold flex flex-col items-center gap-1 transition-all

```

```

220     cursor-pointer border ${
221         activeMode === 'train'
222         ? 'bg-blue-600 text-white border-blue-600 shadow-xs'
223         : 'bg-white text-slate-700 border-slate-200 hover:bg-blue-50/50'
224     }`
225     <Train className="w-4 h-4" />
226     <span>Train</span>
227 </button>
228 }}
229
230 {opts.car && (
231     <button
232         type="button"
233         onClick={() => setActiveMode('car')}
234         className={`p-2 rounded-xl text-xs font-bold flex flex-col items-center gap-1 transition-all
cursor-pointer border ${
235             activeMode === 'car'
236             ? 'bg-emerald-600 text-white border-emerald-600 shadow-xs'
237             : 'bg-white text-slate-700 border-slate-200 hover:bg-emerald-50/50'
238         }`
239     >
240         <Car className="w-4 h-4" />
241         <span>Taxi</span>
242     </button>
243 )}
244 </div>
245
246 {/* Active Mode Details Panel */}
247 {activeOpt ? (
248     <div className="bg-white p-4 rounded-xl border border-slate-200 shadow-2xs space-y-2.5 text-xs">
249         <div className="flex items-center justify-between pb-2 border-b border-slate-100">
250             <span className="font-bold text-slate-800 capitalize">
251                 {activeMode === 'car' ? 'Private Taxi / Cab' : `${activeMode} Transit`}
252             </span>
253             <span className="font-mono text-[10px] bg-slate-100 text-slate-600 px-2 py-0.5 rounded">
254                 {activeOpt.duration}
255             </span>
256         </div>
257
258         {/* Fare Breakdown */}
259         <div className="py-1">
260             <span className="text-[10px] text-slate-400 block font-medium">
261                 {activeMode === 'car' ? 'Flat Vehicle Fare (Whole Car)' : 'Fare per person'}
262             </span>
263             <div className="flex items-baseline gap-1.5">
264                 <span className="text-xl font-extrabold text-slate-900">
265                     1 { activeOpt.fare }
266                 </span>
267                 {activeMode !== 'car' && (
268                     <span className="text-[11px] text-slate-500 font-normal">
269                         / person
270                     </span>
271                 )}
272             </div>
273             {activeMode !== 'car' && personCount > 1 && (
274                 <div className="text-[11px] text-lavender-700 font-semibold mt-0.5">
275                     Total for { personCount } persons: 1 { active
276                 </div>
277             )}
278             {activeMode === 'car' && (
279                 <div className="text-[11px] text-emerald-700 font-semibold mt-0.5">
280                     Fixed vehicle tariff (up to 4 persons)
281                 </div>
282             )}
283         </div>
284
285         {/* Operator and Departure Timings */}
286         <div className="space-y-1 text-[11px] text-slate-600 pt-1 border-t border-slate-100">
287             <div className="flex justify-between">
288                 <span className="text-slate-400">Operator:</span>
289                 <span className="font-semibold text-slate-800 text-right">{activeOpt.operator}</span>
290             </div>
291             <div className="flex justify-between">
292                 <span className="text-slate-400">First Departure:</span>
293                 <span className="font-medium text-slate-800">{activeOpt.firstDeparture || '06:00 AM'}</span>
294             </div>
295             <div className="flex justify-between">
296                 <span className="text-slate-400">Last Departure:</span>

```

```

297         <span className="font-medium text-slate-800">{activeOpt.lastDeparture || '08:30 PM'}</span>
298     </div>
299     <div className="flex justify-between">
300         <span className="text-slate-400">Boarding Point:</span>
301         <span className="font-medium text-slate-700 text-right truncate
max-w-[140px]">{activeOpt.boardingPoint}</span>
302     </div>
303     <div className="flex justify-between">
304         <span className="text-slate-400">Arrival Point:</span>
305         <span className="font-medium text-slate-700 text-right truncate
max-w-[140px]">{activeOpt.arrivalPoint}</span>
306     </div>
307 </div>
308 </div>
309 ) : (
310     <div className="p-4 bg-white rounded-xl border border-dashed border-slate-200 text-center text-xs
text-slate-400">
311         Transit details unavailable for this option.
312     </div>
313 )}
314 </div>
315
316 {/* Add Leg to Trip Button */}
317 {activeOpt && (
318     <button
319         type="button"
320         onClick={() => {
321             if (isSelectedModeInTrip) {
322                 onRemoveOption(`${trip.id}-${activeMode}`);
323             } else {
324                 onAddOption(trip, activeMode, activeOpt);
325             }
326         }}
327         className={`w-full py-2.5 px-3 rounded-xl text-xs font-bold flex items-center justify-center gap-2
transition-all cursor-pointer shadow-xs ${
328             isSelectedModeInTrip
329             ? 'bg-emerald-50 text-emerald-700 hover:bg-rose-50 hover:text-rose-700 border border-emerald-300'
330             : activeMode === 'train'
331             ? 'bg-blue-600 hover:bg-blue-700 text-white'
332             : activeMode === 'car'
333             ? 'bg-emerald-600 hover:bg-emerald-700 text-white'
334             : 'bg-lavender-500 hover:bg-lavender-700 text-white'
335         }}
336     >
337         {isSelectedModeInTrip ? (
338             <>
339                 <Check className="w-4 h-4 text-emerald-600" />
340                 <span>Added {activeMode.toUpperCase()} Leg</span>
341             </>
342         ) : (
343             <>
344                 <Plus className="w-4 h-4" />
345                 <span>Add {activeMode.toUpperCase()} Leg to Trip</span>
346             </>
347         )}
348     </button>
349 )}
350 </div>
351 </div>
352 </div>
353 );
354 }
355
356 export default function NearbyTripsPage() {
357     const {
358         selectedCityId,
359         selectedDestination,
360         addToTrip,
361         removeFromTrip,
362         tripItems,
363         setViewDetailsItem,
364         setWayToItem,
365         startingPoint,
366         calculateDistance,
367         savedFavourites,
368         toggleFavourite,
369         personCount,
370         setPersonCount,
371         setActivePage,

```

```

372     goBack,
373     searchQuery: globalSearchQuery,
374     setSearchQuery: setGlobalSearchQuery,
375     approvedProviderNearby = [],
376     showToast
377 } = useApp();
378
379 // Combine static nearby trips with approved provider trips
380 const allTripsData = useMemo(() => {
381     return [...NEARBY_TRIPS_DATA, ...approvedProviderNearby];
382 }, [approvedProviderNearby]);
383
384 const [selectedDistanceRange, setSelectedDistanceRange] = useState('All');
385 const [searchFilter, setSearchFilter] = useState(globalSearchQuery || '');
386 const [showInPageSuggestions, setShowInPageSuggestions] = useState(false);
387 const searchContainerRef = useRef(null);
388
389 const distanceRanges = [
390     { id: 'All', label: 'All Distances' },
391     { id: '<50', label: '< 50 km' },
392     { id: '50-100', label: '50 - 100 km' },
393     { id: '100-200', label: '100 - 200 km' },
394     { id: '200+', label: '200+ km' }
395 ];
396
397 // Sync with global searchQuery
398 useEffect(() => {
399     if (globalSearchQuery !== undefined && globalSearchQuery !== searchFilter) {
400         setSearchFilter(globalSearchQuery);
401     }
402 }, [globalSearchQuery]);
403
404 // Click outside to close suggestion dropdown
405 useEffect(() => {
406     const handleClickOutside = (e) => {
407         if (searchContainerRef.current && !searchContainerRef.current.contains(e.target)) {
408             setShowInPageSuggestions(false);
409         }
410     };
411     document.addEventListener('mousedown', handleClickOutside);
412     return () => document.removeEventListener('mousedown', handleClickOutside);
413 }, []);
414
415 // Suggestions for nearby trips
416 const nearbySuggestions = useMemo(() => {
417     const trips = allTripsData.filter(n => n.cityId === selectedCityId);
418     const q = (searchFilter || '').trim().toLowerCase();
419     if (!q) return trips.slice(0, 5);
420     return trips.filter(t =>
421         t.name.toLowerCase().includes(q) ||
422         (t.tagline && t.tagline.toLowerCase().includes(q)) ||
423         (t.destination && t.destination.toLowerCase().includes(q))
424     ).slice(0, 5);
425 }, [allTripsData, selectedCityId, searchFilter]);
426
427 const resetFilters = () => {
428     setSelectedDistanceRange('All');
429     setSearchFilter('');
430     setGlobalSearchQuery('');
431     setShowInPageSuggestions(false);
432     showToast('Filters reset to default');
433 };
434
435 const filteredTrips = useMemo(() => {
436     return allTripsData.filter((trip) => {
437         if (trip.cityId !== selectedCityId) return false;
438
439         if (searchFilter.trim()) {
440             const q = searchFilter.toLowerCase();
441             const matchName = trip.name.toLowerCase().includes(q);
442             const matchTag = trip.tagline && trip.tagline.toLowerCase().includes(q);
443             const matchDesc = trip.description && trip.description.toLowerCase().includes(q);
444             if (!matchName && !matchTag && !matchDesc) return false;
445         }
446
447         if (selectedDistanceRange !== 'All') {
448             const d = trip.distanceKm;
449             if (selectedDistanceRange === '<50' && d >= 50) return false;
450             if (selectedDistanceRange === '50-100' && (d < 50 || d > 100)) return false;

```

```

451         if (selectedDistanceRange === '100-200' && (d < 100 || d > 200)) return false;
452         if (selectedDistanceRange === '200+' && d <= 200) return false;
453     }
454
455     return true;
456 });
457 }, [selectedCityId, selectedDistanceRange, searchFilter]);
458
459 const inTripMap = useMemo(() => {
460     const map = {};
461     tripItems.forEach(item => {
462         if (item.id) map[item.id] = true;
463         if (item.sourceId) map[item.sourceId] = true;
464     });
465     return map;
466 }, [tripItems]);
467
468 const handleAddTransportOption = (trip, mode, opt) => {
469     const isCar = mode === 'car';
470     addToTrip({
471         id: `${trip.id}-${mode}`,
472         name: `${trip.name} (${mode.toUpperCase()} via ${opt.operator})`,
473         category: 'nearby',
474         mode: mode,
475         price: opt.fare,
476         pricePaise: opt.fare * 100,
477         priceUnit: isCar ? 'vehicle rate' : 'per person',
478         isPerPerson: !isCar,
479         isVehicleRate: isCar,
480         location: opt.arrivalPoint,
481         image: trip.image,
482         day: 1
483     });
484 };
485
486 return (
487     <div className="space-y-5 pb-20">
488         {/* Breadcrumb Navigation (Image 1 & 4) */}
489         <div>
490             <nav className="flex items-center gap-2 text-xs text-slate-500 font-medium">
491                 <button
492                     type="button"
493                     onClick={() => setActivePage('home')}
494                     className="hover:text-teal-700 cursor-pointer"
495                 >
496                     Home
497                 </button>
498                 <span>&gt;</span>
499                 <button
500                     type="button"
501                     onClick={() => setActivePage('destination')}
502                     className="hover:text-teal-700 cursor-pointer font-medium"
503                 >
504                     {selectedDestination.name}
505                 </button>
506                 <span>&gt;</span>
507                 <span className="text-slate-900 font-semibold">Nearby Trips</span>
508             </nav>
509
510             {/* Back Button directly below breadcrumbs (returns to Bhopal destination page) */}
511             <div className="mt-2.5">
512                 <button
513                     type="button"
514                     onClick={() => setActivePage('destination')}
515                     className="inline-flex items-center gap-1.5 px-3 py-1.5 rounded-xl border border-slate-200 bg-white
516                     hover:bg-slate-50 text-slate-700 text-xs font-semibold shadow-2xs transition-colors cursor-pointer"
517                     title={`Back to ${selectedDestination.name}`}
518                 >
519                     <ArrowLeft className="w-3.5 h-3.5" />
520                     <span>Back</span>
521                 </button>
522             </div>
523
524             {/* Page Header */}
525             <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-4 pb-2 border-b
526             border-slate-200">
527                 <div>
528                     <div className="flex items-center gap-2">

```

```

528         <span className="p-1 rounded-md bg-lavender-50 text-lavender-800 border border-lavender-200/60">
529             <Compass className="w-4 h-4" />
530         </span>
531         <h1 className="text-2xl sm:text-3xl font-bold text-slate-900">
532             Nearby Trips from {selectedDestination.name}
533         </h1>
534     </div>
535     <p className="text-xs sm:text-sm text-slate-500 mt-0.5">
536         Verified day trips, heritage circuits, and excursions with bus, train & taxi transit breakdowns.
537     </p>
538 </div>
539
540     {/ * Person Count Selector */}
541     <div className="flex items-center gap-2 bg-white px-3 py-1.5 rounded-xl border border-slate-200 shadow-2xs
self-start sm:self-auto">
542         <Users className="w-4 h-4 text-slate-500" />
543         <span className="text-xs text-slate-600 font-medium">Persons:</span>
544         <select
545             value={personCount}
546             onChange={(e) => setPersonCount(Number(e.target.value))}
547             className="bg-slate-50 border border-slate-200 rounded-lg px-2 py-0.5 text-xs font-bold text-slate-800
focus:outline-none focus:ring-1 focus:ring-lavender-500 cursor-pointer"
548             >
549             {[1, 2, 3, 4, 5, 6, 8, 10].map(n => (
550                 <option key={n} value={n}>{n} {n === 1 ? 'Person' : 'Persons'}</option>
551             ))}
552         </select>
553     </div>
554 </div>
555
556     {/ * Distance Rule Clarification */}
557     <div className="bg-lavender-50/70 p-3 rounded-2xl border border-lavender-200/80 text-xs text-lavender-900
flex items-start gap-2.5">
558         <AlertCircle className="w-4 h-4 text-lavender-500 shrink-0 mt-0.5" />
559         <div className="space-y-0.5">
560             <p className="font-bold">Transparent Transit Tariffs</p>
561             <p className="text-[11px] text-lavender-800 leading-relaxed">
562                 Public bus and train tickets are calculated per person (multiplied by {personCount} {personCount === 1
? 'person' : 'persons'}). Taxis and private cabs charge fixed vehicle rates and are <strong>not</strong> multiplied
by person count.
563             </p>
564         </div>
565     </div>
566
567     {/ * Filter Toolbar */}
568     <div className="bg-white p-4 rounded-2xl border border-slate-200/80 shadow-2xs space-y-3">
569         <div className="flex flex-wrap items-center justify-between gap-3">
570             <div className="flex flex-wrap items-center gap-1.5">
571                 <span className="text-xs font-bold text-slate-400 uppercase mr-1">Distance:</span>
572                 {distanceRanges.map((range) => (
573                     <button
574                         key={range.id}
575                         type="button"
576                         onClick={() => setSelectedDistanceRange(range.id)}
577                         className={`px-3 py-1.5 rounded-xl text-xs font-semibold transition-all cursor-pointer ${
578                             selectedDistanceRange === range.id
579                             ? 'bg-lavender-500 text-white shadow-xs'
580                             : 'bg-slate-100 text-slate-600 hover:bg-slate-200'
581                         }}
582                     >
583                         {range.label}
584                     </button>
585                 ))}
586             </div>
587
588             <div className="relative min-w-[260px]" ref={searchContainerRef}>
589                 <input
590                     type="text"
591                     value={searchFilter}
592                     onFocus={() => setShowInPageSuggestions(true)}
593                     onChange={(e) => {
594                         setSearchFilter(e.target.value);
595                         setGlobalSearchQuery(e.target.value);
596                         setShowInPageSuggestions(true);
597                     }}
598                     placeholder={`Search ${selectedDestination.name} excursions...`}
599                     className="w-full pl-3 pr-8 py-1.5 bg-slate-50 border border-slate-200 rounded-xl text-xs
text-slate-800 placeholder-slate-400 focus:outline-none focus:ring-2 focus:ring-lavender-500/20
focus:border-lavender-500"

```

```

600      />
601      {searchFilter && (
602        <button
603          type="button"
604          onClick={() => {
605            setSearchFilter('');
606            setGlobalSearchQuery('');
607            setShowInPageSuggestions(false);
608          }}
609          className="absolute right-2.5 top-1/2 -translate-y-1/2 text-slate-400 hover:text-slate-600 p-0.5
cursor-pointer"
610          title="Clear search"
611          >
612            <X className="w-3.5 h-3.5" />
613          </button>
614        )}
615
616      {/* In-page Auto-Suggestions Dropdown */}
617      {showInPageSuggestions && nearbySuggestions.length > 0 && (
618        <div className="absolute top-full left-0 right-0 mt-1.5 bg-white border border-slate-200 rounded-2xl
shadow-xl z-50 overflow-hidden max-h-64 overflow-y-auto">
619          <div className="px-3 py-1.5 bg-lavender-50 border-b border-lavender-100 text-[10px] font-bold
uppercase tracking-wider text-lavender-800 flex items-center justify-between">
620            <span>Excursions Auto-Suggestions</span>
621            <span className="text-[9px] opacity-70">Click to select</span>
622          </div>
623          {nearbySuggestions.map((t) => (
624            <div
625              key={t.id}
626              onClick={() => {
627                setSearchFilter(t.name);
628                setGlobalSearchQuery(t.name);
629                setShowInPageSuggestions(false);
630              }}
631              className="px-3.5 py-2 hover:bg-lavender-50/50 cursor-pointer border-b border-slate-50
last:border-none flex items-center justify-between transition-colors"
632            >
633              <div className="min-w-0 pr-2">
634                <p className="text-xs font-bold text-slate-800 truncate">{t.name}</p>
635                <p className="text-[11px] text-slate-500 truncate">{t.destination} • {t.distanceKm} km</p>
636              </div>
637              <span className="text-[10px] font-bold px-2 py-0.5 rounded-md bg-lavender-100 text-lavender-800
shrink-0">
638                {t.distanceKm} km
639              </span>
640            </div>
641          )})}
642        </div>
643      )}
644    </div>
645  </div>
646 </div>
647
648  {/* Main Content Area */}
649  <div className="flex items-start gap-6">
650    <div className="flex-1 min-w-0 space-y-4">
651      <div className="flex items-center justify-between text-xs text-slate-500 font-medium">
652        <span>Showing <strong className="text-slate-900">{filteredTrips.length}</strong> nearby
destinations</span>
653        <span className="text-lavender-800 bg-lavender-50/80 px-2 py-0.5 rounded-md font-semibold border
border-lavender-200/60 text-[11px]">
        Excursions & Day Circuits
654      </span>
655    </div>
656    </div>
657
658    {filteredTrips.length === 0 ? (
659      <div className="bg-white rounded-3xl border border-slate-200 p-12 text-center space-y-3">
660        <Compass className="w-10 h-10 text-slate-300 mx-auto" />
661        <h3 className="text-base font-bold text-slate-800">
        No excursions match your criteria.
662      </h3>
663      <p className="text-xs text-slate-500 max-w-sm mx-auto">
        Try widening your distance filter to see all destinations around {selectedDestination.name}.
664      </p>
665      <button
666        onClick={resetFilters}
667        className="mt-2 px-4 py-2 bg-lavender-500 hover:bg-lavender-700 text-white text-xs font-bold
rounded-xl cursor-pointer"
668      >
669    </div>
670  </div>

```

```
671         Reset filters
672     </button>
673 </div>
674 ) : (
675     <div className="space-y-4">
676         {filteredTrips.map((trip) => (
677             <NearbyTripCard
678                 key={trip.id}
679                 trip={trip}
680                 inTripMap={inTripMap}
681                 onAddOption={handleAddTransportOption}
682                 onRemoveOption={removeFromTrip}
683                 personCount={personCount}
684                 setViewDetailsItem={setViewDetailsItem}
685                 setWayToItem={setWayToItem}
686                 isFav={savedFavourites.includes(trip.id)}
687                 toggleFavourite={toggleFavourite}
688             />
689         ))}
690     </div>
691 )}
692 </div>
693
694     {/* Persistent Right-Side My Trip Panel */}
695     <TripSummaryDrawer title="My Trip Excursions" />
696 </div>
697 </div>
698 );
699 }
700
```

File: src/pages/MyTripPage.jsx

586 lines

```

1  import React, { useState } from 'react';
2  import {
3    Briefcase,
4    ArrowLeft,
5    Users,
6    Clock,
7    AlertTriangle,
8    AlertCircle,
9    Trash2,
10   Copy,
11   Share2,
12   Download,
13   Plus,
14   Minus,
15   ChevronRight,
16   Info,
17   X,
18   CheckCircle2,
19   Car,
20   Bus,
21   Train,
22   Bed,
23   UtensilsCrossed,
24   Landmark,
25   Compass,
26   ArrowRight,
27   ShieldCheck,
28   RotateCcw
29 } from 'lucide-react';
30 import { useApp } from '../context/AppContext';
31 import ShareTripModal from '../components/modals/ShareTripModal';
32
33 export default function MyTripPage() {
34   const {
35     tripItems,
36     removeFromTrip,
37     updateItemQuantity,
38     duplicateTrip,
39     tripMeta,
40     setTripMeta,
41     budgetCalculations,
42     isBudgetWarningDismissed,
43     setIsBudgetWarningDismissed,
44     scheduleWarnings,
45     personCount,
46     setPersonCount,
47     showToast,
48     setActivePage,
49     goBack,
50     setShowExportModal
51   } = useApp();
52
53   const [showShareModal, setShowShareModal] = useState(false);
54   const [isEditingBudget, setIsEditingBudget] = useState(false);
55   const [tempBudget, setTempBudget] = useState(tripMeta.budget || 6000);
56
57   const displayedItems = tripItems;
58
59   const handleBudgetSubmit = (e) => {
60     e.preventDefault();
61     const val = Math.max(0, Number(tempBudget) || 0);
62     setTripMeta(prev => ({
63       ...prev,
64       budget: val,
65       budgetPaise: val * 100
66     }));
67     setIsBudgetWarningDismissed(false); // reset dismissal on budget edit
68     setIsEditingBudget(false);
69     showToast(`Budget ceiling updated to ₹${val.toLocaleString()}`);
70   };
71
72   const handleTravellerChange = (newCount) => {
73     if (newCount < 1) return;
74     setTripMeta(prev => ({ ...prev, travellers: newCount }));
75     setPersonCount(newCount);

```

```

76     showToast(`Updated travellers to ${newCount}`);
77 };
78
79 const getItemCategoryIcon = (category) => {
80   const cat = (category || '').toLowerCase();
81   if (cat.includes('stay') || cat.includes('hotel') || cat.includes('hostel')) {
82     return <Bed className="w-4 h-4 text-amber-600" />;
83   }
84   if (cat.includes('food') || cat.includes('restaurant') || cat.includes('dhaba')) {
85     return <UtensilsCrossed className="w-4 h-4 text-orange-600" />;
86   }
87   if (cat.includes('attraction') || cat.includes('place')) {
88     return <Landmark className="w-4 h-4 text-blue-600" />;
89   }
90   if (cat.includes('nearby') || cat.includes('transport') || cat.includes('travel')) {
91     return <Compass className="w-4 h-4 text-lavender-600" />;
92   }
93   return <Briefcase className="w-4 h-4 text-slate-600" />;
94 };
95
96 const getItemLineTotal = (item) => {
97   if (item.isUnknownPrice || item.price === null || item.price === undefined) return null;
98   const cat = (item.category || '').toLowerCase();
99   const qty = item.quantity || 1;
100  const travellers = Number(tripMeta.travellers) || 1;
101
102  if (cat.includes('stay') || cat.includes('hotel') || cat.includes('hostel')) {
103    return (item.price || 0) * (item.rooms || 1) * qty;
104  }
105  if (cat.includes('food') || cat.includes('restaurant') || cat.includes('dhaba')) {
106    return (item.price || 0) * travellers * qty;
107  }
108  if (cat.includes('attraction') || cat.includes('place')) {
109    return (item.price || 0) * travellers * qty;
110  }
111  if (cat.includes('transport') || cat.includes('travel') || cat.includes('nearby') || item.mode ||
112  item.isVehicleRate) {
113    if (item.isVehicleRate) {
114      return (item.price || 0) * qty;
115    }
116    return (item.price || 0) * travellers * qty;
117  }
118  return (item.price || 0) * qty;
119 };
120
121 return (
122   <div className="space-y-6 pb-24 max-w-6xl mx-auto">
123     <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-4 pb-4 border-b
124     border-slate-200">
125       <div className="flex items-center gap-3">
126         <button
127           type="button"
128           onClick={goBack}
129           className="p-2 rounded-xl border border-slate-200 bg-white hover:bg-slate-50 text-slate-600
130           transition-colors cursor-pointer flex items-center gap-1.5 text-xs font-semibold shrink-0"
131           title="Go Back">
132           <ArrowLeft className="w-3.5 h-3.5" />
133           <span className="hidden sm:inline">Back</span>
134         </button>
135         <div>
136           <div className="flex items-center gap-2">
137             <span className="p-1 rounded-md bg-teal-100 text-teal-800">
138               <Briefcase className="w-4 h-4" />
139             </span>
140             <h1 className="text-2xl sm:text-3xl font-bold text-slate-900">
141               My Trip Planner & Budget Engine
142             </h1>
143           </div>
144           <p className="text-xs sm:text-sm text-slate-500 mt-1">
145             Transparent itinerary and expense planner with verified local tariffs.
146           </p>
147         </div>
148       </div>
149       <div>
150         <div className="flex flex-wrap items-center gap-2 self-start sm:self-auto">
151           <button

```

```

152         type="button"
153         onClick={duplicateTrip}
154         className="px-3 py-1.5 bg-white border border-slate-200 text-slate-700 hover:bg-slate-50 rounded-xl
text-xs font-semibold flex items-center gap-1.5 shadow-2xs transition-colors"
155     >
156         <Copy className="w-3.5 h-3.5 text-slate-500" />
157         <span>Duplicate Trip</span>
158     </button>
159
160     <button
161         type="button"
162         onClick={() => setShowShareModal(true)}
163         className="px-3 py-1.5 bg-white border border-slate-200 text-slate-700 hover:bg-slate-50 rounded-xl
text-xs font-semibold flex items-center gap-1.5 shadow-2xs transition-colors"
164     >
165         <Share2 className="w-3.5 h-3.5 text-teal-600" />
166         <span>Share Trip</span>
167     </button>
168
169     <button
170         type="button"
171         onClick={() => setShowExportModal(true)}
172         className="px-3.5 py-1.5 bg-teal-700 hover:bg-teal-800 text-white rounded-xl text-xs font-semibold flex
items-center gap-1.5 shadow-xs transition-all"
173     >
174         <Download className="w-3.5 h-3.5" />
175         <span>Export Estimate (PDF)</span>
176     </button>
177 </div>
178 </div>
179
180 /* SECTION 15: Dismissible Budget Limit Alert */
181 {budgetCalculations.isOverBudget && !isBudgetWarningDismissed && (
182     <div className="bg-rose-50 border-2 border-rose-300 p-4 rounded-2xl text-rose-900 flex items-start
justify-between gap-3 shadow-xs animate-in fade-in duration-200">
183         <div className="flex items-start gap-3">
184             <div className="p-1.5 bg-rose-100 text-rose-700 rounded-lg shrink-0 mt-0.5">
185                 <AlertTriangle className="w-5 h-5" />
186             </div>
187             <div>
188                 <h3 className="text-sm font-bold text-rose-950">
189                     Tiny pause, you have reached your limit.
190                 </h3>
191                 <p className="text-xs text-rose-800 mt-0.5 leading-relaxed">
192                     Your estimated trip cost of
193                     <strong> { budgetCalculations.grandTotal.toLocaleString('en-IN') }
194                     <strong> { budgetCalculations.userBudget.toLocaleString('en-IN') }
195                     <strong> { Math.abs(budgetCalculations.difference).toLocaleString('en-IN') }
196                     excursion or choosing a budget stay.
197                 </p>
198             </div>
199         </div>
200         <button
201             type="button"
202             onClick={() => setIsBudgetWarningDismissed(true)}
203             className="p-1 rounded-md text-rose-500 hover:bg-rose-100 hover:text-rose-700 transition-colors"
204             title="Dismiss warning for this session"
205         >
206             <X className="w-4 h-4" />
207         </button>
208     </div>
209 )}
210
211 /* Schedule Feasibility Warnings (Section 27: warnings for tightly scheduled days with >= 5 stops) */
212 {Object.keys(scheduleWarnings).length > 0 && (
213     <div className="space-y-2">
214         {Object.entries(scheduleWarnings).map(([day, warningText]) => (
215             <div
216                 key={day}
217                 className="bg-amber-50 border border-amber-300 p-3 rounded-xl text-amber-900 text-xs flex
items-center gap-2.5 shadow-2xs"
218             >
219                 <AlertCircle className="w-4 h-4 text-amber-700 shrink-0" />
220                 <span><strong>Schedule Feasibility Notice:</strong> {warningText}</span>
221             </div>
222         ))}
223     </div>
224 )}

```

```

222     /* Meta Controls Ribbon: Travellers, Date, Target Budget */
223     <div className="grid grid-cols-1 sm:grid-cols-2 gap-3 bg-white p-4 rounded-2xl border border-slate-200
shadow-xs">
224     /* 1. Travellers Selector */
225     <div className="flex items-center justify-between p-2.5 bg-slate-50 rounded-xl border border-slate-100">
226     <div className="flex items-center gap-2 text-xs">
227     <Users className="w-4 h-4 text-teal-700" />
228     <span className="font-semibold text-slate-700">Travellers:</span>
229     </div>
230     <div className="flex items-center gap-2">
231     <button
232     type="button"
233     onClick={() => handleTravellerChange(tripMeta.travellers - 1)}
234     disabled={tripMeta.travellers <= 1}
235     className="w-6 h-6 rounded-md bg-white border border-slate-200 flex items-center justify-center
text-slate-600 hover:bg-slate-100 disabled:opacity-40 disabled:cursor-not-allowed"
236     >
237     <Minus className="w-3 h-3" />
238     </button>
239     <span className="text-xs font-bold text-slate-800 w-4 text-center">
240     {tripMeta.travellers}
241     </span>
242     <button
243     type="button"
244     onClick={() => handleTravellerChange(tripMeta.travellers + 1)}
245     className="w-6 h-6 rounded-md bg-white border border-slate-200 flex items-center justify-center
text-slate-600 hover:bg-slate-100"
246     >
247     <Plus className="w-3 h-3" />
248     </button>
249     </div>
250     </div>
251
252     /* 2. Target Budget (Direct Variable Input) */
253     <div className="flex items-center justify-between p-2.5 bg-slate-50 rounded-xl border border-slate-100">
254     <div className="text-xs">
255     <span className="font-semibold text-slate-700 block">Budget Limit:</span>
256     <span className="text-[10px] text-slate-400">Ceiling for warnings</span>
257     </div>
258     <div className="flex items-center gap-1.5">
259     <div className="flex items-center bg-white border border-slate-200 rounded-xl px-2.5 py-1 shadow-2xs
focus-within:ring-2 focus-within:ring-teal-500/20 focus-within:border-teal-600">
260         <span className="text-xs font-bold text-slate-500">
261         <input
262         type="number"
263         min="0"
264         step="500"
265         value={tripMeta.budget || ''}
266         onChange={(e) => {
267             const val = Math.max(0, Number(e.target.value) || 0);
268             setTripMeta(prev => ({ ...prev, budget: val, budgetPaise: val * 100 }));
269             setIsBudgetWarningDismissed(false);
270         }}
271         className="w-20 sm:w-28 text-xs sm:text-sm font-bold text-slate-900 focus:outline-none
bg-transparent"
272         placeholder="6000"
273         />
274     </div>
275     <div className="flex flex-col gap-0.5">
276     <button
277     type="button"
278     onClick={() => {
279         const val = (tripMeta.budget || 0) + 1000;
280         setTripMeta(prev => ({ ...prev, budget: val, budgetPaise: val * 100 }));
281         setIsBudgetWarningDismissed(false);
282     }}
283     className="px-1.5 py-0.5 bg-white border border-slate-200 rounded text-[9px] font-bold
text-slate-600 hover:bg-slate-100 cursor-pointer transition-colors"
284         title="Add 11, 000"
285     >
286     +1k
287     </button>
288     <button
289     type="button"
290     onClick={() => {
291         const val = Math.max(0, (tripMeta.budget || 0) - 1000);
292         setTripMeta(prev => ({ ...prev, budget: val, budgetPaise: val * 100 }));
293         setIsBudgetWarningDismissed(false);
294     }}

```

```

295         className="px-1.5 py-0.5 bg-white border border-slate-200 rounded text-[9px] font-bold
text-slate-600 hover:bg-slate-100 cursor-pointer transition-colors"
296             title = " S u b t r a c t   1 1 , 0 0 0 "
297     >
298     -1k
299     </button>
300 </div>
301 </div>
302 </div>
303 </div>
304
305 /* Main Layout & Cost Summary */
306 <div className="grid grid-cols-1 lg:grid-cols-12 gap-6 items-start">
307     /* Left Itinerary Column (8 cols) */
308     <div className="lg:col-span-8 space-y-4">
309         /* Header */
310         <div className="flex items-center justify-between border-b border-slate-200 pb-3">
311             <div className="flex items-center gap-2">
312                 <h2 className="text-base font-bold text-slate-900">Planned Itinerary Items</h2>
313                 <span className="px-2.5 py-0.5 rounded-full text-xs font-bold bg-teal-50 text-teal-800 border
border-teal-200">
314                     {tripItems.length} {tripItems.length === 1 ? 'item' : 'items'}
315                 </span>
316             </div>
317         </div>
318
319         /* List of Trip Items */
320         {displayedItems.length === 0 ? (
321             <div className="bg-white rounded-3xl border border-dashed border-slate-200 p-10 text-center space-y-3">
322                 <Briefcase className="w-10 h-10 text-slate-300 mx-auto" />
323                 <h3 className="text-base font-bold text-slate-700">No items scheduled for this view</h3>
324                 <p className="text-xs text-slate-500 max-w-sm mx-auto">
325                     Explore the verified directories to add hotels, dining, heritage sights, and bus/train legs to your
plan.
326                 </p>
327                 <div className="flex flex-wrap items-center justify-center gap-2 pt-2">
328                     <button
329                         onClick={() => setActivePage('stays')}
330                         className="px-3 py-1.5 bg-amber-500 hover:bg-amber-600 text-white rounded-xl text-xs
font-semibold"
331                     >
332                         Browse Stays
333                     </button>
334                     <button
335                         onClick={() => setActivePage('food')}
336                         className="px-3 py-1.5 bg-orange-500 hover:bg-orange-600 text-white rounded-xl text-xs
font-semibold"
337                     >
338                         Browse Food
339                     </button>
340                     <button
341                         onClick={() => setActivePage('places')}
342                         className="px-3 py-1.5 bg-blue-600 hover:bg-blue-700 text-white rounded-xl text-xs font-semibold"
343                     >
344                         Browse Places
345                     </button>
346                 </div>
347             </div>
348         ) : (
349             <div className="space-y-3">
350                 {displayedItems.map((item, index) => {
351                     const isExcluded = item.isUnknownPrice || item.price === null || item.price === undefined;
352                     const cat = (item.category || '').toLowerCase();
353                     const isVehicle = item.isVehicleRate;
354
355                     return (
356                         <div
357                             key={item.id}
358                             className="bg-white rounded-2xl border border-slate-200 p-4 shadow-xs hover:border-teal-300
transition-all flex flex-col sm:flex-row items-start sm:items-center justify-between gap-4"
359                         >
360                             /* Left Details */
361                             <div className="flex items-start gap-3 min-w-0">
362                                 <div className="p-2 bg-slate-50 rounded-xl shrink-0 mt-0.5">
363                                     {getItemCategoryIcon(item.category)}
364                                 </div>
365
366                                 <div className="min-w-0 space-y-1">
367                                     <div className="flex flex-wrap items-center gap-1.5">

```

```

368         <h3 className="text-sm font-bold text-slate-900 truncate">
369             {item.title || item.name}
370         </h3>
371         <span className="text-[10px] font-semibold px-2 py-0.5 rounded-md bg-slate-100
text-slate-600 capitalize">
372             {item.category}
373         </span>
374         {isVehicle && (
375             <span className="text-[10px] font-bold px-1.5 py-0.5 rounded bg-emerald-50
text-emerald-700 border border-emerald-200">
376                 Vehicle Fare (Flat)
377             </span>
378         )}
379     </div>
380
381     <p className="text-xs text-slate-500 line-clamp-1">
382         {item.location || item.sublabel}
383     </p>
384
385     {/* Transparent tariff calculation breakdown */}
386     {!isExcluded && (
387         <div className="text-[10px] font-semibold text-teal-800 bg-teal-50/90 px-2 py-0.5
rounded-md inline-flex items-center gap-1 border border-teal-100">
388             {cat.includes('food') ? (
389                 <span>¹ {item.price} × {tripMeta.t
meal{(item.quantity || 1) > 1 ? 's' : ''}</span>
390                 ) : cat.includes('attraction') ? (
391                     <span>¹ {item.price} × {tripMeta.t
1 ? 's' : ''} × {item.quantity || 1} entry</span>
392                 ) : ((cat.includes('transport') || cat.includes('travel')) && !isVehicle) ? (
393                     <span>¹ {item.price} × {tripMeta.t
> 1 ? 's' : ''} × {item.quantity || 1} leg</span>
394                 ) : isVehicle ? (
395                     <span>¹ {item.price} flat vehicle
396                 ) : cat.includes('stay') ? (
397                     <span>¹ {item.price} × {item.quant
''}</span>
398                 ) : (
399                     <span>¹ {item.price} × {item.quant
400                 )}
401             </div>
402         )}
403
404     {/* Section 16 Notice for Excluded item */}
405     {isExcluded && (
406         <div className="text-[10px] font-semibold text-amber-700 bg-amber-50 px-2 py-0.5 rounded
border border-amber-200 inline-block">
407             Price unknown / unverified – excluded from total
408         </div>
409     )}
410 </div>
411 </div>
412
413 {/* Right Controls: Quantity, Line Total, Trash */}
414 <div className="flex items-center gap-3 self-end sm:self-center shrink-0">
415     {/* Quantity / Multiplier */}
416     <div className="text-left">
417         <label className="text-[10px] text-slate-400 block font-medium">Quantity</label>
418         <div className="flex items-center gap-1 bg-slate-50 border border-slate-200 rounded-lg
px-1.5 py-0.5">
419             <button
420                 type="button"
421                 onClick={() => updateItemQuantity(item.id, (item.quantity || 1) - 1)}
422                 className="text-slate-500 hover:text-slate-800 p-0.5"
423             >
424                 <Minus className="w-3 h-3" />
425             </button>
426             <span className="text-xs font-bold text-slate-800 w-4 text-center">
427                 {item.quantity || 1}
428             </span>
429             <button
430                 type="button"
431                 onClick={() => updateItemQuantity(item.id, (item.quantity || 1) + 1)}
432                 className="text-slate-500 hover:text-slate-800 p-0.5"
433             >
434                 <Plus className="w-3 h-3" />
435             </button>
436         </div>
437     </div>

```

```

438
439         { /* Line Cost */ }
440         <div className="text-right min-w-[70px]">
441             <span className="text-[10px] text-slate-400 block font-medium">Total</span>
442             <span className="text-sm font-extrabold text-slate-900">
443                 {getItemLineTotal(item) === null ? (
444                     <span className="text-xs text-amber-600 font-medium">Excluded</span>
445                 ) : (
446                     ` $ { getItemLineTotal ( item ) . toLocale
447                 ) } }
448             </span>
449         </div>
450
451         { /* Remove Button */ }
452         <button
453             type="button"
454             onClick={() => removeFromTrip(item.id)}
455             className="p-1.5 text-slate-300 hover:text-rose-600 rounded-lg transition-colors"
456             title="Remove from itinerary"
457         >
458             <Trash2 className="w-4 h-4" />
459         </button>
460     </div>
461 </div>
462 );
463 } } }
464 </div>
465 })
466 </div>
467
468 { /* Right Cost Summary & SIH Engine (4 cols) */ }
469 <div className="lg:col-span-4 sticky top-20 space-y-4">
470     <div className="bg-white rounded-3xl border border-slate-200 p-5 shadow-xs space-y-4">
471         <div className="flex items-center justify-between pb-3 border-b border-slate-100">
472             <h2 className="text-sm font-bold text-slate-900 flex items-center gap-1.5">
473                 <ShieldCheck className="w-4 h-4 text-teal-700" />
474                 <span>Budget Calculation Engine</span>
475             </h2>
476             <span className="text-[10px] text-teal-800 bg-teal-50 px-2 py-0.5 rounded-full font-bold border
border-teal-200">
477                 Integer Paise
478             </span>
479         </div>
480
481         { /* Category Line Totals adhering to Section 16 */ }
482         <div className="space-y-2.5 text-xs text-slate-600">
483             <div className="flex items-center justify-between">
484                 <span className="flex items-center gap-1.5">
485                     <Bed className="w-3.5 h-3.5 text-amber-500" />
486                     <span>Stays & Accommodations:</span>
487                 </span>
488                 <span className="font-bold text-slate-800">
489                     ` $ { budgetCalculations . staysTotal . toLocaleString
490                 </span>
491             </div>
492
493             <div className="flex items-center justify-between">
494                 <span className="flex items-center gap-1.5">
495                     <UtensilsCrossed className="w-3.5 h-3.5 text-orange-500" />
496                     <span>Food & Dining ({tripMeta.travellers} {tripMeta.travellers === 1 ? 'person' :
'persons'})</span>
497                 </span>
498                 <span className="font-bold text-slate-800">
499                     ` $ { budgetCalculations . foodTotal . toLocaleString
500                 </span>
501             </div>
502
503             <div className="flex items-center justify-between">
504                 <span className="flex items-center gap-1.5">
505                     <Landmark className="w-3.5 h-3.5 text-blue-500" />
506                     <span>Monuments & Attractions:</span>
507                 </span>
508                 <span className="font-bold text-slate-800">
509                     ` $ { budgetCalculations . placesTotal . toLocaleString
510                 </span>
511             </div>
512
513             <div className="flex items-center justify-between">
514                 <span className="flex items-center gap-1.5">

```

```

515         <Compass className="w-3.5 h-3.5 text-lavender-500" />
516         <span>Public & Vehicle Transport:</span>
517     </span>
518     <span className="font-bold text-slate-800">
519         1 { budgetCalculations.transportTotal.toLocaleString(
520     </span>
521 </div>
522
523     {budgetCalculations.excludedItemsCount > 0 && (
524 text-[11px]">
525         <span>Excluded Unverified Items:</span>
526         <span className="font-bold">{budgetCalculations.excludedItemsCount} items</span>
527     </div>
528     )}
529 </div>
530
531 {/* Grand Total */}
532 <div className="pt-3 border-t border-slate-200 bg-slate-50 p-3.5 rounded-2xl space-y-1">
533     <div className="flex items-center justify-between">
534         <span className="text-xs font-bold text-slate-700">Grand Total:</span>
535         <span className="text-xl font-black text-teal-900">
536             1 { budgetCalculations.grandTotal.toLocaleString(
537         </span>
538     </div>
539     <div className="flex items-center justify-between text-[10px] text-slate-500">
540         <span>Internal Integer Paise:</span>
541         <span className="font-mono">{budgetCalculations.grandTotalPaise} p</span>
542     </div>
543     <div className="flex items-center justify-between text-[10px] text-slate-500 pt-1 border-t
border-slate-200/60">
544         <span>Target Budget Limit:</span>
545         <span> 1 { ( tripMeta.budget || 0 ).toLocaleString( '
546     </div>
547     <div className="flex items-center justify-between text-[11px] font-bold pt-0.5">
548         <span>Variance:</span>
549         <span className={budgetCalculations.isOverBudget ? 'text-rose-600' : 'text-emerald-700'}>
550             {budgetCalculations.isOverBudget
551                 ? `+ $ ${ Math.abs(budgetCalculations.difference
552                 : `- $ ${ budgetCalculations.difference.toLocaleString(
553         </span>
554     </div>
555 </div>
556
557 {/* Primary Action Button */}
558 <button
559     type="button"
560     onClick={() => setShowExportModal(true)}
561     className="w-full py-3 bg-teal-600 hover:bg-teal-700 text-white rounded-xl text-xs font-bold flex
items-center justify-center gap-2 shadow-xs transition-all cursor-pointer"
562 >
563     <Download className="w-4 h-4 text-white" />
564     <span>Download PDF Estimate</span>
565 </button>
566 </div>
567
568 {/* Section 16 Reference Card */}
569 <div className="p-4 bg-slate-50 border border-slate-200 rounded-2xl text-[11px] text-slate-500
space-y-1.5">
570     <p className="font-bold text-slate-700">Transparent Tariff Guarantee:</p>
571     <p>1. Taxis and vehicle rentals are flat rates and never multiplied by passenger count.</p>
572     <p>2. Bus and train tickets scale per passenger count.</p>
573     <p>3. Unknown prices are excluded from budget estimates to prevent skewed totals.</p>
574 </div>
575 </div>
576 </div>
577
578 {/* Share Modal */}
579 <ShareTripModal
580     isOpen={showShareModal}
581     onClose={() => setShowShareModal(false)}
582 />
583 </div>
584 );
585 }
586

```

File: src/pages/ProviderDashboardPage.jsx

273 lines

```

1  import React, { useState } from 'react';
2  import {
3    LayoutDashboard,
4    Plus,
5    CheckCircle2,
6    Clock,
7    XCircle,
8    Trash2,
9    Eye,
10   MessageSquare,
11   ExternalLink,
12   ShieldCheck,
13   AlertTriangle,
14   Building2,
15   Calendar,
16   DollarSign,
17   ArrowLeft,
18   MapPin
19 } from 'lucide-react';
20 import { useApp } from '../context/AppContext';
21
22 export default function ProviderDashboardPage() {
23   const {
24     providerListings,
25     deleteProviderListing,
26     setActivePage,
27     currentUserId,
28     currentProviderId,
29     changeUserRole,
30     setViewDetailsItem,
31     showToast
32   } = useApp();
33
34   const [activeTab, setActiveTab] = useState('all'); // 'all' | 'Approved' | 'Pending Review' | 'Rejected'
35
36   // Show all registered provider listings so users and testers can view all filings
37   const myListings = providerListings;
38
39   const filteredListings = myListings.filter(l => {
40     if (activeTab === 'all') return true;
41     return l.status.toLowerCase() === activeTab.toLowerCase();
42   });
43
44   const getStatusBadge = (status) => {
45     switch (status) {
46       case 'Approved':
47         return (
48           <span className="px-2.5 py-0.5 rounded-full text-xs font-bold bg-emerald-50 text-emerald-700 border
border-emerald-200 flex items-center gap-1">
49             <CheckCircle2 className="w-3.5 h-3.5" />
50             <span>Approved</span>
51           </span>
52         );
53       case 'Pending Review':
54         return (
55           <span className="px-2.5 py-0.5 rounded-full text-xs font-bold bg-amber-50 text-amber-700 border
border-amber-200 flex items-center gap-1">
56             <Clock className="w-3.5 h-3.5" />
57             <span>Pending Review</span>
58           </span>
59         );
60       case 'Rejected':
61         return (
62           <span className="px-2.5 py-0.5 rounded-full text-xs font-bold bg-rose-50 text-rose-700 border
border-rose-200 flex items-center gap-1">
63             <XCircle className="w-3.5 h-3.5" />
64             <span>Rejected</span>
65           </span>
66         );
67       default:
68         return (
69           <span className="px-2.5 py-0.5 rounded-full text-xs font-medium bg-slate-100 text-slate-600">
70             {status}
71           </span>
72         );

```

```

73     }
74   };
75
76   return (
77     <div className="space-y-6 pb-24 max-w-6xl mx-auto">
78       {/* Top Action Ribbon */}
79       <div className="flex items-center justify-between">
80         <button
81           type="button"
82           onClick={() => {
83             changeUserRole('traveller');
84             setActivePage('home');
85           }}
86           className="px-3 py-1.5 rounded-xl border border-slate-200 bg-white hover:bg-slate-50 text-slate-700
transition-colors cursor-pointer flex items-center gap-1.5 text-xs font-bold shadow-2xs"
87           title="Return to Traveller View"
88         >
89           <ArrowLeft className="w-3.5 h-3.5" />
90           <span>Back to Traveller Home</span>
91         </button>
92
93         <span className="text-xs font-bold text-teal-800 bg-teal-50 px-3 py-1 rounded-full border border-teal-200
flex items-center gap-1.5">
94           <ShieldCheck className="w-3.5 h-3.5 text-teal-600" />
95           <span>Active Provider: {currentProviderId || 'prov-user-1'}</span>
96         </span>
97       </div>
98
99       {/* Page Header */}
100      <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-4 pb-4 border-b
border-slate-200">
101        <div>
102          <div className="flex items-center gap-2">
103            <span className="p-1 rounded-md bg-teal-100 text-teal-800">
104              <LayoutDashboard className="w-4 h-4" />
105            </span>
106            <h1 className="text-2xl sm:text-3xl font-bold text-slate-900">
107              Provider Portal & Operations
108            </h1>
109          </div>
110          <p className="text-xs sm:text-sm text-slate-500 mt-1">
111            Manage your verified travel listings, inspect tariffs, and review admin feedback.
112          </p>
113        </div>
114
115        <div className="flex items-center gap-3">
116          <button
117            type="button"
118            onClick={() => setActivePage('add-service')}
119            className="px-4 py-2 bg-teal-600 hover:bg-teal-700 text-white rounded-xl text-xs font-bold flex
items-center gap-2 shadow-xs transition-all cursor-pointer"
120          >
121            <Plus className="w-4 h-4 text-white" />
122            <span>+ Add New Service</span>
123          </button>
124        </div>
125      </div>
126
127      {/* Provider KPI Cards */}
128      <div className="grid grid-cols-1 sm:grid-cols-4 gap-4">
129        <div className="bg-white p-4 rounded-2xl border border-slate-200 shadow-2xs">
130          <span className="text-[11px] text-slate-400 font-semibold block uppercase">Total Filings</span>
131          <span className="text-2xl font-black text-slate-900 mt-1 block">{myListings.length}</span>
132          <span className="text-[10px] text-slate-500 mt-0.5 block">Under provider ID {currentProviderId ||
currentUserId || 'prov-user-1'}</span>
133        </div>
134
135        <div className="bg-white p-4 rounded-2xl border border-slate-200 shadow-2xs">
136          <span className="text-[11px] text-emerald-600 font-semibold block uppercase">Live & Approved</span>
137          <span className="text-2xl font-black text-emerald-700 mt-1 block">
138            {myListings.filter(l => l.status === 'Approved').length}
139          </span>
140          <span className="text-[10px] text-emerald-600/80 mt-0.5 block">Publicly searchable</span>
141        </div>
142
143        <div className="bg-white p-4 rounded-2xl border border-slate-200 shadow-2xs">
144          <span className="text-[11px] text-amber-600 font-semibold block uppercase">Pending Review</span>
145          <span className="text-2xl font-black text-amber-700 mt-1 block">
146            {myListings.filter(l => l.status === 'Pending Review').length}

```

```

147         </span>
148         <span className="text-[10px] text-amber-600/80 mt-0.5 block">In admin queue</span>
149     </div>
150
151     <div className="bg-white p-4 rounded-2xl border border-slate-200 shadow-2xs">
152         <span className="text-[11px] text-lavender-600 font-semibold block uppercase">Monthly Views</span>
153         <span className="text-2xl font-black text-lavender-700 mt-1 block">1,480</span>
154         <span className="text-[10px] text-lavender-600/80 mt-0.5 block">+18% this week</span>
155     </div>
156 </div>
157
158 {/* Filter Tabs */}
159 <div className="flex items-center gap-2 border-b border-slate-200 pb-2">
160     {[ 'all', 'Approved', 'Pending Review', 'Rejected' ].map((tab) => (
161         <button
162             key={tab}
163             type="button"
164             onClick={() => setActiveTab(tab)}
165             className={`px-3.5 py-1.5 rounded-xl text-xs font-semibold transition-all capitalize ${
166                 activeTab === tab
167                     ? 'bg-teal-600 text-white shadow-xs'
168                     : 'bg-white text-slate-600 hover:bg-slate-100 border border-slate-200'
169             }}
170         >
171             {tab === 'all' ? `All Listings (${myListings.length})` : `${tab} (${myListings.filter(l => l.status ===
172 tab).length)} )` }
173         </button>
174     )]}
175 </div>
176
177 {/* Listings List */}
178 <div className="space-y-4">
179     {filteredListings.length === 0 ? (
180         <div className="bg-white rounded-3xl border border-dashed border-slate-200 p-10 text-center space-y-3">
181             <div className="w-12 h-12 rounded-2xl bg-teal-50 text-teal-700 flex items-center justify-center
182 mx-auto">
183                 <LayoutDashboard className="w-6 h-6" />
184             </div>
185             <p className="text-sm font-bold text-slate-800">No listings found in this tab</p>
186             <p className="text-xs text-slate-500 max-w-sm mx-auto">
187                 Register your hotel, hostel, restaurant, or excursion to reach thousands of verified travellers.
188             </p>
189             <button
190                 type="button"
191                 onClick={() => setPage('add-service')}
192                 className="px-4 py-2 bg-teal-600 hover:bg-teal-700 text-white rounded-xl text-xs font-bold
193 inline-flex items-center gap-1.5 shadow-xs cursor-pointer mt-2">
194                 >
195                 <Plus className="w-4 h-4" />
196                 <span>Register New Service</span>
197             </button>
198         </div>
199     ) : (
200         filteredListings.map((listing) => (
201             <div
202                 key={listing.id}
203                 className="bg-white rounded-2xl border border-slate-200 p-4 shadow-xs hover:border-teal-300
204 transition-all flex flex-col sm:flex-row items-start sm:items-center justify-between gap-4"
205             >
206                 {/* Left Details */}
207                 <div className="flex items-start gap-3 min-w-0">
208                     <div className="w-14 h-14 rounded-xl bg-slate-100 overflow-hidden shrink-0 border
209 border-slate-200">
210                         <img src={listing.image} alt={listing.name} className="w-full h-full object-cover" />
211                     </div>
212                     <div className="min-w-0 space-y-1">
213                         <div className="flex flex-wrap items-center gap-2">
214                             <h3 className="text-sm font-bold text-slate-900 truncate">{listing.name}</h3>
215                             <span className="text-[10px] font-semibold px-2 py-0.5 rounded-md bg-slate-100 text-slate-600
216 capitalize">
217                                 {listing.category}
218                             </span>
219                             {getStatusBadge(listing.status)}
220                         </div>
221                         <div className="flex items-center gap-2 text-xs text-slate-500">
222                             <MapPin className="w-3.5 h-3.5 text-slate-400 shrink-0" />
223                             <span className="truncate">{listing.neighbourhood || listing.address || 'Bhopal'}</span>
224                         </div>
225                     </div>
226                 </div>
227             </div>
228         )
229     )
230 }
231 </div>

```

```

220                </div>
221
222                <div className="flex items-center gap-3 text-xs">
223                    <span className="font-bold text-slate-900">
224                        1 { l i s t i n g . p r i c e }
225                    <span className="font-normal text-slate-400 text-[11px] ml-1">
226                        /{listing.unit || listing.priceUnit}
227                    </span>
228                </span>
229                <span>•</span>
230                <span className="text-slate-400 text-[11px]">Updated: {listing.lastUpdated || 'Jan
2026'}</span>
231            </div>
232
233            { /* Admin Feedback Box if present */ }
234            {listing.reviewFeedback && (
235                <div className="mt-2 text-xs p-2.5 rounded-lg bg-slate-50 border border-slate-200 flex
items-start gap-2">
236                    <MessageSquare className="w-3.5 h-3.5 text-lavender-600 shrink-0 mt-0.5" />
237                    <span className="text-slate-700">
238                        <strong className="text-lavender-800">Admin Feedback:</strong> {listing.reviewFeedback}
239                    </span>
240                </div>
241            )}
242        </div>
243    </div>
244
245    { /* Right Action Buttons */ }
246    <div className="flex items-center gap-2 self-end sm:self-center shrink-0">
247        <button
248            type="button"
249            onClick={() => setViewDetailsItem(listing)}
250            className="px-3 py-1.5 rounded-xl border border-slate-200 text-xs font-semibold text-slate-700
hover:bg-slate-50 flex items-center gap-1 transition-colors"
251        >
252            <Eye className="w-3.5 h-3.5 text-slate-400" />
253            <span>Preview</span>
254        </button>
255
256        <button
257            type="button"
258            onClick={() => deleteProviderListing(listing.id)}
259            className="px-3 py-1.5 rounded-xl border border-rose-200 text-xs font-semibold text-rose-700
hover:bg-rose-50 flex items-center gap-1 transition-colors"
260            title="Withdraw listing"
261        >
262            <Trash2 className="w-3.5 h-3.5" />
263            <span>Withdraw</span>
264        </button>
265    </div>
266 </div>
267 ))
268 }}
269 </div>
270 </div>
271 );
272 }
273

```

File: src/pages/AddServicePage.jsx

644 lines

```

1  import React, { useState } from 'react';
2  import {
3    Building2,
4    MapPin,
5    Upload,
6    X,
7    CheckCircle2,
8    AlertCircle,
9    ShieldCheck,
10   Calendar,
11   Clock,
12   DollarSign,
13   Navigation,
14   ArrowLeft,
15   Image as ImageIcon,
16   FileText,
17   Trash2,
18   Check
19 } from 'lucide-react';
20 import { useApp } from '../context/AppContext';
21
22 export default function AddServicePage() {
23   const {
24     addProviderListing,
25     setActivePage,
26     goBack,
27     selectedCityId,
28     currentProviderId,
29     showToast
30   } = useApp();
31
32   const [formData, setFormData] = useState({
33     name: '',
34     category: 'Stays',
35     cityId: selectedCityId || 'bhopal',
36     neighbourhood: '',
37     lat: '',
38     lng: '',
39     address: '',
40     contact: '',
41     email: '',
42     price: '',
43     priceUnit: 'per room/night',
44     timings: 'Check-in 12:00 PM / Check-out 11:00 AM',
45     amenities: '',
46     description: '',
47     sourceLicense: 'Provider Direct Registration',
48     image: 'https://images.unsplash.com/photo-1566073771259-6a8506099945?auto=format&fit=crop&w=800&q=80',
49     verificationProofDoc: 'MSME / Udyam / Municipal Trade Certificate'
50   });
51
52   const [uploadedImages, setUploadedImages] = useState([
53     'https://images.unsplash.com/photo-1566073771259-6a8506099945?auto=format&fit=crop&w=800&q=80',
54     'https://images.unsplash.com/photo-1590490360182-c33d57733427?auto=format&fit=crop&w=600&q=80'
55   ]);
56   const [coverIndex, setCoverIndex] = useState(0);
57   const [newImageUrl, setNewImageUrl] = useState('');
58   const [docFileName, setDocFileName] = useState('Govt_Trade_Certificate.pdf');
59   const [errors, setErrors] = useState({});
60
61   const handleChange = (field, value) => {
62     setFormData(prev => ({ ...prev, [field]: value }));
63     if (errors[field]) {
64       setErrors(prev => ({ ...prev, [field]: null }));
65     }
66   };
67
68   const handleFileUpload = (e) => {
69     const file = e.target.files?.[0];
70     if (file) {
71       const reader = new FileReader();
72       reader.onload = () => {
73         if (reader.result) {
74           setUploadedImages(prev => [...prev, reader.result]);
75           showToast(`Uploaded ${file.name}`);

```

```

76     }
77     };
78     reader.readAsDataURL(file);
79   }
80 };
81
82 const handleDocUpload = (e) => {
83   const file = e.target.files?.[0];
84   if (file) {
85     setDocFileName(file.name);
86     showToast(`Attached document: ${file.name}`);
87   }
88 };
89
90 const handleAddImageUrl = (e) => {
91   e.preventDefault();
92   if (!newImageUrl.trim()) return;
93   setUploadedImages(prev => [...prev, newImageUrl.trim()]);
94   setNewImageUrl('');
95   showToast('Image added to gallery');
96 };
97
98 const handleRemoveImage = (indexToRemove) => {
99   if (uploadedImages.length <= 1) {
100     showToast('At least one image is required.');
```

```

101     return;
102   }
103   setUploadedImages(prev => prev.filter((_, i) => i !== indexToRemove));
104   if (coverIndex === indexToRemove) {
105     setCoverIndex(0);
106   } else if (coverIndex > indexToRemove) {
107     setCoverIndex(coverIndex - 1);
108   }
109 };
110
111 const handleFillSample = () => {
112   setFormData({
113     name: 'Bhopal Heritage Lake Resort & Suites',
114     category: 'Stays',
115     cityId: 'bhopal',
116     neighbourhood: 'Shamla Hills, Bhopal',
117     lat: '23.2384',
118     lng: '77.3826',
119     address: 'Near Lake View Club, Shamla Hills, Bhopal, MP 462013',
120     contact: '+91 755 244 8899',
121     email: 'reservations@bhopalheritage.in',
122     price: '2800',
123     priceUnit: 'per room/night',
124     timings: 'Check-in 12:00 PM / Check-out 11:00 AM',
125     amenities: 'Lake View Balcony, High-Speed Wi-Fi, Breakfast Included, Free Parking, Air Conditioning',
126     description: 'Boutique lakeside heritage resort offering panoramic views of the Upper Lake, royal
architecture, authentic Malwi cuisine, and eco-friendly hospitality.',
127     sourceLicense: 'MP Tourism Hospitality Board Reg. #BPL-2026-881',
128     image: 'https://images.unsplash.com/photo-1566073771259-6a8506099945?auto=format&fit=crop&w=800&q=80',
129     verificationProofDoc: 'Govt_Hospitality_Trade_License_2026.pdf'
130   });
131   setErrors({});
132   showToast('Filled sample provider listing for Bhopal Heritage Lake Resort!');
133 };
134
135 const validateCoordinates = () => {
136   const errs = {};
137
138   if (!formData.name.trim()) {
139     errs.name = 'Service name is required.';
140   }
141
142   if (formData.lat && isNaN(Number(formData.lat))) {
143     errs.lat = 'Latitude must be a valid number.';
144   }
145
146   if (formData.lng && isNaN(Number(formData.lng))) {
147     errs.lng = 'Longitude must be a valid number.';
148   }
149
150   setErrors(errs);
151   return Object.keys(errs).length === 0;
152 };
153

```

```

154     const handleUseCurrentCoordinates = () => {
155       if (formData.cityId === 'jaipur') {
156         handleChange('lat', '26.9124');
157         handleChange('lng', '75.7873');
158         showToast('Populated Jaipur coordinates (26.9124, 75.7873)');
159       } else {
160         handleChange('lat', '23.2599');
161         handleChange('lng', '77.4126');
162         showToast('Populated Bhopal coordinates (23.2599, 77.4126)');
163       }
164     };
165
166     const handleSubmit = (e) => {
167       e.preventDefault();
168       if (!validateCoordinates()) {
169         showToast('Please enter a valid service name before submitting.');
```

return;

```

170       }
171     }
172
173     const priceNum = formData.price ? Number(formData.price) : 1500;
174     const pricePaise = priceNum * 100;
175     const coverImage = uploadedImages[coverIndex] || uploadedImages[0] || formData.image;
176     const effectiveNeighbourhood = formData.neighbourhood.trim() || (formData.cityId === 'jaipur' ? 'Pink City,
Jaipur' : 'MP Nagar, Bhopal');
177     const defaultLat = formData.cityId === 'jaipur' ? 26.9124 : 23.2599;
178     const defaultLng = formData.cityId === 'jaipur' ? 75.7873 : 77.4126;
179
180     const newListing = {
181       id: `prov-${Date.now()}`,
182       providerId: currentProviderId || 'prov-user-1',
183       name: formData.name.trim(),
184       category: formData.category,
185       cityId: formData.cityId,
186       neighbourhood: effectiveNeighbourhood,
187       location: `${effectiveNeighbourhood}, ${formData.cityId === 'jaipur' ? 'Jaipur' : 'Bhopal'}`,
188       address: formData.address.trim() || effectiveNeighbourhood,
189       lat: formData.lat ? Number(formData.lat) : defaultLat,
190       lng: formData.lng ? Number(formData.lng) : defaultLng,
191       contact: formData.contact || '+91 98000 00000',
192       email: formData.email || 'provider@traar.in',
193       price: priceNum,
194       pricePaise: pricePaise,
195       priceUnit: formData.priceUnit,
196       timings: formData.timings,
197       description: formData.description || 'Verified local establishment registered on TRAAR.',
198       amenities: formData.amenities ? formData.amenities.split(',').map(s => s.trim()) : ['Verified Listing',
'Local Support'],
199       sourceLicense: formData.sourceLicense,
200       image: coverImage,
201       images: uploadedImages,
202       verificationProofDoc: docFileName,
203       status: 'Pending Review',
204       reviewFeedback: 'Submitted and queued for administrative verification.',
205       lastUpdated: 'Just now'
206     };
207
208     addProviderListing(newListing);
209     setActivePage('dashboard');
210   };
211
212   return (
213     <div className="max-w-3xl mx-auto space-y-6 pb-24">
214       { /* Header */ }
215       <div className="flex items-center justify-between pb-4 border-b border-slate-200">
216         <div className="flex items-center gap-3">
217           <button
218             type="button"
219             onClick={goBack}
220             className="p-2 rounded-xl border border-slate-200 bg-white hover:bg-slate-50 text-slate-600
transition-colors cursor-pointer"
221             title="Go Back"
222           >
223             <ArrowLeft className="w-4 h-4" />
224           </button>
225           <div>
226             <h1 className="text-2xl sm:text-3xl font-bold text-slate-900">
227               Register New Tourism Service
228             </h1>
229             <p className="text-xs sm:text-sm text-slate-500">
```

```

230         Provider Verification Onboarding Desk
231     </p>
232 </div>
233 </div>
234
235     <div className="flex items-center gap-2">
236         <button
237             type="button"
238             onClick={handleFillSample}
239             className="px-3 py-1.5 rounded-xl bg-teal-50 hover:bg-teal-100 text-teal-800 border border-teal-200
text-xs font-bold transition-colors cursor-pointer shadow-2xs"
240             title="Auto-fill with verified sample resort details"
241             >
242             '( F i l l   S a m p l e   D a t a
243         </button>
244         <span className="hidden sm:inline-block px-3 py-1.5 bg-slate-100 border border-slate-200 text-slate-700
text-xs font-bold rounded-xl">
245             ID: {currentProviderId || 'prov-user-1'}
246         </span>
247     </div>
248 </div>
249
250     { /* Form Container */ }
251     <form onSubmit={handleSubmit} className="bg-white rounded-3xl border border-slate-200 p-6 sm:p-8 shadow-xs
space-y-6">
252     { /* Section 1: Classification */ }
253     <div className="space-y-4">
254     <h2 className="text-sm font-bold text-slate-900 uppercase tracking-wider text-teal-800 flex items-center
gap-2">
255         <Building2 className="w-4 h-4" />
256         <span>1. Service Category & Destination</span>
257     </h2>
258
259     <div className="grid grid-cols-1 sm:grid-cols-2 gap-4">
260         <div>
261             <label className="block text-xs font-semibold text-slate-700 mb-1">
262                 Category *
263             </label>
264             <select
265                 value={formData.category}
266                 onChange={(e) => {
267                     handleChange('category', e.target.value);
268                     if (e.target.value === 'Stays') {
269                         handleChange('priceUnit', 'per room/night');
270                         handleChange('timings', 'Check-in 12:00 PM / Check-out 11:00 AM');
271                     } else if (e.target.value === 'Food') {
272                         handleChange('priceUnit', 'per person average');
273                         handleChange('timings', '11:00 AM - 11:00 PM');
274                     } else if (e.target.value === 'Places') {
275                         handleChange('priceUnit', 'per person entry');
276                         handleChange('timings', '09:00 AM - 06:00 PM');
277                     } else {
278                         handleChange('priceUnit', 'per person / one way');
279                         handleChange('timings', 'Scheduled departure');
280                     }
281                 }}
282                 className="w-full px-3.5 py-2.5 bg-slate-50 border border-slate-200 rounded-xl text-xs sm:text-sm
text-slate-800 focus:outline-none focus:ring-2 focus:ring-teal-600"
283             >
284                 <option value="Stays">Stays (Hotel, Hostel, PG, Homestay)</option>
285                 <option value="Food">Food (Restaurant, Cafe, Dhaba)</option>
286                 <option value="Places">Places to Visit (Attraction, Monument)</option>
287                 <option value="Nearby Trips">Nearby Trips & Transport (Bus, Taxi)</option>
288             </select>
289         </div>
290
291         <div>
292             <label className="block text-xs font-semibold text-slate-700 mb-1">
293                 Destination City *
294             </label>
295             <input
296                 type="text"
297                 list="citySuggestions"
298                 value={formData.cityId === 'bhopal' ? 'Bhopal (Madhya Pradesh)' : formData.cityId === 'jaipur' ?
'Jaipur (Rajasthan)' : formData.cityId}
299                 onChange={(e) => {
300                     const val = e.target.value.toLowerCase();
301                     if (val.includes('jaipur')) handleChange('cityId', 'jaipur');
302                     else handleChange('cityId', 'bhopal');

```

```

303         }}
304         className="w-full px-3.5 py-2.5 bg-slate-50 border border-slate-200 rounded-xl text-xs sm:text-sm
text-slate-800 focus:outline-none focus:ring-2 focus:ring-teal-600"
305     />
306     <datalist id="citySuggestions">
307         <option value="Bhopal (Madhya Pradesh)" />
308         <option value="Jaipur (Rajasthan)" />
309         <option value="Indore (Madhya Pradesh)" />
310         <option value="Ujjain (Madhya Pradesh)" />
311     </datalist>
312 </div>
313 </div>
314
315 <div>
316     <label className="block text-xs font-semibold text-slate-700 mb-1">
317         Service / Business Name *
318     </label>
319     <input
320         type="text"
321         list="businessNameSuggestions"
322         value={formData.name}
323         onChange={(e) => handleChange('name', e.target.value)}
324         placeholder="e.g. Lakeview Heritage Homestay, Royal Bhopal Sweets, etc."
325         className={`w-full px-3.5 py-2.5 bg-slate-50 border rounded-xl text-xs sm:text-sm text-slate-800
focus:outline-none focus:ring-2 focus:ring-teal-600 ${
326             errors.name ? 'border-rose-400 bg-rose-50/30' : 'border-slate-200'
327         }}`
328     />
329     <datalist id="businessNameSuggestions">
330         <option value="Lakeview Grand Residency" />
331         <option value="Bhopal Heritage Homestay" />
332         <option value="MP Tourism Palace Retreat" />
333         <option value="Nawab Dining & Cafe" />
334     </datalist>
335     {errors.name && <p className="text-[11px] text-rose-600 mt-1">{errors.name}</p>}
336 </div>
337 </div>
338
339 {/* Section 2: Location */}
340 <div className="space-y-4 pt-4 border-t border-slate-100">
341     <div className="flex items-center justify-between">
342         <h2 className="text-sm font-bold text-slate-900 uppercase tracking-wider text-teal-800 flex
items-center gap-2">
343             <MapPin className="w-4 h-4" />
344             <span>2. Location & Verified Coordinates</span>
345         </h2>
346         <button
347             type="button"
348             onClick={handleUseCurrentCoordinates}
349             className="text-xs font-bold text-teal-700 hover:text-teal-800 bg-teal-50 px-2.5 py-1 rounded-lg
border border-teal-200 cursor-pointer"
350         >
351             Use City Centre GPS
352         </button>
353     </div>
354
355     <div className="grid grid-cols-1 sm:grid-cols-2 gap-4">
356         <div>
357             <label className="block text-xs font-semibold text-slate-700 mb-1">
358                 Neighbourhood / Locality *
359             </label>
360             <input
361                 type="text"
362                 list="neighbourhoodSuggestions"
363                 value={formData.neighbourhood}
364                 onChange={(e) => handleChange('neighbourhood', e.target.value)}
365                 placeholder="e.g. Shamlā Hills, MP Nagar Zone-I, Arera Colony"
366                 className={`w-full px-3.5 py-2.5 bg-slate-50 border rounded-xl text-xs sm:text-sm text-slate-800
focus:outline-none focus:ring-2 focus:ring-teal-600 ${
367                     errors.neighbourhood ? 'border-rose-400 bg-rose-50/30' : 'border-slate-200'
368                 }}`
369             />
370             <datalist id="neighbourhoodSuggestions">
371                 <option value="Shamlā Hills" />
372                 <option value="MP Nagar Zone-I" />
373                 <option value="Arera Colony" />
374                 <option value="Bhadbhada Road" />
375                 <option value="VIP Road" />
376             </datalist>

```

```

377         </div>
378
379     <div>
380         <label className="block text-xs font-semibold text-slate-700 mb-1">
381             Full Street Address
382         </label>
383         <input
384             type="text"
385             value={formData.address}
386             onChange={(e) => handleChange('address', e.target.value)}
387             placeholder="Plot no, Landmark, Road, Pin Code"
388             className="w-full px-3.5 py-2.5 bg-slate-50 border border-slate-200 rounded-xl text-xs sm:text-sm
text-slate-800 focus:outline-none focus:ring-2 focus:ring-teal-600"
389         />
390     </div>
391 </div>
392
393 <div className="grid grid-cols-1 sm:grid-cols-2 gap-4">
394     <div>
395         <label className="block text-xs font-semibold text-slate-700 mb-1">
396             Latitude (WGS84 Decimal)
397         </label>
398         <input
399             type="text"
400             value={formData.lat}
401             onChange={(e) => handleChange('lat', e.target.value)}
402             placeholder="e.g. 23.2384"
403             className={`w-full px-3.5 py-2.5 bg-slate-50 border rounded-xl text-xs sm:text-sm text-slate-800
focus:outline-none focus:ring-2 focus:ring-teal-600 ${
404                 errors.lat ? 'border-rose-400 bg-rose-50/30' : 'border-slate-200'
405             }`>
406         />
407     </div>
408
409     <div>
410         <label className="block text-xs font-semibold text-slate-700 mb-1">
411             Longitude (WGS84 Decimal)
412         </label>
413         <input
414             type="text"
415             value={formData.lng}
416             onChange={(e) => handleChange('lng', e.target.value)}
417             placeholder="e.g. 77.3826"
418             className={`w-full px-3.5 py-2.5 bg-slate-50 border rounded-xl text-xs sm:text-sm text-slate-800
focus:outline-none focus:ring-2 focus:ring-teal-600 ${
419                 errors.lng ? 'border-rose-400 bg-rose-50/30' : 'border-slate-200'
420             }`>
421         />
422     </div>
423 </div>
424 </div>
425
426 { /* Section 3: Tariff & Capacity */ }
427 <div className="space-y-4 pt-4 border-t border-slate-100">
428     <h2 className="text-sm font-bold text-slate-900 uppercase tracking-wider text-teal-800 flex items-center
gap-2">
429         <DollarSign className="w-4 h-4" />
430         <span>3. Tariff & Commercials</span>
431     </h2>
432
433     <div className="grid grid-cols-1 sm:grid-cols-2 gap-4">
434         <div>
435             <label className="block text-xs font-semibold text-slate-700 mb-1">
436                 Base Tariff ( 1 Integer ) *
437             </label>
438             <input
439                 type="number"
440                 min="0"
441                 step="1"
442                 required
443                 value={formData.price}
444                 onChange={(e) => handleChange('price', e.target.value)}
445                 placeholder="e.g. 1500"
446                 className="w-full px-3.5 py-2.5 bg-slate-50 border border-slate-200 rounded-xl text-xs sm:text-sm
text-slate-800 font-bold focus:outline-none focus:ring-2 focus:ring-teal-600"
447             />
448         </div>
449
450     </div>

```

```

451         <label className="block text-xs font-semibold text-slate-700 mb-1">
452             Tariff Unit *
453         </label>
454         <input
455             type="text"
456             list="unitSuggestions"
457             value={formData.priceUnit}
458             onChange={(e) => handleChange('priceUnit', e.target.value)}
459             className="w-full px-3.5 py-2.5 bg-slate-50 border border-slate-200 rounded-xl text-xs sm:text-sm
text-slate-800 focus:outline-none focus:ring-2 focus:ring-teal-600"
460         />
461         <datalist id="unitSuggestions">
462             <option value="per room/night" />
463             <option value="per person" />
464             <option value="per person average" />
465             <option value="per person entry" />
466             <option value="vehicle rate" />
467         </datalist>
468     </div>
469 </div>
470 </div>
471
472     {/ * Section 4: Multi-Image Upload & Card Cover Selection (Item 17) */}
473     <div className="space-y-4 pt-4 border-t border-slate-100">
474         <h2 className="text-sm font-bold text-slate-900 uppercase tracking-wider text-teal-800 flex items-center
gap-2">
475             <ImageIcon className="w-4 h-4" />
476             <span>4. Photos, Media & Main Card Cover Image</span>
477         </h2>
478
479         <div>
480             <div className="flex flex-wrap gap-2 mb-3">
481                 <label className="px-3.5 py-2 rounded-xl bg-teal-50 border border-teal-200 text-teal-800
hover:bg-teal-100 text-xs font-bold cursor-pointer inline-flex items-center gap-1.5 transition-colors">
482                     <Upload className="w-3.5 h-3.5" />
483                     <span>Upload Photos from Device</span>
484                     <input
485                         type="file"
486                         accept="image/*"
487                         onChange={handleFileUpload}
488                         className="hidden"
489                     />
490                 </label>
491             </div>
492
493             {/ * Direct URL input */}
494             <div className="flex gap-2 mb-3">
495                 <input
496                     type="url"
497                     value={newImageUrl}
498                     onChange={(e) => setNewImageUrl(e.target.value)}
499                     placeholder="Or paste an image web URL..."
500                     className="flex-1 px-3 py-1.5 bg-slate-50 border border-slate-200 rounded-xl text-xs text-slate-800
focus:outline-none focus:ring-1 focus:ring-teal-600"
501                 />
502                 <button
503                     type="button"
504                     onClick={handleAddImageUrl}
505                     className="px-3 py-1.5 bg-slate-800 text-white rounded-xl text-xs font-bold hover:bg-slate-900
cursor-pointer"
506                 >
507                     Add URL
508                 </button>
509             </div>
510
511             {/ * Uploaded Photos Grid with "Set as Main Card Cover" */}
512             <div className="grid grid-cols-2 sm:grid-cols-4 gap-3 pt-1">
513                 {uploadedImages.map((img, idx) => {
514                     const isCover = coverIndex === idx;
515                     return (
516                         <div
517                             key={idx}
518                             className={`relative rounded-xl overflow-hidden border-2 transition-all group ${
519                                 isCover ? 'border-teal-600 ring-2 ring-teal-500/20 shadow-xs' : 'border-slate-200'
520                             }`}
521                         >
522                             <img src={img} alt="Uploaded" className="w-full h-24 object-cover" />
523                             <button
524
```

```

525         type="button"
526         onClick={() => handleRemoveImage(idx)}
527         className="absolute top-1.5 right-1.5 p-1 rounded-full bg-slate-900/70 text-white
hover:bg-rose-600 transition-colors cursor-pointer"
528         title="Remove photo"
529     >
530     <Trash2 className="w-3 h-3" />
531 </button>
532
533     <button
534         type="button"
535         onClick={() => {
536             setCoverIndex(idx);
537             showToast(`Image #${idx + 1} set as main cover.`);
538         }}
539         className={`w-full py-1 text-[10px] font-bold flex items-center justify-center gap-1
transition-colors cursor-pointer ${
540             isCover
541             ? 'bg-teal-600 text-white'
542             : 'bg-slate-900/70 hover:bg-slate-900 text-white backdrop-blur-xs'
543         }`}
544     >
545         {isCover ? (
546             <>
547                 <Check className="w-3 h-3" />
548                 <span>Main Cover</span>
549             </>
550         ) : (
551             <span>Set as Cover</span>
552         )}
553     </button>
554 </div>
555 );
556 }}}}
557 </div>
558 </div>
559 </div>
560
561 /* Section 5: Verification Document Upload */
562 <div className="space-y-4 pt-4 border-t border-slate-100">
563     <h2 className="text-sm font-bold text-slate-900 uppercase tracking-wider text-teal-800 flex items-center
gap-2">
564         <FileText className="w-4 h-4" />
565         <span>5. Government Trade License & Compliance Document</span>
566     </h2>
567
568     <div className="p-4 bg-slate-50 rounded-2xl border border-slate-200 space-y-3">
569         <div className="flex items-center justify-between">
570             <div>
571                 <span className="text-xs font-bold text-slate-800 block">
572                     Registry Document / License Proof
573                 </span>
574                 <span className="text-[11px] text-slate-500">
575                     Current file: <strong className="text-slate-700">{docFileName}</strong>
576                 </span>
577             </div>
578
579             <label className="px-3 py-1.5 rounded-xl bg-white border border-slate-200 text-slate-700
hover:bg-slate-50 text-xs font-semibold cursor-pointer inline-flex items-center gap-1.5 shadow-2xs">
580                 <Upload className="w-3.5 h-3.5" />
581                 <span>Upload New PDF/Doc</span>
582                 <input
583                     type="file"
584                     accept=".pdf, .png, .jpg, .jpeg"
585                     onChange={handleDocUpload}
586                     className="hidden"
587                 />
588             </label>
589         </div>
590     </div>
591 </div>
592
593 /* Section 6: Amenities & Description */
594 <div className="space-y-4 pt-4 border-t border-slate-100">
595     <div>
596         <label className="block text-xs font-semibold text-slate-700 mb-1">
597             Description & Highlights
598         </label>
599         <textarea

```

```

600         rows="3"
601         value={formData.description}
602         onChange={(e) => handleChange('description', e.target.value)}
603         placeholder="Provide a detailed overview of your property, amenities, dining specialty, or tour
package..."
604         className="w-full px-3.5 py-2.5 bg-slate-50 border border-slate-200 rounded-xl text-xs sm:text-sm
text-slate-800 focus:outline-none focus:ring-2 focus:ring-teal-600"
605     />
606 </div>
607
608 <div>
609     <label className="block text-xs font-semibold text-slate-700 mb-1">
610         Amenities (comma separated)
611     </label>
612     <input
613         type="text"
614         value={formData.amenities}
615         onChange={(e) => handleChange('amenities', e.target.value)}
616         placeholder="e.g. Free Wi-Fi, Air Conditioning, Hot Water, In-house Cafe"
617         className="w-full px-3.5 py-2.5 bg-slate-50 border border-slate-200 rounded-xl text-xs sm:text-sm
text-slate-800 focus:outline-none focus:ring-2 focus:ring-teal-600"
618     />
619 </div>
620 </div>
621
622 {/* Form Submit Footer */}
623 <div className="pt-4 border-t border-slate-100 flex items-center justify-between">
624     <button
625         type="button"
626         onClick={() => setActivePage('dashboard')}
627         className="px-4 py-2 border border-slate-200 text-slate-700 hover:bg-slate-50 text-xs font-semibold
rounded-xl cursor-pointer"
628     >
629         Cancel
630     </button>
631
632     <button
633         type="submit"
634         className="px-6 py-2.5 bg-teal-600 hover:bg-teal-700 text-white text-xs font-bold rounded-xl shadow-xs
transition-colors cursor-pointer flex items-center gap-2"
635     >
636         <ShieldCheck className="w-4 h-4" />
637         <span>Submit for Verification</span>
638     </button>
639 </div>
640 </form>
641 </div>
642 );
643 }
644

```

File: src/pages/AdminDashboardPage.jsx

490 lines

```

1  import React, { useState } from 'react';
2  import {
3    ShieldCheck,
4    CheckCircle2,
5    XCircle,
6    Clock,
7    Search,
8    Filter,
9    ExternalLink,
10   Database,
11   AlertTriangle,
12   FileCheck,
13   Eye,
14   MessageSquare,
15   Sparkles,
16   Check,
17   Flag,
18   RotateCcw
19 } from 'lucide-react';
20 import { useApp } from '../context/AppContext';
21
22 export default function AdminDashboardPage() {
23   const {
24     providerListings,
25     adminApproveListing,
26     adminRejectListing,
27     setViewDetailsItem,
28     userReports = [],
29     updateReportStatus,
30     showToast
31   } = useApp();
32
33   const [activeTab, setActiveTab] = useState('pending'); // 'pending' | 'reports' | 'all' | 'quality'
34   const [rejectFeedbackModal, setRejectFeedbackModal] = useState(null);
35   const [feedbackText, setFeedbackText] = useState('');
36   const [verifiedListings, setVerifiedListings] = useState({}); // { [listingId]: verificationResult }
37   const [isVerifyingId, setIsVerifyingId] = useState(null);
38
39   const pendingListings = providerListings.filter(l => l.status === 'Pending Review');
40   const openReports = userReports.filter(r => r.status === 'open');
41
42   const handleRejectSubmit = (e) => {
43     e.preventDefault();
44     if (!rejectFeedbackModal) return;
45     adminRejectListing(rejectFeedbackModal.id, feedbackText);
46     setRejectFeedbackModal(null);
47     setFeedbackText('');
48     showToast('Listing rejected with administrator feedback.');
```

```

75         <span className="p-1 rounded-md bg-teal-50 text-teal-800 border border-teal-200/60">
76             <ShieldCheck className="w-4 h-4" />
77         </span>
78         <h1 className="text-2xl sm:text-3xl font-bold text-slate-900">
79             Administration & Data Quality Desk
80         </h1>
81     </div>
82     <p className="text-xs sm:text-sm text-slate-500">
83         Review provider filings, moderate tariffs, resolve user reports, and run automated registry audits.
84     </p>
85 </div>
86
87     <div className="flex items-center gap-2">
88         <span className="px-3 py-1 bg-teal-50 border border-teal-200 text-teal-800 text-xs font-bold rounded-full
flex items-center gap-1.5">
89             <span className="w-2 h-2 rounded-full bg-teal-500 animate-pulse" />
90             <span>Admin Clearance Active</span>
91         </span>
92     </div>
93 </div>
94
95     { /* Metric Cards */ }
96     <div className="grid grid-cols-1 sm:grid-cols-4 gap-3 text-xs">
97         <div className="p-4 rounded-2xl bg-white border border-slate-200/80 shadow-2xs">
98             <span className="text-slate-400 font-bold uppercase tracking-wider block mb-1">
99                 Pending Moderation
100             </span>
101             <span className="text-2xl font-black text-amber-600">
102                 {pendingListings.length}
103             </span>
104             <span className="text-[11px] text-slate-500 block mt-0.5">Awaiting verification audit</span>
105         </div>
106
107         <div className="p-4 rounded-2xl bg-white border border-slate-200/80 shadow-2xs">
108             <span className="text-slate-400 font-bold uppercase tracking-wider block mb-1">
109                 User Reports & Feedback
110             </span>
111             <span className="text-2xl font-black text-rose-600">
112                 {openReports.length}
113             </span>
114             <span className="text-[11px] text-slate-500 block mt-0.5">Open user corrections</span>
115         </div>
116
117         <div className="p-4 rounded-2xl bg-white border border-slate-200/80 shadow-2xs">
118             <span className="text-slate-400 font-bold uppercase tracking-wider block mb-1">
119                 Approved Services
120             </span>
121             <span className="text-2xl font-black text-emerald-600">
122                 {providerListings.filter(l => l.status === 'Approved').length}
123             </span>
124             <span className="text-[11px] text-slate-500 block mt-0.5">Active on public portal</span>
125         </div>
126
127         <div className="p-4 rounded-2xl bg-white border border-slate-200/80 shadow-2xs">
128             <span className="text-slate-400 font-bold uppercase tracking-wider block mb-1">
129                 Data Quality Score
130             </span>
131             <span className="text-2xl font-black text-teal-700">
132                 99.2%
133             </span>
134             <span className="text-[11px] text-teal-600 block mt-0.5">Verified coordinate & tariff match</span>
135         </div>
136     </div>
137
138     { /* Tabs */ }
139     <div className="flex flex-wrap items-center gap-2 border-b border-slate-200 pb-2">
140         <button
141             onClick={() => setActiveTab('pending')}
142             className={`px-4 py-2 rounded-xl text-xs font-bold transition-all cursor-pointer ${
143                 activeTab === 'pending' ? 'bg-teal-600 text-white shadow-xs' : 'bg-slate-100 text-slate-600
hover:bg-slate-200'
144             }`}
145         >
146             Pending Review Queue ({pendingListings.length})
147         </button>
148
149         <button
150             onClick={() => setActiveTab('reports')}
151             className={`px-4 py-2 rounded-xl text-xs font-bold transition-all cursor-pointer flex items-center

```

```

gap-1.5 ${
152     activeTab === 'reports' ? 'bg-teal-600 text-white shadow-xs' : 'bg-slate-100 text-slate-600
hover:bg-slate-200'
153   }}
154   >
155     <Flag className="w-3.5 h-3.5" />
156     <span>User Reports & Feedback ({openReports.length})</span>
157   </button>
158
159   <button
160     onClick={() => setActiveTab('all')}
161     className={`px-4 py-2 rounded-xl text-xs font-bold transition-all cursor-pointer ${
162       activeTab === 'all' ? 'bg-teal-600 text-white shadow-xs' : 'bg-slate-100 text-slate-600
hover:bg-slate-200'
163     }`}
164   >
165     All Listings Directory ({providerListings.length})
166   </button>
167
168   <button
169     onClick={() => setActiveTab('quality')}
170     className={`px-4 py-2 rounded-xl text-xs font-bold transition-all cursor-pointer ${
171       activeTab === 'quality' ? 'bg-teal-600 text-white shadow-xs' : 'bg-slate-100 text-slate-600
hover:bg-slate-200'
172     }`}
173   >
174     Data Integrity & Audit Rules
175   </button>
176 </div>
177
178 /* Tab 1: Pending Moderation with Automated Govt Verification */
179 {activeTab === 'pending' && (
180   <div className="space-y-3">
181     {pendingListings.length === 0 ? (
182       <div className="p-12 text-center bg-white rounded-2xl border border-slate-200">
183         <CheckCircle2 className="w-10 h-10 text-emerald-500 mx-auto mb-2" />
184         <h3 className="text-base font-bold text-slate-800">All submissions moderated!</h3>
185         <p className="text-xs text-slate-500 mt-1">There are no pending provider filings waiting for
verification.</p>
186       </div>
187     ) : (
188       <div className="space-y-3">
189         {pendingListings.map(listing => {
190           const autoVer = verifiedListings[listing.id];
191           const isVerifying = isVerifyingId === listing.id;
192
193           return (
194             <div key={listing.id} className="p-5 bg-white rounded-2xl border border-amber-200/80 shadow-2xs
space-y-3">
195               <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-4">
196                 <div className="flex items-center gap-3 min-w-0">
197                   <img src={listing.image} alt={listing.name} className="w-16 h-16 rounded-xl object-cover
border border-slate-200 shrink-0" />
198                   <div className="min-w-0">
199                     <div className="flex items-center gap-2">
200                       <h4 className="text-sm font-bold text-slate-900 truncate">{listing.name}</h4>
201                       <span className="text-[10px] font-bold px-2 py-0.5 rounded bg-amber-100
text-amber-800">
202                         {listing.category}
203                       </span>
204                       <span className="text-[10px] text-slate-500 font-mono">
205                         ID: {listing.id}
206                       </span>
207                     </div>
208                     <p className="text-xs text-slate-500 truncate mt-0.5">{listing.fullAddress ||
listing.location}</p>
209                     <p className="text-[11px] font-mono text-teal-800 mt-0.5">
210                       T a r i f f :   1 { l i s t i n g . p r i c e . t o L o c a l e S t r
` ${listing.lat}, ${listing.lng}` : 'Pending'}
211                   </p>
212                 </div>
213               </div>
214
215               <div className="flex flex-wrap items-center gap-2 shrink-0">
216                 /* Automated Govt Verification Button */
217                 <button
218                   type="button"
219                   disabled={isVerifying}
220                   onClick={() => handleRunAutomatedVerification(listing)}

```

```

221         className="px-3 py-1.5 bg-lavender-50 hover:bg-lavender-100 text-lavender-700 border
border-lavender-200 rounded-xl text-xs font-bold flex items-center gap-1.5 transition-colors cursor-pointer"
222     >
223         <Sparkles className="w-3.5 h-3.5 text-lavender-600" />
224         <span>{isVerifying ? 'Auditing...' : 'Run Automated Govt & GPS Audit'}</span>
225     </button>
226
227     <button
228         onClick={() => setViewDetailsItem(listing)}
229         className="px-3 py-1.5 bg-slate-100 hover:bg-slate-200 text-slate-700 rounded-xl text-xs
font-semibold flex items-center gap-1 cursor-pointer"
230     >
231         <Eye className="w-3.5 h-3.5" />
232         <span>Inspect</span>
233     </button>
234
235     <button
236         onClick={() => {
237             setRejectFeedbackModal(listing);
238             setFeedbackText('Discrepancy observed in trade license or location boundary.');
```

```

290     <div className="space-y-3">
291       <div className="flex items-center justify-between pb-1">
292         <h3 className="text-sm font-bold text-slate-800">
293           User Submitted Feedback & Tariff Corrections
294         </h3>
295         <span className="text-xs text-slate-500">
296           Traveller crowdsourced reports for administration action
297         </span>
298       </div>
299
300       {userReports.length === 0 ? (
301         <div className="p-12 text-center bg-white rounded-2xl border border-slate-200">
302           <CheckCircle2 className="w-10 h-10 text-emerald-500 mx-auto mb-2" />
303           <h3 className="text-base font-bold text-slate-800">No user reports pending!</h3>
304           <p className="text-xs text-slate-500 mt-1">All user feedback reports have been processed or
resolved.</p>
305         </div>
306       ) : (
307         <div className="space-y-3">
308           {userReports.map(report => (
309             <div key={report.id} className="p-4 bg-white rounded-2xl border border-slate-200 shadow-2xs
space-y-2">
310               <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-2 pb-2 border-b
border-slate-100">
311                 <div className="flex items-center gap-2">
312                   <flag className={`w-4 h-4 ${report.status === 'open' ? 'text-rose-500' :
'text-emerald-500'}`} />
313                   <span className="font-bold text-slate-900 text-sm">{report.listingName || 'Service
Listing'}</span>
314                   <span className={`px-2 py-0.5 rounded text-[10px] font-bold ${
315                     report.status === 'open'
316                       ? 'bg-rose-50 text-rose-700 border border-rose-200'
317                       : 'bg-emerald-50 text-emerald-700 border border-emerald-200'
318                     }`}>
319                     {report.status === 'open' ? 'Open Issue' : 'Resolved'}
320                   </span>
321                 </div>
322
323                 <span className="text-xs text-slate-400 font-mono">
324                   {report.submittedDate}
325                 </span>
326               </div>
327
328               <div className="text-xs space-y-1">
329                 <div className="flex items-center gap-2">
330                   <span className="text-slate-400 font-medium">Issue Type:</span>
331                   <span className="font-semibold text-slate-800 capitalize">{report.issueType?.replace('_', '
')}}</span>
332                 </div>
333               <div>
334                 <span className="text-slate-400 font-medium block">Report Details:</span>
335                 <p className="p-2.5 bg-slate-50 rounded-xl text-slate-700 border border-slate-100 mt-1">
336                   {report.details}
337                 </p>
338               </div>
339             </div>
340
341             <div className="flex items-center justify-end gap-2 pt-2 border-t border-slate-100">
342               {report.status === 'open' ? (
343                 <>
344                   <button
345                     type="button"
346                     onClick={() => {
347                       updateReportStatus(report.id, 'dismissed');
348                       showToast(`Dismissed report #${report.id}`);
349                     }}
350                     className="px-3 py-1.5 text-xs text-slate-500 hover:text-slate-700 font-medium
cursor-pointer"
351                   >
352                     Dismiss
353                   </button>
354                   <button
355                     type="button"
356                     onClick={() => {
357                       updateReportStatus(report.id, 'resolved');
358                       showToast(`Marked report for "${report.listingName}" as resolved!`);
359                     }}
360                     className="px-4 py-1.5 bg-emerald-600 hover:bg-emerald-700 text-white rounded-xl text-xs
font-bold flex items-center gap-1.5 shadow-xs cursor-pointer"

```

```

361         >
362         <Check className="w-3.5 h-3.5" />
363         <span>Mark Resolved & Update Listing</span>
364     </button>
365 </>
366     ) : (
367     <span className="text-xs text-emerald-700 font-semibold flex items-center gap-1">
368     <CheckCircle2 className="w-3.5 h-3.5" />
369     <span>Resolution Completed</span>
370     </span>
371     )}
372 </div>
373 </div>
374 )}}
375 </div>
376 )}
377 </div>
378 )}
379
380 {/* Tab 3: All Directory */}
381 {activeTab === 'all' && (
382     <div className="bg-white rounded-2xl border border-slate-200/80 overflow-hidden shadow-2xs">
383     <div className="overflow-x-auto">
384     <table className="w-full text-left text-xs">
385     <thead>
386     <tr className="bg-slate-50 border-b border-slate-200 text-[11px] font-bold uppercase tracking-wider
text-slate-400">
387         <th className="py-3 px-4">Service</th>
388         <th className="py-3 px-3">Category</th>
389         <th className="py-3 px-3">Price</th>
390         <th className="py-3 px-3">Status</th>
391         <th className="py-3 px-3">Feedback & Notes</th>
392         <th className="py-3 px-4 text-right">Actions</th>
393     </tr>
394     </thead>
395     <tbody className="divide-y divide-slate-100 text-slate-600">
396     {providerListings.map(listing => (
397     <tr key={listing.id} className="hover:bg-slate-50/50">
398     <td className="py-3 px-4 font-bold text-slate-900">{listing.name}</td>
399     <td className="py-3 px-3">{listing.category}</td>
400     <td className="py-3 px-3 font-semibold">{listing.price}</td>
401     <td className="py-3 px-3">
402     <span className={`px-2 py-0.5 rounded text-[10px] font-bold ${
403     listing.status === 'Approved' ? 'bg-emerald-50 text-emerald-700 border border-emerald-200'
404 :
405     listing.status === 'Pending Review' ? 'bg-amber-50 text-amber-700 border border-amber-200'
406 :
407     'bg-rose-50 text-rose-700 border border-rose-200'
408     }`}>
409     {listing.status}
410     </span>
411     <td className="py-3 px-3 text-[11px] text-slate-500 max-w-xs truncate">{listing.reviewFeedback
|| 'No notes'}</td>
412     <td className="py-3 px-4 text-right">
413     <button
414     onClick={() => setViewDetailsItem(listing)}
415     className="text-teal-700 hover:underline font-semibold cursor-pointer"
416     >
417     Inspect
418     </button>
419     </td>
420     </tr>
421     )}}
422     </tbody>
423     </table>
424     </div>
425     </div>
426 )}
427 {/* Tab 4: Data Quality */}
428 {activeTab === 'quality' && (
429     <div className="bg-white rounded-2xl border border-slate-200 p-6 space-y-4 text-xs">
430     <h3 className="text-sm font-bold text-slate-800">
431     Automated Audit Engine & Registry Compliance Rules
432     </h3>
433     <p className="text-slate-600 leading-relaxed">
434     All listings submitted by providers are cross-referenced with municipal databases, geocoded GPS
boundary checks, and public tariff schedules before publication.

```

```

435     </p>
436     <div className="grid grid-cols-1 sm:grid-cols-3 gap-3 pt-2">
437       <div className="p-3 bg-slate-50 rounded-xl border border-slate-100 space-y-1">
438         <span className="font-bold text-slate-800 block">1. Geocoding Validation</span>
439         <p className="text-slate-500 text-[11px]">Enforces latitude and longitude accuracy within municipal
boundaries.</p>
440       </div>
441       <div className="p-3 bg-slate-50 rounded-xl border border-slate-100 space-y-1">
442         <span className="font-bold text-slate-800 block">2. Trade Registry Audit</span>
443         <p className="text-slate-500 text-[11px]">Validates MSME and state tourism business registration
certificates.</p>
444       </div>
445       <div className="p-3 bg-slate-50 rounded-xl border border-slate-100 space-y-1">
446         <span className="font-bold text-slate-800 block">3. Tariff Fairness Guard</span>
447         <p className="text-slate-500 text-[11px]">Prevents pricing anomalies and ensures prices are
transparent per person.</p>
448       </div>
449     </div>
450   </div>
451 )}
452
453 {/* Reject Modal */}
454 {rejectFeedbackModal && (
455   <div className="fixed inset-0 z-50 bg-slate-950/70 backdrop-blur-xs flex items-center justify-center p-4">
456     <div className="bg-white rounded-3xl max-w-md w-full p-6 shadow-2xl border border-slate-100 space-y-4">
457       <h3 className="text-base font-bold text-slate-900">
458         Reject Listing: {rejectFeedbackModal.name}
459       </h3>
460       <textarea
461         rows="3"
462         required
463         value={feedbackText}
464         onChange={(e) => setFeedbackText(e.target.value)}
465         placeholder="Provide reason for rejection..."
466         className="w-full px-3 py-2 bg-slate-50 border border-slate-200 rounded-xl text-xs text-slate-800
focus:outline-none"
467       />
468       <div className="flex justify-end gap-2">
469         <button
470           type="button"
471           onClick={() => setRejectFeedbackModal(null)}
472           className="px-4 py-2 text-xs font-semibold text-slate-600"
473         >
474           Cancel
475         </button>
476         <button
477           type="button"
478           onClick={handleRejectSubmit}
479           className="px-4 py-2 bg-rose-600 text-white rounded-xl text-xs font-bold"
480         >
481           Confirm Rejection
482         </button>
483       </div>
484     </div>
485   </div>
486 )}
487 </div>
488 );
489 }
490

```

File: src/pages/FavouritesPage.jsx

149 lines

```

1  import React from 'react';
2  import { Heart, Trash2, Plus, ArrowRight, Eye, Navigation } from 'lucide-react';
3  import { useApp } from '../context/AppContext';
4  import { STAYS_DATA, FOOD_DATA, PLACES_DATA, NEARBY_TRIPS_DATA } from '../data/mockData';
5
6  export default function FavouritesPage() {
7    const {
8      savedFavourites,
9      toggleFavourite,
10     setViewDetailsItem,
11     setWayToItem,
12     addToTrip,
13     isItemInTrip,
14     removeFromTrip,
15     setActivePage,
16     goBack
17   } = useApp();
18
19   const allItems = [...STAYS_DATA, ...FOOD_DATA, ...PLACES_DATA, ...NEARBY_TRIPS_DATA];
20   const favouritedItems = allItems.filter(item => savedFavourites.includes(item.id));
21
22   return (
23     <div className="space-y-6 max-w-6xl mx-auto pb-16">
24       <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-4 pb-4 border-b
border-slate-200">
25         <div>
26           <div className="flex items-center gap-2 text-rose-600 text-xs font-bold uppercase tracking-wider">
27             <Heart className="w-4 h-4 fill-rose-500" />
28             <span>Saved Directory</span>
29           </div>
30           <h1 className="text-2xl sm:text-3xl font-extrabold text-slate-900 mt-1">
31             Your Saved Favourites ({savedFavourites.length})
32           </h1>
33           <p className="text-xs sm:text-sm text-slate-500 mt-0.5">
34             Quickly access your shortlisted stays, food spots, attractions, and excursion trips.
35           </p>
36         </div>
37
38         <button
39           onClick={goBack}
40           className="px-4 py-2 border border-slate-200 hover:bg-slate-100 rounded-xl text-xs font-semibold
text-slate-700 transition-colors flex items-center gap-1.5 self-start sm:self-auto cursor-pointer"
41         >
42           <span>!• Back</span>
43         </button>
44       </div>
45
46       {favouritedItems.length === 0 ? (
47         <div className="bg-white rounded-3xl border border-slate-200 p-12 text-center space-y-3 max-w-lg mx-auto
my-8">
48           <div className="w-16 h-16 rounded-full bg-rose-50 flex items-center justify-center mx-auto
text-rose-500">
49             <Heart className="w-8 h-8" />
50           </div>
51           <h3 className="text-lg font-bold text-slate-900">No saved favourites yet</h3>
52           <p className="text-xs text-slate-500 leading-relaxed">
53             Click the heart icon on any stay, cafe, landmark, or nearby trip card to save it for easy access here.
54           </p>
55           <div className="pt-2 flex justify-center gap-2">
56             <button
57               onClick={() => setActivePage('stays')}
58               className="px-4 py-2 bg-teal-600 hover:bg-teal-700 text-white rounded-xl text-xs font-bold
cursor-pointer"
59             >
60               Browse Stays
61             </button>
62             <button
63               onClick={() => setActivePage('food')}
64               className="px-4 py-2 bg-slate-100 hover:bg-slate-200 text-slate-700 rounded-xl text-xs font-bold
cursor-pointer"
65             >
66               Browse Food
67             </button>
68           </div>
69         </div>

```

```

70     </div>
71   ) : (
72     <div className="grid grid-cols-1 md:grid-cols-2 xl:grid-cols-3 gap-4">
73       {favouritedItems.map((item) => {
74         const inTrip = isItemInTrip(item.id);
75         const priceVal = item.price || item.avgCost || item.entryPrice || item.startingFare || 0;
76         const categoryLabel = item.type || item.category || 'Listing';
77
78         return (
79           <div
80             key={item.id}
81             className="bg-white rounded-2xl border border-slate-200 p-4 shadow-xs hover:shadow-md
transition-all flex flex-col justify-between"
82           >
83             <div>
84               <div className="relative h-44 rounded-xl overflow-hidden mb-3 bg-slate-100">
85                 <img
86                   src={item.image}
87                   alt={item.name}
88                   className="w-full h-full object-cover"
89                 />
90                 <button
91                   onClick={() => toggleFavourite(item.id)}
92                   className="absolute top-2.5 right-2.5 p-2 rounded-full bg-white/90 hover:bg-white
text-rose-500 transition-colors shadow-sm cursor-pointer"
93                   title="Remove from favourites"
94                 >
95                   <Heart className="w-4 h-4 fill-rose-500" />
96                 </button>
97                 <span className="absolute bottom-2.5 left-2.5 px-2.5 py-1 rounded-md bg-white/95 text-slate-800
text-[11px] font-bold shadow-xs">
98                   {categoryLabel}
99                 </span>
100               </div>
101
102               <h3 className="font-bold text-slate-900 text-base line-clamp-1">{item.name}</h3>
103               <p className="text-xs text-slate-500 mt-0.5 line-clamp-1">{item.location || item.address}</p>
104
105               <div className="mt-3 flex items-baseline justify-between pt-2 border-t border-slate-100">
106                 <div>
107                   <span className="text-xs text-slate-400">Price: </span>
108                   <span className="font-extrabold text-teal-600">{priceVal}</span>
109                   <span className="text-[10px] text-slate-400 ml-1">per person</span>
110                 </div>
111               </div>
112             </div>
113
114             <div className="pt-4 mt-3 border-t border-slate-100 grid grid-cols-3 gap-2">
115               <button
116                 onClick={() => setViewDetailsItem(item)}
117                 className="py-1.5 px-2 bg-slate-50 hover:bg-slate-100 text-slate-700 rounded-lg text-xs
font-semibold flex items-center justify-center gap-1 cursor-pointer"
118               >
119                 <Eye className="w-3.5 h-3.5 text-slate-500" />
120                 <span>Details</span>
121               </button>
122
123               <button
124                 onClick={() => setWayToItem(item)}
125                 className="py-1.5 px-2 bg-slate-50 hover:bg-slate-100 text-slate-700 rounded-lg text-xs
font-semibold flex items-center justify-center gap-1 cursor-pointer"
126               >
127                 <Navigation className="w-3.5 h-3.5 text-teal-600" />
128                 <span>Ways</span>
129               </button>
130
131               <button
132                 onClick={() => inTrip ? removeFromTrip(item.id) : addToTrip(item, categoryLabel)}
133                 className={`py-1.5 px-2 rounded-lg text-xs font-bold transition-colors flex items-center
justify-center gap-1 cursor-pointer ${
134                   inTrip ? 'bg-rose-50 text-rose-700 hover:bg-rose-100' : 'bg-teal-600 hover:bg-teal-700
text-white'
135                 }`}
136               >
137                 <Plus className="w-3.5 h-3.5" />
138                 <span>{inTrip ? 'In Trip' : 'Add'}</span>
139               </button>
140             </div>
141           </div>

```

```
142         );  
143     }  
144 </div>  
145     }  
146 </div>  
147 );  
148 }  
149
```

File: src/pages/HelpBoothPage.jsx

175 lines

```

1  import React, { useState } from 'react';
2  import {
3    HelpCircle,
4    Phone,
5    ShieldAlert,
6    Bus,
7    MapPin,
8    FileText,
9    Database,
10   ExternalLink,
11   ChevronDown,
12   ChevronUp,
13   Info,
14   Car,
15   Clock,
16   CheckCircle2
17 } from 'lucide-react';
18 import { useApp } from '../context/AppContext';
19 import { HELP_FAQS } from '../data/mockData';
20 export default function HelpBoothPage() {
21   const { selectedDestination, showToast, setShowPipelineModal } = useApp();
22   const [expandedFaq, setExpandedFaq] = useState(null);
23
24   const emergencyContacts = [
25     { name: 'Police Emergency Response', number: '100 / 112', desc: 'Statewide 24/7 emergency assistance' },
26     { name: 'Medical Ambulance & Emergency', number: '108', desc: 'Government emergency ambulance service' },
27     { name: 'Women Helpline', number: '1090', desc: 'Toll-free 24/7 dedicated support' },
28     { name: 'MP Tourism Official Helpline', number: '1800 233 7777', desc: 'Tourist queries, booking aid & guides'
29   },
30   { name: 'Bhopal City Smart Helpline', number: '155304', desc: 'Municipal civic & tourist grievances' }
31 ];
32
33   const transitGuides = [
34     {
35       title: 'BCLL Red City Bus Network',
36       mode: 'City Bus',
37       desc: 'Over 25 routes connecting Bhopal Junction, Habibganj (RKMP), Upper Lake, Bairagarh, and Mandideep.',
38       fare: ' ₹ 10 - ₹ 35 depending on distance stages ',
39       tip: 'Chalo Card / App accepted across all air-conditioned red buses.'
40     },
41     {
42       title: 'Raja Bhoj Airport (BHO) Prepaid Taxis',
43       mode: 'Airport Taxi',
44       desc: 'Official police-regulated prepaid counter inside arrival hall terminal.',
45       fare: ' ₹ 450 - ₹ 600 flat tariff to MP Nagar / New Market ',
46       tip: 'Do not pay unauthorized touts outside the main glass gates.'
47     },
48     {
49       title: 'Railway Cloakrooms & Retiring Rooms',
50       mode: 'Luggage Storage',
51       desc: 'Available at Platform 1 of Bhopal Junction (BPL) and Rani Kamlapati (RKMP).',
52       fare: ' ₹ 20 - ₹ 40 for 24 hours per locked piece ',
53       tip: 'Valid train ticket and lock/key mandatory for cloakroom intake.'
54     }
55   ];
56
57   return (
58     <div className="space-y-8 pb-24 max-w-5xl mx-auto">
59       <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-4 pb-4 border-b border-slate-200">
60         <div>
61           <div className="flex items-center gap-2">
62             <span className="p-1 rounded-md bg-teal-100 text-teal-800">
63               <HelpCircle className="w-4 h-4" />
64             </span>
65             <h1 className="text-2xl sm:text-3xl font-bold text-slate-900">
66               Tourist Assistance & Help Booth
67             </h1>
68           </div>
69           <p className="text-xs sm:text-sm text-slate-500 mt-1">
70             Emergency helplines, local transport guides, safety tips, and verified tourism assistance.
71           </p>
72         </div>
73       </div>

```

```

74
75     {/* Emergency Contacts Cards */}
76     <div className="space-y-3">
77         <h2 className="text-sm font-bold text-slate-900 uppercase tracking-wider text-rose-800 flex items-center
gap-2">
78             <ShieldAlert className="w-4 h-4" />
79             <span>24/7 Verified Emergency Helplines</span>
80         </h2>
81
82         <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-3 gap-3.5">
83             {emergencyContacts.map((contact, i) => (
84                 <div
85                     key={i}
86                     className="bg-white p-4 rounded-2xl border border-slate-200 shadow-2xs space-y-2 flex flex-col
justify-between"
87                 >
88                     <div>
89                         <span className="text-xs font-bold text-slate-800 block">{contact.name}</span>
90                         <p className="text-[11px] text-slate-500 mt-0.5">{contact.desc}</p>
91                     </div>
92
93                     <div className="pt-2 border-t border-slate-100 flex items-center justify-between">
94                         <span className="text-sm font-mono font-extrabold text-rose-700">{contact.number}</span>
95                         <a
96                             href={`tel:${contact.number.split('/')[0].trim()}`}
97                             className="px-2.5 py-1 bg-rose-50 text-rose-700 hover:bg-rose-100 rounded-lg text-xs
font-semibold flex items-center gap-1 transition-colors"
98                         >
99                             <Phone className="w-3 h-3" />
100                             <span>Call</span>
101                         </a>
102                     </div>
103                 </div>
104             )})
105         </div>
106     </div>
107
108     {/* Local Transport Guidelines */}
109     <div className="space-y-3">
110         <h2 className="text-sm font-bold text-slate-900 uppercase tracking-wider text-teal-800 flex items-center
gap-2">
111             <Bus className="w-4 h-4" />
112             <span>Verified Local Public Transport Advice</span>
113         </h2>
114
115         <div className="grid grid-cols-1 sm:grid-cols-3 gap-4">
116             {transitGuides.map((guide, i) => (
117                 <div key={i} className="bg-white p-5 rounded-3xl border border-slate-200 shadow-2xs space-y-3">
118                     <div className="flex items-center justify-between">
119                         <span className="text-xs font-bold text-slate-900">{guide.title}</span>
120                         <span className="text-[10px] bg-slate-100 text-slate-600 px-2 py-0.5 rounded-full font-medium">
{guide.mode}
121                     </span>
122                 </div>
123                     <div>
124                         <p className="text-xs text-slate-600 leading-relaxed">{guide.desc}</p>
125                         <div className="p-2.5 rounded-xl bg-teal-50 border border-teal-100 text-xs text-teal-900 space-y-1">
126                             <p><strong className="text-teal-950">Official Tariff:</strong> {guide.fare}</p>
127                             <p><strong className="text-teal-800">Traveller Tip:</strong> {guide.tip}</p>
128                         </div>
129                     </div>
130                 </div>
131             )})
132         </div>
133
134     {/* Frequently Asked Questions */}
135     <div className="space-y-3">
136         <h2 className="text-sm font-bold text-slate-900 uppercase tracking-wider text-teal-800 flex items-center
gap-2">
137             <FileText className="w-4 h-4" />
138             <span>Frequently Asked Questions (FAQ)</span>
139         </h2>
140
141         <div className="space-y-2">
142             {HELP_FAQS.map((faq) => {
143                 const isOpen = expandedFaq === faq.id;
144                 return (
145                     <div
146                         key={faq.id}

```

```
147         className="bg-white rounded-2xl border border-slate-200 overflow-hidden shadow-2xs
transition-colors"
148     >
149         <button
150             type="button"
151             onClick={() => setExpandedFaq(isOpen ? null : faq.id)}
152             className="w-full px-5 py-4 text-left flex items-center justify-between gap-4 font-bold text-xs
sm:text-sm text-slate-800 hover:text-teal-800"
153         >
154             <span>{faq.question}</span>
155             {isOpen ? (
156                 <ChevronUp className="w-4 h-4 text-slate-400 shrink-0" />
157             ) : (
158                 <ChevronDown className="w-4 h-4 text-slate-400 shrink-0" />
159             )}
160         </button>
161
162         {isOpen && (
163             <div className="px-5 pb-4 text-xs text-slate-600 leading-relaxed border-t border-slate-100 pt-3
bg-slate-50/50">
164                 {faq.answer}
165             </div>
166         )}
167     </div>
168 );
169 }}
170 </div>
171 </div>
172 </div>
173 );
174 }
175
```

File: src/components/common/ViewDetailsModal.jsx

320 lines

```

1  import React, { useState, useEffect } from 'react';
2  import {
3    X,
4    MapPin,
5    Star,
6    Clock,
7    Calendar,
8    ShieldCheck,
9    Plus,
10   Navigation,
11   Phone,
12   Mail,
13   HelpCircle,
14   Flag
15 } from 'lucide-react';
16 import { useApp } from '../../context/AppContext';
17
18 export default function ViewDetailsModal() {
19   const {
20     viewDetailsItem,
21     setViewDetailsItem,
22     addToTrip,
23     setWayToItem,
24     setReportModalItem,
25     startingPoint,
26     calculateDistance,
27     personCount
28   } = useApp();
29
30   const [selectedGalleryImg, setSelectedGalleryImg] = useState(null);
31
32   useEffect(() => {
33     const handleKeyDown = (e) => {
34       if (e.key === 'Escape') {
35         setViewDetailsItem(null);
36       }
37     };
38     window.addEventListener('keydown', handleKeyDown);
39     return () => window.removeEventListener('keydown', handleKeyDown);
40   }, [setViewDetailsItem]);
41
42   if (!viewDetailsItem) return null;
43
44   const item = viewDetailsItem;
45   const dist = calculateDistance(item.lat, item.lng);
46   const activeImg = selectedGalleryImg || item.image;
47
48   const isFoodOrPlace = item.cuisine || item.openingHours || item.category === 'Food' || item.category ===
'Places';
49
50   const galleryImages = (item.gallery && item.gallery.length > 0)
51     ? item.gallery
52     : (item.images && item.images.length > 0)
53       ? item.images
54       : null;
55
56   return (
57     <div
58       onClick={(e) => {
59         if (e.target === e.currentTarget) setViewDetailsItem(null);
60       }}
61       className="fixed inset-0 z-50 bg-slate-900/40 backdrop-blur-xs flex items-center justify-center p-4
overflow-y-auto cursor-default"
62     >
63       <div className="bg-white rounded-3xl max-w-2xl w-full overflow-hidden shadow-2xl border border-slate-100
animate-in zoom-in-95 duration-150 my-8">
64         {/* Modal Image Gallery */}
65         <div className="relative h-64 sm:h-72 w-full bg-slate-100">
66           <img
67             src={activeImg}
68             alt={item.name}
69             className="w-full h-full object-cover"
70           />
71           <button
72             type="button"

```

```

73         onClick={() => setViewDetailsItem(null)}
74         className="absolute top-4 right-4 px-3 py-1.5 rounded-full bg-white/90 hover:bg-white text-slate-800
transition-colors backdrop-blur-xs flex items-center gap-1.5 text-xs font-bold shadow-md cursor-pointer border
border-slate-200/60"
75         aria-label="Cancel and close details"
76     >
77         <X className="w-4 h-4 text-slate-600" />
78         <span>Cancel</span>
79     </button>
80
81     <div className="absolute bottom-3 left-4 flex flex-wrap gap-2">
82     <span className="px-2.5 py-1 rounded-md bg-white/90 backdrop-blur-xs text-xs font-bold text-slate-800
shadow-sm">
83         {item.type || item.category || 'Listing'}
84     </span>
85     <span className="px-2.5 py-1 rounded-md bg-teal-600 text-white text-xs font-semibold shadow-sm flex
items-center gap-1">
86         <ShieldCheck className="w-3.5 h-3.5" />
87         Verified Data
88     </span>
89 </div>
90 </div>
91
92     { /* Multi-image thumbnail strip if gallery present */ }
93     { galleryImages && galleryImages.length > 1 && (
94         <div className="flex gap-2 p-3 bg-slate-50 border-b border-slate-100 overflow-x-auto">
95             { galleryImages.map((img, i) => (
96                 <img
97                     key={i}
98                     src={img}
99                     alt="Thumbnail"
100                     onClick={() => setSelectedGalleryImg(img)}
101                     className={`w-14 h-14 rounded-lg object-cover cursor-pointer border-2 transition-all ${
102                         activeImg === img ? 'border-teal-600 scale-105' : 'border-transparent opacity-70
hover:opacity-100'
103                     }`}
104                 />
105             )}
106         </div>
107     )}
108
109     { /* Content Body */ }
110     <div className="p-6 space-y-4">
111         <div className="flex flex-col sm:flex-row sm:items-start justify-between gap-3 pb-3 border-b
border-slate-100">
112             <div>
113                 <h2 className="text-xl font-bold text-slate-900">{item.name}</h2>
114                 <div className="flex items-center gap-1 text-xs text-slate-500 mt-1">
115                     <MapPin className="w-3.5 h-3.5 text-slate-400 shrink-0" />
116                     <span>{item.address || item.location}</span>
117                 </div>
118             </div>
119
120             <div className="text-left sm:text-right shrink-0">
121                 <div className="text-xl font-extrabold text-teal-800">
122                     { ( item . price || item . avgCost || item . entryPrice ) }
123                 </div>
124                 <div className="text-xs text-slate-500 font-medium">
125                     {item.priceUnit || 'standard tariff'}
126                 </div>
127             </div>
128         </div>
129
130         { /* Key Metrics Grid */ }
131         <div className="grid grid-cols-2 sm:grid-cols-3 gap-2.5 text-xs">
132             {item.rating && (
133                 <div className="p-2.5 rounded-xl bg-slate-50 border border-slate-100">
134                     <span className="text-slate-400 block text-[10px] uppercase font-bold mb-0.5">Rating</span>
135                     <span className="font-bold text-slate-800 flex items-center gap-1">
136                         <Star className="w-3.5 h-3.5 fill-amber-400 text-amber-400" />
137                         {item.rating} ({item.reviewsCount} reviews)
138                     </span>
139                 </div>
140             )}
141
142             {item.checkInTime ? (
143                 <div className="p-2.5 rounded-xl bg-slate-50 border border-slate-100">
144                     <span className="text-slate-400 block text-[10px] uppercase font-bold mb-0.5">Check-in /
Check-out</span>

```

```

145         <span className="font-bold text-slate-800 truncate block">
146             {item.checkInTime} / {item.checkOutTime}
147         </span>
148     </div>
149     ) : item.timings || item.openingHours ? (
150     <div className="p-2.5 rounded-xl bg-slate-50 border border-slate-100">
151         <span className="text-slate-400 block text-[10px] uppercase font-bold mb-0.5">Timings</span>
152         <span className="font-bold text-slate-800 flex items-center gap-1 truncate">
153             <Clock className="w-3.5 h-3.5 text-teal-600 shrink-0" />
154             {item.timings || `${item.openingHours} - ${item.closingHours}`}
155         </span>
156     </div>
157     ) : null}
158
159     <div className="p-2.5 rounded-xl bg-slate-50 border border-slate-100">
160     <span className="text-slate-400 block text-[10px] uppercase font-bold mb-0.5">Information
Freshness</span>
161         <span className="font-bold text-slate-800 flex items-center gap-1 truncate">
162             <Calendar className="w-3.5 h-3.5 text-teal-600 shrink-0" />
163             {item.updatedDate || 'Jan 2026'}
164         </span>
165     </div>
166 </div>
167
168     {/* Contact Details */}
169     {(item.contact || item.email) && (
170     <div className="flex flex-wrap gap-4 text-xs text-slate-600 py-1">
171         {item.contact && (
172             <span className="flex items-center gap-1 font-medium">
173                 <Phone className="w-3.5 h-3.5 text-teal-600" />
174                 {item.contact}
175             </span>
176         )}
177         {item.email && (
178             <span className="flex items-center gap-1 font-medium">
179                 <Mail className="w-3.5 h-3.5 text-teal-600" />
180                 {item.email}
181             </span>
182         )}
183     </div>
184     )}
185
186     {/* Section 27: Explain why a recommendation appears */}
187     {item.recommendationReason && (
188     <div className="p-2.5 rounded-xl bg-amber-50/60 border border-amber-200 text-xs text-amber-900 flex
items-start gap-2">
189         <HelpCircle className="w-3.5 h-3.5 text-amber-600 shrink-0 mt-0.5" />
190         <div>
191             <span className="font-bold">Why this recommendation? </span>
192             <span>{item.recommendationReason}</span>
193         </div>
194     </div>
195     )}
196
197     {/* POSITION 1: OVERVIEW (Put First per user request) */}
198     <div className="p-4 rounded-2xl bg-slate-50 border border-slate-100">
199         <h3 className="text-xs font-bold uppercase tracking-wider text-slate-500 mb-1.5">
200             Overview
201         </h3>
202         <p className="text-xs sm:text-sm text-slate-700 leading-relaxed">
203             {item.description}
204         </p>
205     </div>
206
207     {/* POSITION 2: DISTANCE FROM YOUR STARTING POINT (Put Below Overview per user request) */}
208     <div className="p-3.5 rounded-2xl bg-teal-50/70 border border-teal-200/80 text-xs text-teal-950
space-y-1">
209         <div className="flex items-center justify-between font-bold">
210             <span className="flex items-center gap-1.5">
211                 <Navigation className="w-3.5 h-3.5 text-teal-700" />
212                 <span>Distance from your starting point</span>
213             </span>
214             <span className="text-[11px] text-teal-700 font-semibold">{dist.basis}</span>
215         </div>
216
217         {dist.isAvailable ? (
218             <>
219                 <p className="font-semibold text-sm text-slate-900">
220                     {dist.distanceText}

```

```

221         {dist.durationMinutes && (
222             <span className="text-slate-500 font-normal text-xs ml-2">
223                 • Estimated travel duration: {dist.durationMinutes} minutes
224             </span>
225         )}
226     </p>
227     <p className="text-[11px] text-slate-500">
228         Based on: Starting point: <strong>{startingPoint}</strong>
229     </p>
230     {dist.basis.includes('Straight-line') && (
231         <p className="text-[10px] text-amber-700 italic">
232             Actual road distance may be longer than the straight-line estimate.
233         </p>
234     )}
235 </>
236 ) : (
237     <p className="text-slate-500 text-xs">
238         Distance unavailable. Choose a starting point in the top header to estimate travel distance.
239     </p>
240 )}
241 </div>
242
243 {/* Mini-Menu (Food) */}
244 {item.miniMenu && (
245     <div>
246         <h3 className="text-xs font-bold uppercase tracking-wider text-orange-600 mb-2">
247             Popular Dishes & Pricing
248         </h3>
249         <div className="grid grid-cols-2 gap-2 text-xs">
250             {item.miniMenu.map((m, i) => (
251                 <div key={i} className="p-2 bg-orange-50/50 rounded-lg border border-orange-100 flex
252 justify-between">
253                     <span className="font-semibold text-slate-800">{m.item}</span>
254                     <span className="font-bold text-orange-900">{m.price}</span>
255                 </div>
256             ))}
257         </div>
258     </div>
259 )}
260
261 {/* Availability Notice: ONLY for stays, REMOVED from food and places to visit */}
262 {!isFoodOrPlace && item.availabilityNotes && (
263     <div className="p-2.5 bg-slate-50 rounded-xl border border-slate-200 text-[11px] text-slate-500
264 leading-relaxed">
265         <span className="font-bold text-slate-700">Notice: </span>
266         {item.availabilityNotes}
267     </div>
268 )}
269
270 {/* Footer Action Buttons */}
271 <div className="flex flex-wrap items-center justify-between gap-3 pt-4 border-t border-slate-100">
272     {/* Report Incorrect Info */}
273     <button
274         onClick={() => {
275             setReportModalItem(item);
276         }}
277         className="flex items-center gap-1.5 text-xs text-slate-400 hover:text-red-600 transition-colors
278 cursor-pointer"
279     >
280         <Flag className="w-3.5 h-3.5" />
281         <span>Report incorrect info</span>
282     </button>
283
284     <div className="flex items-center gap-2">
285         <button
286             type="button"
287             onClick={() => setViewDetailsItem(null)}
288             className="px-4 py-2 border border-slate-200 hover:bg-slate-100 text-slate-700 rounded-xl text-xs
289 font-semibold transition-colors flex items-center gap-1.5 cursor-pointer"
290         >
291             <X className="w-3.5 h-3.5 text-slate-400" />
292             <span>Cancel</span>
293         </button>
294
295         <button
296             type="button"
297             onClick={() => {
298                 setWayToItem(item);

```

```
295         }}
296         className="px-4 py-2 border border-slate-200 hover:bg-slate-50 text-slate-700 rounded-xl text-xs
font-semibold flex items-center gap-1.5 cursor-pointer"
297     >
298     <Navigation className="w-3.5 h-3.5 text-teal-600" />
299     <span>Ways to Reach</span>
300 </button>
301
302 <button
303     type="button"
304     onClick={() => {
305         addToTrip(item, item.type || item.category || 'Listing');
306         setViewDetailsItem(null);
307     }}
308     className="flex items-center gap-2 px-5 py-2 text-xs font-bold bg-teal-600 hover:bg-teal-700
text-white rounded-xl shadow-xs transition-colors cursor-pointer"
309 >
310     <Plus className="w-4 h-4" />
311     <span>Add to trip</span>
312 </button>
313 </div>
314 </div>
315 </div>
316 </div>
317 </div>
318 );
319 }
320
```

File: src/components/common/WayToModal.jsx

168 lines

```

1  import React from 'react';
2  import {
3    X,
4    MapPin,
5    Navigation,
6    Car,
7    Bus,
8    Clock,
9    Compass,
10   ExternalLink,
11   Check,
12   Info,
13   Footprints
14 } from 'lucide-react';
15 import { useApp } from '../../../context/AppContext';
16
17 export default function WayToModal() {
18   const {
19     wayToItem,
20     setWayToItem,
21     startingPoint,
22     calculateDistance,
23     showToast
24   } = useApp();
25
26   if (!wayToItem) return null;
27
28   const dist = calculateDistance(wayToItem.lat, wayToItem.lng);
29   const distanceKm = dist.rawKm || 2.4;
30   const estMinutes = Math.max(5, Math.round(distanceKm * 3.5));
31
32   const handleOpenGoogleMaps = () => {
33     const query = encodeURIComponent(`${wayToItem.name}, ${wayToItem.location || 'Bhopal'}`);
34     window.open(`https://www.google.com/maps/search/?api=1&query=${query}`, '_blank');
35   };
36
37   return (
38     <div
39       onClick={(e) => {
40         if (e.target === e.currentTarget) setWayToItem(null);
41       }}
42       className="fixed inset-0 z-50 bg-slate-900/40 backdrop-blur-xs flex items-center justify-center p-4
43       overflow-y-auto cursor-default"
44     >
45       <div className="bg-white rounded-3xl max-w-lg w-full p-6 shadow-2xl border border-slate-100 space-y-5
46       animate-in zoom-in-95 duration-150 my-6">
47         <div className="flex items-start justify-between pb-3 border-b border-slate-100">
48           <div>
49             <div className="flex items-center gap-1.5 text-xs text-teal-700 font-bold uppercase tracking-wide">
50               <Navigation className="w-3.5 h-3.5" />
51               <span>Ways to Reach & Transit Guidance</span>
52             </div>
53             <h2 className="text-xl font-bold text-slate-900 mt-0.5">
54               Ways to reach {wayToItem.name}
55             </h2>
56             <p className="text-xs text-slate-500">
57               From current starting point: <strong>{startingPoint.name}</strong>
58             </p>
59           </div>
60           <button
61             type="button"
62             onClick={() => setWayToItem(null)}
63             className="p-1 rounded-lg text-slate-400 hover:text-slate-600 hover:bg-slate-50 transition-colors
64             cursor-pointer"
65           >
66             <X className="w-5 h-5" />
67           </button>
68         </div>
69
70         <div className="grid grid-cols-3 gap-2 bg-slate-50 p-3 rounded-2xl border border-slate-200/80 text-center">
71           <div>
72             <span className="text-[10px] uppercase font-bold text-slate-400 block">Distance</span>

```

```

73         <span className="text-sm font-black text-slate-800">{dist.label}</span>
74         <span className="text-[9px] text-slate-400 block font-mono">({dist.basis})</span>
75     </div>
76     <div>
77         <span className="text-[10px] uppercase font-bold text-slate-400 block">Drive Time</span>
78         <span className="text-sm font-black text-slate-800">{estMinutes} - {estMinutes + 5} mins</span>
79         <span className="text-[9px] text-teal-600 block">Normal traffic</span>
80     </div>
81     <div>
82         <span className="text-[10px] uppercase font-bold text-slate-400 block">Route Path</span>
83         <span className="text-sm font-black text-slate-800">{dist.isStraightLine ? 'Estimated' : 'City
Corridor'}</span>
84         <span className="text-[9px] text-slate-400 block">Verified path</span>
85     </div>
86 </div>
87
88 { /* Transit Modes Breakdown */ }
89 <div className="space-y-2.5">
90     <h3 className="text-xs font-bold text-slate-700 uppercase tracking-wider">
91         Available Transit Modes
92     </h3>
93
94     { /* 1. Auto Rickshaw / Taxi */ }
95     <div className="p-3 bg-white rounded-xl border border-slate-200 flex items-center justify-between text-xs
hover:border-teal-300 transition-colors">
96         <div className="flex items-center gap-3">
97             <div className="p-2 rounded-lg bg-emerald-50 text-emerald-700">
98                 <Car className="w-4 h-4" />
99             </div>
100             <div>
101                 <span className="font-bold text-slate-800 block">Auto-Rickshaw / Cab</span>
102                 <span className="text-[11px] text-slate-500">F
20))}</span>
103             </div>
104         </div>
105         <span className="font-mono text-[11px] bg-slate-100 text-slate-700 px-2 py-0.5 rounded">
106             {Math.max(6, Math.round(distanceKm * 3))} mins
107         </span>
108     </div>
109
110     { /* 2. City Bus */ }
111     <div className="p-3 bg-white rounded-xl border border-slate-200 flex items-center justify-between text-xs
hover:border-teal-300 transition-colors">
112         <div className="flex items-center gap-3">
113             <div className="p-2 rounded-lg bg-lavender-50 text-lavender-700">
114                 <Bus className="w-4 h-4" />
115             </div>
116             <div>
117                 <span className="font-bold text-slate-800 block">City Bus / Transit</span>
118                 <span className="text-[11px] text-slate-500">F
119             </div>
120         </div>
121         <span className="font-mono text-[11px] bg-slate-100 text-slate-700 px-2 py-0.5 rounded">
122             {Math.max(12, Math.round(distanceKm * 5))} mins
123         </span>
124     </div>
125
126     { /* 3. Walking */ }
127     {distanceKm <= 2.5 && (
128         <div className="p-3 bg-white rounded-xl border border-slate-200 flex items-center justify-between
text-xs hover:border-teal-300 transition-colors">
129             <div className="flex items-center gap-3">
130                 <div className="p-2 rounded-lg bg-blue-50 text-blue-700">
131                     <Footprints className="w-4 h-4" />
132                 </div>
133                 <div>
134                     <span className="font-bold text-slate-800 block">Walking / Stroll</span>
135                     <span className="text-[11px] text-slate-500">Pedestrian friendly walkway</span>
136                 </div>
137             </div>
138             <span className="font-mono text-[11px] bg-slate-100 text-slate-700 px-2 py-0.5 rounded">
139                 {Math.round(distanceKm * 14)} mins
140             </span>
141         </div>
142     )}
143 </div>
144
145 { /* Modal Action Buttons */ }
146 <div className="pt-3 border-t border-slate-100 flex items-center justify-between gap-3">

```

```
147         <button
148             type="button"
149             onClick={handleOpenGoogleMaps}
150             className="flex items-center gap-1.5 text-xs text-teal-700 hover:text-teal-800 font-semibold
cursor-pointer"
151         >
152             <ExternalLink className="w-3.5 h-3.5" />
153             <span>Open in Google Maps</span>
154         </button>
155
156         <button
157             type="button"
158             onClick={() => setWayToItem(null)}
159             className="px-5 py-2 bg-slate-900 hover:bg-slate-800 text-white rounded-xl text-xs font-bold
transition-colors cursor-pointer"
160         >
161             Close
162         </button>
163     </div>
164 </div>
165 </div>
166 );
167 }
168
```

File: src/components/common/CompareModal.jsx

147 lines

```

1  import React from 'react';
2  import { X, Check, Star, MapPin, Scale, Plus, Trash2 } from 'lucide-react';
3  import { useApp } from '../../../context/AppContext';
4
5  export default function CompareModal() {
6    const {
7      compareListings,
8      removeFromCompare,
9      isCompareModalOpen,
10     setIsCompareModalOpen,
11     addToTrip,
12     calculateDistance,
13     personCount
14   } = useApp();
15
16   if (!isCompareModalOpen) return null;
17
18   return (
19     <div className="fixed inset-0 z-50 bg-slate-950/70 backdrop-blur-xs flex items-center justify-center p-4
overflow-y-auto">
20       <div className="bg-white rounded-3xl max-w-4xl w-full p-6 sm:p-8 shadow-2xl border border-slate-100
animate-in zoom-in-95 duration-150 my-6">
21         <div className="flex items-center justify-between pb-4 border-b border-slate-200 mb-5">
22           <div className="flex items-center gap-2.5">
23             <div className="p-2 bg-teal-50 text-teal-800 rounded-xl">
24               <Scale className="w-5 h-5" />
25             </div>
26             <div>
27               <h3 className="text-lg font-bold text-slate-900">Compare Listings</h3>
28               <p className="text-xs text-slate-500">
29                 Comparing {compareListings.length} of 3 maximum services side-by-side (Prices adjusted for
{personCount} {personCount === 1 ? 'person' : 'persons'})
30               </p>
31             </div>
32           </div>
33           <button
34             onClick={() => setIsCompareModalOpen(false)}
35             className="text-slate-400 hover:text-slate-600 p-1 rounded-lg cursor-pointer"
36           >
37             <X className="w-5 h-5" />
38           </button>
39         </div>
40
41         {compareListings.length === 0 ? (
42           <div className="p-8 text-center bg-slate-50 rounded-2xl border border-dashed border-slate-200">
43             <p className="text-sm font-semibold text-slate-700">No items selected for comparison</p>
44             <p className="text-xs text-slate-400 mt-1">
45               Click the "Compare" checkbox on any Stay, Food, or Attraction card to compare them here.
46             </p>
47           </div>
48         ) : (
49           <div className="grid grid-cols-1 md:grid-cols-3 gap-4">
50             {compareListings.map(item => {
51               const dist = calculateDistance(item.lat, item.lng);
52               const basePrice = item.price || item.avgCost || item.entryPrice || 0;
53               const perPersonPrice = item.avgCost || item.entryPrice || (item.category === 'Stays' ?
Math.round(basePrice / 2) : basePrice);
54               const totalPrice = perPersonPrice * personCount;
55
56               return (
57                 <div key={item.id} className="p-4 rounded-2xl border border-slate-200 bg-slate-50/50 flex flex-col
justify-between space-y-3">
58                   <div>
59                     <div className="relative h-32 rounded-xl overflow-hidden mb-2 bg-slate-100">
60                       <img src={item.image} alt={item.name} className="w-full h-full object-cover" />
61                     <button
62                       onClick={() => removeFromCompare(item.id)}
63                       className="absolute top-2 right-2 p-1.5 rounded-full bg-slate-900/70 text-white
hover:bg-red-600 transition-colors cursor-pointer"
64                       title="Remove from comparison"
65                     >
66                       <Trash2 className="w-3.5 h-3.5" />
67                     </button>
68                   </div>
69

```

```

70         <h4 className="text-sm font-bold text-slate-900 leading-snug">{item.name}</h4>
71         <span className="text-[10px] font-bold uppercase px-1.5 py-0.5 rounded bg-teal-100
text-teal-800 inline-block my-1">
72             {item.type || item.category || 'Listing'}
73         </span>
74
75         <div className="space-y-2 text-xs text-slate-600 pt-2 border-t border-slate-200 mt-2">
76             <div className="flex justify-between">
77                 <span className="text-slate-400">Base Tariff:</span>
78                 <span className="font-bold text-slate-900">{item.baseTariff}</span>
79             </div>
80
81             {/* Item 18: Price detail per person */}
82             <div className="flex justify-between bg-teal-50/80 p-1.5 rounded-lg border border-teal-100">
83                 <span className="text-teal-900 font-semibold">Price / Person:</span>
84                 <span className="font-extrabold text-teal-900">{item.pricePerPerson}</span>
85             </div>
86
87             <div className="flex justify-between">
88                 <span className="text-slate-400">Total for {personCount} persons:</span>
89                 <span className="font-black text-slate-900">{totalPrice}</span>
90             </div>
91
92             <div className="flex justify-between">
93                 <span className="text-slate-400">Rating:</span>
94                 <span className="font-semibold text-slate-800 flex items-center gap-1">
95                     <Star className="w-3 h-3 fill-amber-400 text-amber-400" />
96                     {item.rating || 'N/A'}
97                 </span>
98             </div>
99
100             <div className="flex justify-between">
101                 <span className="text-slate-400">Distance:</span>
102                 <span className="font-medium text-slate-700 text-right">{dist.formattedLabel}</span>
103             </div>
104
105             {item.amenities && (
106                 <div className="pt-2 border-t border-slate-200 mt-2">
107                     <span className="text-[10px] font-bold text-slate-400 block mb-1
uppercase">Amenities:</span>
108                     <div className="flex flex-wrap gap-1">
109                         {item.amenities.slice(0, 3).map((am, i) => (
110                             <span key={i} className="text-[10px] bg-white px-1.5 py-0.5 rounded border
border-slate-200 text-slate-700">
111                             {am}
112                         </span>
113                     )}}
114                     </div>
115                 </div>
116             )}
117         </div>
118
119         <button
120             onClick={() => {
121                 addToTrip(item, item.type || item.category || 'Listing');
122                 setIsCompareModalOpen(false);
123             }}
124             className="w-full py-2 bg-teal-600 hover:bg-teal-700 text-white rounded-xl text-xs font-bold
transition-colors flex items-center justify-center gap-1.5 cursor-pointer"
125         >
126             <Plus className="w-3.5 h-3.5" />
127             <span>Add to Trip</span>
128         </button>
129     </div>
130 );
131 }}
132 </div>
133 )}
134
135 <div className="pt-4 border-t border-slate-200 mt-5 flex justify-end">
136     <button
137         onClick={() => setIsCompareModalOpen(false)}
138         className="px-5 py-2 bg-teal-600 hover:bg-teal-700 text-white text-xs font-bold rounded-xl
cursor-pointer"
139     >
140         Close
141     </button>
142 </div>

```

```
143         </div>
144     </div>
145 );
146 }
147
```

File: src/components/common/ReportModal.jsx

95 lines

```

1  import React, { useState } from 'react';
2  import { X, AlertCircle, CheckCircle2, Send } from 'lucide-react';
3  import { useApp } from '../../../context/AppContext';
4
5  export default function ReportModal() {
6    const { reportModalItem, setReportModalItem, submitUserReport, showToast } = useApp();
7    const [reportType, setReportType] = useState('price_mismatch');
8    const [notes, setNotes] = useState('');
9
10   if (!reportModalItem) return null;
11
12   const handleSubmit = (e) => {
13     e.preventDefault();
14     if (submitUserReport) {
15       submitUserReport({
16         listingId: reportModalItem.id,
17         listingName: reportModalItem.name,
18         issueType: reportType,
19         details: notes,
20         type: reportModalItem.type || reportModalItem.category || 'Listing'
21       });
22     } else {
23       showToast(`Report submitted for ${reportModalItem.name}`);
24     }
25     setReportModalItem(null);
26     setNotes('');
27   };
28
29   return (
30     <div className="fixed inset-0 z-50 bg-slate-950/70 backdrop-blur-xs flex items-center justify-center p-4">
31       <div className="bg-white rounded-3xl max-w-md w-full p-6 shadow-2xl border border-slate-100 space-y-4
32         animate-in zoom-in-95 duration-150">
33         <div className="flex items-center justify-between pb-2 border-b border-slate-100">
34           <div className="flex items-center gap-2 text-amber-700 font-bold text-sm">
35             <AlertCircle className="w-4 h-4" />
36             <span>Report Incorrect Information</span>
37           </div>
38           <button onClick={() => setReportModalItem(null)} className="text-slate-400 hover:text-slate-600
39             cursor-pointer">
40             <X className="w-4 h-4" />
41           </button>
42         </div>
43
44         <p className="text-xs text-slate-500">
45           Help the administration maintain verified, trustworthy travel intelligence for
46           <strong>{reportModalItem.name}</strong>.
47         </p>
48
49         <form onSubmit={handleSubmit} className="space-y-3 text-xs">
50           <div>
51             <label className="block font-bold text-slate-700 mb-1">Issue Type</label>
52             <select
53               value={reportType}
54               onChange={(e) => setReportType(e.target.value)}
55               className="w-full px-3 py-2 bg-slate-50 border border-slate-200 rounded-xl text-xs text-slate-800">
56               <option value="price_mismatch">Outdated Tariff or Price Mismatch</option>
57               <option value="wrong_timings">Inaccurate Opening/Closing Hours</option>
58               <option value="wrong_location">Incorrect Address or GPS Coordinates</option>
59               <option value="closed_down">Establishment Closed or Unreachable</option>
60               <option value="other">Other Information Correction</option>
61             </select>
62           </div>
63
64           <div>
65             <label className="block font-bold text-slate-700 mb-1">Correction Details</label>
66             <textarea
67               rows="3"
68               required
69               value={notes}
70               onChange={(e) => setNotes(e.target.value)}
71               placeholder="Explain the correct tariff or information based on your observation..."
72               className="w-full px-3 py-2 bg-slate-50 border border-slate-200 rounded-xl text-xs text-slate-800
73               focus:outline-none focus:ring-2 focus:ring-teal-500">
74             </div>

```

```
72         </div>
73
74         <div className="flex justify-end gap-2 pt-2 border-t border-slate-100">
75             <button
76                 type="button"
77                 onClick={() => setReportModalItem(null)}
78                 className="px-4 py-2 text-xs font-semibold text-slate-600 cursor-pointer"
79             >
80                 Cancel
81             </button>
82             <button
83                 type="submit"
84                 className="px-5 py-2 bg-teal-600 hover:bg-teal-700 text-white rounded-xl text-xs font-bold flex
items-center gap-1.5 cursor-pointer shadow-xs"
85             >
86                 <Send className="w-3.5 h-3.5" />
87                 <span>Submit Report</span>
88             </button>
89         </div>
90     </form>
91 </div>
92 </div>
93 );
94 }
95
```