

Assignment Functions: Review of Functions and Arrays

COSC 2336: Data Structures and Algorithms

Summer 2021

Objectives

- Review and practice writing user defined functions
- Learn about code reuse through reusing user defined functions.
- Review of arrays in C
- Practice passing arrays into functions
- Practice using `<cmath>` predefined library functions
- Continue learning about test driven development and git project workflow

Description

In this programming assignment you will write a program that will take an array of integers, and calculate the mean (average) and standard deviation of the numbers. If the numbers in the array are

```
int n = 5;  
int x[] = {5, 3, 8, 2, 1};
```

Then to calculate the mean, we use the formula:

$$\bar{x} = \frac{1}{n} \sum_{i=0}^{n-1} x_i$$

where \bar{x} represents the calculated mean, and n is the total number of values in the array x . In other words, the mean is simply the sum of the values divided by the total number of values (n), or

$$\bar{x} = \frac{x_0 + x_1 + x_2 + x_3 + x_4}{n} = \frac{5 + 3 + 8 + 2 + 1}{5} = 3.8$$

Likewise, the formula for calculating the standard deviation of a set of values is given by:

$$s = \sqrt{\frac{1}{n} \sum_{i=0}^{n-1} (x_i - \bar{x})^2}$$

Here you should notice that \bar{x} is the calculated mean of the values in the x array we just showed previously. In English, the standard deviation is the sum of the square of the differences of each value from the mean. This sum of the squared differences is again divided by n the total number of values, then we take the square root of this whole calculation to get the final standard deviation.

So for our example x array, the standard deviation would be calculated as

$$\begin{aligned}
s &= \sqrt{\frac{1}{n}[(x_0 - \bar{x})^2 + (x_1 - \bar{x})^2 + (x_2 - \bar{x})^2 + (x_3 - \bar{x})^2 + (x_4 - \bar{x})^2]} \\
&= \sqrt{\frac{1}{5}[(5 - 3.8)^2 + (3 - 3.8)^2 + (8 - 3.8)^2 + (2 - 3.8)^2 + (1 - 3.8)^2]} \\
&\approx 2.4819
\end{aligned}$$

We will be emphasizing the writing and reuse of functions in this assignment. You will build several smaller functions that will be reused to do most of the work of the functions to calculate the mean and standard deviation.

Overview and Setup

For this assignment you will be given the following files that you will be using and adding code to for this assignment.

File Name	Description
<code>src/test-libstats.cpp</code>	Unit tests for the five functions you are to write.
<code>include/libstats.hpp</code>	Header file for function prototypes you are to add.
<code>src/libstats.cpp</code>	Implementation file for the functions you are to write for this assignment.

As usual, before starting on the assignment tasks proper, you will need to finish the following setup steps.

1. Accept the assignment invitation and copy the assignment repository on GitHub using the provided assignment invitation link for the ‘Assignment Functions’ for our current class semester and section.
2. Clone the repository to your DevBox using the SSH URL to your local class DevBox development environment.
3. Configure the project by running the `configure` script from a terminal.
4. Confirm that the project builds and runs, though no tests may be defined or run initially. If the project does not build on the first checkout, please inform the instructor.
5. You should create the issue for Task 1 and/or for all tasks for the assignment now before beginning the first task. On your GitHub account, go to issues, and create it/them from the issue templates for the assignment. Also make sure you link the issue(s) with the **Feedback** pull request.

Assignment Tasks

Task 1: Implement `sumOfValues()` Function

If you haven’t done so already, create the Task 1 issue on GitHub and link the issue for Task 1 with the **Feedback** pull request.

For the first task, you will implement a function named `sumOfValues()`. This function will take an array of double values, sum up all of the values in the array, and return the sum as a double result. Notice by looking at the tests that this function, like all of the functions you will write, actually takes first an integer parameter, which is the number of values in the array that will be passed in as the second parameter.

NOTE: Actually the array of `double` values should be declared to be a `const` parameter. Do you know why? We discussed passing in arrays as `const` parameters vs. as non constant in this units lecture videos.

As usual a good first baby step is to uncomment the first test case for the `sumOfValues()` unit tests. Then create the function prototype for your function, and create a stub implementation that returns a sum of `0.0`. Make sure that these changes compile and the tests you uncommented run, though of course you won’t expect them to be passing yet. When you have code that compiles and runs again, this is a good milestone to stage and commit your changes, and push them to your **Feedback** pull request, if you want more practice on committing and pushing your changes.

Once you are past the hurdle of adding in the function prototype and stub implementation, you can begin implementing the function in earnest. In future assignment descriptions we will probably skip the description of adding the function prototype and a stub function so that you can get the tests running, and will assume that you do this as the first step for most all of the assignment tasks.

The `sumOfValues()` function should be relatively simple to implement hopefully. There are several tests that test summing up arrays of various size in the given unit tests. Your implementation needs to sum up all of the values and return the resulting sum as a `double` data type. The unit tests do test some edge cases, like for example what if you are given an array of size 0 (an empty array), do you return a default sum of 0.0 in that case?

Once you have the function working, you should stage and push a commit to the **Feedback** pull request of your code that passes all of the unit tests for this first task function. You are required to have at least one commit for each task that has code you believe completely implements the described task.

Task 2: Implement `calculateMean()` Function

Make sure that you have created Issue 2 for this task and linked it to the **Feedback** pull request. It is fine if you prefer to create all of the issues for the assignments before you begin working on the tasks.

As usual, create the function prototype and a stub, and uncomment the tests for task 2, to make sure your project still compiles and can now run the unit tests that you need to pass for this task 2.

`calculateMean()` will have the same signature as your first function. The function should take a `const` array of `double`, and calculate the mean of these values, returning their mean as a `double` result.

You are required to reuse the `sumOfValues()` function in order to implement your task 2 `calculateMean()` function. As discussed in the assignment description, the mean is simply the sum of the values divided by the total number of values being averaged. So you can reuse the first function to determine the sum of the values that you are calculating the average of.

NOTE: be careful about integer division. Since the number of values in the array is given to you as an integer, you have to divide by this to get your average. Sometimes, when you divide by an integer in C/C++ you end up with an integer result. You should google integer division in C/C++ if you do not know what the potential issue is here with dividing by an integer data type.

When you are satisfied your function works (make sure your project compiles and runs still), you should commit your changes and push them to the **Feedback** pull request in your classroom repository.

Task 3: Implement `'differenceOfValues()'` Function

Make sure you do your prerequisite steps first, such as creating the issue for this task. Then uncomment the tests for this function, and get your project back to a compilable and runnable state before proceeding.

If you look closely at the definition of the standard deviation, we can break it up into several steps. First of all, the standard deviation is calculated by taking the difference of each value with the mean. Then all of the differences are squared. The standard deviation is actually the mean of these squared differences, e.g. if we calculate the square of the difference of each value with the mean, then take the average of these squared differences, then we have the standard deviation (after we take a final square root of this calculation).

So to calculate the standard deviation, we want to reuse the `calculateMean()` function, and we want to create some other smaller functions we can use in that calculation and potentially reuse in other ways.

The `differenceOfValues()` function works a bit differently from the previous two. We need to pass in an array of `double` values (and the array size) as before. But you will pass in a third parameter of type `double`. This value is the value you are to subtract from each of the values in the array passed as the second parameter.

NOTE: This time the array of values cannot be a `const` parameter. Do you understand why not?

This function is a `void` function this time, which is different as well. You will be calculating the difference of each value, and storing the result back in the array passed in as a parameters. As you should have learned/reviewed from this units materials, arrays are passed in by reference implicitly. So if you modify the values of the array to contain the calculated differences, the results of this calculation will be returned back to the caller of your function.

When you are satisfied your function is working, the project still compiles, and you can run and pass the tests, perform the usual to create and push a commit to the **Feedback** pull request.

Task 4: Implement ‘squareOfValues()’ Function

Perform the usual prerequisite steps before starting task 4.

Once you have your program running the tests again, implement the `squareOfValues()` function. This function will work in a similar manner to the previous function. It is a void function because the work it does is done on the values of the array passed in as a parameter.

This function simply squares all of the values in the array, so there will be no third parameter for this function, simply the array of doubles (and the array size) passed in as the 2 input parameters. But like before this is a void function because the results will be stored back in the array to be returned to the caller by reference.

NOTE: you are required to use the `pow()` function from the `cmath` C/C++ library to implement the squaring calculation of each element. You could calculate the square by multiplying each value by itself. But this is not as clear as explicitly using a `pow()` function to square each value. Also you are practicing code reuse here still, and you should always reuse function from the standard libraries in the language you are programming with where available and where these make your code clearer and more readable.

When satisfied with your implementation, commit and push your work to the **Feedback** pull request of your classroom repository.

Task 5: Implement ‘calculateStandardDeviation()’ Function

Perform the usual prerequisite steps before starting task 5.

The final task will be to put together and reuse all of the previous functions to implement the standard deviation calculation. You will be using all 4 of the previous functions, as well as the `cmath sqrt()` function, either directly or indirectly here.

This function has almost the same signature as the `calculateMean()` function. It takes an array of `double` values and its size as input parameters. And it returns a `double` result, which should be the final calculated standard deviation of the original array of values.

NOTE: in theory the array of values should be `const` for this function since it doesn’t make sense that calling this function to calculate the standard deviation would have as a side effect the property of altering the values. Why can’t the parameter be a `const` like in `calculateMean()`? We will later discuss how to fix this little issue when we talk about dynamic memory management.

If all of your previous functions are working, you can implement the calculation of the standard deviation in the following manner.

1. Calculate the mean of the initial values in the array by reusing your `calculateMean()` function.
2. Calculate the difference of each value in the array of values from the mean value by calling your `differenceOfValues()` function.
3. Calculate the square of each of the differences with your `squareOfValues()` function.
4. Calculate the mean of the squared differences using the `calculateMean()` again. Notice you are (re)using this function 2 times in the implementation of your standard deviation calculation.
5. The final result then is the square root of the mean of these squared differences. So you are require to use the `sqrt()` function from `cmath` to get the square root of this result. This should be the final standard deviation that your function will return.

If you have gotten all of the tasks completed to this point, you should be able to run and pass all of the original tests once your `calculateStandardDeviation()` is working correctly. When satisfied you should commit and push your changes. Check your final GitHub actions at this point. If your work is committed correctly, you should see you now get a green check mark and your most recent action passes all actions on the GitHub classroom repository now.

Assignment Submission

For this class, the submission process is to correctly create a pull request(s) with changes committed and pushed to your copied repository for grading and evaluation. For the assignments, you may not be able to complete all tasks and have all of the tests successfully finishing. This is OK. However, you should endeavor to have as many of the tasks completed before the deadline for the assignment as possible. Also, try and make sure that you only push

commits that are building and able to run the tests. You may lose points for pushing a broken build, especially if the last build you submit is not properly compiling and running the tests.

In this problem, up to 25 points will be given for having at least 1 commit that compiles and runs the tests (and at least some attempt was made to work on the first task). Thereafter 15 points are awarded for completing each of the tasks. However you should note that the autograder awards either all points for passing all tests, or no points if any test is failing for one of the tasks. Also note that even if you pass all tests, when the instructor evaluates your assignment, they may remove points if you don't follow the requirements for implementing the code (e.g. must reuse functions here as described). You may also lose points for style issues. The instructor may give back comments in pull requests and/or create new issues for you if you have issues such as these, so it is good to have work committed early before the due date, so that the instructor may give feedback requesting you to fix issues with your current submission.

Program Style

At some point you will be required to follow class style and formatting guidelines. The VSCode environment has been set up to try and format your code for some of these guidelines automatically to conform to class style requirements. But not all style issues can be enforced by the IDE/Editor. The instructor may give you feedback in your pull comments and/or create issues for you for the assignment that you need to address and fix. You should address those if asked, and push a new commit that fixes the issue (or ask for clarification if you don't understand the request). In general the following style/formatting issues will be required for programs for this class:

1. All programs must be properly indented. All indentation must be consistent and lined up correctly. Class style requires 2 spaces with no embedded tabs for all code indentation levels. The editor style checker should properly indent your code when you save it, but if not you may need to check or correct this if code is misaligned or not properly indented.
2. Variable and function names must use **camelCaseNameingNotation**. All variable and function names must begin with a lowercase letter. Do not use underscores between words in the variable or function name. Often function names will be given to you, but you will need to create variables, and maybe some functions, that conform to the naming conventions.
 - Global constants should be used instead of magic numbers. Global constants are identified using **ALL_CAPS_UNDERLINE_NAMING**.
 - User defined types, such as classes, structures and enumerated types should use camel case notation, but should begin with an initial upper case letter, thus **MyUserDefinedClass**.
3. You are required to use meaningful variable and function names. Choosing good names for code items is an important skill. The code examples and starting code tries to give examples of good and meaningful names. In general, do not use abbreviations. Single variable names should be avoided, except maybe for generic loop index variables `i`, `j`, etc. Make your code readable, think of it as writing a document to communicate with other developers (and with your instructor who will be evaluating your code).
4. There are certain white space requirements. In general there should usually never be more than 1 blank line in a row in your code. Likewise there should usually not be more than 1 blank space on a line. There should be 1 blank space before and after all binary operators like `+`, `*`, `=`, or `or`.
5. Function documentation is required for all regular functions and all class member functions. You need to follow the correctly formatted Doxygen function documentation format. We will use function documentation generation, and you should be sure your documentation can be built without emitting warnings or errors. Likewise all files should have a file header documentation at the top. You should edit the file header of files where you add in new code (not simply uncommenting existing code). Make sure the information has your correct name, dates, and other information.
6. Practice using proper Git commit messages. You should refer to issues and tasks correctly in commit messages.

Additional Information

The following are suggested online materials you may use to help you understand the tools and topics we have introduced in this assignment.

- [C/C++ Functions](#)
- [C/C++ Arrays and Arrays as Function Parameters](#)
- [cmath Library Reference](#)

- Lecture U01-1 User Defined Functions
- Lecture U01-2 User Defined Data Types
- Lecture U01-3 C++ Arrays