

Use Case Description

Use Case name:	Authenticate User
Product name:	UrbanDrop
Team:	Fantastic4
Date:	2/23/26

1. Goal

Allow a registered user (Delivery Personnel or Administrator) to authenticate and access features based on their role.

2. Summary

The user enters a password to sign in. The system validates the credentials and grants access to role-appropriate functions. If authentication fails, the system displays an error and allows a retry.

3. Actors

Actor 1: Delivery Driver
Actor 2: Customer
Actor 3: Restaurant Staff
Actor 4: Administrator

4. Preconditions

- The user has a registered account in UrbanDrop.
- UrbanDrop services are reachable (network connection available).
- The user account is active (not disabled or locked).

5. Trigger

The user selects the "Sign In" button.

6. Primary Sequence

Step	Action
1	The system displays the sign-in form.
2	The user enters username/email and password.
3	The user submits the sign-in request.
4	The system validates the submitted credentials.

Use Case Description

5	The system establishes an authenticated session and identifies the user's role.
6	The system displays the main interface with role-appropriate access.

7. Primary Postconditions

- The user is authenticated
- The user can access functions permitted by their role.

8. Alternate Sequences

Alternate Trigger

Invalid credentials provided

Step	Action
1	The user submits the sign-in request with invalid credentials.
2	The system rejects authentication and displays an error message.
3	The system allows the user to re-enter credentials or cancel.

Alternate Postconditions

- The user remains unauthenticated.

Alternate Trigger

User account is disabled or not authorized

Step	Action
1	The user submits the sign-in request.
2	The system detects that the account is disabled or lacks authorization.
3	The system displays an access-denied message and prevents sign-in.

Alternate Postconditions

- The user remains unauthenticated.

9. Nonfunctional Requirements

- The system shall enforce role-based access control so that administrative functions are accessible only to authorized administrators.
- The system shall respond to sign-in attempts within 2 seconds under normal operating conditions
 - The system shall not reveal whether a username/email exists when displaying authentication error messages.

Use Case Description

10. Glossary

- Authentication: Verifying a user's identity using credentials.
- Role-based access: Permissions granted based on user role (Driver, Customer, Restaurant Staff, Administrator).
- Session: A period during which a user is signed in and authorized to use the application.