

```
In [1]: import pandas as pd
```

```
In [18]: pd.__version__
```

```
Out[18]: '2.2.2'
```

```
In [5]: df = pd.read_csv(r'C:\Users\VARDHAN REDDY\Downloads\data.csv')
```

```
In [8]: df
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income
3	Albania	ALB	12.877	57.2	Upper middle income
4	United Arab Emirates	ARE	11.044	88.0	High income
...
190	Yemen, Rep.	YEM	32.947	20.0	Lower middle income
191	South Africa	ZAF	20.850	46.5	Upper middle income
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income
193	Zambia	ZMB	40.471	15.4	Lower middle income
194	Zimbabwe	ZWE	35.715	18.5	Low income

195 rows × 5 columns

```
In [10]: len(df)
```

```
Out[10]: 195
```

```
In [12]: df.shape
```

```
Out[12]: (195, 5)
```

```
In [14]: df.columns
```

```
Out[14]: Index(['CountryName', 'CountryCode', 'BirthRate', 'InternetUsers',
       'IncomeGroup'],
       dtype='object')
```

```
In [16]: type(df)
```

```
Out[16]: pandas.core.frame.DataFrame
```

In [20]: `df.info()`

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 195 entries, 0 to 194
Data columns (total 5 columns):
 #   Column           Non-Null Count  Dtype  
--- 
 0   CountryName      195 non-null    object  
 1   CountryCode      195 non-null    object  
 2   BirthRate        195 non-null    float64 
 3   InternetUsers   195 non-null    float64 
 4   IncomeGroup      195 non-null    object  
dtypes: float64(2), object(3)
memory usage: 7.7+ KB
```

In [22]: `df.columns`

```
Out[22]: Index(['CountryName', 'CountryCode', 'BirthRate', 'InternetUsers',
                 'IncomeGroup'],
                dtype='object')
```

In [24]: `len(df.columns)`

```
Out[24]: 5
```

In [28]: `df.head()`

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income
3	Albania	ALB	12.877	57.2	Upper middle income
4	United Arab Emirates	ARE	11.044	88.0	High income

In [30]: `df.tail()`

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
190	Yemen, Rep.	YEM	32.947	20.0	Lower middle income
191	South Africa	ZAF	20.850	46.5	Upper middle income
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income
193	Zambia	ZMB	40.471	15.4	Lower middle income
194	Zimbabwe	ZWE	35.715	18.5	Low income

In [32]: `df.head(2)`

Out[32]:

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income

In [34]: `df.tail(2)`

Out[34]:

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
193	Zambia	ZMB	40.471	15.4	Lower middle income
194	Zimbabwe	ZWE	35.715	18.5	Low income

In [36]: `df`

Out[36]:

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income
3	Albania	ALB	12.877	57.2	Upper middle income
4	United Arab Emirates	ARE	11.044	88.0	High income
...
190	Yemen, Rep.	YEM	32.947	20.0	Lower middle income
191	South Africa	ZAF	20.850	46.5	Upper middle income
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income
193	Zambia	ZMB	40.471	15.4	Lower middle income
194	Zimbabwe	ZWE	35.715	18.5	Low income

195 rows × 5 columns

In [38]: `df[:-1]`

Out[38]:

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
194	Zimbabwe	ZWE	35.715	18.5	Low income
193	Zambia	ZMB	40.471	15.4	Lower middle income
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income
191	South Africa	ZAF	20.850	46.5	Upper middle income
190	Yemen, Rep.	YEM	32.947	20.0	Lower middle income
...
4	United Arab Emirates	ARE	11.044	88.0	High income
3	Albania	ALB	12.877	57.2	Upper middle income
2	Angola	AGO	45.985	19.1	Upper middle income
1	Afghanistan	AFG	35.253	5.9	Low income
0	Aruba	ABW	10.244	78.9	High income

195 rows × 5 columns

In [40]: df[:5]

Out[40]:

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income
3	Albania	ALB	12.877	57.2	Upper middle income
4	United Arab Emirates	ARE	11.044	88.0	High income

In [42]: df[6:]

Out[42]:

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
6	Armenia	ARM	13.308	41.9000	Lower middle income
7	Antigua and Barbuda	ATG	16.447	63.4000	High income
8	Australia	AUS	13.200	83.0000	High income
9	Austria	AUT	9.400	80.6188	High income
10	Azerbaijan	AZE	18.300	58.7000	Upper middle income
...
190	Yemen, Rep.	YEM	32.947	20.0000	Lower middle income
191	South Africa	ZAF	20.850	46.5000	Upper middle income
192	Congo, Dem. Rep.	COD	42.394	2.2000	Low income
193	Zambia	ZMB	40.471	15.4000	Lower middle income
194	Zimbabwe	ZWE	35.715	18.5000	Low income

189 rows × 5 columns

In [44]:

df[0:200:10]

Out[44]:

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.900000	High income
10	Azerbaijan	AZE	18.300	58.700000	Upper middle income
20	Belarus	BLR	12.500	54.170000	Upper middle income
30	Canada	CAN	10.900	85.800000	High income
40	Costa Rica	CRI	15.022	45.960000	Upper middle income
50	Ecuador	ECU	21.070	40.353684	Upper middle income
60	Gabon	GAB	30.555	9.200000	Upper middle income
70	Greenland	GRL	14.500	65.800000	High income
80	India	IND	20.291	15.100000	Lower middle income
90	Kazakhstan	KAZ	22.730	54.000000	Upper middle income
100	Libya	LBY	21.425	16.500000	Upper middle income
110	Moldova	MDA	12.141	45.000000	Lower middle income
120	Mozambique	MOZ	39.705	5.400000	Low income
130	Netherlands	NLD	10.200	93.956400	High income
140	Poland	POL	9.600	62.849200	High income
150	Sudan	SDN	33.477	22.700000	Lower middle income
160	Suriname	SUR	18.455	37.400000	Upper middle income
170	Tajikistan	TJK	30.792	16.000000	Lower middle income
180	Uruguay	URY	14.374	57.690000	High income
190	Yemen, Rep.	YEM	32.947	20.000000	Lower middle income

In [46]:

df

Out[46]:

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income
3	Albania	ALB	12.877	57.2	Upper middle income
4	United Arab Emirates	ARE	11.044	88.0	High income
...
190	Yemen, Rep.	YEM	32.947	20.0	Lower middle income
191	South Africa	ZAF	20.850	46.5	Upper middle income
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income
193	Zambia	ZMB	40.471	15.4	Lower middle income
194	Zimbabwe	ZWE	35.715	18.5	Low income

195 rows × 5 columns

In [48]: `df.describe()`

Out[48]:

	BirthRate	InternetUsers
count	195.000000	195.000000
mean	21.469928	42.076471
std	10.605467	29.030788
min	7.900000	0.900000
25%	12.120500	14.520000
50%	19.680000	41.000000
75%	29.759500	66.225000
max	49.661000	96.546800

In [50]: `df.describe().transpose()`

Out[50]:

	count	mean	std	min	25%	50%	75%	max
BirthRate	195.0	21.469928	10.605467	7.9	12.1205	19.68	29.7595	49.6610
InternetUsers	195.0	42.076471	29.030788	0.9	14.5200	41.00	66.2250	96.5468

In [54]: `df.columns`

```
Out[54]: Index(['CountryName', 'CountryCode', 'BirthRate', 'InternetUsers',
       'IncomeGroup'],
       dtype='object')
```

```
In [56]: df.columns=['a','b','c','d','e']
```

```
In [58]: df.head(1)
```

```
Out[58]:      a      b      c      d      e
0  Aruba   ABW  10.244    78.9  High income
```

```
In [60]: df.columns
```

```
Out[60]: Index(['a', 'b', 'c', 'd', 'e'], dtype='object')
```

```
In [124...]: df.columns=['CountryName','CountryCode','BirthRate','InternetUsers','IncomeGroup']
```

```
In [64]: df.head(1)
```

```
Out[64]:      CountryName  CountryCode  BirthRate  InternetUsers  IncomeGroup
0            Aruba        ABW     10.244        78.9  High income
```

```
In [66]: df.columns
```

```
Out[66]: Index(['CountryName', 'CountryCode', 'BirthRate', 'InternetUsers',
       'IncomeGroup'],
       dtype='object')
```

```
In [126...]: df.columns=['CountryName','CountryCode','BirthRate','InternetUsers','IncomeGroup']
```

```
In [130...]: df.head(1)
```

```
Out[130...]:      CountryName  CountryCode  BirthRate  InternetUsers  IncomeGroup
0            Aruba        ABW     10.244        78.9  High income
```

```
In [74]: df.isnull()
```

Out[74]:

	ContryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	False	False	False	False	False
1	False	False	False	False	False
2	False	False	False	False	False
3	False	False	False	False	False
4	False	False	False	False	False
...
190	False	False	False	False	False
191	False	False	False	False	False
192	False	False	False	False	False
193	False	False	False	False	False
194	False	False	False	False	False

195 rows × 5 columns

In [76]: `df.isnull().sum()`

Out[76]:

ContryName	0
CountryCode	0
BirthRate	0
InternetUsers	0
IncomeGroup	0
dtype:	int64

In [80]: `df.dtypes`

Out[80]:

ContryName	object
CountryCode	object
BirthRate	float64
InternetUsers	float64
IncomeGroup	object
dtype:	object

In [82]: `df.columns`

Out[82]:

```
Index(['ContryName', 'CountryCode', 'BirthRate', 'InternetUsers',
       'IncomeGroup'],
       dtype='object')
```

In [118...]: `df.columns`

Out[118...]:

```
Index(['ContryName', 'CountryCode', 'BirthRate', 'InternetUsers',
       'IncomeGroup'],
       dtype='object')
```

```
In [140... df_categorical = df[['CountryName', 'CountryCode', 'IncomeGroup']]  
df_categorical.head()
```

```
Out[140...  
  


|          | CountryName          | CountryCode | IncomeGroup         |
|----------|----------------------|-------------|---------------------|
| <b>0</b> | Aruba                | ABW         | High income         |
| <b>1</b> | Afghanistan          | AFG         | Low income          |
| <b>2</b> | Angola               | AGO         | Upper middle income |
| <b>3</b> | Albania              | ALB         | Upper middle income |
| <b>4</b> | United Arab Emirates | ARE         | High income         |


```

```
In [142... df.describe()
```

```
Out[142...  
  


|              | BirthRate  | InternetUsers |
|--------------|------------|---------------|
| <b>count</b> | 195.000000 | 195.000000    |
| <b>mean</b>  | 21.469928  | 42.076471     |
| <b>std</b>   | 10.605467  | 29.030788     |
| <b>min</b>   | 7.900000   | 0.900000      |
| <b>25%</b>   | 12.120500  | 14.520000     |
| <b>50%</b>   | 19.680000  | 41.000000     |
| <b>75%</b>   | 29.759500  | 66.225000     |
| <b>max</b>   | 49.661000  | 96.546800     |


```

```
In [144... df_categorical
```

Out[144...]

	CountryName	CountryCode	IncomeGroup
0	Aruba	ABW	High income
1	Afghanistan	AFG	Low income
2	Angola	AGO	Upper middle income
3	Albania	ALB	Upper middle income
4	United Arab Emirates	ARE	High income
...
190	Yemen, Rep.	YEM	Lower middle income
191	South Africa	ZAF	Upper middle income
192	Congo, Dem. Rep.	COD	Low income
193	Zambia	ZMB	Lower middle income
194	Zimbabwe	ZWE	Low income

195 rows × 3 columns

In [148...]

df_categorical.describe()

Out[148...]

	CountryName	CountryCode	IncomeGroup
count	195	195	195
unique	195	195	4
top	Aruba	ABW	High income
freq	1	1	67

In [150...]

df_num=df[['BirthRate', 'InternetUsers']]
df_num.head()

Out[150...]

	BirthRate	InternetUsers
0	10.244	78.9
1	35.253	5.9
2	45.985	19.1
3	12.877	57.2
4	11.044	88.0

In [152...]

df_num.describe().transpose()

Out[152...]

		count	mean	std	min	25%	50%	75%	max
	BirthRate	195.0	21.469928	10.605467	7.9	12.1205	19.68	29.7595	49.6610
	InternetUsers	195.0	42.076471	29.030788	0.9	14.5200	41.00	66.2250	96.5468

In [154...]

df['IncomeGroup']

Out[154...]

```
0           High income
1           Low income
2      Upper middle income
3      Upper middle income
4           High income
...
190     Lower middle income
191     Upper middle income
192           Low income
193     Lower middle income
194           Low income
Name: IncomeGroup, Length: 195, dtype: object
```

In [158...]

df.columns

Out[158...]

```
Index(['CountryName', 'CountryCode', 'BirthRate', 'InternetUsers',
       'IncomeGroup'],
      dtype='object')
```

In [160...]

['CountryName', 'BirthRate']

Out[160...]

```
['CountryName', 'BirthRate']
```

In [162...]

df[['CountryName', 'BirthRate']]

Out[162...]

CountryName BirthRate

0	Aruba	10.244
1	Afghanistan	35.253
2	Angola	45.985
3	Albania	12.877
4	United Arab Emirates	11.044
...
190	Yemen, Rep.	32.947
191	South Africa	20.850
192	Congo, Dem. Rep.	42.394
193	Zambia	40.471
194	Zimbabwe	35.715

195 rows × 2 columns

In [166...]

df[['CountryName', 'BirthRate', 'IncomeGroup']]

Out[166...]

CountryName BirthRate IncomeGroup

0	Aruba	10.244	High income
1	Afghanistan	35.253	Low income
2	Angola	45.985	Upper middle income
3	Albania	12.877	Upper middle income
4	United Arab Emirates	11.044	High income
...
190	Yemen, Rep.	32.947	Lower middle income
191	South Africa	20.850	Upper middle income
192	Congo, Dem. Rep.	42.394	Low income
193	Zambia	40.471	Lower middle income
194	Zimbabwe	35.715	Low income

195 rows × 3 columns

In [168...]

df[4:8][['CountryName', 'BirthRate']]

Out[168...]

CountryName BirthRate

4	United Arab Emirates	11.044
5	Argentina	17.716
6	Armenia	13.308
7	Antigua and Barbuda	16.447

In [172...]

df.head()

Out[172...]

CountryName CountryCode BirthRate InternetUsers IncomeGroup

0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income
3	Albania	ALB	12.877	57.2	Upper middle income
4	United Arab Emirates	ARE	11.044	88.0	High income

In [174...]

df.BirthRate * df.InternetUsers

Out[174...]

```

0      808.2516
1      207.9927
2      878.3135
3      736.5644
4      971.8720
      ...
190     658.9400
191     969.5250
192      93.2668
193     623.2534
194     660.7275
Length: 195, dtype: float64

```

In [176...]

df['myCalc']=df.BirthRate * df.InternetUsers

In [178...]

df

Out[178...]

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup	myCalc
0	Aruba	ABW	10.244	78.9	High income	808.2516
1	Afghanistan	AFG	35.253	5.9	Low income	207.9927
2	Angola	AGO	45.985	19.1	Upper middle income	878.3135
3	Albania	ALB	12.877	57.2	Upper middle income	736.5644
4	United Arab Emirates	ARE	11.044	88.0	High income	971.8720
...
190	Yemen, Rep.	YEM	32.947	20.0	Lower middle income	658.9400
191	South Africa	ZAF	20.850	46.5	Upper middle income	969.5250
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income	93.2668
193	Zambia	ZMB	40.471	15.4	Lower middle income	623.2534
194	Zimbabwe	ZWE	35.715	18.5	Low income	660.7275

195 rows × 6 columns

In [180...]

len(df.columns)

Out[180...]

6

In [182...]

df

Out[182...]

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup	myCalc
0	Aruba	ABW	10.244	78.9	High income	808.2516
1	Afghanistan	AFG	35.253	5.9	Low income	207.9927
2	Angola	AGO	45.985	19.1	Upper middle income	878.3135
3	Albania	ALB	12.877	57.2	Upper middle income	736.5644
4	United Arab Emirates	ARE	11.044	88.0	High income	971.8720
...
190	Yemen, Rep.	YEM	32.947	20.0	Lower middle income	658.9400
191	South Africa	ZAF	20.850	46.5	Upper middle income	969.5250
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income	93.2668
193	Zambia	ZMB	40.471	15.4	Lower middle income	623.2534
194	Zimbabwe	ZWE	35.715	18.5	Low income	660.7275

195 rows × 6 columns

In [186...]

df=df.drop('myCalc',axis=1)

In [188...]

df.columns

Out[188...]

Index(['CountryName', 'CountryCode', 'BirthRate', 'InternetUsers', 'IncomeGroup'],
 dtype='object')

In [190...]

df.columns[3:4]

Out[190...]

Index(['InternetUsers'], dtype='object')

In [192...]

df.shape

Out[192...]

(195, 5)

In [198...]

df['InternetUsers']

```
Out[198...]: 0    78.9
              1     5.9
              2    19.1
              3    57.2
              4    88.0
              ...
             190   20.0
             191   46.5
             192    2.2
             193   15.4
             194   18.5
Name: InternetUsers, Length: 195, dtype: float64
```

In [200...]: df

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income
3	Albania	ALB	12.877	57.2	Upper middle income
4	United Arab Emirates	ARE	11.044	88.0	High income
...
190	Yemen, Rep.	YEM	32.947	20.0	Lower middle income
191	South Africa	ZAF	20.850	46.5	Upper middle income
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income
193	Zambia	ZMB	40.471	15.4	Lower middle income
194	Zimbabwe	ZWE	35.715	18.5	Low income

195 rows × 5 columns

In [202...]: df.InternetUsers<2

```
Out[202...]: 0    False
              1    False
              2    False
              3    False
              4    False
              ...
             190   False
             191   False
             192   False
             193   False
             194   False
Name: InternetUsers, Length: 195, dtype: bool
```

```
In [206... Filter=df.InternetUsers<2
```

```
In [208... Filter
```

```
Out[208... 0    False  
1    False  
2    False  
3    False  
4    False  
...  
190   False  
191   False  
192   False  
193   False  
194   False  
Name: InternetUsers, Length: 195, dtype: bool
```

```
In [210... df[Filter]
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
11	Burundi	BDI	44.151	1.3	Low income
52	Eritrea	ERI	34.800	0.9	Low income
55	Ethiopia	ETH	32.925	1.9	Low income
64	Guinea	GIN	37.337	1.6	Low income
117	Myanmar	MMR	18.119	1.6	Lower middle income
127	Niger	NER	49.661	1.7	Low income
154	Sierra Leone	SLE	36.729	1.7	Low income
156	Somalia	SOM	43.891	1.5	Low income
172	Timor-Leste	TLS	35.755	1.1	Lower middle income

```
In [212... len(df[Filter])
```

```
Out[212... 9
```

```
In [214... df
```

Out[214...]

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income
3	Albania	ALB	12.877	57.2	Upper middle income
4	United Arab Emirates	ARE	11.044	88.0	High income
...
190	Yemen, Rep.	YEM	32.947	20.0	Lower middle income
191	South Africa	ZAF	20.850	46.5	Upper middle income
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income
193	Zambia	ZMB	40.471	15.4	Lower middle income
194	Zimbabwe	ZWE	35.715	18.5	Low income

195 rows × 5 columns

In [216...]

df.BirthRate>40

Out[216...]

```
0    False
1    False
2     True
3    False
4    False
...
190   False
191   False
192    True
193    True
194   False
Name: BirthRate, Length: 195, dtype: bool
```

In [218...]

Filter2=df.BirthRate>40

Filter2

Out[218...]

```
0    False
1    False
2     True
3    False
4    False
...
190   False
191   False
192    True
193    True
194   False
Name: BirthRate, Length: 195, dtype: bool
```

In [220...]

df[Filter2]

Out[220...]

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
2	Angola	AGO	45.985	19.1	Upper middle income
11	Burundi	BDI	44.151	1.3	Low income
14	Burkina Faso	BFA	40.551	9.1	Low income
65	Gambia, The	GMB	42.525	14.0	Low income
115	Mali	MLI	44.138	3.5	Low income
127	Niger	NER	49.661	1.7	Low income
128	Nigeria	NGA	40.045	38.0	Lower middle income
156	Somalia	SOM	43.891	1.5	Low income
167	Chad	TCD	45.745	2.3	Low income
178	Uganda	UGA	43.474	16.2	Low income
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income
193	Zambia	ZMB	40.471	15.4	Lower middle income

In [222...]

len(df[Filter2])

Out[222...]

12

In [224...]

df[Filter2]

Out[224...]

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
2	Angola	AGO	45.985	19.1	Upper middle income
11	Burundi	BDI	44.151	1.3	Low income
14	Burkina Faso	BFA	40.551	9.1	Low income
65	Gambia, The	GMB	42.525	14.0	Low income
115	Mali	MLI	44.138	3.5	Low income
127	Niger	NER	49.661	1.7	Low income
128	Nigeria	NGA	40.045	38.0	Lower middle income
156	Somalia	SOM	43.891	1.5	Low income
167	Chad	TCD	45.745	2.3	Low income
178	Uganda	UGA	43.474	16.2	Low income
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income
193	Zambia	ZMB	40.471	15.4	Lower middle income

In [228...]

Filter & Filter2

Out[228...]

```

0    False
1    False
2    False
3    False
4    False
...
190   False
191   False
192   False
193   False
194   False
Length: 195, dtype: bool

```

In [230...]

df[Filter & Filter2]

Out[230...]

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
11	Burundi	BDI	44.151	1.3	Low income
127	Niger	NER	49.661	1.7	Low income
156	Somalia	SOM	43.891	1.5	Low income

In [236...]

df[(df.BirthRate>40) & (df.InternetUsers<2)]

Out[236...]

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
11	Burundi	BDI	44.151	1.3	Low income
127	Niger	NER	49.661	1.7	Low income
156	Somalia	SOM	43.891	1.5	Low income

In [246...]

df.head()

Out[246...]

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income
3	Albania	ALB	12.877	57.2	Upper middle income
4	United Arab Emirates	ARE	11.044	88.0	High income

In [248...]

df

Out[248...]

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income
3	Albania	ALB	12.877	57.2	Upper middle income
4	United Arab Emirates	ARE	11.044	88.0	High income
...
190	Yemen, Rep.	YEM	32.947	20.0	Lower middle income
191	South Africa	ZAF	20.850	46.5	Upper middle income
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income
193	Zambia	ZMB	40.471	15.4	Lower middle income
194	Zimbabwe	ZWE	35.715	18.5	Low income

195 rows × 5 columns

In [266...]

df[df.IncomeGroup == 'Low income']

Out[266...]

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
1	Afghanistan	AFG	35.253	5.90	Low income
11	Burundi	BDI	44.151	1.30	Low income
13	Benin	BEN	36.440	4.90	Low income
14	Burkina Faso	BFA	40.551	9.10	Low income
29	Central African Republic	CAF	34.076	3.50	Low income
38	Comoros	COM	34.326	6.50	Low income
52	Eritrea	ERI	34.800	0.90	Low income
55	Ethiopia	ETH	32.925	1.90	Low income
64	Guinea	GIN	37.337	1.60	Low income
65	Gambia, The	GMB	42.525	14.00	Low income
66	Guinea-Bissau	GNB	37.503	3.10	Low income
77	Haiti	HTI	25.345	10.60	Low income
93	Cambodia	KHM	24.462	6.80	Low income
99	Liberia	LBR	35.521	3.20	Low income
111	Madagascar	MDG	34.686	3.00	Low income
115	Mali	MLI	44.138	3.50	Low income
120	Mozambique	MOZ	39.705	5.40	Low income
123	Malawi	MWI	39.459	5.05	Low income
127	Niger	NER	49.661	1.70	Low income
132	Nepal	NPL	20.923	13.30	Low income
148	Rwanda	RWA	32.689	9.00	Low income
154	Sierra Leone	SLE	36.729	1.70	Low income
156	Somalia	SOM	43.891	1.50	Low income
158	South Sudan	SSD	37.126	14.10	Low income
167	Chad	TCD	45.745	2.30	Low income
168	Togo	TGO	36.080	4.50	Low income
177	Tanzania	TZA	39.518	4.40	Low income
178	Uganda	UGA	43.474	16.20	Low income
192	Congo, Dem. Rep.	COD	42.394	2.20	Low income
194	Zimbabwe	ZWE	35.715	18.50	Low income

In [268... df[df.IncomeGroup == 'High income']

Out[268...]

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.90	High income
4	United Arab Emirates	ARE	11.044	88.00	High income
5	Argentina	ARG	17.716	59.90	High income
7	Antigua and Barbuda	ATG	16.447	63.40	High income
8	Australia	AUS	13.200	83.00	High income
...
174	Trinidad and Tobago	TTO	14.590	63.80	High income
180	Uruguay	URY	14.374	57.69	High income
181	United States	USA	12.500	84.20	High income
184	Venezuela, RB	VEN	19.842	54.90	High income
185	Virgin Islands (U.S.)	VIR	10.700	45.30	High income

67 rows × 5 columns

In [270... df.IncomeGroup.unique()

Out[270... array(['High income', 'Low income', 'Upper middle income', 'Lower middle income'], dtype=object)

In [272... df.IncomeGroup.nunique()

Out[272... 4

```
In [274... import matplotlib.pyplot as plt
import seaborn as sns
%matplotlib inline
plt.rcParams['figure.figsize']=6,2

import warnings
warnings.filterwarnings('ignore')
```

In [276... df.head()

Out[276...]

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income
3	Albania	ALB	12.877	57.2	Upper middle income
4	United Arab Emirates	ARE	11.044	88.0	High income

In [278...]


df['InternetUsers']

Out[278...]

```
0      78.9
1      5.9
2     19.1
3     57.2
4     88.0
...
190    20.0
191    46.5
192     2.2
193    15.4
194    18.5
Name: InternetUsers, Length: 195, dtype: float64
```


In [280...]

vis1=sns.distplot(df["InternetUsers"])




In [282...]


vis2=sns.distplot(df["InternetUsers"])




```
In [286]: vis3 = sns.displot(df["InternetUsers"], bins=10)
```




```
In [296]: vis4 = sns.boxplot(data=df, x="IncomeGroup", y="BirthRate", palette="Set2")
```




```
In [298]: vis5=sns.lmplot(data=df,x='InternetUsers', y='BirthRate') #regression line
```




```
In [300]: vis6=sns.lmplot(data=df,x='InternetUsers', y='BirthRate',fit_reg=False) #Lm-Linear
```



```
In [302]: vis7=sns.lmplot(data=df,x='InternetUsers', y='BirthRate', fit_reg=True) #Lm-Linear
```



```
In [304]: vis8=sns.lmplot(data=df,x='InternetUsers', y='BirthRate',
                      fit_reg=False,hue='IncomeGroup') #hue is the parameter of color
```



```
In [310]: vis5 = sns.lmplot(data = df,x = 'InternetUsers', y = 'BirthRate',
                      fit_reg = False,hue = 'IncomeGroup')
```

