

PC OB API (updated 3.0.0, new items are marked in blue)

 [20230322] PCOB Weapon / others item ID.xlsx

Mainly 2 data set will be provided

1. TotalPlayerList
2. TeamInfoList

{ TotalPlayerList:

```
[ { uld:,  
  playerName  
  playerOpenId  
  picUrl  
  showPicUrl  
  teamId  
  teamName  
  character  
  isFiring  
  bHasDied  
  location  
  health  
  healthMax  
  liveState  
  killNum  
  killNumBeforeDie  
  playerKey  
  gotAirDropNum  
  maxKillDistance  
  damage  
  killNumInVehicle  
  killNumByGrenade  
  rank
```

isOutsideBlueCircle
inDamage
heal
headShotNum
survivalTime
driveDistance
marchDistance
assists
outsideBlueCircleTime
knockouts
rescueTimes
useSmokeGrenadeNum
useFragGrenadeNum
useBurnGrenadeNum
useFlashGrenadeNum
[PoisonTotalDamage](#)

playerName	Player name
playerOpenId	Player ID
picUrl	Player's profile pic URL (not stable)
showPicUrl	-
teamId	Team ID
teamName	Team Name
character	-
isFiring	is shooting or not
bHasDied	-
location	Location of player
health	Current HP

healthMax	Maximum HP
liveState,	Live status, refer to the live status table
killNum	Number of kills
killNumBeforeDie	Number of kills before die
playerKey	Player's ID
gotAirDropNum	Number of getting airdrops
maxKillDistance	Kill distance (unit: cm)
damage	Deal number of damage
killNumInVehicle	numbers of kills by car
killNumByGrenade	numbers of kills by grenade
rank	rank of the team
isOutsideBlueCircle	Status if outside blue circle
inDamage	take number of damage
heal	amount of healing
headShotNum	number of headshot
survivalTime	number of survival time (unit: second)
driveDistance	drive distance (unit: m)
marchDistance	move distance without vehicle (unit:m)
assists	number of assists
outsideBlueCircleTime	Time of outside the bluecircle
knockouts	Number of knocking down enemy
rescueTimes	Number of rescuing teammates
useSmokeGrenadeNum	Number of smoke grenades used

useFragGrenadeNum	Number of frag grenades used
useBurnGrenadeNum	Number of burn grenades used
useFlashGrenadeNum	Number of flash grenades used
PoisonTotalDamage	Total damage of poison 吃毒的总伤害

Value	Status
0	Normal
1	On Plane
2	On Parachute
3	On Vehicle
4	DBNO (Down but no out)
5	Dead
6	Disconnected

TeamInfoList:

```
[ { teamId: 1,
  teamName: 'Team1',
  isShowLogo: false,
  logoPicUrl: "",
  killNum: 1,
```

```

        liveMemberNum: 1 },
    { teamId: 2,
      teamName: 'Team2',
      isShowLogo: false,
      logoPicUrl: "",
      killNum: 0,
      liveMemberNum: 0 } ],
    GameStartTime: ',
    FightingStartTime:
    FinishedStartTime:
    GameID: '
    CurrentTime: }

```

teamId	Team ID
teamName	Team Name
isShowLogo	-
logoPicUrl	Team photo (not stable)
killNum	Team total kills
liveMemberNum	Team live member (0-4)
GameStartTime	Game time (0 ~ xxx seconds)
FightingStartTime	Timing of game start (flight starts)
FinishedStartTime	Timing of WWCD appears
GameID	Game ID
CurrentTime	Current time

//2.9.0 new API

玩家倍镜使用

getplayerssightusageinfo

```
{
  PlayerKey: 玩家的PlayerKey
  "0": 3    红点装备总时长为3分钟
  "1":
  ..
  ..
  "7":
}
```

Idx与倍镜的对应关系为

0=203001	红点
1=203002	全息
2=203003	2倍
3=203004	4倍
4=203005	8倍
5=203014	3倍
6=203015	6倍
7=203018	侧镜

//2.8.0 new API

三级装备/吉利服拾取数和治疗品使用数

getplayersaminfo

```
{
  PlayerCollectItems = {} 各三级装备/吉利服获取数
  PlayerUseItems = {} 各治疗品的使用次数
}
```

// 2.7.0 new API

团竞数据

gettdmresultinfo

```
{
  "Team1":
```

```

{
    TeamID: 1  队伍ID
    "Teammate1": {
        RescueTimes  救援次数
        DamageCount  伤害量
        PlayerUID     玩家UID
        Assists       助攻
        Kda           KDA
        PlayerName    玩家名字
        Kills         击杀数
    }
    ....
}
}

```

空投物品信息

getairdropboxinfo =

```

{
    {
        AirDropID  空投ID
        {
            ItemSpesificID  物品ID
            Count  物品数量
        }
    }
    ....
}

```

// 2.5.0 new API

指定队伍的玩家身上的道具数量

getteambackpackinfo

```

{
    TeamBackPackList

```

```
{
  {
    MainWeapon1ID 主武器ID
    MainWeapon1AmmoNuminClip 主武器弹夹内子弹数
    MainWeapon2ID 副武器ID
    MainWeapon2AmmoNuminClip 副武器弹夹内子弹数

    道具数量(物品ID – 数量)
    急救包
    绷带
    医疗箱
    饮料
    止痛药
    肾上腺素
    手雷
    闪光弹
    烟雾弹
    燃烧弹

    TeamID 队伍ID
    PlayerKey 玩家PlayerKey
  }
}
```

玩家的武器信息

getplayerweapondetailinfo

```
{
  WeaponResult
  {
    {
      FireCount    开火次数
      HitDistanceArray  击杀距离分布
      Associations
      UniqueHitCount  命中次数
      HeadShootCount  头部命中次数
      HandShootCount  手部命中次数
      FootShootCount  脚部命中次数
      LimbsShootCount  四肢命中次数
      BodyShootCount  身体命中次数
      DIYPlanID
      KillCount  击杀数
      KnockNumber  击倒数
      AvatarID  皮肤ID
      WeaponID  武器ID
      TotalOwnTime  总拥有时间
      TotalDamage  造成总伤害
      TotalUseTime  总使用时间
    }
    ....

    PlayerID  玩家PlayerKey
    RoomID  GameID
  }
}
```

// 1.5.0 new APIs

getkillinfo - Get the kill / knock down message

```
{
  "killInfo" :
  [
    {
      "CauserName": "PlayerNo101",
      "VictimName": "PlayerNo102",
      "ResultHealthStatus": "1",
      "CurGameTime": "236",
      "Distance": 18
    }
  ]
}
```

Var	Definition
CauserName	Causer's Name
VictimName	Victim's Name
ResultHealthStatus	Knock down return 1, Killed return 2
CurGameTime	Game time
Distance	击杀距离

//1.3.0 new API

setcircleinfo

```
{
  'GameTime': '161', // Game time ( 0 ~ xxx seconds ) ;
  'CircleStatus': '0', // 0 = wait , 1 = delay , 2=move ;
```

```
'CircleIndex': '1', // number of circle ;  
'Counter': '44', // current circle shrink counter  
'MaxTime': '300' // current circle max shrink counter  
}
```

Interface Guideline

1. Run “Windows PC OB”
2. get the data by HTTP service, here is the format :

`http://<hostip>:10086/<geturl>`

HostIP : The OB client PC IP address

3. GetURL : The data set you want to get, for now we have below data set you can access - **gettotalplayerlist** , **getteaminfolist** , **isingame**, **getkillinfo** , **getgameglobalinfo** , **setcircleinfo**

gettotalplayerlist :

```
{  
  "playerInfoList" :  
  [  
    {  
      "uID": 510002331,  
  
      "playerOpenId": "100086",  
  
      "playerName": "PlayerNo101",  
  
      "picUrl": "http://down.qq.com/jdqssy/Share_Icon.png",  
  
      "showPicUrl": false,  
  
      "teamId": 1,  
  
      "character": "None",  
  
      "isFiring": false,  
  
      "posX": -1648,
```

"posY": 1054,
"posZ": 110,
"health": 100,
"healthMax": 100,
"liveState": 0,
"killNum": 0,
"playerKey": 1253582361,
"gotAirDropNum": 0,
"maxKillDistance": 0,
"damage": 0,
"inDamage": 0,
"heal": 0,
"headShotNum": 0,
"killNumInVehicle": 0,
"surviceTime": 0,
"driveDistance": 0,
"marchDistance": 100,
"assists": 0,
"killNumByGrenade": 0,
"rank": 0,
"isOutSideBlueCircle": 0,
"outsideBlueCircleTime": 0,
"useFragGrenadeNum": 0,
"useSmokeGrenadeNum": 0,

```

        curWeaponID: 0,

        knockouts: 0,

        rescueTimes: 0,

    }
}
}

```

Var	Definition
playerName	Player name
playerOpenId	Player ID
picUrl	Player's profile pic URL (not stable)
showPicUrl	-
teamId	Team ID
character	-
isFiring	is shooting or not
posX	pos x, unit:cm
posY	pos y, unit:cm

posZ	pos z, unit:cm
health	Current HP
healthMax	Max HP
liveState	Live status. Refer to the live status table
killNum	Number of Kills
playerKey	Player's ID
gotAirDropNum	Number of time getting airdrop
maxKillDistance	Kill distance , unit : cm
damage	Deal number of damage
inDamage	Take number of damage
heal	healing
headShotNum	number of headshot
killNumInVehicle	number of kills on car
surviceTime	survive time
driveDistance	drive distance, unit:m
marchDistance	move distance without vehicle, unit:m

<code>assists</code>	Assist
<code>killNumByGrenade</code>	number of kill using grenade
<code>rank</code>	Team rank . '0' mean still playing. >1 is the ranking of that game.

// 1.5.0 new APIs

<code>isOutSideBlueCircle</code>	Check is inside circle or not
<code>outsideBlueCircleTime</code>	Longest time in blue zone
<code>useFragGrenadeNum</code>	Number of frag grenades used
<code>useSmokeGrenadeNum</code>	Number of smoke grenades used
<code>healTeammateNum</code>	Number of time heal teammates
<code>curWeaponID</code>	Return using weapon ID https://drive.google.com/file/d/1tEQ2SIDmC_jgUQ0SYG2AD_LDGYTlyOB1/view?usp=sharing

knockouts	Number of time knock down enemy
rescueTimes	Number of time rescue teammates

Value	Status
0	Normal
1	On Plane
2	On Parachute
3	On Vehicle
4	DBNO (Down but no out)
5	Dead
6	Disconnected

getteaminfolist - Get all team info

```
{
  "teamInfoList" :
  [
    {
      "teamId": 1,
```

```

        "isShowLogo": false,
        "logoPicUrl": "http://xxx/xxx.png",
        "killNum": 0,
        "liveMemberNum": 1
    }
]
}

```

Var	Definition
teamId	Team ID
isShowLogo	-
logoPicUrl	Team Photo (not stable)
killNum	Team Total Kills
liveMemberNum	Team live Member (0~4)

isingame - Check in game or not

```

{
    "isInGame" : true
}

```

getobservingplayer- Get OB Clients watching player's Character ID

```

{
    "observingPlayer" :
    {
        "WinOB's ID" : "510002331"
    }
}

```

```
}  
}
```

getgameglobalinfo - Map info include circle info & flight info

*** Godview could cause this API not update properly . For getting 'getgameglobalinfo ' data correctly, please use a dedicated PC to watch a player's POV.**

```
{  
  
  gameGlobalInfo: {  
  
    CircleArray: [  
  
      {  
  
        X: "514059.687500",  
  
        Y: "279024.843750",  
  
        Size: "254520.000000"  
  
      },  
  
      {  
  
        X: "483339.218750",  
  
        Y: "357661.312500",  
  
        Size: "165438.000000"  
  
      }  
  
    ],  
  
    PlaneStartLocX: "679895.125000",  
  
    PlaneStartLocY: "896956.812500",
```

PlaneStopLocX: "181640.078125",

PlaneStopLocY: "-117633.250000"

}

}

Var	Definition
CircleArray	Circle X, Y coordinate and diameter, Top array is the 1st circle.
PlaneStartLocX	Flight starting point X coordinate
PlaneStartLocY	Flight starting point Y coordinate
PlaneStopLocX	Flight ending point X coordinate
PlaneStopLocY	Flight ending point Y coordinate