

L3b: Lattice Models for Equity Pricing

CHEME 5660 Cornell University

Disclaimer and Risks

Training only. This content is for training and informational purposes only. The teaching team does not make, give, or endorse any offer or solicitation to buy or sell securities or derivative products, or provide investment or trading advice or strategy.

Risk. Trading involves risk and is generally not recommended for those with limited resources, experience, or a low risk tolerance. Past performance does not guarantee future success.

Responsibility. You are responsible for your investment decisions based on your financial circumstances, objectives, risk tolerance, and liquidity needs.

Objectives for Today

Today we build a binomial price model, estimate its parameters, and test it against the market patterns from L3a.

Today's concepts

- **Binomial lattice:** calculate the possible prices and their probabilities.
- **Model parameters:** estimate u , d , and p from data; calculate q for risk-neutral pricing.
- **Stylized facts:** explain why the fixed lattice matches weak autocorrelation but misses heavy tails and volatility clustering.

Lecture: [Lattice Models for Equity Pricing](#)


Lectures and Examples

Lecture: Lattice Models for Equity Pricing

Example: Binomial Lattice Simulation with Real-World Probability

- Check the implementation against a textbook example.
- Estimate the move factors and up probability from historical prices.
- Compare the model's predicted coverage with observed 2025 coverage.

A Recombining Price Lattice



Binomial Lattice Model

Let $S_0 > 0$ be today's share price and $\Delta t > 0$ the step length in years. The move factors satisfy $u > d > 0$, and the up probability is $0 < p < 1$. After one step:

$$S_1 = \begin{cases} S_0 u, & \text{with probability } p, \\ S_0 d, & \text{with probability } 1 - p. \end{cases}$$

The factors u , d , and probability p stay fixed. Successive moves are independent. After t steps, there are $t + 1$ possible prices.

Scope: we model share-price changes without dividend payments during the step.

Price Distribution

After t independent steps, let k be the number of up moves. There are $t - k$ down moves, so the price is:

$$\underbrace{S_{t,k} = S_0 u^k d^{t-k}}_{\text{price after } t \text{ steps}}, \quad k = 0, \dots, t.$$

There are $\binom{t}{k}$ ways to arrange those moves. Under the real-world probability rule $\mathbb{P}$, the node probability is:

$$\mathbb{P}(k \text{ up moves in } t \text{ steps}) = \underbrace{\binom{t}{k} p^k (1-p)^{t-k}}_{\text{binomial probability}}.$$

Different move orders can reach the same price.

Example: Recombination

The textbook check uses $S_0 = 20$, $u = 1.1$, $d = 0.9$, and $p = 0.6523$. An up move followed by a down move reaches the same price as the reverse:

$$\underbrace{20(1.1)(0.9)}_{\text{up then down}} = \underbrace{20(0.9)(1.1)}_{\text{down then up}} = 19.8.$$

Each path has probability $p(1 - p)$, so the shared node has probability $2p(1 - p)$.

This is **recombination**. It holds because $ud = du$. Here $ud = 0.99$, so recombination does not require $ud = 1$.

Optional extension: the recombination notebook compares path counts and node counts.

Estimate Parameters from Data

For forecasting, estimate (u, d, p) from growth rates $g_2, \dots, g_T$ observed at intervals of Δt years. Start two empty lists: up factors U and down factors D .

1. Append $e^{g_t \Delta t}$ to U if $g_t > 0$, or to D if $g_t < 0$. Skip zero-growth observations when building the lists.
2. Average each list:

$$u = \frac{1}{|U|} \sum_{v \in U} v, \quad d = \frac{1}{|D|} \sum_{v \in D} v.$$

3. Count up moves among all observed steps:

$$p = \frac{|U|}{T - 1}.$$

Counts: $|U|$ and $|D|$ are list lengths. Repeated factors count separately. Zero-growth days stay in the denominator of p ; both lists must be nonempty.

Check the Model Against New Data

Historical estimates give us a model for forecasting.

- The estimates depend on which observations we use.
- Two move factors summarize many different observed price changes.
- Test the fitted model on later data: compare its predicted price range with the prices that actually occur.

Example: the companion notebook compares model-predicted coverage with observed 2025 coverage.

Forecasting and Pricing

Forecasting asks which prices may occur. Pricing asks what a future payoff is worth today. These tasks use different probability rules:

Real-world $\mathbb{P}$

- Estimate the up probability p from data.
- Use it to forecast prices and measure risk.

Risk-neutral $\mathbb{Q}$

- Calculate q from the move factors and risk-free growth.
- Use it to value future payoffs.

The pricing weight q is not a forecast of the frequency of up moves.

No-Arbitrage Condition

An **arbitrage** costs nothing initially, cannot lose money, and makes money in at least one future state.

Let g_y be the risk-free growth rate in inverse years. Over Δt years, its accumulation factor is:

$$R_f = e^{g_y \Delta t}.$$

To avoid arbitrage, the factors must satisfy:

$$\underbrace{d < R_f < u}_{\text{no-arbitrage condition}}.$$

- If $R_f \leq d$, borrow at the risk-free rate and buy the share.
- If $R_f \geq u$, sell a borrowed share and invest the proceeds.

Arbitrage: Two Examples

In each example, the share costs $S_0 = 100$ and the trade starts with no net cash investment.

Borrow and buy: $R_f = d = 1.05$, $u = 1.20$

- Borrow 100 and buy one share. The loan repayment is 105.
- Sell for 105 or 120. Profit after repayment: 0 or 15.

Sell short and invest: $R_f = u = 1.10$, $d = 0.90$

- Sell a borrowed share for 100 and invest it. The investment becomes 110.
- Buy back the share for 110 or 90. Profit: 0 or 20.

Model assumptions: borrowing, lending, and short selling are allowed; transaction costs are ignored.

Calculate the Risk-Neutral Probability

With arbitrage ruled out, choose the risk-neutral up probability q so the weighted average price factor equals R_f . The down probability is $1 - q$, so:

$$qu + (1 - q)d = R_f.$$

Solving for q gives:

$$q = \underbrace{\frac{R_f - d}{u - d}}_{\text{risk-neutral up probability}}.$$

Since $d < R_f < u$, we have $0 < q < 1$.

Meaning: q is a pricing weight. The historical up probability remains p .

Value a Future Payoff

Suppose a claim pays H_u dollars after an up move and H_d dollars after a down move. Its no-arbitrage value today, V_0 , is:

$$V_0 = \underbrace{\frac{1}{R_f}}_{\text{discount factor}} \underbrace{[qH_u + (1 - q)H_d]}_{\text{weighted payoff}}.$$

1. Weight the two payoffs using the risk-neutral probability q .
2. Divide by R_f to discount back one step.

Later in the course: we derive this pricing rule when we study options.

Test the Lattice Against Market Data

We now have a pricing rule. But how well does the underlying model describe market data? Return to the three patterns from L3a:

- **Heavy tails:** large growth rates occur more often than a fitted Normal model predicts.
- **Weak linear autocorrelation:** growth rates on different days have little linear relationship beyond short lags.
- **Volatility clustering:** large movements tend to occur together, as do small movements.

Probability rule: use real-world $\mathbb{P}$ to compare the model with market data. See [Cont \(2001\)](#) for the empirical patterns.

Growth-Rate Distribution

To make that comparison, express the lattice moves as growth rates. At step j , the price factor is u or d . For a step of length Δt years, the growth rate is:

$$g_j = \frac{1}{\Delta t} \ln \left(\frac{S_j}{S_{j-1}} \right) = \begin{cases} \ln u / \Delta t, & \text{with probability } p, \\ \ln d / \Delta t, & \text{with probability } 1 - p. \end{cases}$$

The model produces only two possible growth rates, both in inverse years. Changing p changes how often each value occurs, not the values themselves.

One-Step Mean and Variance

For fixed $u > d > 0$, $0 < p < 1$, and $\Delta t > 0$ years, the mean growth rate μ_g under $\mathbb{P}$ is:

$$\mu_g \equiv \mathbb{E}_{\mathbb{P}}[g_j] = \underbrace{\frac{p \ln u + (1 - p) \ln d}{\Delta t}}_{\text{mean growth rate}}.$$

The variance σ_g^2 is:

$$\sigma_g^2 \equiv \text{Var}_{\mathbb{P}}(g_j) = \underbrace{\frac{p(1 - p)}{(\Delta t)^2} \left[\ln\left(\frac{u}{d}\right) \right]^2}_{\text{growth-rate variance}}.$$

Both quantities stay fixed because u , d , and p stay fixed.

Heavy Tails

The two growth rates have a maximum magnitude. Define the bound M by:

$$M = \frac{\max\{|\ln d|, |\ln u|\}}{\Delta t}.$$

Every one-step growth rate satisfies $|g_j| \leq M$, so:

$$\underbrace{\mathbb{P}(|g_j| > x) = 0 \quad \text{for } x > M}_{\text{no observations beyond the bound}}.$$

The fixed lattice cannot produce heavy-tailed one-step growth rates.

Temporal Dependence

Each growth rate depends on its own up or down move. Since successive moves are independent, so are growth rates at different steps.

Let $\tau \geq 1$ be an integer lag. Their covariance is:

$$\text{Cov}_{\mathbb{P}}(g_j, g_{j+\tau}) = 0.$$

Since the growth-rate variance σ_g^2 is positive, the ACF is:

$$\underbrace{\rho_g(\tau) = \frac{\text{Cov}_{\mathbb{P}}(g_j, g_{j+\tau})}{\sigma_g^2}}_{\text{zero autocorrelation}} = 0.$$

Interpretation: the model matches weak growth-rate autocorrelation because we assumed independent moves.

Volatility Clustering

Independent moves also give independent growth-rate magnitudes. For any integer lag $\tau \geq 1$:

$$\text{Cov}_{\mathbb{P}}(|g_j|, |g_{j+\tau}|) = 0.$$

Let $\mathcal{F}_j$ represent the information in the first j moves. Knowing that history does not change the future growth-rate variance:

$$\underbrace{\text{Var}_{\mathbb{P}}(g_{j+\tau} \mid \mathcal{F}_j) = \sigma_g^2}_{\text{constant conditional variance}} .$$

A large move today does not make a large move tomorrow more likely. The fixed lattice has no volatility clustering.

The Lattice Passes One of Three Tests

Compare the fixed lattice with the market patterns from L3a:

- **Heavy tails: fails.** Only two one-step growth rates are possible.
- **Weak growth-rate autocorrelation: passes.** Independent moves give zero autocorrelation.
- **Volatility clustering: fails.** Past movements do not change future variance.

The lattice is a useful baseline, but these assumptions limit its ability to describe market data.

Optional Advanced Material

These notebooks extend the main lesson:

- [Recombination and Computational Cost](#)
Compare path and node counts; distinguish repeated draws, recombination, and reciprocal factors.
- [Bootstrap Uncertainty in Lattice Calibration](#)
Measure how estimates of (u, d, p) change across resampled data.
- [Binomial Return Derivations](#)
Derive cumulative log returns, Normal limits, and correlations caused by overlapping windows.

Optional: none is required for L4a.

Summary

This lecture built a binomial lattice, estimated its parameters, and checked its limits against market data.

Key takeaways

- **Two moves build a price distribution.** The number of up moves determines the price at each step.
- **Forecast with p ; price with q .** Estimate (u, d, p) from data. Calculate q from u , d , and R_f .
- **The fixed lattice passes one of three tests.** It has zero growth-rate autocorrelation, but no heavy tails or volatility clustering.

Its fixed, independent moves make the lattice simple and explain its limits.

That's a wrap. Which lattice assumption would you change first, and which market pattern should the new model capture?