

Training-Free Generation of Protein Sequences from Small Family Alignments via Stochastic Attention

Jeffrey D. Varner^{a,1}

^aR.F. Smith School of Chemical and Biomolecular Engineering, Cornell University, Ithaca, NY 14850

This manuscript was compiled on June 11, 2026

1 Generating novel protein sequences that respect the statistical constraints of a family typically requires training deep generative models
2 on thousands to millions of examples. Yet most protein families are small: the median Pfam seed alignment contains only 22 sequences,
3 a regime where learned models overfit or collapse. We propose *stochastic attention* (SA), a training-free sampler that treats the modern
4 Hopfield energy over stored sequences as a Boltzmann distribution and draws samples via Langevin dynamics. The score function is given
5 in closed form by the residual of a single softmax attention operation, eliminating the need for a trained score network, pretraining data, or
6 GPU resources. Across eight Pfam families spanning 37 to 420 sequences and 23 to 262 residues, SA generates sequences with low amino
7 acid composition divergence, substantial novelty, and structural plausibility supported by ESMFold and AlphaFold2. In comparison with
8 profile HMMs, EvoDiff, and the MSA Transformer, SA was the only tested method to simultaneously achieve low composition divergence,
9 genuine novelty, and sequence identity within the natural within-family nearest-neighbor range (30–70%); the other methods either moved
10 outside this range or produced near-copies of stored patterns. The critical inverse temperature is predicted from principal component analysis
11 (PCA) dimensionality alone, enabling fully automatic operation from a seed alignment. Independent ESM2-650M scoring and deep mutational
12 scanning cross-referencing show that over 90% of matched SA-generated substitutions are experimentally tolerated. Stochastic attention thus
13 opens training-free sequence generation to the long tail of protein families too small for deep learning.

protein sequence generation | stochastic attention | Hopfield networks | Langevin dynamics | training-free generative models

1 With single-chain protein structure prediction transformed by AlphaFold2 (1) and RoseTTAFold (2), the
2 frontier has shifted toward *designing* novel protein sequences with desired properties (3, 4). Generative
3 approaches now span a broad landscape, from classical profile hidden Markov models (pHMMs) (5, 6) and
4 Potts models (7–9) to deep generative models including variational autoencoders (10, 11), autoregressive
5 language models (12, 13), alignment-processing transformers (14), MSA-conditioned diffusion (15), and
6 structure-conditioned methods such as ProteinMPNN (16) and RFdiffusion (17). Yet all sequence-level
7 approaches share a common requirement: large training corpora. Language models are pretrained on
8 millions of UniRef50 sequences; even MSA-conditioned methods require either extensive pretraining or large
9 input alignments. This creates a gap for small families: the median Pfam seed alignment contains only 22
10 sequences, and nearly half of all families have fewer than 20 (SI Appendix, Section S22), well below the
11 minimum viable training set for any deep generative architecture. In this scarce-data regime, deep models
12 overfit and collapse in diversity, while pHMMs can emit sequences with low identity to the source family.
13 What is needed is an approach that can extract the statistical structure of a protein family from whatever
14 data is available, even a few dozen sequences, without learning parameters that could lead to overfitting.

15 A separate line of work provides this capability. Ramsauer et al. (18) showed that a single softmax
16 attention operation is equivalent to one step of the retrieval dynamics on the modern Hopfield energy,
17 building on the dense associative memory framework of Krotov and Hopfield (19). This connection endows
18 any set of stored examples with a well-defined energy landscape: the examples become memory patterns,
19 and the Boltzmann distribution over this landscape assigns high probability to states that resemble the
20 stored set. The energy itself has a transparent structure: a quadratic term $\frac{1}{2}\|\xi\|^2$ pulls the state toward the
21 origin, while a log-sum-exp term $-\frac{1}{\beta}\log\sum_k\exp(\beta\mathbf{m}_k^\top\xi)$ pulls it toward stored memories. The gradient of
22 the log-sum-exp is precisely the softmax-weighted combination of stored patterns, i.e., a single attention
23 operation. The score function of the Boltzmann distribution is therefore the *residual* of attention: the
24 difference between the attention output and the current state. This residual is exact and available in
25 closed form, so Langevin sampling can proceed without learning any parameters, training a score network,

or approximating gradients. We exploit this insight to propose *stochastic attention* (SA), a training-free protein sequence generator that combines the exact Hopfield score function with Langevin dynamics. Our prior work (20) introduced SA and validated it on synthetic data, MNIST, and a single protein family.

In this study, we explored the extent to which SA can serve as a practical generative model for real protein families. We systematically evaluated SA across eight diverse Pfam families spanning a ten-fold range of family sizes and a seven-fold range of sequence lengths, assessing compositional fidelity, sequence novelty, and structural plausibility using both ESMFold and AlphaFold2. We characterized how generation quality scales with family size, uncovering an empirical law that predicts the critical temperature from alignment statistics alone and eliminates the need for a temperature sweep. We tested robustness in a scarce-data regime down to $K=20$ sequences, compared SA head-to-head against four established baselines (profile HMMs, EvoDiff, MSA Transformer, and a Potts model), and examined whether the generated sequences preserve the pairwise residue covariation that reflects structural contacts and functional couplings. Finally, we sought independent validation of biological plausibility through ESM2-650M pseudo-perplexity scoring and cross-referencing against published deep mutational scanning datasets. Across all eight families, SA generated novel sequences that preserved family-level amino acid statistics and were predicted by both ESMFold and AlphaFold2 to adopt the target-family fold, a combination not matched by the learned baselines tested here. Together these results indicate that the statistical structure of a protein family can itself support sequence generation, without learned representations, when the sampler respects the geometry of the family's sequence space.

Results

We ran SA on all eight Pfam families (Table 1) and observed that the method consistently generated novel protein sequences while preserving family-level amino acid statistics, across a ten-fold range of family sizes and a seven-fold range of sequence lengths (Fig. 1; SI Appendix, Table S1). We first assessed sampler accuracy by comparing the outputs of the unadjusted Langevin algorithm (ULA) and its Metropolis-adjusted variant (MALA): acceptance rates exceeded 99.6% in every family (SI Appendix, Table S10), indicating negligible discretization bias and justifying the use of the computationally cheaper ULA in all subsequent experiments. Generated sequences were not near-duplicates of stored patterns: zero sequences across all eight families exceeded 90% identity to any stored sequence (SI Appendix, Table S12), and the generated ensemble was insensitive to initialization strategy (SI Appendix, Table S11). In the generation regime (inverse temperature $\beta \approx 2\beta^*$, just above the entropy inflection where pattern-specific basins first emerge), SA achieved Kullback–Leibler (KL) divergences below 0.06 in every family, with several below 0.02. Novelty ranged from 0.40 (Defensin_beta) to 0.65 (WW), indicating substantial departure from any single stored memory, and all 150 generated sequences were distinct in every family, with mean pairwise sequence identity of 35–65% (equivalently, mean pairwise Hamming distance 0.36–0.65; SI Appendix, Table S13), indicating that the sampler produced a diverse ensemble rather than collapsing to a single mode. Nearest sequence identity to a stored pattern was 51–66%, within the empirical within-family nearest-neighbor identity envelope (each natural sequence's identity to its closest neighbor in the same family; SI Appendix, Table S13), indicating that generated sequences remained within the family's functional envelope while departing meaningfully from stored patterns. By contrast, bootstrap samples had zero novelty by construction and Gaussian perturbation produced negligible novelty (< 0.02), indicating that small additive noise is insufficient to escape the basin of the nearest stored pattern.

Position-specific analysis of the Kunitz domain revealed why SA preserves family statistics (SI Appendix, Fig. S5). Sequences generated by stochastic attention preserved all 11 positions with greater than 90% conservation in the seed alignment, including all six cysteines forming the three disulfide bonds essential to the Kunitz fold, while introducing 17–25 substitutions concentrated at variable positions. Per-position Shannon entropy correlated strongly between the SA-generated ensemble and the stored alignment ($r=0.968$), indicating that the method identified which positions tolerate variation and which do not. This behavior followed directly from the Boltzmann sampling mechanism: at strongly conserved positions, all stored

74 patterns agreed and the softmax weights concentrated probability on the consensus residue; at variable
75 positions, stored patterns diverged and the sampler drew from the local distribution of tolerated amino
76 acids.

77 Subsampling the WW domain at $K \in \{20, 50, 100, 200, 400\}$ with five independent replicates per condition
78 characterized how generation quality changed with decreasing family size (SI Appendix, Fig. S2). Stochastic
79 attention maintained low KL divergence across the entire range (0.019 ± 0.008 at $K=20$, improving to
80 0.010 ± 0.002 at $K=400$), while the PCA dimensionality grew from $d=17$ – 18 components at $K=20$ to
81 $d=182$ – 183 at $K=400$ and the critical temperature tracked this growth ($\beta^*=2.7$ to 5.5). Despite the roughly
82 ten-fold increase in effective dimensionality, SA generation quality remained stable, suggesting that the
83 entropy inflection criterion successfully adapted the operating temperature to the geometry of the memory
84 matrix at each scale. Novelty increased with K (from 0.47 to 0.74), reflecting the richer landscape of a
85 larger memory set, while nearest sequence identity decreased correspondingly (from 0.71 to 0.56), indicating
86 that the sampler explored further from stored patterns when more patterns were available to collectively
87 shape the energy landscape. Replication across three additional families at $K=20$ (SH3, Kunitz, zf-C2H2)
88 confirmed that this robustness is not family-specific (SI Appendix, Table S3).

89 The scaling study revealed that β^* tracked PCA dimensionality, prompting us to ask whether this
90 relationship could predict β^* from alignment statistics alone, without a temperature sweep (Fig. 2). We
91 pooled 33 data points (the 8 Pfam families and 25 WW scaling replicates) and found that a simple
92 two-parameter model, $\beta^* \approx 1.52 + 0.28\sqrt{d}$ (bootstrap standard error [SE]: intercept ± 0.07 , slope ± 0.007),
93 explained 97% of the variance ($R^2=0.97$). The fitted slope of 0.28 falls well below the $\sqrt{d}$ coefficient of
94 ≈ 1.6 predicted by a Gaussian random-score model. This reduction arises from two effects: concentration
95 of measure on $\mathbb{S}^{d-1}$ sets the random-probe similarity scale at $\mathcal{O}(1/\sqrt{d})$, while self-similarity anchoring
96 in the stored-pattern probes (each stored pattern has unit inner product with itself, creating a gap of
97 0.55 – 0.82 over the next-nearest pattern) shifts the inflection to lower β than a Gaussian mean-field model
98 predicts; together these effects reflect the structured similarity spectrum of real protein sequences arising
99 from conserved positions, correlated substitutions, and phylogenetic signal (SI Appendix, Section S20).
100 Adding further predictors (mean column entropy, effective number of sequences, spectral concentration)
101 produced negligible improvement ($\Delta R^2 < 0.001$), indicating that PCA dimensionality captures most of
102 the relevant variation. Refitting on the eight Pfam families alone yielded a nearly identical relationship
103 ($R^2=0.95$); because 25 of the 33 pooled points are nested WW subsamples and therefore not independent,
104 this eight-family fit is the more conservative estimate, and leave-one-family-out cross-validation confirms
105 out-of-sample generalization (SI Appendix, Section S20). The empirical β^* is identified on a fixed 50-point
106 logarithmic grid over $[0.1, 500]$ (multiplicative spacing ≈ 1.19), so it is resolved to within $\approx 19\%$ and the
107 reported R^2 is computed against these grid-resolved targets. This regression provides a practical shortcut:
108 given a new family, one can estimate β^* from PCA alone and set the generation temperature without a
109 sweep.

110 We compared SA against three established learned baselines, profile HMM emit, EvoDiff (MSA-conditioned
111 diffusion), and the MSA Transformer (Gibbs masked language model sampling), across all eight families
112 (Fig. 3). Reading the three panels jointly is essential: no single metric tells the full story, and high novelty
113 is only useful when accompanied by compositional fidelity and sequence identity consistent with the target
114 family. Profile HMM emit and the MSA Transformer achieved high novelty scores, but their nearest
115 sequence identity to stored patterns fell to 9–59% in several families. The relevant natural reference is the
116 within-family nearest-neighbor identity, that is, each natural sequence’s identity to its closest neighbor
117 in the same family, which is the same quantity reported for the generated sequences (and is necessarily
118 higher than the mean pairwise identity of 22–37%, which averages over all distant pairs). In the families
119 where the baselines drifted, their nearest sequence identity fell below the minimum nearest-neighbor
120 identity of any natural sequence: profile HMM emit reached 11–21% in Pkinase, PDZ, and RRM, whereas
121 the lowest nearest-neighbor identity among natural sequences in those families is 22–28% (SI Appendix,
122 Table S13). The shaded band in Fig. 3C (30–70%) marks the approximate cross-family nearest-neighbor

identity envelope; sequences below it may have moved outside the family, whereas sequences above it are near-copies of stored patterns with insufficient novelty. Thus, the high novelty of HMM emit and the MSA Transformer was accompanied by sequence-identity drift rather than clearly family-consistent exploration. EvoDiff balanced the metrics more effectively in shorter families but required pretraining on millions of UniRef50 MSAs, scaled poorly with sequence length (~ 14 hours for 150 Pkinase sequences on CPU, though GPU inference would reduce this substantially, versus seconds for SA on the same hardware; SI Appendix, Table S14), and on the longest family generated sequences well short of the alignment length, which after alanine padding registered as elevated composition divergence (Pkinase KL=0.17, more than an order of magnitude above its values in the other seven families).

Among the tested methods, stochastic attention was the only one that simultaneously achieved all three criteria (Fig. 3). It held KL divergence below 0.05 in seven of eight families, produced novelty of 0.40–0.65 indicating departure from stored patterns (zero generated sequences exceeded 90% identity to any stored pattern, and zero were within two substitutions of a stored sequence across all eight families), and kept sequence identity at 51–66%, within the empirical within-family nearest-neighbor identity envelope (SI Appendix, Table S13). This combination (compositionally faithful, novel, and within the family) distinguished SA from the baselines tested, using only the seed alignment and no pretraining, backpropagation, or GPU resources. A systematic comparison with a Potts model fitted via pseudo-likelihood maximization (plmDCA) across all eight families (SI Appendix, Table S9) provided a more informative contrast, because Potts models are a natural physics-based competitor: they explicitly fit pairwise coupling parameters $J_{ij}(a, b)$ between all position pairs, giving them direct access to coevolutionary signal. The comparison revealed comparable compositional fidelity and broadly similar output quality in six of eight families, with SA achieving higher novelty in five of eight. However, the Potts model showed limitations in the most data-starved families (Pkinase: novelty of 0.22 vs. 0.48 for SA, indicating the Gibbs sampler remained near stored patterns; Defensin_beta: KL=0.112, the highest of any method), consistent with its high parameter count: the number of coupling parameters scales as $L(L-1)q^2/2$, yielding data-to-parameter ratios as low as 2.5×10^{-6} . That SA achieves comparable or better output without fitting any parameters suggests that the Hopfield energy implicitly captures some of the correlational structure that pairwise coevolutionary models fit explicitly, but through the softmax attention operation rather than through parameter estimation. Whereas the Potts model encodes pairwise couplings, the softmax nonlinearity in the Hopfield energy couples all positions simultaneously through the attention weights, giving it the capacity to encode higher-order correlations without the combinatorial growth of explicit higher-order terms.

Two control experiments indicated that SA captured more than marginal per-position amino acid frequencies (SI Appendix, Tables S15 and S16). First, a consensus-with-noise baseline that added calibrated isotropic Gaussian perturbations in PCA space produced a qualitatively different output profile: systematically higher novelty (0.63–0.79 vs. 0.40–0.65 for SA) paired with lower sequence identity to stored patterns (0.44–0.62 vs. 0.52–0.66), reflecting the fact that isotropic noise scattered sequences away from all stored patterns rather than interpolating between them in a structured way. Second, SA run on column-permuted alignments, which preserved the exact per-position amino acid frequencies but destroyed all inter-position correlations, yielded consistently different output: higher novelty and lower sequence identity than SA on the real alignment in all eight families, with MI correlation differences favoring the real alignment in seven of eight families. The larger differences in novelty and sequence identity indicate that inter-position correlations present in real alignments constrain the energy landscape in ways that marginal frequencies alone cannot reproduce, and that SA exploits this correlational structure during generation.

The computational cost of SA differed from learned baselines by orders of magnitude (SI Appendix, Table S14). Stochastic attention generated 150 sequences in 0.2–4.6 seconds across all eight families on a single CPU core, with the variation driven primarily by the number of stored patterns K (which determines the cost of the softmax attention at each Langevin step). Profile HMMs were consistently the fastest method (0.02–0.09 seconds), as expected for sampling from a precomputed position-specific model. EvoDiff required 2–14 hours on CPU depending on sequence length, and the MSA Transformer required 1–8 hours for

iterative masked language model sampling. Potts model fitting and Gibbs sampling required 1–52 minutes, with the Pkinase family ($L=262$) dominating due to the $\mathcal{O}(L^2q^2)$ parameter count. These comparisons place SA in a different computational regime from the learned baselines tested here: it is 3–5 orders of magnitude faster than EvoDiff and the MSA Transformer in these CPU-only runs, requires no GPU, no pretraining data, and no parameter optimization. This accessibility follows from the closed-form score function, which eliminates the need for backpropagation, gradient accumulation, or iterative parameter updates.

We assessed structural plausibility by predicting folded structures for 50 sequences per method per family using ESMFold (Fig. 4), comparing SA generation to stored natural sequences via Wilcoxon rank-sum tests with Cohen’s d effect sizes. Sequences generated by stochastic attention achieved mean predicted local distance difference test (pLDDT) scores statistically indistinguishable from stored sequences in six of eight families ($p > 0.05$), with significantly higher pLDDT in Kunitz (90.8 vs. 89.3, $p=0.001$, $d=0.67$), and at least 86% of SA-generated sequences exceeded the pLDDT=70 confidence threshold in seven of eight families, with SH3 the lone exception (54%). Template modeling (TM) scores showed a consistent pattern: in six of eight families, SA generation achieved significantly higher TM-scores than stored sequences ($p < 0.05$; $d > 1.0$ in RRM, WW, PDZ, and Pkinase). Two explanations merit consideration (predictor preference for consensus-like sequences, or genuine structural convergence of the Boltzmann ensemble toward the shared fold), which we weigh in the Discussion. As a direct test of the first, we asked whether predicted structural quality tracks consensus proximity within each family: it does so only weakly and inconsistently (per-family Spearman ρ between TM-score and identity to the consensus ranged from -0.13 to 0.53 , pooled $\rho=0.17$; pLDDT pooled $\rho=0.23$; SI Appendix, Section S5), indicating that the elevated TM-scores are not primarily an artifact of consensus proximity. As an independent cross-validation, we repeated the structure prediction for all eight families using AlphaFold2 (SI Appendix, Figs. S3–S4). The AlphaFold2 results corroborated the ESMFold findings while resolving the single negative result: for SH3, the only family where ESMFold had indicated a pLDDT deficit, AlphaFold2 showed no pLDDT difference ($p=0.99$) and significantly higher TM-scores for SA generation (0.736 vs. 0.721 , $p < 0.001$). The concordance between two independent structure predictors across all eight families strengthens the computational evidence that SA-generated sequences are predicted to adopt the target-family fold (Fig. 5).

Pairwise mutual information (MI) analysis tested whether SA preserved residue covariation, which reflects structural contacts and functional couplings that single-site statistics cannot capture (SI Appendix, Table S6; Figs. S6–S7). Pearson correlations between stored and SA-generated MI vectors ranged from $r=0.53$ to 0.92 across seven of eight families, with Pkinase ($r=0.05$) the lone exception. The high data-to-position ratio of Pkinase ($K=37$, $L=262$) limits MI estimation, but this alone does not explain the result, because the Potts model attains $r=0.95$ on the identical alignment; rather, SA generation in Pkinase is the most consensus-proximal of any family (mean identity to the consensus 0.73 , the highest observed; SI Appendix, Section S5), and near-consensus sequences carry little pairwise covariation. Stochastic attention thus preserved covariation in the compact families but not in the longest, most data-starved one. Stochastic attention exceeded profile HMMs in seven of eight families ($r=0.07$ – 0.83), and the general ordering HMM $< \text{SA} < \text{Potts} \leq \text{EvoDiff}$ held in three of eight families, consistent with the information hierarchy of each approach: position-independent frequencies, implicit all-order Hopfield couplings, explicitly fitted pairwise couplings, and deep coevolutionary priors from large-scale pretraining, respectively. This ordering supports the view that the Hopfield energy captured correlational structure beyond what position-independent models encode, without requiring explicit pairwise parameter estimation.

As a complementary, sequence-level assessment of biological plausibility, we scored all SA-generated and stored sequences using ESM2-650M (21), a protein language model pretrained on millions of UniRef50 sequences that is entirely independent of SA (SI Appendix, Table S7). Sequences generated by stochastic attention were statistically indistinguishable from natural family members in four of eight families (RRM, zf-C2H2, Pkinase, Defensin_beta; Wilcoxon $p > 0.29$), with SA achieving significantly *better* pseudo-perplexity in the Kunitz domain (4.47 vs. 4.98 , $p < 0.001$, Cohen’s $d=-0.74$). Three families showed modestly higher

221 pseudo-perplexity for SA generation (SH3, WW, PDZ; $d=0.60\text{--}1.03$), though all SA-generated sequences
 222 remained well within the range of natural proteins. Across all eight families, the mean pseudo-perplexity
 223 was 5.71 for SA-generated sequences versus 5.58 for stored sequences, indicating that an independent
 224 model trained on billions of natural sequences scores SA-generated sequences comparably to natural family
 225 members. Beyond this language-model scoring, we cross-referenced SA-generated substitutions against
 226 published deep mutational scanning (DMS) datasets to ask whether the Boltzmann sampling procedure
 227 preferentially generates mutations that are individually tolerated in experimental assays (SI Appendix,
 228 Tables S7 and S8). For the PDZ domain (DLG4/PSD-95 PDZ3 (22)), 91.7% of 4,313 matched substitutions
 229 were classified as experimentally tolerated, compared to an overall tolerance rate of 77.5% in the DMS
 230 dataset ($1.18\times$ enrichment, binomial $p < 10^{-134}$). For the SH3 domain (GRB2 SH3 (23)), the enrichment
 231 was even stronger: 90.4% of 2,396 matched substitutions were tolerated versus 67.5% overall ($1.34\times$
 232 enrichment, binomial $p < 10^{-155}$). In both families, the continuous DMS fitness scores of SA-generated
 233 substitutions were significantly higher than those of random single mutations (Wilcoxon $p < 10^{-20}$; SI
 234 Appendix, Tables S7 and S8). These results indicate that the Boltzmann sampling procedure preferentially
 235 generates substitutions at positions and to residues that are individually compatible with function in DMS
 236 assays, without any explicit fitness objective; they do not by themselves establish that every full generated
 237 sequence is functional.

238 Finally, the beta defensin family (PF00711) provided an opportunity to test whether SA generation
 239 preserves not only sequence-level statistics but also the biophysical properties that underpin antimicrobial
 240 function (SI Appendix, Fig. S8). Sequences generated by stochastic attention preserved the six-cysteine
 241 disulfide scaffold (6.01 ± 0.08 mean cysteines, compared to 6.02 ± 0.15 for natural sequences), maintained a
 242 cationic charge profile ($+6.1 \pm 1.6$) with the narrowest charge distribution of any method, and occupied the
 243 same region of charge-hydrophobicity space as natural defensins. By a minimal antimicrobial plausibility filter
 244 (net charge $\geq +2$, hydrophobic fraction in $[0.3, 0.7]$, ≥ 4 cysteines), 51% of SA-generated sequences passed,
 245 compared to 42% of stored sequences, 25% of HMM-emitted sequences, and 16% of MSA Transformer
 246 sequences. This implicit enforcement of biophysical constraints arises because the energy landscape
 247 concentrates probability near the stored patterns, which already satisfy these constraints by virtue of being
 248 functional proteins; no explicit objective for charge, hydrophobicity, or disulfide topology is required.

249 Discussion

250 Across eight Pfam families spanning a ten-fold range of sizes ($K=37\text{--}420$) and a seven-fold range of sequence
 251 lengths ($L=23\text{--}262$), SA generated novel sequences that preserved family-level amino acid statistics and were
 252 predicted by independent structure predictors to adopt the target-family fold, using only the seed alignment
 253 and no training, external data, or GPU resources. None of the learned baselines tested here achieved this
 254 combination. Profile HMMs and the MSA Transformer generated sequences with nearest-neighbor identity
 255 below the empirical within-family nearest-neighbor envelope, in several families below the minimum observed
 256 among natural sequences (SI Appendix, Table S13), indicating that their high novelty was accompanied by
 257 sequence-identity drift rather than family-consistent exploration. EvoDiff required millions of pretraining
 258 sequences and hours of compute, and degraded on the longest family. Among the tested baselines, no
 259 method simultaneously stayed within the family identity range, maintained low composition divergence,
 260 and produced genuine novelty. That a training-free method matched systems built on orders of magnitude
 261 more data indicated that the statistical structure of protein families can support generation without learned
 262 representations, provided the generative framework respects the geometry of the family's sequence space.
 263 Beyond matching their output, SA avoids the pretraining corpora, GPU resources, and large parameter
 264 counts that place deep generative methods out of reach for the small, single-laboratory families that make
 265 up most of Pfam, requiring only a seed alignment and a standard workstation. The consensus-with-noise
 266 and column-permuted alignment controls supported the conclusion that this was not only a consequence of
 267 marginal statistics: SA produced a different output profile from isotropic perturbation of the consensus,
 268 and exploited inter-position correlations that column-independent models could not capture.

Sequences generated by stochastic attention achieved higher TM-scores to the canonical family fold in six of eight families by ESMFold, corroborated by AlphaFold2 across all eight families with TM-score concordance reaching $r=0.999$ (SI Appendix, Fig. S4). pLDDT scores were indistinguishable from stored sequences in six of eight families, supporting the conclusion that the sampler did not sacrifice predicted folding confidence for diversity, and the single exception (SH3) was resolved by AlphaFold2 cross-validation. Two explanations for the elevated TM-scores merit consideration. First, predictor bias: structure predictors trained on evolutionary data may assign higher confidence to consensus-proximal sequences. Second, genuine structural convergence: the Boltzmann ensemble averages over lineage-specific deviations, potentially producing sequences that encode the shared fold more cleanly than individual natural sequences. A direct test of the first explanation is whether predicted structural quality tracks consensus proximity within each family; it does so only weakly and inconsistently (pooled Spearman $\rho=0.17$ for TM-score and 0.23 for pLDDT, each accounting for under 4% of the variance, and negative in three families; SI Appendix, Section S5), which argues against predictor bias as the sole driver, though it does not exclude an absolute preference for family-typical sequences shared by both the sampler and the predictor. These explanations are not mutually exclusive, and distinguishing them definitively requires experimental structure determination; a complementary computational control, folding the consensus-with-noise ensemble through the same structure predictors, would further isolate the effect and remains for future work. The DMS validation provided partial evidence for the latter: if elevated TM-scores reflected only predictor bias, one would not necessarily expect SA substitutions to be enriched for experimentally tolerated mutations, yet the 1.18–1.34 $\times$ enrichment in two independent DMS datasets suggested that the generated substitutions are biased toward locally function-compatible changes. However, all computational validators used here (structure predictors, ESM2-650M, and DMS-derived fitness scores) were trained on evolutionary data, so high scores for family-like sequences are expected; experimental characterization would provide definitive confirmation.

The WW scaling study showed that generation quality was stable down to $K=20$ sequences, with KL divergence below 0.02 and novelty above 0.47, and replication across three additional families supported the same trend. This robustness arose because the energy landscape is defined entirely by the stored patterns, with no parameters that could overfit to a small training set. The entropy inflection criterion adapted the operating temperature to the memory matrix at each scale, and β^* could be predicted from PCA dimensionality alone ($R^2=0.97$), enabling fully automatic operation from a seed alignment. The $\sqrt{d}$ scaling of β^* is consistent with concentration of measure on the unit sphere: random-probe similarities have variance $1/d$, so the inverse temperature required to resolve $\mathcal{O}(1/\sqrt{d})$ similarity differences grows as $\sqrt{d}$. The reduced coefficient (0.28 vs. ~ 1.6 for random patterns) reflected self-similarity anchoring in the stored-pattern probes: each stored pattern has unit inner product with itself but substantially lower similarity to other patterns, so the softmax concentrated on the self-pattern at lower β than a mean-field model predicts (SI Appendix, Section S20). By contrast, learned generative models face a parameter-to-data ratio problem when $K < 100$: VAEs and diffusion models have thousands to millions of parameters that cannot be constrained by a few dozen sequences. This regime encompasses most Pfam families.

The connection between attention and Boltzmann sampling extends beyond proteins: any set of examples representable as vectors defines an energy landscape via the modern Hopfield energy, and Langevin dynamics on this landscape provides a generative model with no training. Two conditions determine whether the approach produces useful output. First, the stored examples must be structured enough that the energy landscape has well-defined basins rather than a featureless plateau; protein families satisfy this because evolutionary constraint creates correlated patterns of conservation and variation. Second, the examples must be diverse enough that the sampler does not trivially retrieve: if all stored patterns are nearly identical, the distribution collapses and generation reduces to consensus with noise. The eight families studied here spanned 22–37% mean pairwise identity, confirming that the method operated in the intermediate regime between these extremes. Classical Hopfield networks were limited to storing $\mathcal{O}(d)$ patterns before catastrophic interference (24, 25). The modern continuous Hopfield energy turns this into an advantage for

scarce-data generation: with $K \ll d$ stored patterns, the energy landscape is well-separated and the sampler can explore between memories without interference. The same approach may apply to other biological sequence families where data is scarce but examples are structured, such as antibody repertoires where clonotypes have only a handful of somatic variants, RNA families where Rfam seed alignments are smaller than Pfam counterparts, or small-molecule libraries with tens of analogs per series. The Hopfield energy also admits a conditioning mechanism: adjusting pattern multiplicities via a scalar bias on the attention logits shifts generation toward a user-specified functional subset, enabling property-directed generation (e.g., toward binding activity) without retraining (26). The analytic score function makes the sampler amenable to the convergence theory of Langevin dynamics (27, 28): in the strongly regularized, log-concave regime ($\beta\sigma_{\max}^2 < 2$) these results yield formal guarantees on sample quality that are absent from most neural generative models. The generation temperatures used here lie outside that regime ($\beta\sigma_{\max}^2 \gg 2$; SI Appendix, Section S21), where the energy is non-convex and convergence is supported by the empirical mixing diagnostics and initialization-insensitivity analysis rather than by these bounds.

Several limitations should be acknowledged. The most significant is that SA operates on a fixed alignment representation: it requires a pre-computed MSA and a fixed alignment length L , and cannot generate insertions, deletions, or variable-length sequences. This constraint is inherited from the one-hot-plus-PCA encoding, which maps each sequence to a vector of fixed dimension $20L$; any change in L would alter the representation space itself. In practice, this means the method is best suited to compact, well-aligned domains rather than multi-domain proteins or families with frequent large insertions. Extending stochastic attention to variable-length generation would likely require replacing PCA with a length-agnostic embedding while preserving the closed-form score function, a nontrivial but tractable direction for future work. The PCA projection itself discards information that may be relevant for capturing higher-order correlations, though a sensitivity analysis confirmed robustness across the 75%–99% retained variance range (SI Appendix, Table S17). The eight families studied here are all well-structured, globular domains with abundant structural and functional annotation; this choice was necessary for validation but introduced a selection bias toward precisely the class of proteins that structure predictors handle best. Performance on intrinsically disordered regions, transmembrane domains, multi-domain proteins, or families with very low sequence identity remains untested, and the method’s reliance on PCA may be particularly limiting for disordered families where sequence variation is less structured. Finally, our multi-chain protocol does not guarantee coverage of all modes in the Boltzmann distribution, particularly for very large or highly diverse families, and wet-lab characterization of selected generated sequences would be needed to establish the method’s utility for protein engineering applications.

Materials and Methods

Stochastic Attention. Let $\mathbf{X} = [\mathbf{m}_1, \dots, \mathbf{m}_K] \in \mathbb{R}^{d \times K}$ be the memory matrix whose columns are vectorized protein sequences from a family alignment of K members, each represented in d dimensions after one-hot encoding and PCA projection. Each sequence of length L is first one-hot encoded to a binary vector in $\{0, 1\}^{20L}$, then projected by PCA (retaining 95% of variance, yielding $d \ll 20L$) and unit-normalized to form the corresponding column $\mathbf{m}_k$; full encoding, projection, and decoding details are given in SI Appendix, Section S19. The modern Hopfield energy (18) of a state $\boldsymbol{\xi} \in \mathbb{R}^d$ is:

$$E(\boldsymbol{\xi}) = \frac{1}{2} \|\boldsymbol{\xi}\|_2^2 - \frac{1}{\beta} \log \left(\sum_{k=1}^K \exp(\beta \mathbf{m}_k^\top \boldsymbol{\xi}) \right), \quad [1]$$

where $\beta > 0$ is an inverse temperature. The Boltzmann distribution $p_\beta(\boldsymbol{\xi}) \propto \exp(-\beta E(\boldsymbol{\xi}))$ has score function $\nabla \log p_\beta(\boldsymbol{\xi}) = \beta(\mathbf{T}(\boldsymbol{\xi}) - \boldsymbol{\xi})$, where $\mathbf{T}(\boldsymbol{\xi}) := \mathbf{X} \text{softmax}(\beta \mathbf{X}^\top \boldsymbol{\xi})$ is the softmax attention retrieval map. This score is *exact* and computed by a single attention operation; no score network or training is required. Applying the unadjusted Langevin algorithm (ULA) (29) to the potential $U = \beta E$ with step size α/β , where $\alpha \in (0, 1)$ is the mixing coefficient, yields the SA update:

$$\boldsymbol{\xi}_{t+1} = (1 - \alpha) \boldsymbol{\xi}_t + \alpha \mathbf{X} \text{softmax}(\beta \mathbf{X}^\top \boldsymbol{\xi}_t) + \sqrt{\frac{2\alpha}{\beta}} \boldsymbol{\epsilon}_t, \quad \boldsymbol{\epsilon}_t \sim \mathcal{N}(\mathbf{0}, \mathbf{I}). \quad [2]$$

Each step performs contraction toward the origin, a softmax-weighted pull toward stored memories, and isotropic Gaussian noise, at a per-step cost of $\mathcal{O}(dK)$.

Algorithm 1 Stochastic Attention Protein Sequence Generation

Require: Seed alignment $\mathbf{S} \in \mathcal{A}^{K \times L}$, variance threshold $\rho_{\min} = 0.95$, mixing coefficient $\alpha = 0.01$, chains $N_c = 30$, iterations $T = 5000$, burn-in $T_b = 2000$, thinning $\Delta t = 100$, samples/chain $s = 5$

Ensure: Generated sequences $\{\mathbf{g}_1, \dots, \mathbf{g}_S\} \subset \mathcal{A}^L$, $S = N_c \cdot s$

- 1: **Encoding:**
- 2: One-hot encode: $\mathbf{B} \leftarrow [\text{onehot}(\mathbf{S}_{1,:}), \dots, \text{onehot}(\mathbf{S}_{K,:})] \in \{0, 1\}^{20L \times K}$
- 3: Center: $\bar{\mathbf{x}} \leftarrow \frac{1}{K} \sum_k \mathbf{B}_{:,k}$; $\tilde{\mathbf{B}} \leftarrow \mathbf{B} - \bar{\mathbf{x}} \mathbf{1}_K^\top$
- 4: SVD: $\tilde{\mathbf{B}} = \mathbf{U} \Sigma \mathbf{V}^\top$
- 5: Select d : smallest p such that $\sum_{j=1}^p \sigma_j^2 / \sum_j \sigma_j^2 \geq \rho_{\min}$; set $\mathbf{W}_d \leftarrow \mathbf{U}_{:,1:d}$
- 6: Project and normalize: $\mathbf{m}_k \leftarrow \mathbf{W}_d^\top (\mathbf{B}_{:,k} - \bar{\mathbf{x}}) / \|\mathbf{W}_d^\top (\mathbf{B}_{:,k} - \bar{\mathbf{x}})\|$ for $k = 1, \dots, K$
- 7: Assemble memory: $\mathbf{X} \leftarrow [\mathbf{m}_1, \dots, \mathbf{m}_K] \in \mathbb{R}^{d \times K}$
- 8: **Temperature selection:**
- 9: Set $K_p \leftarrow \min(K, 20)$ and evaluate 50 log-spaced β values in $[0.1, 500]$
- 10: For $i = 1, \dots, K_p$, compute $\mathbf{p}_i(\beta) = \text{softmax}(\beta \mathbf{X}^\top \mathbf{m}_i)$ and $H_i(\beta) = -\sum_{k=1}^K p_{ik}(\beta) \log p_{ik}(\beta)$
- 11: Set β^* to the entropy inflection point of $\bar{H}(\beta) = K_p^{-1} \sum_i H_i(\beta)$ on this grid
- 12: Set $\beta_{\text{gen}} \leftarrow \max(\lceil 2\beta^* \rceil, 5)$
- 13: **Multi-chain Langevin sampling:**
- 14: $\mathcal{G} \leftarrow \emptyset$
- 15: **for** $c = 1, \dots, N_c$ **do**
- 16: Draw $k_c \sim \text{Uniform}\{1, \dots, K\}$
- 17: $\xi_0 \leftarrow \mathbf{m}_{k_c} + 0.01 \boldsymbol{\eta}$, $\boldsymbol{\eta} \sim \mathcal{N}(\mathbf{0}, \mathbf{I}_d)$
- 18: **for** $t = 0, \dots, T - 1$ **do**
- 19: $\mathbf{a}_t \leftarrow \text{softmax}(\beta_{\text{gen}} \mathbf{X}^\top \xi_t)$
- 20: $\boldsymbol{\epsilon}_t \sim \mathcal{N}(\mathbf{0}, \mathbf{I}_d)$
- 21: $\xi_{t+1} \leftarrow (1 - \alpha) \xi_t + \alpha \mathbf{X} \mathbf{a}_t + \sqrt{2\alpha/\beta_{\text{gen}}} \boldsymbol{\epsilon}_t$
- 22: Collect s evenly spaced samples from $\{\xi_{T_b+1}, \xi_{T_b+\Delta t+1}, \dots, \xi_T\}$ into $\mathcal{G}$
- 23: **Decoding:**
- 24: **for each** $\xi \in \mathcal{G}$ **do**
- 25: Inverse PCA: $\hat{\mathbf{x}} \leftarrow \bar{\mathbf{x}} + \mathbf{W}_d \xi \in \mathbb{R}^{20L}$
- 26: Argmax decode: $g_\ell \leftarrow \arg \max_{a \in \mathcal{A}} \hat{x}_{20(\ell-1)+a}$ for $\ell = 1, \dots, L$
- 27: **return** $\{\mathbf{g}_1, \dots, \mathbf{g}_S\}$

Temperature Selection and Sequence Decoding. The critical inverse temperature β^* is identified by the entropy inflection criterion used in prior stochastic-attention work. For each of $K_p = \min(K, 20)$ stored-pattern probes, $\xi = \mathbf{m}_i$, we compute attention weights $\mathbf{w}_i(\beta) = \text{softmax}(\beta \mathbf{X}^\top \mathbf{m}_i)$ and entropy $H_i(\beta) = -\sum_{k=1}^K w_{ik}(\beta) \log w_{ik}(\beta)$. We then average over probes, $\bar{H}(\beta) = K_p^{-1} \sum_i H_i(\beta)$, and locate the entropy inflection point on 50 logarithmically spaced values over $\beta \in [0.1, 500]$. Small β gives nearly uniform attention over memories, whereas increasing β produces pattern-selective attention basins. Generation uses $\beta_{\text{gen}} = \max(\lceil 2\beta^* \rceil, 5)$ to operate just above this transition while retaining stochastic exploration.

To decode a PCA-space sample ξ to an amino acid sequence, the PCA projection is inverted to recover a one-hot-like vector in the original $20L$ -dimensional space, and the amino acid at each position is assigned by argmax over the 20 channels. The resulting length- L sequence is the decoded output. The complete pipeline is summarized in Algorithm 1.

Experimental Design. We selected eight Pfam families spanning a range of sizes, sequence lengths, and conservation levels (Table 1): RRM (PF00076, $K=68$, $L=71$), SH3 (PF00018, $K=55$, $L=48$), WW (PF00397, $K=420$, $L=31$), Kunitz (PF00014, $K=99$, $L=53$), zf-C2H2 (PF00096, $K=151$, $L=23$), PDZ (PF00595, $K=44$, $L=83$), Pkinase

(PF00069, $K=37$, $L=262$), and Defensin_beta (PF00711, $K=45$, $L=36$). Seed alignments were downloaded from InterPro (30) and cleaned by removing columns with $> 50\%$ gaps and sequences with $> 30\%$ gaps. The principal component analysis projection retained 95% of variance, followed by unit-norm projection to form the memory matrix. For each family, we ran 30 independent ULA chains of $T=5,000$ iterations ($\alpha=0.01$), discarding 2,000 burn-in iterations and thinning every 100 steps to retain 5 samples per chain ($S=150$ sequences total). The inverse temperature was set automatically via the entropy inflection criterion, with a generation regime at $\beta_{\text{gen}} = \max(\lceil 2\beta^* \rceil, 5)$ and a retrieval regime at $\beta_{\text{ret}} \approx 20\beta^*$. The thinning interval of 100 steps is well-matched to the integrated autocorrelation time of the Hopfield energy ($\tau_{\text{int}} = 76\text{--}122$ steps across families), yielding approximately 35 effective independent samples per chain and $\approx 1,050$ effective draws total; the burn-in of 2,000 steps provides a $3.2\text{--}6.6\times$ margin over the empirical chain convergence point (SI Appendix, Table S10). Initialization sensitivity was verified by repeating the full pipeline with random sphere initialization ($\xi_0 = \mathbf{z}/\|\mathbf{z}\|$, $\mathbf{z} \sim \mathcal{N}(\mathbf{0}, \mathbf{I}_d)$) in place of stored-pattern initialization; output metrics were indistinguishable across all eight families (maximum absolute KL difference 0.0003), indicating that the generated ensemble is not an artifact of starting conditions (SI Appendix, Table S11).

To contextualize SA against methods that require pretraining on large external corpora, we compared four established baselines: (i) profile HMM emit via HMMER3 (5); (ii) EvoDiff MSA-conditioned diffusion (15), pretrained on UniRef50 MSAs; (iii) MSA Transformer (14) via iterative Gibbs-like masked language model sampling; and (iv) a Potts model fitted via pseudo-likelihood maximization (plmDCA) (8). For each baseline, the same 150-sequence budget and evaluation metrics (KL divergence, novelty, sequence identity) were applied. Because EvoDiff and the MSA Transformer emit variable-length, unaligned sequences, each baseline sequence was conformed to the alignment length L before metric computation by truncating longer sequences to L and padding shorter ones with alanine; this length normalization applies only to the variable-length baselines, not to SA, whose decoded sequences are already length L . Structural plausibility was assessed by predicting folded structures for 50 sequences per method per family using ESMFold (21) and AlphaFold2 (1) (via ColabFold (31)), comparing each predicted structure to an experimentally determined reference using TM-align (32) (reference structures listed in SI Appendix, Table S4). All statistical comparisons used Wilcoxon rank-sum tests with Benjamini-Hochberg false discovery rate (FDR) correction at $q=0.05$.

Acknowledgments. The idea for SA arose while developing a lecture on energy-based methods for eCornell. We thank the Pfam/InterPro consortium for maintaining publicly available seed alignments. Structure predictions were performed using ESMFold and AlphaFold2 (via ColabFold). Computations were performed on resources at Cornell University. This research received no external funding.

Data, Materials, and Software Availability

All code, data, seed alignments, generated sequences, and analysis scripts are publicly available at <https://github.com/varnerlab/SA-Protein-Modeling-Study> (20). Pfam seed alignments were obtained from InterPro (30). No new experimental data were generated for this study; all validation used publicly available computational tools (ESMFold, AlphaFold2 via ColabFold, ESM2-650M) and published deep mutational scanning datasets.

1. Jumper J, et al. (2021) Highly accurate protein structure prediction with AlphaFold. *Nature* 596:583–589.
2. Baek M, et al. (2021) Accurate prediction of protein structures and interactions using a three-track neural network. *Science* 373(6557):871–876.
3. Kuhlman B, Bradley P (2019) Advances in protein structure prediction and design. *Nature Reviews Molecular Cell Biology* 20:681–697.
4. Huang PS, Boyken SE, Baker D (2016) The coming of age of de novo protein design. *Nature* 537(7620):320–327.
5. Potter SC, et al. (2018) HMMER web server: 2018 update. *Nucleic Acids Research* 46(W1):W200–W204.
6. Krogh A, Brown M, Mian IS, Sjölander K, Haussler D (1994) Hidden Markov models in computational biology: Applications to protein modeling. *Journal of Molecular Biology* 235(5):1501–1531.
7. Morcos F, et al. (2011) Direct-coupling analysis of residue coevolution captures native contacts across many protein families. *Proceedings of the National Academy of Sciences* 108(49):E1293–E1301.
8. Ekeberg M, Lökvist C, Lan Y, Weigt M, Aurell E (2013) Improved contact prediction in proteins: Using pseudolikelihoods to infer Potts models. *Physical Review E* 87(1):012707.
9. Trinquier J, Uguzzoni G, Pagnani A, Zamponi F, Weigt M (2021) Efficient generative modeling of protein sequences using simple autoregressive models. *Nature Communications* 12:5800.
10. Kingma DP, Welling M (2014) Auto-encoding variational Bayes in *International Conference on Learning Representations (ICLR)*.
11. Riesselman AJ, Ingraham JB, Marks DS (2018) Deep generative models of genetic variation capture the effects of mutations. *Nature Methods* 15:816–822.
12. Ferruz N, Schmidt S, Höcker B (2022) ProtGPT2 is a deep unsupervised language model for protein design. *Nature Communications* 13:4348.
13. Madani A, et al. (2023) Large language models generate functional protein sequences across diverse families. *Nature Biotechnology* 41:1099–1106.
14. Rao R, et al. (2021) MSA transformer in *Proceedings of the 38th International Conference on Machine Learning (ICML)*. pp. 8844–8856.
15. Alamdari S, et al. (2023) Protein generation with evolutionary diffusion: Sequence is all you need. *bioRxiv*.
16. Dauparas J, et al. (2022) Robust deep learning-based protein sequence design using ProteinMPNN. *Science* 378(6615):49–56.
17. Watson JL, et al. (2023) De novo design of protein structure and function with RFdiffusion. *Nature* 620(7976):1089–1100.
18. Ramsauer H, et al. (2021) Hopfield networks is all you need in *International Conference on Learning Representations (ICLR)*.
19. Krotov D, Hopfield JJ (2016) Dense associative memory for pattern recognition in *Advances in Neural Information Processing Systems*. Vol. 29.
20. Alswaidan A, Varner JD (2026) Stochastic attention via Langevin dynamics on the modern Hopfield energy. *arXiv preprint arXiv:2603.06875*.
21. Lin Z, et al. (2023) Evolutionary-scale prediction of atomic-level protein structure with a language model. *Science* 379(6637):1123–1130.
22. McLaughlin RN, Poelwijk FJ, Raman A, Gosal WS, Ranganathan R (2012) The spatial architecture of protein function and adaptation. *Nature* 491:138–142.
23. Faure AJ, et al. (2022) Mapping the energetic and allosteric landscapes of protein binding domains. *Nature* 604:175–183.

- 437 24. Hopfield JJ (1982) Neural networks and physical systems with emergent collective computational abilities. *Proceedings of the National Academy of Sciences* 79(8):2554–2558.
438 25. Amit DJ, Gutfreund H, Sompolinsky H (1985) Storing infinite numbers of patterns in a spin-glass model of neural networks. *Physical Review Letters* 55(14):1530–1533.
439 26. Varner JD (2026) Conditioning protein generation via Hopfield pattern multiplicity. *arXiv preprint arXiv:2603.20115*.
440 27. Durmus A, Moulines É (2017) Nonasymptotic convergence analysis for the unadjusted Langevin algorithm. *The Annals of Applied Probability* 27(3):1551–1587.
441 28. Dalalyan AS (2017) Theoretical guarantees for approximate sampling from smooth and log-concave densities. *Journal of the Royal Statistical Society: Series B* 79(3):651–676.
442 29. Roberts GO, Tweedie RL (1996) Exponential convergence of Langevin distributions and their discrete approximations. *Bernoulli* 2(4):341–363.
443 30. Mistry J, et al. (2021) Pfam: The protein families database in 2021. *Nucleic Acids Research* 49(D1):D412–D419.
444 31. Mirdita M, et al. (2022) ColabFold: Making protein folding accessible to all. *Nature Methods* 19:679–682.
445 32. Zhang Y, Skolnick J (2005) TM-align: a protein structure alignment algorithm based on the TM-score. *Nucleic Acids Research* 33(7):2302–2309.

Significance Statement

Most protein families are small, with a median of only 22 sequences in their Pfam seed alignments, too few to train a deep generative model. We show that a single attention operation over a family alignment defines an energy landscape whose Boltzmann distribution can be sampled by Langevin dynamics without training, GPUs, or external data. The resulting method, stochastic attention, generates novel protein sequences that preserve family-level amino acid statistics and are predicted by independent structure predictors to be compatible with the target-family fold across eight diverse families. A linear relationship between representation dimensionality and critical temperature enables fully automatic operation from a seed alignment, opening training-free generation to the majority of protein families too small for deep learning.

J.D.V. designed research, performed research, analyzed data, and wrote the paper.

The author declares no competing interest.

¹To whom correspondence should be addressed. E-mail: jdv27@cornell.edu. ORCID: 0000-0002-2558-7026.

Table 1. Properties of the eight Pfam families used in this study. K : number of seed sequences after cleaning. L : alignment length. d : PCA dimension (95% variance). $\bar{H}_{\text{col}}$: mean per-column Shannon entropy (nats). K_{eff} : effective number of sequences at 80% identity. β^* : empirical entropy inflection point.

Family	Pfam ID	K	L	d	$\bar{H}_{\text{col}}$	K_{eff}	β^*	$\beta^*/\sqrt{d}$
RRM	PF00076	68	71	59	1.92	68	3.85	0.50
SH3	PF00018	55	48	46	1.68	55	3.85	0.57
WW	PF00397	420	31	186	1.74	419	5.45	0.40
Kunitz	PF00014	99	53	80	1.61	99	3.85	0.43
zf-C2H2	PF00096	151	23	106	1.91	151	4.58	0.44
PDZ	PF00595	44	83	37	1.88	43	3.23	0.53
Pkinase	PF00069	37	262	34	1.72	37	3.23	0.55
Defensin_beta	PF00711	45	36	37	1.65	45	3.23	0.53




Fig. 1. Cross-family comparison of SA generation, SA retrieval, and bootstrap across eight Pfam families. **(A)** KL divergence of amino acid composition (lower is better); dashed line at $KL=0.05$. **(B)** Novelty in PCA space ($1 - \max_k \cos(\hat{\xi}, \mathbf{m}_k)$; higher is better). Bootstrap samples have zero novelty by construction. **(C)** Nearest sequence identity to a stored pattern; green shaded band (30–70%) marks the approximate cross-family nearest-neighbor identity envelope (per-family values in SI Appendix, Table S13). Error bars: ± 1 SE (30 chains $\times$ 5 samples).




Fig. 2. Predicting the critical temperature from MSA statistics. **(A)** Predicted vs. empirical β^* for the simple linear model $\beta^* \approx 1.52 + 0.28\sqrt{d}$ ($R^2=0.97$, $n=33$). Blue circles: eight Pfam families; gold diamonds: WW scaling replicates ($K \in \{20, \dots, 400\}$, five repeats each). **(B)** β^* as a function of $\sqrt{d}$, with the fitted regression (dashed) and the unit-coefficient reference $\beta^* = \sqrt{d}$ (dotted red). The fitted intercept and reduced slope reflect structured correlations in real protein families. **(C)** Model comparison (log-scale RMSE). The fitted two-parameter model (RMSE=0.16) is 33 $\times$ more accurate than the unit-coefficient reference $\beta^* = \sqrt{d}$ (RMSE=5.23); adding MSA features provides negligible improvement.




Fig. 3. Head-to-head comparison of SA generation against three learned baselines across all eight Pfam families. **(A)** KL divergence of amino acid composition (bootstrap SE; $n_{\text{boot}}=1000$); dashed line at $\text{KL}=0.05$. **(B)** Novelty in PCA space. **(C)** Nearest sequence identity to a stored pattern; green shaded band (30–70%) marks the approximate cross-family nearest-neighbor identity envelope (per-family values in SI Appendix, Table S13). Panels (B) and (C): per-chain means ± 1 SE. Significance brackets: Wilcoxon rank-sum tests (*** $p < 0.001$, ** $p < 0.01$, * $p < 0.05$). Per-family numerical values are reported in SI Appendix for the learned baselines (Table S2) and for SA generation and the reference conditions (Table S1).




Fig. 4. Structure validation using ESMFold. **(A)** Mean pLDDT across all eight families for SA generation, SA retrieval, bootstrap, and stored sequences; dashed line at pLDDT=70. **(B)** TM-score to the experimentally determined reference structure; dashed line at TM=0.5. Significance: Wilcoxon rank-sum tests (*** $p < 0.001$, ** $p < 0.01$, * $p < 0.05$, n.s. = not significant). Error bars: ± 1 SE ($n=50$).




Fig. 5. AlphaFold2 predicted structures for representative SA-generated sequences (colored by per-residue pLDDT confidence) superimposed on the experimentally determined reference structure for each family (gray, semi-transparent). For visualization, the SA-generated sequence with the highest mean pLDDT in each family was selected and aligned to the reference using PyMOL; aggregate structural statistics for the generated ensembles are reported in Fig. 4 and SI Appendix, Figs. S3–S4. The close predicted structural agreement (sub-angstrom root-mean-square deviation (RMSD)) and uniformly high pLDDT scores are consistent with SA-generated sequences encoding three-dimensional folds that recapitulate the canonical architecture of their target family, despite 40–65% sequence novelty.