Práctica 4: Backend con Django y JWT

Autor: varomen13

Fecha: 05/11/2026

Repositorio: https://github.com/varomen13/Django

Correcciones de seguridad

El campo password del serializer es write_only, así que nunca se devuelve en las respuestas de la API.

En update, la contraseña solo se hashea y cambia si viene en la petición.

Si no se envía password, se elimina del payload y se conserva la contraseña existente.

Swagger: endpoints de Tienda Online API

Swagger

http://127.0.0.1:8000/swagger/?format=openapi

Explore

Tienda Online API

v1 OAS 2.0

[Base URL: 127.0.0.1:8000/api/v1]

http://127.0.0.1:8000/swagger/?format=openapi

API de la Tienda Online: productos, usuarios y autenticación con JWT

Schemes

HTTP

Django Login

Authorize

Filter by tag

auth

- GET /auth/me/ — auth_me_list
- POST /auth/token/ — auth_token_create
- POST /auth/token/refresh/ — auth_token_refresh_create

categories

- GET /categories/ — categories_list
- POST /categories/ — categories_create
- GET /categories/{id}/ — categories_read
- PUT /categories/{id}/ — categories_update
- PATCH /categories/{id}/ — categories_partial_update
- DELETE /categories/{id}/ — categories_delete

precio-final

- GET /precio-final/{id}/ — precio-final_read

products

- GET /products/ — products_list
- POST /products/ — products_create
- GET /products/{id}/ — products_read
- PUT /products/{id}/ — products_update
- PATCH /products/{id}/ — products_partial_update
- DELETE /products/{id}/ — products_delete

users

- GET /users/ — users_list
- POST /users/ — users_create
- GET /users/{id}/ — users_read
- PUT /users/{id}/ — users_update
- PATCH /users/{id}/ — users_partial_update
- DELETE /users/{id}/ — users_delete

Models

TokenObtainPair ›

TokenRefresh ›

Category ›

Product ›

User ›

Obtención del token JWT

Obtención del token JWT

POST `/api/v1/auth/token/` **HTTP 200**


```
{
  "refresh":
"eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ0b2tlbl90eXBlIjoicmVmcmVzaCIsImV4cCI6MTc5NDAzNTM0MiwiaWF0IjoxNzkzOTQ4OTQyLCJqdGkiOiI2MzVhYTgwNDA1OTE0NDdlYjE0ZDAzMzNmOWI4NmFlNy
IsInVzZXJfaWQiOiIxIn0.oAGBPdf5Mkd00HWJ0YMiYF8pSoaQ75I5dp5PrTtVwUY",
  "access":
"eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ0b2tlbl90eXBlIjoiYWNjZXNzIiwiZXhwIjoxNzkzOTUwNzQyLCJpYXQiOjE3OTM5NDg5NDIsImp0aSI6IjVlNDRiZjQ0MzdhMDRhZWRhZDliNTJiZmIwYjM1YzYxIi
widXNlcl9pZCI6IjEifQ.6DhpTbkutSF2PQO-F3JFuzfTJ4q0FVLmkaw-vB8Dh3Y"
}
```

Datos personales con token

Datos personales con JWT

GET `/api/v1/auth/me/` **HTTP 200**


```
{
  "id": 2,
  "username": "prueba",
  "email": "prueba@test.com",
  "first_name": "Cambiado",
  "last_name": "",
  "telefono": "6621234567",
  "is_active": true,
  "is_staff": false
}
```

Edición sin enviar contraseña

Edición sin enviar contraseña

El usuario conserva su contraseña original y puede iniciar sesión después del PATCH.

POST `/api/v1/users/` **HTTP 201**


```
{
  "id": 2,
  "username": "prueba",
  "email": "prueba@test.com",
  "first_name": "",
  "last_name": "",
  "telefono": "6621234567",
  "is_active": true,
  "is_staff": false
}
```


PATCH `/api/v1/users/2/` **HTTP 200**


```
{
  "id": 2,
  "username": "prueba",
  "email": "prueba@test.com",
  "first_name": "Cambiado",
  "last_name": "",
  "telefono": "6621234567",
  "is_active": true,
  "is_staff": false
}
```


POST `/api/v1/auth/token/` **HTTP 200**


```
{
  "refresh":
"eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ0b2tlbl90eXBlIjoicmVmcmVzaCIsImV4cCI6MTc5NDAzNTM0NCwiaWF0IjoxNzkzOTQ4OTQ0LCJqdGkiOiJiNWI1YTA3OWU1YTQ0MWZiYTE5NjI4ZGI0ZGVkNTFjYiIsInVzZXJfaWQiOiIyIn0._C_nKbsnqYbn3alWxU6LEDZ4BzzpD9aWf2ply2WLreE",
  "access":
"eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ0b2tlbl90eXBlIjoiYWNjZXNzIiwiZXhwIjoxNzkzOTUwNzQ0LCJpYXQiOjE3OTM5NDg5NDQsImp0aSI6IjQ5ZDJlYmQwNWY4NTQzNTI4YTNjMjQzMDdmZjMzMTk3IiwidXNlcl9pZCI6IjIifQ.GqImUJdeo2ZtEFRQJ0WzsqwTm1ojDm_9nQoIk2lybiY"
}
```