Humana. Claims Payment Policy

Subject: Laboratory – Biomarkers for Myocardial Infarction and Chronic Heart Failure

Application: Medicare Advantage Products
Policy number: LAB2023001
Published date: 06/2023
Revision date: 03/2026

Disclaimer**: The intended audience of this medical claims payment policy is healthcare providers who treat Humana members. This policy is made available to provide information on certain Humana claims payment policies. This policy is a guideline only and does not constitute medical advice, guarantee of payment, plan pre-authorization, an explanation of benefits, or a contract. This policy does not govern whether a procedure is covered under a specific member plan or policy, nor is it intended to address every claim situation. Claims may be affected by other factors, such as: state and federal laws and regulations, provider contract terms, and our professional judgment. This policy is subject to change or termination by Humana. Humana has full and final discretionary authority for its interpretation and application. No part of this policy may be reproduced, stored in a retrieval system or transmitted, in any shape or form or by any means, electronic, mechanical, photocopying or otherwise without express written permission from Humana. When printed, this version becomes uncontrolled. For the most current information, always refer to the following website: **Humana.com/ClaimPaymentPolicies

Medicare Advantage Payment Policy

As a Medicare Advantage plan, we have developed payment policies to explain coverage more fully for services. The criteria outlined will apply to Medicare Advantage plans except when the procedure(s) has established criteria through the Original Medicare National Coverage Determinations (NCDs) and Local Coverage Determinations (LCDs) as outlined below.

In addition to this policy, claims payments are subject to other plan requirements for the processing and payment of claims, including, but not limited to, requirements of medical necessity and reasonableness and applicable referral or authorization requirements.

- Quantitative measurement of cardiac troponin T or I (CPT code 84484) for the diagnosis of myocardial infarction (MI) **IS REIMBURSABLE** for individuals presenting with any of the following:
  - Ischemic chest pain
  - Pain in the upper abdomen, shoulders, upper arms, forearms, wrists, fingers, neck and throat, lower jaw and teeth or back pain
  - Shortness of breath, belching, nausea, indigestion, vomiting, diaphoresis, dizziness, lightheadedness, clamminess or fatigue
  - Squeezing, tightness, pressure, constriction, crushing, strangling, burning, heartburn, fullness in the chest, band-like sensation, knot in the center of the chest, lump in throat, ache, heavy weight on chest or toothache when there is radiation to the lower jaw

- A maximum of four serial quantitative troponin tests (CPT code 84484) **IS REIMBURSABLE** in the first three days after presentation.

- Testing for natriuretic peptide, such as B-Type Natriuretic Peptide (BNP) or N-terminal pro B-type natriuretic peptide (NT-proBNP) (CPT code 83880*) **IS REIMBURSABLE** for individuals presenting with dyspnea or shortness of breath.

- Testing for BNP or NT-proBNP (CPT code 83880*) **IS REIMBURSABLE** every rolling 12 months for individuals presenting with any of the following:
  - Acute or chronic combined systolic and diastolic heart failure
  - Chronic heart failure: systolic, diastolic or combined systolic and diastolic
  - Chronic right heart failure

- Measurement of the following cardiac biomarkers for the diagnosis or prognosis of MI **IS NOT REIMBURSABLE** in conjunction with the measurement of cardiac troponin T or I:

- Cardiac creatine kinase isoenzyme myocardial band (CK-MB) (CPT code 82553, CPT code 82554)
- Copeptin (CPT code 84588)
- C-reactive protein (CPT code 86140)
- Creatine kinase (CK) (CPT code 82550)
- CK isoenzymes (CPT code 82552)
- Heart-type fatty acid binding protein (H-FABP) (CPT code 82725)
- Lactate dehydrogenase (LDH) (CPT code 83625)
- Myoglobin (CPT code 83874)

- For individuals with signs and symptoms of acute coronary syndrome, quantitative measurement of cardiac troponin T or I (CPT code 84484) by an independent laboratory **IS NOT REIMBURSABLE**.

- In the outpatient setting, qualitative measurement of cardiac troponin T or I (CPT code 84512) **IS NOT REIMBURSABLE**.

- In the outpatient setting, testing of growth stimulation expressed gene 2 (ST2) or its isoforms (CPT code 83006) **IS NOT REIMBURSABLE**.

Applicable procedures for Medicare Advantage plans

Procedure Code	Code Description
82550	Creatine kinase (CK), (CPK); total
82552	Creatine kinase (CK), (CPK); isoenzymes
82553	Creatine kinase (CK), (CPK); MB fraction only
82554	Creatine kinase (CK), (CPK); isoforms
82725	Fatty acids, nonesterified
83006	Growth stimulation expressed gene 2 (ST2, Interleukin 1 receptor like-1)
83625	Lactate dehydrogenase (LD), (LDH); isoenzymes, separation and quantitation
83874	Myoglobin
83880*	Natriuretic peptide
84484	Troponin, quantitative
84512	Troponin, qualitative
84588	Vasopressin (antidiuretic hormone, ADH)
86140	C-reactive protein

Original Medicare Local Coverage Determinations (LCDs)

Contractor Name	Policy Title	Policy Number	Procedure Code
CGS Administrators, LLC	B-Type Natriuretic Peptide (BNP) Testing	L33943	83880

Contractor Name	Policy Title	Policy Number	Procedure Code
First Coast Service Options, Inc.	B-Type Natriuretic Peptide	L33267	83880
National Government Services, Inc.	B-Type Natriuretic Peptide (BNP) Testing	L33573	83880
Noridian Healthcare Solutions, LLC	B-Type Natriuretic Peptide (BNP) Testing	L35526 L34038	83880
Palmetto GBA	Brain Natriuretic Peptide (BNP) Level	L33422	83880
Palmetto GBA	B-Type Natriuretic Peptide (BNP) Testing	L34410	83880
Wisconsin Physicians Service Insurance Corporation	MolDX: Biomarkers in Cardiovascular Risk Assessment	L36523	83880

**The payment criteria for 83880 apply to all Medicare jurisdictions, except those states awarded to CGS Administrators, LLC., First Coast Service Options, Inc., National Government Services Inc., Noridian Healthcare Solutions, LLC., Palmetto GBA & Wisconsin Physician Service Insurance Corporation.*

References

Amsterdam, E. A., Wenger, N. K., Brindis, R. G., Casey, D. E., Ganiats, T. G., Holmes, D. R., Jaffe, A. S., Jneid, H., Kelly, R. F., Kontos, M. C., Levine, G. N., Liebson, P. R., Mukherjee, D., Peterson, E. D., Sabatine, M. S., Smalling, R. W., & Zieman, S. J. (2014). 2014 AHA/ACC Guideline for the Management of Patients With Non–ST-Elevation Acute Coronary Syndromes. *A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines*, *130*(25), e344-e426. https://doi.org/10.1161/cir.0000000000000134

Anand, A., Shah, A. S. V., Beshiri, A., Jaffe, A. S., & Mills, N. L. (2019). Global Adoption of High-Sensitivity Cardiac Troponins and the Universal Definition of Myocardial Infarction. *Clin Chem*, *65*(3), 484-489. https://doi.org/10.1373/clinchem.2018.298059

Anderson, P. A., Malouf, N. N., Oakeley, A. E., Pagani, E. D., & Allen, P. D. (1991). Troponin T isoform expression in humans. A comparison among normal and failing adult heart, fetal heart, and adult and fetal skeletal muscle. *Circ Res*, *69*(5), 1226-1233. https://doi.org/10.1161/01.res.69.5.1226

ASCP. (2015, February 3). *Don't test for myoglobin or CK-MB in the diagnosis of acute myocardial infarction (AMI). Instead, use troponin I or T.* https://www.choosingwisely.org/clinician-lists/american-society-clinical-pathology-myoglobin-to-diagnose-acute-myocardial-infarction/

Bayes-Genis, A., Zhang, Y., & Ky, B. (2015). ST2 and patient prognosis in chronic heart failure. *Am J Cardiol*, *115*(7 Suppl), 64b-69b. https://doi.org/10.1016/j.amjcard.2015.01.043

Bessman, S. P., & Carpenter, C. L. (1985). The creatine-creatine phosphate energy shuttle. *Annu Rev Biochem*, *54*, 831-862. https://doi.org/10.1146/annurev.bi.54.070185.004151

Bodor, G. S., Porterfield, D., Voss, E. M., Smith, S., & Apple, F. S. (1995). Cardiac troponin-I is not expressed in fetal and healthy or diseased adult human skeletal muscle tissue. *Clin Chem*, *41*(12 Pt 1), 1710-1715. https://pubmed.ncbi.nlm.nih.gov/7497610/

Bodor, G. S., Survant, L., Voss, E. M., Smith, S., Porterfield, D., & Apple, F. S. (1997). Cardiac troponin T composition in normal and regenerating human skeletal muscle. *Clin Chem*, *43*(3), 476-484. https://doi.org/10.1093/clinchem/43.3.476

Boeddinghaus, J., Nestelberger, T., Koechlin, L., Wussler, D., Lopez-Ayala, P., Walter, J. E., Troester, V., Ratmann, P. D., Seidel, F., Zimmermann, T., Badertscher, P., Wildi, K., Giménez, M. R., Potlukova, E., Strebel, I., Freese, M., Miró, Ò., Martin-Sanchez, F. J., Kawecki, D., . . . Geigy, N. (2020). Early Diagnosis of Myocardial Infarction With Point-of-Care High-Sensitivity Cardiac Troponin I. *Journal of the American College of Cardiology*, *75*(10), 1111-1124. https://doi.org/doi:10.1016/j.jacc.2019.12.065

Boman, K., Thormark Frost, F., Bergman, A. R., & Olofsson, M. (2018). NTproBNP and ST2 as predictors for all-cause and cardiovascular mortality in elderly patients with symptoms suggestive for heart failure. *Biomarkers*, *23*(4), 373-379. https://doi.org/10.1080/1354750x.2018.1431692

Chow, S. L., Maisel, A. S., Anand, I., Bozkurt, B., de Boer Rudolf, A., Felker, G. M., Fonarow, G. C., Greenberg, B., Januzzi, J. L., Kiernan, M. S., Liu, P. P., Wang, T. J., Yancy, C. W., & Zile, M. R. (2017). Role of Biomarkers for the Prevention, Assessment, and Management of Heart Failure: A Scientific Statement From the American Heart Association. *Circulation*, *135*(22), e1054-e1091. https://doi.org/10.1161/CIR.0000000000000490

Collet, J. P., Thiele, H., Barbato, E., Barthélémy, O., Bauersachs, J., Bhatt, D. L., Dendale, P., Dorobantu, M., Edvardsen, T., Folliguet, T., Gale, C. P., Gilard, M., Jobs, A., Jüni, P., Lambrinou, E., Lewis, B. S., Mehilli, J., Meliga, E., Merkely, B., . . . Siontis, G. C. M. (2021). 2020 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. *Eur Heart J*, *42*(14), 1289-1367. https://doi.org/10.1093/eurheartj/ehaa575

Colucci, W. (2021, January 27). *Prognosis of heart failure*. https://www.uptodate.com/contents/prognosis-of-heart-failure

Colucci, W. (2023, May 23, 2023). *Overview of the therapy of heart failure with reduced ejection fraction*. https://www.uptodate.com/contents/overview-of-the-management-of-heart-failure-with-reduced-ejection-fraction-in-adults

Colucci, W., & Dunlay, S. (2022, August 10, 2022). *Clinical manifestations and diagnosis of advanced heart failure*. https://www.uptodate.com/contents/clinical-manifestations-and-diagnosis-of-advanced-heart-failure

Cresci, S., Pereira Naveen, L., Ahmad, F., Byku, M., de las Fuentes, L., Lanfear David, E., Reilly Carolyn, M., Owens Anjali, T., Wolf Matthew, J., & null, n. (2019). Heart Failure in the Era of Precision Medicine: A Scientific Statement From the American Heart Association. *Circulation: Genomic and Precision Medicine*, *12*(10), e000058. https://doi.org/10.1161/HCG.0000000000000058

Crespo-Leiro, M. G., Metra, M., Lund, L. H., Milicic, D., Costanzo, M. R., Filippatos, G., Gustafsson, F., Tsui, S., Barge-Caballero, E., De Jonge, N., Frigerio, M., Hamdan, R., Hasin, T., Hulsmann, M., Nalbantgil, S., Potena, L., Bauersachs, J., McDonagh, T., Seferovic, P., & Ruschitzka, F. (2018). Advanced heart failure: a position statement of the Heart Failure Association of the European Society of Cardiology. *Eur J Heart Fail*. https://doi.org/10.1002/ejhf.1236

Danese, E., & Montagnana, M. (2016). An historical approach to the diagnostic biomarkers of acute coronary syndrome. *Ann Transl Med*, *4*(10), 194. https://doi.org/10.21037/atm.2016.05.19

Dillon, M. C., Calbreath, D. F., Dixon, A. M., Rivin, B. E., Roark, S. F., Ideker, R. E., & Wagner, G. S. (1982). Diagnostic problem in acute myocardial infarction: CK-MB in the absence of abnormally elevated total creatine kinase levels. *Arch Intern Med*, *142*(1), 33-38. https://doi.org/10.1001/archinte.1982.00340140035009

Dimitropoulos, S., Mystakidi, V. C., Oikonomou, E., Siasos, G., Tsigkou, V., Athanasiou, D., Gouliopoulos, N., Bletsa, E., Kalampogias, A., Charalambous, G., Tsioufis, C., Vavuranakis, M., & Tousoulis, D. (2020). Association of Soluble Suppression of Tumorigenesis-2 (ST2) with Endothelial Function in Patients with Ischemic Heart Failure. *Int J Mol Sci*, *21*(24). https://doi.org/10.3390/ijms21249385

Eggers, K. M., Oldgren, J., Nordenskjold, A., & Lindahl, B. (2004). Diagnostic value of serial measurement of cardiac markers in patients with chest pain: limited value of adding myoglobin to troponin I for exclusion of myocardial infarction. *Am Heart J*, *148*(4), 574-581. https://doi.org/10.1016/j.ahj.2004.04.030

Engel, G., & Rockson, S. G. (2020). Feasibility and Reliability of Rapid Diagnosis of Myocardial Infarction. *The American Journal of the Medical Sciences*, *359*(2), 73-78. https://doi.org/10.1016/j.amjms.2019.12.012

FDA. (2011). *SUBSTANTIAL EQUIVALENCE DETERMINATION* https://www.accessdata.fda.gov/cdrh_docs/reviews/K111452.pdf

Gencer, B., Brotons, C., Mueller, C., Mukherjee, D., Chew, D. P., Andreotti, F., Hasenfuss, G., Collet, J.-P., Bax, J. J., Mehilli, J., Kjeldsen, K., Valgimigli, M., Borger, M. A., Lancellotti, P., Storey, R. F., Windecker, S., Landmesser, U., Patrono, C., Roffi, M., & Group, E. S. C. S. D. (2016). 2015 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation: Task Force for the Management of Acute Coronary Syndromes in Patients Presenting without Persistent ST-Segment Elevation of the European Society of Cardiology (ESC). *European Heart Journal*, *37*(3), 267-315. https://doi.org/10.1093/eurheartj/ehv320

Glatz, J. F., & van der Vusse, G. J. (1990). Cellular fatty acid-binding proteins: current concepts and future directions. *Mol Cell Biochem*, *98*(1-2), 237-251. https://doi.org/10.1007/bf00231390

Greaser, M. L., & Gergely, J. (1971). Reconstitution of troponin activity from three protein components. *J Biol Chem*, *246*(13), 4226-4233. https://doi.org/10.1016/S0021-9258(18)62075-7

Heidenreich, P. A., Bozkurt, B., Aguilar, D., Allen, L. A., Byun, J. J., Colvin, M. M., Deswal, A., Drazner, M. H., Dunlay, S. M., Evers, L. R., Fang, J. C., Fedson, S. E., Fonarow, G. C., Hayek, S. S., Hernandez, A. F., Khazanie, P., Kittleson, M. M., Lee, C. S., Link, M. S., &

Milano, C. A. (2022). 2022 AHA/ACC/HFSA Guideline for the Management of Heart Failure. *Journal of the American College of Cardiology*. https://doi.org/10.1016/j.jacc.2021.12.012

Heller, G. V., Blaustein, A. S., & Wei, J. Y. (1983). Implications of increased myocardial isoenzyme level in the presence of normal serum creatine kinase activity. *Am J Cardiol*, *51*(1), 24-27. https://doi.org/10.1016/s0002-9149(83)80006-x

Hillinger, P., Twerenbold, R., Jaeger, C., Wildi, K., Reichlin, T., Gimenez, M. R., Engels, U., Miró, O., Boeddinghaus, J., Puelacher, C., Nestelberger, T., Röthlisberger, M., Ernst, S., Rentsch, K., & Mueller, C. (2015). Optimizing Early Rule-Out Strategies for Acute Myocardial Infarction: Utility of 1-Hour Copeptin. *Clin Chem*, *61*(12), 1466-1474. https://doi.org/10.1373/clinchem.2015.242743

Hou, Z. W., Yu, H. B., Liang, Y. C., Gao, Y., Xu, G. Q., Wu, M., Mei, Z., Wang, Z. L., Li, Z. G., Li, Y. Y., Song, H. X., Li, J. Y., & Han, Y. L. (2020). Circulating Soluble ST2 Predicts All-Cause Mortality in Severe Heart Failure Patients with an Implantable Cardioverter Defibrillator. *Cardiol Res Pract*, *2020*, 4375651. https://doi.org/10.1155/2020/4375651

Jaffe, A. S., Chaitman, B. R., Morrow, D. A., Bax, J. J., White, H. D., Alpert, J. S., Thygesen, K., & Group, E. S. C. S. D. (2018). Fourth universal definition of myocardial infarction (2018). *European Heart Journal*, *40*(3), 237-269. https://doi.org/10.1093/eurheartj/ehy462

Jaffe, A. S., & Morrow, D. A. (2021, February 15). *Biomarkers of cardiac injury other than troponin*. Wolters Kluwer. https://www.uptodate.com/contents/biomarkers-of-cardiac-injury-other-than-troponin

Januzzi, J. L., Horne, B. D., Moore, S. A., Galenko, O., Snow, G. L., Brunisholz, K. D., Muhlestein, J. B., Alharethi, R., Carlquist, J. F., Budge, D., Rasmussen, K., & Kfoury, A. G. (2013). Interleukin receptor family member ST2 concentrations in patients following heart transplantation. *Biomarkers*, *18*(3), 250-256. https://doi.org/10.3109/1354750x.2013.773081

Januzzi, J. L., Mebazaa, A., & Di Somma, S. (2015). ST2 and prognosis in acutely decompensated heart failure: the International ST2 Consensus Panel. *Am J Cardiol*, *115*(7 Suppl), 26b-31b. https://doi.org/10.1016/j.amjcard.2015.01.037

Jeong, J. H., Seo, Y. H., Ahn, J. Y., Kim, K. H., Seo, J. Y., Chun, K. Y., Lim, Y. S., & Park, P. W. (2020). Performance of Copeptin for Early Diagnosis of Acute Myocardial Infarction in an Emergency Department Setting. *Ann Lab Med*, *40*(1), 7-14. https://doi.org/10.3343/alm.2020.40.1.7

Kavsak, P. A., MacRae, A. R., Newman, A. M., Lustig, V., Palomaki, G. E., Ko, D. T., Tu, J. V., & Jaffe, A. S. (2007). Effects of contemporary troponin assay sensitivity on the utility of the early markers myoglobin and CKMB isoforms in evaluating patients with possible acute myocardial infarction. *Clin Chim Acta*, *380*(1-2), 213-216. https://doi.org/10.1016/j.cca.2007.01.001

Khan, S. Q., Dhillon, O. S., O'Brien, R. J., Struck, J., Quinn, P. A., Morgenthaler, N. G., Squire, I. B., Davies, J. E., Bergmann, A., & Ng, L. L. (2007). C-Terminal Provasopressin (Copeptin) as a Novel and Prognostic Marker in Acute Myocardial Infarction. *Leicester Acute Myocardial Infarction Peptide (LAMP) Study*, *115*(16), 2103-2110. https://doi.org/10.1161/circulationaha.106.685503

Knuuti, J., Wijns, W., Saraste, A., Capodanno, D., Barbato, E., Funck-Brentano, C., Prescott, E., Storey, R. F., Deaton, C., Cuisset, T., Agewall, S., Dickstein, K., Edvardsen, T., Escaned, J., Gersh, B. J., Svitil, P., Gilard, M., Hasdai, D., Hatala, R., . . . Group, E. S. C. S. D. (2019). 2019 ESC Guidelines for the diagnosis and management of chronic coronary syndromes: The Task Force for the diagnosis and management of chronic coronary syndromes of the European Society of Cardiology (ESC). *European Heart Journal*, *41*(3), 407-477. https://doi.org/10.1093/eurheartj/ehz425

Ky, B., French, B., McCloskey, K., Rame, J. E., McIntosh, E., Shahi, P., Dries, D. L., Tang, W. H., Wu, A. H., Fang, J. C., Boxer, R., Sweitzer, N. K., Levy, W. C., Goldberg, L. R., Jessup, M., & Cappola, T. P. (2011). High-sensitivity ST2 for prediction of adverse outcomes in chronic heart failure. *Circ Heart Fail*, *4*(2), 180-187. https://doi.org/10.1161/circheartfailure.110.958223

Maisel, A., Mueller, C., Neath, S.-X., Christenson, R. H., Morgenthaler, N. G., McCord, J., Nowak, R. M., Vilke, G., Daniels, L. B., Hollander, J. E., Apple, F. S., Cannon, C., Nagurney, J. T., Schreiber, D., deFilippi, C., Hogan, C., Diercks, D. B., Stein, J. C., Headden, G., . . . Peacock, W. F. (2013). Copeptin Helps in the Early Detection of Patients With Acute Myocardial Infarction: Primary Results of the CHOPIN Trial (Copeptin Helps in the early detection Of Patients with acute myocardial INfarction). *Journal of the American College of Cardiology*, *62*(2), 150-160. https://doi.org/10.1016/j.jacc.2013.04.011

Marshall, T., Williams, J., & Williams, K. M. (1991). Electrophoresis of serum isoenzymes and proteins following acute myocardial infarction. *J Chromatogr*, *569*(1-2), 323-345. https://doi.org/10.1016/0378-4347(91)80236-6

McDonagh, T. A., Metra, M., Adamo, M., Gardner, R. S., Baumbach, A., Böhm, M., Burri, H., Butler, J., Čelutkienė, J., Chioncel, O., Cleland, J. G. F., Coats, A. J. S., Crespo-Leiro, M. G., Farmakis, D., Gilard, M., Heymans, S., Hoes, A. W., Jaarsma, T., Jankowska, E. A., . . . Kathrine Skibelund, A. (2021). 2021 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. *Eur Heart J*, *42*(36), 3599-3726. https://doi.org/10.1093/eurheartj/ehab368

McLaurin, M. D., Apple, F. S., Voss, E. M., Herzog, C. A., & Sharkey, S. W. (1997). Cardiac troponin I, cardiac troponin T, and creatine kinase MB in dialysis patients without ischemic heart disease: evidence of cardiac troponin T expression in skeletal muscle. *Clin Chem*, *43*(6 Pt 1), 976-982. https://doi.org/10.1093/clinchem/43.6.976

Moussa, I. D., Klein, L. W., Shah, B., Mehran, R., Mack, M. J., Brilakis, E. S., Reilly, J. P., Zoghbi, G., Holper, E., & Stone, G. W. (2013). Consideration of a new definition of clinically relevant myocardial infarction after coronary revascularization: an expert consensus document from the Society for Cardiovascular Angiography and Interventions (SCAI). *J Am Coll Cardiol*, *62*(17), 1563-1570. https://doi.org/10.1016/j.jacc.2013.08.720

Neumann, J. T., Twerenbold, R., Ojeda, F., Sorensen, N. A., Chapman, A. R., Shah, A. S. V., Anand, A., Boeddinghaus, J., Nestelberger, T., Badertscher, P., Mokhtari, A., Pickering, J. W., Troughton, R. W., Greenslade, J., Parsonage, W., Mueller-Hennessen, M., Gori, T., Jernberg, T., Morris, N., . . . Blankenberg, S. (2019). Application of High-Sensitivity Troponin in Suspected Myocardial Infarction. *N Engl J Med*, *380*(26), 2529-2540. https://doi.org/10.1056/NEJMoa1803377

Nguyen, T. N., Le, P. X. M., Le, T. X., Nguyen, K. D. A., Nguyen, T. T., Nguyen, T. M., & Tran, V. T. (2020). THE VALUE OF HEART-FATTY ACID BINDING PROTEIN (H-FABP) IN THE EARLY DIAGNOSTIC OF PATIENTS WITH ACUTE MYOCARDIAL INFARCTION. *Journal of the American College of Cardiology*, *75*(11_Supplement_1), 18-18. https://doi.org/doi:10.1016/S0735-1097(20)30645-8

NICE. (2016). Chest pain of recent onset: assessment and diagnosis. https://www.nice.org.uk/guidance/cg95/chapter/Recommendations

NICE. (2018, September 12). *Chronic heart failure in adults: diagnosis and management*. https://www.nice.org.uk/guidance/ng106

NICE. (2020). High-sensitivity troponin tests for the early rule out of NSTEMI. https://www.nice.org.uk/guidance/dg40/chapter/1-Recommendations

O'Connor Robert, E., Al Ali Abdulaziz, S., Brady William, J., Ghaemmaghami Chris, A., Menon, V., Welsford, M., & Shuster, M. (2015). Part 9: Acute Coronary Syndromes. *Circulation*, *132*(18_suppl_2), S483-S500. https://doi.org/10.1161/CIR.0000000000000263

Pascual-Figal, D. A., & Januzzi, J. L. (2015). The biology of ST2: the International ST2 Consensus Panel. *Am J Cardiol*, *115*(7 Suppl), 3b-7b. https://doi.org/10.1016/j.amjcard.2015.01.034

Penttila, I., Penttila, K., & Rantanen, T. (2000). Laboratory diagnosis of patients with acute chest pain. *Clin Chem Lab Med*, *38*(3), 187-197. https://doi.org/10.1515/cclm.2000.027

Ponikowski, P., Voors, A. A., Anker, S. D., Bueno, H., Cleland, J. G. F., Coats, A. J. S., Falk, V., González-Juanatey, J. R., Harjola, V.-P., Jankowska, E. A., Jessup, M., Linde, C., Nihoyannopoulos, P., Parissis, J. T., Pieske, B., Riley, J. P., Rosano, G. M. C., Ruilope, L. M., Ruschitzka, F., . . . Group, E. S. C. S. D. (2016). 2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure: The Task Force for the diagnosis and treatment of acute and chronic heart failure of the European Society of Cardiology (ESC)Developed with the special contribution of the Heart Failure Association (HFA) of the ESC. *European Heart Journal*, *37*(27), 2129-2200. https://doi.org/10.1093/eurheartj/ehw128

Reeder, G., S., Awtry, E., Mahler, S., A. (2023). *Initial evaluation and management of suspected acute coronary syndrome (myocardial infarction, unstable angina) in the emergency department*. https://www.uptodate.com/contents/initial-evaluation-and-management-of-suspected-acute-coronary-syndrome-myocardial-infarction-unstable-angina-in-the-emergency-department

ResponseBio. (2023). POINT OF CARE CARDIAC. https://responsebio.com/acute-care-diagnostics/cardiovascular/

Roche. (2023). Roche CARDIAC Trop T Sensitive test (visual). https://diagnostics.roche.com/global/en/products/params/roche-cardiac-trop-t-sensitive-test-visual.html

Saggin, L., Gorza, L., Ausoni, S., & Schiaffino, S. (1990). Cardiac troponin T in developing, regenerating and denervated rat skeletal muscle. *Development*, *110*(2), 547-554. https://doi.org/10.1242/dev.110.2.547

Seino, Y., Ogata, K., Takano, T., Ishii, J., Hishida, H., Morita, H., Takeshita, H., Takagi, Y., Sugiyama, H., Tanaka, T., & Kitaura, Y. (2003). Use of a whole blood rapid panel test for heart-type fatty acid-binding protein in patients with acute chest pain: comparison with rapid troponin T and myoglobin tests. *Am J Med*, *115*(3), 185-190. https://doi.org/10.1016/s0002-9343(03)00325-5

Tamis-Holland Jacqueline, E., Jneid, H., Reynolds Harmony, R., Agewall, S., Brilakis Emmanouil, S., Brown Todd, M., Lerman, A., Cushman, M., Kumbhani Dharam, J., Arslanian-Engoren, C., Bolger Ann, F., Beltrame John, F., & null, n. (2019). Contemporary Diagnosis and Management of Patients With Myocardial Infarction in the Absence of Obstructive Coronary Artery Disease: A Scientific Statement From the American Heart Association. *Circulation*, *139*(18), e891-e908. https://doi.org/10.1161/CIR.0000000000000670

Thygesen, K., Alpert, J. S., Jaffe, A. S., Simoons, M. L., Chaitman, B. R., & White, H. D. (2012). Third Universal Definition of Myocardial Infarction. *Circulation*, *126*(16), 2020-2035. https://doi.org/10.1161/CIR.0b013e31826e1058

Thygesen, K., Alpert, J. S., & White, H. D. (2007). Universal Definition of Myocardial Infarction. *Circulation*, *116*(22), 2634-2653. https://doi.org/10.1161/circulationaha.107.187397

Van Nieuwenhoven, F. A., Kleine, A. H., Wodzig, W. H., Hermens, W. T., Kragten, H. A., Maessen, J. G., Punt, C. D., Van Dieijen, M. P., Van der Vusse, G. J., & Glatz, J. F. (1995). Discrimination between myocardial and skeletal muscle injury by assessment of the plasma ratio of myoglobin over fatty acid-binding protein. *Circulation*, *92*(10), 2848-2854. https://doi.org/10.1161/01.CIR.92.10.2848

Wang, T. J., Wollert, K. C., Larson, M. G., Coglianese, E., McCabe, E. L., Cheng, S., Ho, J. E., Fradley, M. G., Ghorbani, A., Xanthakis, V., Kempf, T., Benjamin, E. J., Levy, D., Vasan, R. S., & Januzzi, J. L. (2012). Prognostic utility of novel biomarkers of cardiovascular stress: the Framingham Heart Study. *Circulation*, *126*(13), 1596-1604. https://doi.org/10.1161/circulationaha.112.129437

Wang, Y., Tan, X., Gao, H., Yuan, H., Hu, R., Jia, L., Zhu, J., Sun, L., Zhang, H., Huang, L., Zhao, D., Gao, P., & Du, J. (2018). Magnitude of Soluble ST2 as a Novel Biomarker for Acute Aortic Dissection. *Circulation*, *137*(3), 259-269. https://doi.org/10.1161/circulationaha.117.030469

WHO. (1979). Nomenclature and criteria for diagnosis of ischemic heart disease. Report of the Joint International Society and Federation of Cardiology/World Health Organization task force on standardization of clinical nomenclature. https://www.ahajournals.org/doi/pdf/10.1161/01.CIR.59.3.607

Wijk, S. S.-v., Maeder, M. T., Nietlispach, F., Rickli, H., Estlinbaum, W., Erne, P., Rickenbacher, P., Peter, M., Pfisterer, M. P., & Rocca, H.-P. B.-L. (2014). Long-Term Results of Intensified, N-Terminal-Pro-B-Type Natriuretic Peptide–Guided Versus Symptom-Guided Treatment in Elderly Patients With Heart Failure. *Circulation: Heart Failure*, *7*(1), 131-139. https://doi.org/doi:10.1161/CIRCHEARTFAILURE.113.000527

Wilson S Colucci, H. H. C. (2023). *Natriuretic peptide measurement in heart failure*. https://www.uptodate.com/contents/natriuretic-peptide-measurement-in-heart-failure

Yancy, C. W., Jessup, M., Bozkurt, B., Butler, J., Casey, D. E., Colvin, M. M., Drazner, M. H., Filippatos, G. S., Fonarow, G. C., Givertz, M. M., Hollenberg, S. M., Lindenfeld, J., Masoudi, F. A., McBride, P. E., Peterson, P. N., Stevenson, L. W., & Westlake, C. (2017). 2017 ACC/AHA/HFSA Focused Update of the 2013 ACCF/AHA Guideline for the Management of Heart Failure. *Journal of the American College of Cardiology*, *70*(6), 776-803. https://doi.org/doi:10.1016/j.jacc.2017.04.025

Yancy, C. W., Jessup, M., Bozkurt, B., Butler, J., Casey, D. E., Drazner, M. H., Fonarow, G. C., Geraci, S. A., Horwich, T., Januzzi, J. L., Johnson, M. R., Kasper, E. K., Levy, W. C., Masoudi, F. A., McBride, P. E., McMurray, J. J. V., Mitchell, J. E., Peterson, P. N., Riegel, B., . . . Wilkoff, B. L. (2013). 2013 ACCF/AHA Guideline for the Management of Heart Failure: Executive Summary. https://doi.org/10.1161/CIR.0b013e31829e8807

Yusuf, S., Collins, R., Lin, L., Sterry, H., Pearson, M., & Sleight, P. (1987). Significance of elevated MB isoenzyme with normal creatine kinase in acute myocardial infarction. *Am J Cardiol*, *59*(4), 245-250. https://doi.org/10.1016/0002-9149(87)90793-4