Humana. **Claims Payment Policy**

Subject: Laboratory – Bone Turnover Markers Testing

Application: Medicare Advantage Products
Policy number: LAB2023027
Published date: 06/2023
Revision date: 04/2026

Disclaimer: *The intended audience of this medical claims payment policy is healthcare providers who treat Humana members. This policy is made available to provide information on certain Humana claims payment policies. This policy is a guideline only and does not constitute medical advice, guarantee of payment, plan pre-authorization, an explanation of benefits, or a contract. This policy does not govern whether a procedure is covered under a specific member plan or policy, nor is it intended to address every claim situation. Claims may be affected by other factors, such as: state and federal laws and regulations, provider contract terms, and our professional judgment. This policy is subject to change or termination by Humana. Humana has full and final discretionary authority for its interpretation and application. No part of this policy may be reproduced, stored in a retrieval system or transmitted, in any shape or form or by any means, electronic, mechanical, photocopying or otherwise without express written permission from Humana. When printed, this version becomes uncontrolled. For the most current information, always refer to the following website:* ***Humana.com/ClaimPaymentPolicies***

Medicare Advantage Payment Policy

As a Medicare Advantage plan, we have developed payment policies to explain coverage more fully for services. The criteria outlined will apply to Medicare Advantage plans except when the procedure(s) has established criteria through the Original Medicare National Coverage Determinations (NCDs) and Local Coverage Determinations (LCDs) as outlined below.

In addition to the policy, claims payments are subject to other plan requirements for the processing and payment of claims, including, but not limited to, requirements of medical necessity and reasonableness and applicable referral or authorization requirements.

- For individuals diagnosed with osteoporosis, measurement of each of the following bone turnover markers **IS REIMBURSABLE** at a frequency of one test every three months:
  - Serum bone–specific alkaline phosphatase (BALP) (CPT code 84080)
  - Serum osteocalcin (OC) (CPT code 83937)
  - Urinary hydroxyproline (HYP) (CPT code 83500, CPT code 83505)

Applicable procedures for Medicare Advantage plans

Procedure code	Code description
83500	Hydroxyproline; free
83505	Hydroxyproline; total
83937	Osteocalcin (bone g1a protein)
84080	Phosphatase, alkaline; isoenzymes

References

Bauer, D., Krege, J., Lane, N., Leary, E., Libanati, C., Miller, P., Myers, G., Silverman, S., Vesper, H. W., Lee, D., Payette, M., & Randall, S. (2012). National Bone Health Alliance Bone Turnover Marker Project: current practices and the need for US harmonization, standardization, and common reference ranges. *Osteoporos Int*, *23*(10), 2425-2433. https://doi.org/10.1007/s00198-012-2049-z

Bhattoa, H. P. (2018). Laboratory aspects and clinical utility of bone turnover markers. *Ejifcc*, *29*(2), 117-128. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6053812/

Bilezikian, J. P., Brandi, M. L., Eastell, R., Silverberg, S. J., Udelsman, R., Marcocci, C., & Potts, J. T., Jr. (2014). Guidelines for the Management of Asymptomatic Primary Hyperparathyroidism: Summary Statement from the Fourth International Workshop. *The Journal of Clinical Endocrinology & Metabolism*, *99*(10), 3561-3569. https://doi.org/10.1210/jc.2014-1413

Burton, J. O., Goldsmith, D. J., Ruddock, N., Shroff, R., & Wan, M. (2018). Renal association commentary on the KDIGO (2017) clinical practice guideline update for the diagnosis, evaluation, prevention, and treatment of CKD-MBD. *BMC Nephrology*, *19*(1), 240. https://doi.org/10.1186/s12882-018-1037-8

Camacho, P. M., Petak, S. M., Binkley, N., Diab, D. L., Eldeiry, L. S., Farooki, A., Harris, S. T., Hurley, D. L., Kelly, J., Lewiecki, E. M., Pessah-Pollack, R., McClung, M., Wimalawansa, S. J., & Watts, N. B. (2020). AMERICAN ASSOCIATION OF CLINICAL ENDOCRINOLOGISTS/AMERICAN COLLEGE OF ENDOCRINOLOGY CLINICAL PRACTICE GUIDELINES FOR THE DIAGNOSIS AND

TREATMENT OF POSTMENOPAUSAL OSTEOPOROSIS— 2020 UPDATE EXECUTIVE SUMMARY. *Endocrine Practice*, *26*(5), 564-570. https://doi.org/10.4158/GL-2020-0524

Coates, P. (2013). Bone Turnover Markers. *Australian Family Physician*, *42*(5). https://www.racgp.org.au/afp/2013/may/bone-turnover-markers

Eastell, R., Mallinak, N., Weiss, S., Ettinger, M., Pettinger, M., Cain, D., Fressland, K., & Chesnut, C., 3rd. (2000). Biological variability of serum and urinary N-telopeptides of type I collagen in postmenopausal women. *J Bone Miner Res*, *15*(3), 594-598. https://doi.org/10.1359/jbmr.2000.15.3.594

Eastell, R., Rosen, C. J., Black, D. M., Cheung, A. M., Murad, M. H., & Shoback, D. (2019). Pharmacological Management of Osteoporosis in Postmenopausal Women: An Endocrine Society* Clinical Practice Guideline. *The Journal of Clinical Endocrinology & Metabolism*, *104*(5), 1595-1622. https://doi.org/10.1210/jc.2019-00221

Hlaing, T. T., & Compston, J. E. (2014). Biochemical markers of bone turnover - uses and limitations. *Ann Clin Biochem*, *51*(Pt 2), 189-202. https://doi.org/10.1177/0004563213515190

IFCC. (2018). Chapter 8.3.50 Standardisation of Bone Marker Assays (WG-BMA) in collaboration with IOF. In E. Cavalier (Ed.), *IFCC Handbook-2018-2020*. https://www.ifcc.org/media/477331/ifcc-handbook-2018-2020-chapter-08.pdf

ISCD. (2019). *2019 ISCD Official Positions – Adult*. https://iscd.org/learn/official-positions/adult-positions/

Johansson, H., Oden, A., Kanis, J. A., McCloskey, E. V., Morris, H. A., Cooper, C., & Vasikaran, S. (2014). A meta-analysis of reference markers of bone turnover for prediction of fracture. *Calcif Tissue Int*, *94*(5), 560-567. https://doi.org/10.1007/s00223-014-9842-y

Jorde, R., Stunes, A. K., Kubiak, J., Joakimsen, R., Grimnes, G., Thorsby, P. M., & Syversen, U. (2019). Effects of vitamin D supplementation on bone turnover markers and other bone-related substances in subjects with vitamin D deficiency. *Bone*, *124*, 7-13. https://doi.org/10.1016/j.bone.2019.04.002

Kanis, J. A., Cooper, C., Rizzoli, R., & Reginster, J.-Y. J. O. I. V. (2018). European guidance for the diagnosis and management of osteoporosis in postmenopausal women. (1), 3-44. https://www.deepdyve.com/lp/springer-journals/european-guidance-for-the-diagnosis-and-management-of-osteoporosis-in-RAKeOAcgKm

KDIGO. (2017). KDIGO 2017 Clinical Practice Guideline Update for the Diagnosis, Evaluation, Prevention, and Treatment of Chronic Kidney Disease–Mineral and Bone Disorder (CKD-MBD). https://kdigo.org/wp-content/uploads/2017/02/2017-KDIGO-CKD-MBD-GL-Update.pdf

LeBoff, M. S., Greenspan, S. L., Insogna, K. L., Lewiecki, E. M., Saag, K. G., Singer, A. J., & Siris, E. S. (2022). The clinician's guide to prevention and treatment of osteoporosis. *Osteoporosis International*, *33*(10), 2049-2102. https://doi.org/10.1007/s00198-021-05900-y

Lorentzon, M., Branco, J., Brandi, M. L., Bruyère, O., Chapurlat, R., Cooper, C., Cortet, B., Diez-Perez, A., Ferrari, S., Gasparik, A., Herrmann, M., Jorgensen, N. R., Kanis, J., Kaufman, J. M., Laslop, A., Locquet, M., Matijevic, R., McCloskey, E., Minisola, S., . . . Cavalier, E. (2019). Algorithm for the Use of Biochemical Markers of Bone Turnover in the Diagnosis, Assessment and Follow-Up of Treatment for Osteoporosis. *Adv Ther*, *36*(10), 2811-2824. https://doi.org/10.1007/s12325-019-01063-9

Manolagas, S. (2018). Normal skeletal development and regulation of bone formation and resorption. In J. Mulder (Ed.), *UpToDate*. https://www.uptodate.com/contents/normal-skeletal-development-and-regulation-of-bone-formation-and-resorption

Marques, E. A., Gudnason, V., Lang, T., Sigurdsson, G., Sigurdsson, S., Aspelund, T., Siggeirsdottir, K., Launer, L., Eiriksdottir, G., & Harris, T. B. (2016). Association of bone turnover markers with volumetric bone loss, periosteal apposition, and fracture risk in older men and women: the AGES-Reykjavik longitudinal study. *Osteoporos Int*, *27*(12), 3485-3494. https://doi.org/10.1007/s00198-016-3675-7

Massera, D., Xu, S., Walker, M. D., Valderrábano, R. J., Mukamal, K. J., Ix, J. H., Siscovick, D. S., Tracy, R. P., Robbins, J. A., Biggs, M. L., Xue, X., & Kizer, J. R. (2019). Biochemical markers of bone turnover and risk of incident hip fracture in older women: the Cardiovascular Health Study. *Osteoporos Int*, *30*(9), 1755-1765. https://doi.org/10.1007/s00198-019-05043-1

Mederle, O. A., Balas, M., Ioanoviciu, S. D., Gurban, C. V., Tudor, A., & Borza, C. (2018). Correlations between bone turnover markers, serum magnesium and bone mass density in postmenopausal osteoporosis. *Clin Interv Aging*, *13*, 1383-1389. https://doi.org/10.2147/cia.S170111

Migliorini, F., Maffulli, N., Spiezia, F., Peretti, G. M., Tingart, M., & Giorgino, R. (2021). Potential of biomarkers during pharmacological therapy setting for postmenopausal osteoporosis: a systematic review. *J Orthop Surg Res*, *16*(1), 351. https://doi.org/10.1186/s13018-021-02497-0

Naylor, K. E., McCloskey, E. V., Jacques, R. M., Peel, N. F. A., Paggiosi, M. A., Gossiel, F., Walsh, J. S., & Eastell, R. (2019). Clinical utility of bone turnover markers in monitoring the withdrawal of treatment with oral bisphosphonates in postmenopausal osteoporosis. *Osteoporos Int*, *30*(4), 917-922. https://doi.org/10.1007/s00198-018-04823-5

NOGG. (2017). Clinical guideline for the prevention and treatment of osteoporosis. https://www.sheffield.ac.uk/NOGG/NOGG%20Guideline%202017.pdf

Ralston, S. H., Corral-Gudino, L., Cooper, C., Francis, R. M., Fraser, W. D., Gennari, L., Guañabens, N., Javaid, M. K., Layfield, R., O'Neill, T. W., Russell, R. G. G., Stone, M. D., Simpson, K., Wilkinson, D., Wills, R., Zillikens, M. C., & Tuck, S. P. (2019). Diagnosis and Management of Paget's Disease of Bone in Adults: A Clinical Guideline. *J Bone Miner Res*, *34*(4), 579-604. https://doi.org/10.1002/jbmr.3657

Rosen, H. (2019a). *Bone physiology and biochemical markers of bone turnover*. https://www.uptodate.com/contents/bone-physiology-and-biochemical-markers-of-bone-turnover

Rosen, H. (2019b). *Use of biochemical markers of bone turnover in osteoporosis*. https://www.uptodate.com/contents/use-of-biochemical-markers-of-bone-turnover-in-osteoporosis

Royal Osteoporosis Society. (2021). Bone markers (blood and urine tests) and osteoporosis. https://strwebprdmedia.blob.core.windows.net/media/nevpmqh2/ros-bone-markers-and-osteoporosis.pdf

Schafer, A. L., Vittinghoff, E., Ramachandran, R., Mahmoudi, N., & Bauer, D. C. (2010). Laboratory reproducibility of biochemical markers of bone turnover in clinical practice. *Osteoporos Int*, *21*(3), 439-445. https://doi.org/10.1007/s00198-009-0974-2

Schwetz, V., Trummer, C., Pandis, M., Grübler, M. R., Verheyen, N., Gaksch, M., Zittermann, A., März, W., Aberer, F., Lang, A., Treiber, G., Friedl, C., Obermayer-Pietsch, B., Pieber, T. R., Tomaschitz, A., & Pilz, S. (2017). Effects of Vitamin D Supplementation on Bone Turnover Markers: A Randomized Controlled Trial. *Nutrients*, *9*(5). https://doi.org/10.3390/nu9050432

Seibel, M. J., Lang, M., & Geilenkeuser, W. J. (2001). Interlaboratory variation of biochemical markers of bone turnover. *Clin Chem*, *47*(8), 1443-1450. http://www.clinchem.org/cgi/pmidlookup?view=long&pmid=11468235

Shoback, D., Rosen, C. J., Black, D. M., Cheung, A. M., Murad, M. H., & Eastell, R. (2020). Pharmacological Management of Osteoporosis in Postmenopausal Women: An Endocrine Society Guideline Update. *The Journal of Clinical Endocrinology & Metabolism*, *105*(3), 587-594. https://doi.org/10.1210/clinem/dgaa048

Singer, F. R., Bone, H. G., III, Hosking, D. J., Lyles, K. W., Murad, M. H., Reid, I. R., & Siris, E. S. (2014). Paget's Disease of Bone: An Endocrine Society Clinical Practice Guideline. *The Journal of Clinical Endocrinology & Metabolism*, *99*(12), 4408-4422. https://doi.org/10.1210/jc.2014-2910

Szulc, P., Naylor, K., Hoyle, N. R., Eastell, R., & Leary, E. T. (2017). Use of CTX-I and PINP as bone turnover markers: National Bone Health Alliance recommendations to standardize sample handling and patient preparation to reduce pre-analytical variability. *Osteoporos Int*, *28*(9), 2541-2556. https://doi.org/10.1007/s00198-017-4082-4

Talwar, S. (2020). Bone Markers in Osteoporosis: Bone Turnover Markers, Bone Formation Markers, Bone Resorption Markers. *Medscape*. http://emedicine.medscape.com/article/128567-overview

Tian, A., Ma, J., Feng, K., Liu, Z., Chen, L., Jia, H., & Ma, X. (2019). Reference markers of bone turnover for prediction of fracture: a meta-analysis. *J Orthop Surg Res*, *14*(1), 68. https://doi.org/10.1186/s13018-019-1100-6

Vasikaran, S., Cooper, C., Eastell, R., Griesmacher, A., Morris, H. A., Trenti, T., & Kanis, J. A. (2011). International Osteoporosis Foundation and International Federation of Clinical Chemistry and Laboratory Medicine position on bone marker standards in osteoporosis. *Clin Chem Lab Med*, *49*(8), 1271-1274. https://doi.org/10.1515/cclm.2011.602

Vasikaran, S., Eastell, R., Bruyere, O., Foldes, A. J., Garnero, P., Griesmacher, A., McClung, M., Morris, H. A., Silverman, S., Trenti, T., Wahl, D. A., Cooper, C., & Kanis, J. A. (2011). Markers of bone turnover for the prediction of fracture risk and monitoring of osteoporosis treatment: a need for international reference standards. *Osteoporos Int*, *22*(2), 391-420. https://doi.org/10.1007/s00198-010-1501-1

Viswanathan, M., Reddy, S., Berkman, N., Cullen, K., Middleton, J. C., Nicholson, W. K., & Kahwati, L. C. (2018). Screening to Prevent Osteoporotic Fractures: Updated Evidence Report and Systematic Review for the US Preventive Services Task Force. *Jama*, *319*(24), 2532-2551. https://doi.org/10.1001/jama.2018.6537

Wei, X., Zhang, Y., Xiang, X., Sun, M., Sun, K., Han, T., Qi, B., Xie, Y., Zhang, R., & Zhu, L. (2021). Exploring the Relationship of Bone Turnover Markers and Bone Mineral Density in Community-Dwelling Postmenopausal Women. *Dis Markers*, *2021*, 6690095. https://doi.org/10.1155/2021/6690095

Wu, C. H., Chang, Y. F., Chen, C. H., Lewiecki, E. M., Wuster, C., Reid, I., Tsai, K. S., Matsumoto, T., Mercado-Asis, L. B., Chan, D. C., Hwang, J. S., Cheung, C. L., Saag, K., Lee, J. K., Tu, S. T., Xia, W., Yu, W., Chung, Y. S., Ebeling, P., . . . Yang, R. S. (2021). Consensus

Statement on the Use of Bone Turnover Markers for Short-Term Monitoring of Osteoporosis Treatment in the Asia-Pacific Region. *J Clin Densitom*, *24*(1), 3-13. https://doi.org/10.1016/j.jocd.2019.03.004