Humana. Claims Payment Policy

Subject: Laboratory – Diabetes Mellitus Testing

Application: Medicare Advantage Products
Policy number: LAB2024001
Published date: 11/2024
Revision date: 04/2026

Disclaimer: *The intended audience of this medical claims payment policy is healthcare providers who treat Humana members. This policy is made available to provide information on certain Humana claims payment policies. This policy is a guideline only and does not constitute medical advice, guarantee of payment, plan pre-authorization, an explanation of benefits, or a contract. This policy does not govern whether a procedure is covered under a specific member plan or policy, nor is it intended to address every claim situation. Claims may be affected by other factors, such as: state and federal laws and regulations, provider contract terms, and our professional judgment. This policy is subject to change or termination by Humana. Humana has full and final discretionary authority for its interpretation and application. No part of this policy may be reproduced, stored in a retrieval system or transmitted, in any shape or form or by any means, electronic, mechanical, photocopying or otherwise without express written permission from Humana. When printed, this version becomes uncontrolled. For the most current information, always refer to the following website:* ***Humana.com/ClaimPaymentPolicies***

Medicare Advantage Payment Policy

As a Medicare Advantage plan, we have developed payment policies to explain coverage more fully for services. The criteria outlined will apply to Medicare Advantage plans except when the procedure(s) has established criteria through the Original Medicare National Coverage Determinations (NCDs) and Local Coverage Determinations (LCDs) as outlined below.

In addition to the policy, claims payments are subject to other plan requirements for the processing and payment of claims, including, but not limited to, requirements of medical necessity and reasonableness and applicable referral or authorization requirements.

- For individuals with a diagnosis of either type 1 or type 2 diabetes, measurement of hemoglobin A1c (CPT code 83037) **IS REIMBURSABLE** once every three months.

- For individuals with a diagnosis of prediabetes, annual screening for type 2 diabetes with a measurement of hemoglobin A1c (CPT code 83037) **IS REIMBURSABLE.**

- Screening for prediabetes or type 2 diabetes with a measurement of hemoglobin A1c (CPT code 83037) **IS REIMBURSABLE** once every 3 years in individuals 18 years of age and older with any of the following:
  - Cardiovascular disease
  - Family history of diabetes
  - High-risk race/ethnicity (e.g., African American, Latino or Hispanic, Native American, Asian American or Pacific Islander) at risk for type 2 diabetes (e.g., obesity)
  - History of gestational diabetes
  - Hypercholesterolemia
  - Hypertension
  - Metabolic dysfunction-associated steatotic liver disease (MASLD)
  - Metabolic syndrome
  - Other clinical conditions associated with insulin resistance (e.g., acanthosis nigricans)
  - Overweight or obese
  - Physical inactivity
  - Polycystic ovary syndrome

- Screening for diabetes with an oral glucose tolerance test (OGTT) (CPT code 82951, CPT code 82952) or measurement of hemoglobin A1c (CPT code 83037) **IS REIMBURSABLE** once every 3 years for children ages 10 – 17 with at least one of the following:
  - Acanthosis nigricans
  - Dyslipidemia
  - Family history of type 2 diabetes
  - Hypertension
  - Overweight or obese

  - Polycystic ovary syndrome

- For individuals 10 years of age or older who have been diagnosed with cystic fibrosis (CF), screening for CF-related diabetes with an OGTT (CPT code 82951, CPT code 82952) **IS REIMBURSABLE** once every 365 days.

- For pregnant individuals, an OGTT (CPT code 82951, CPT code 82952) **IS REIMBURSABLE** up to once per month during pregnancy.

Applicable procedures for Medicare Advantage plans

Procedure code	Code description
82951	Glucose; tolerance test (GTT), 3 specimens (includes glucose)
82952	Glucose; tolerance test, each additional beyond 3 specimens (List separately in addition to code for primary procedure)
83037	Hemoglobin; glycosylated (A1C) by device cleared by FDA for home use

References

AAFP. (2022). Screening for Abnormal Blood Glucose and Type 2 Diabetes Mellitus: Recommendation Statement. *Am Fam Physician*, *105*(1), Online. https://www.aafp.org/afp/2022/0100/od1.html

ADA. (2022, July 28). *Statistics About Diabetes*. https://www.diabetes.org/resources/statistics/statistics-about-diabetes

Al-Badri, A., Hashmath, Z., Oldland, G. H., Miller, R., Javaid, K., Syed, A. A., Ansari, B., Gaddam, S., Witschey, W. R., Akers, S. R., & Chirinos, J. A. (2018). Poor Glycemic Control Is Associated With Increased Extracellular Volume Fraction in Diabetes. *Diabetes Care*. https://doi.org/10.2337/dc18-0324

Al Mansari, A., Obeid, Y., Islam, N., Fariduddin, M., Hassoun, A., Djaballah, K., Malek, M., Dicker, D., & Chaudhury, T. (2018). GOAL study: clinical and non-clinical predictive factors for achieving glycemic control in people with type 2 diabetes in real clinical practice. *BMJ Open Diabetes Res Care*, *6*(1), e000519. https://doi.org/10.1136/bmjdrc-2018-000519

American Diabetes Association Professional Practice, C. (2022a). 4. Comprehensive Medical Evaluation and Assessment of Comorbidities: Standards of Medical Care in Diabetes-2022. *Diabetes Care*, *45*(Suppl 1), S46-S59. https://doi.org/10.2337/dc22-S004

American Diabetes Association Professional Practice, C. (2022b). 15. Management of Diabetes in Pregnancy: Standards of Medical Care in Diabetes-2022. *Diabetes Care*, *45*(Suppl 1), S232-S243. https://doi.org/10.2337/dc22-S015

Arbiol-Roca, A., Pérez-Hernández, E. A., Aisa-Abdellaoui, N., Valls-Guallar, T., Gálvez-Carmona, F., Mariano-Serrano, E., Medina-Casanovas, M., & Ruiz-Morer, M. R. (2021). The utility HBA1c test as a screening biomarker for detecting gestational diabetes mellitus. *Clinical Biochemistry*, *90*, 58-61. https://doi.org/10.1016/j.clinbiochem.2021.01.002

Blonde, L., Umpierrez, G. E., Reddy, S. S., McGill, J. B., Berga, S. L., Bush, M., Chandrasekaran, S., DeFronzo, R. A., Einhorn, D., Galindo, R. J., Gardner, T. W., Garg, R., Garvey, W. T., Hirsch, I. B., Hurley, D. L., Izuora, K., Kosiborod, M., Olson, D., Patel, S. B., . . . Weber, S. L. (2022). American Association of Clinical Endocrinology Clinical Practice Guideline: Developing a Diabetes Mellitus Comprehensive Care Plan—2022 Update. *Endocrine Practice*, *28*(10), 923-1049. https://doi.org/10.1016/j.eprac.2022.08.002

Blunt, B. A., Barrett-Connor, E., & Wingard, D. L. (1991). Evaluation of fasting plasma glucose as screening test for NIDDM in older adults. Rancho Bernardo Study. *Diabetes Care*, *14*(11), 989-993. https://doi.org/10.2337/diacare.14.11.989

CDC. (2020). *National Diabetes Statistics Report 2020 Estimates of Diabetes and Its Burden in the United States*. https://www.cdc.gov/diabetes/pdfs/data/statistics/national-diabetes-statistics-report.pdf

Committee, D. C. C. P. G. E. (2018). *Diabetes Canada 2018 Clinical Practice Guidelines for the Prevention and Management of Diabetes in Canada.* http://guidelines.diabetes.ca/docs/CPG-2018-full-EN.pdf

Cowie, C. C., Rust, K. F., Byrd-Holt, D. D., Gregg, E. W., Ford, E. S., Geiss, L. S., Bainbridge, K. E., & Fradkin, J. E. (2010). Prevalence of Diabetes and High Risk for Diabetes Using A1C Criteria in the U.S. Population in 1988–2006. *Diabetes Care*, *33*(3), 562. https://doi.org/10.2337/dc09-1524

Darukhanavala, A., Van Dessel, F., Ho, J., Hansen, M., Kremer, T., & Alfego, D. (2021). Use of hemoglobin A1c to identify dysglycemia in cystic fibrosis. *PLoS One*, *16*(4), e0250036. https://doi.org/10.1371/journal.pone.0250036

Davidson, K. W., Barry, M. J., Mangione, C. M., Cabana, M., Caughey, A. B., Davis, E. M., Donahue, K. E., Doubeni, C. A., Krist, A. H., Kubik, M., Li, L., Ogedegbe, G., Owens, D. K., Pbert, L., Silverstein, M., Stevermer, J., Tseng, C. W., & Wong, J. B. (2021). Screening for Prediabetes and Type 2 Diabetes: US Preventive Services Task Force Recommendation Statement. *Jama*, *326*(8), 736-743. https://doi.org/10.1001/jama.2021.12531

Durnwald, C. (2023, July 5, 2023). *Gestational diabetes mellitus: screening, diagnosis, and prevention* https://www.uptodate.com/contents/gestational-diabetes-mellitus-screening-diagnosis-and-prevention

ElSayed, N. A., Aleppo, G., Aroda, V. R., Bannuru, R. R., Brown, F. M., Bruemmer, D., Collins, B. S., Hilliard, M. E., Isaacs, D., Johnson, E. L., Kahan, S., Khunti, K., Leon, J., Lyons, S. K., Perry, M. L., Prahalad, P., Pratley, R. E., Seley, J. J., Stanton, R. C., . . . on behalf of the American Diabetes, A. (2023a). 2. Classification and Diagnosis of Diabetes: Standards of Care in Diabetes-2023. *Diabetes Care*, *46*(Suppl 1), S19-S40. https://doi.org/10.2337/dc23-S002

ElSayed, N. A., Aleppo, G., Aroda, V. R., Bannuru, R. R., Brown, F. M., Bruemmer, D., Collins, B. S., Hilliard, M. E., Isaacs, D., Johnson, E. L., Kahan, S., Khunti, K., Leon, J., Lyons, S. K., Perry, M. L., Prahalad, P., Pratley, R. E., Seley, J. J., Stanton, R. C., . . . on behalf of the American Diabetes, A. (2023b). 14. Children and Adolescents: Standards of Care in Diabetes-2023. *Diabetes Care*, *46*(Suppl 1), S230-S253. https://doi.org/10.2337/dc23-S014

Gambino, R. (2007). Glucose: a simple molecule that is not simple to quantify. *Clin Chem*, *53*(12), 2040-2041. https://doi.org/10.1373/clinchem.2007.094466

Garber, A. J., Handelsman, Y., Grunberger, G., Einhorn, D., Abrahamson, M. J., Barzilay, J. I., Blonde, L., Bush, M. A., DeFronzo, R. A., Garber, J. R., Garvey, W. T., Hirsch, I. B., Jellinger, P. S., McGill, J. B., Mechanick, J. I., Perreault, L., Rosenblit, P. D., Samson, S., & Umpierrez, G. E. (2020). CONSENSUS STATEMENT BY THE AMERICAN ASSOCIATION OF CLINICAL ENDOCRINOLOGISTS AND AMERICAN COLLEGE OF ENDOCRINOLOGY ON THE COMPREHENSIVE TYPE 2 DIABETES MANAGEMENT ALGORITHM - 2020 EXECUTIVE SUMMARY. *Endocr Pract*, *26*(1), 107-139. https://doi.org/10.4158/cs-2019-0472

Geifman-Holtzman, O., Machtinger, R., Spiliopoulos, M., Schiff, E., Koren-Morag, N., & Dulitzki, M. (2010). The clinical utility of oral glucose tolerance test at term: can it predict fetal macrosomia? *Arch Gynecol Obstet*, *281*(5), 817-821. https://doi.org/10.1007/s00404-009-1160-7

Goodney, P. P., Newhall, K. A., Bekelis, K., Gottlieb, D., Comi, R., Chaudrain, S., Faerber, A. E., Mackenzie, T. A., & Skinner, J. S. (2016). Consistency of Hemoglobin A1c Testing and Cardiovascular Outcomes in Medicare Patients With Diabetes. *J Am Heart Assoc*, *5*(8). https://doi.org/10.1161/jaha.116.003566

Gu, J., Pan, J. A., Fan, Y. Q., Zhang, H. L., Zhang, J. F., & Wang, C. Q. (2018). Prognostic impact of HbA1c variability on long-term outcomes in patients with heart failure and type 2 diabetes mellitus. *Cardiovasc Diabetol*, *17*(1), 96. https://doi.org/10.1186/s12933-018-0739-3

Hanssen, K. F., Bangstad, H. J., Brinchmann-Hansen, O., & Dahl-Jorgensen, K. (1992). Blood glucose control and diabetic microvascular complications: long-term effects of near-normoglycaemia. *Diabet Med*, *9*(8), 697-705.

Hayward, R. A., & Selvin, E. (2022, August 31). *Screening for type 2 diabetes mellitus*. https://www.uptodate.com/contents/screening-for-type-2-diabetes-mellitus

Hoelzel, W., Weykamp, C., Jeppsson, J. O., Miedema, K., Barr, J. R., Goodall, I., Hoshino, T., John, W. G., Kobold, U., Little, R., Mosca, A., Mauri, P., Paroni, R., Susanto, F., Takei, I., Thienpont, L., Umemoto, M., & Wiedmeyer, H. M. (2004). IFCC reference system for measurement of hemoglobin A1c in human blood and the national standardization schemes in the United States, Japan, and Sweden: a method-comparison study. *Clin Chem*, *50*(1), 166-174. https://doi.org/10.1373/clinchem.2003.024802

IEC. (2009). International Expert Committee report on the role of the A1C assay in the diagnosis of diabetes. *Diabetes Care*, *32*(7), 1327-1334. https://doi.org/10.2337/dc09-9033

Inzucchi, S., & Lupsa, B. (2023, February 7). *Clinical presentation, diagnosis, and initial evaluation of diabetes mellitus in adults*. https://www.uptodate.com/contents/clinical-presentation-diagnosis-and-initial-evaluation-of-diabetes-mellitus-in-adults

Jin, J. (2022). Screening for Type 2 Diabetes in Children and Adolescents. *Jama*, *328*(10), 993. https://doi.org/10.1001/jama.2022.15240

Kanyal Butola, L., Ambad, R., Kanyal, D., & Vagga, A. (2021). Glycated Haemoglobin-Recent Developments and Review on Non-Glycemic Variables.

Kramer, C. K., Araneta, M. R., & Barrett-Connor, E. (2010). A1C and diabetes diagnosis: The Rancho Bernardo Study. *Diabetes Care*, *33*(1), 101-103. https://doi.org/10.2337/dc09-1366

LeRoith, D., Biessels, G. J., Braithwaite, S. S., Casanueva, F. F., Draznin, B., Halter, J. B., Hirsch, I. B., McDonnell, M. E., Molitch, M. E., Murad, M. H., & Sinclair, A. J. (2019). Treatment of Diabetes in Older Adults: An Endocrine Society* Clinical Practice Guideline. *The Journal of Clinical Endocrinology & Metabolism*, *104*(5), 1520-1574. https://doi.org/10.1210/jc.2019-00198

Ludvigsson, J. F., Neovius, M., Söderling, J., Gudbjörnsdottir, S., Svensson, A. M., Franzén, S., Stephansson, O., & Pasternak, B. (2019). Maternal Glycemic Control in Type 1 Diabetes and the Risk for Preterm Birth: A Population-Based Cohort Study. *Ann Intern Med*, *170*(10), 691-701. https://doi.org/10.7326/m18-1974

Malkani, S., & Mordes, J. P. (2011). The implications of using Hemoglobin A1C for diagnosing Diabetes Mellitus. *Am J Med*, *124*(5), 395-401. https://doi.org/10.1016/j.amjmed.2010.11.025

Mamtora, S., Maghsoudlou, P., Hasan, H., Zhang, W., & El-Ashry, M. (2021). Assessing the Clinical Utility of Point of Care HbA1c in the Ophthalmology Outpatient Setting. *Clinical ophthalmology (Auckland, N.Z.)*, *15*, 41-47. https://doi.org/10.2147/OPTH.S287531

Mañé, L., Flores-Le Roux, J. A., Pedro-Botet, J., Gortazar, L., Chillarón, J. J., Llauradó, G., Payà, A., & Benaiges, D. (2019). Is fasting plasma glucose in early pregnancy a better predictor of adverse obstetric outcomes than glycated haemoglobin? *Eur J Obstet Gynecol Reprod Biol*, *234*, 79-84. https://doi.org/10.1016/j.ejogrb.2018.12.036

MayoClinic. (2022, March 24). *Glucose Tolerance Test*. https://www.mayoclinic.org/tests-procedures/glucose-tolerance-test/about/pac-20394296

Merzon, E., Green, I., Shpigelman, M., Vinker, S., Raz, I., Golan-Cohen, A., & Eldor, R. (2021). Haemoglobin A1c is a predictor of COVID-19 severity in patients with diabetes. *Diabetes Metab Res Rev*, *37*(5), e3398. https://doi.org/10.1002/dmrr.3398

Miller, W. G., Myers, G. L., Ashwood, E. R., Killeen, A. A., Wang, E., Ehlers, G. W., Hassemer, D., Lo, S. F., Seccombe, D., Siekmann, L., Thienpont, L. M., & Toth, A. (2008). State of the art in trueness and interlaboratory harmonization for 10 analytes in general clinical chemistry. *Arch Pathol Lab Med*, *132*(5), 838-846. https://doi.org/10.1043/1543-2165(2008)132[838:sotait]2.0.co;2

Mitsios, J. P., Ekinci, E. I., Mitsios, G. P., Churilov, L., & Thijs, V. (2018). Relationship Between Glycated Hemoglobin and Stroke Risk: A Systematic Review and Meta-Analysis. *J Am Heart Assoc*, *7*(11). https://doi.org/10.1161/jaha.117.007858

NACB. (2011). Guidelines and Recommendations for Laboratory Analysis in the Diagnosis and Management of Diabetes Mellitus. In D. Sacks (Ed.), *LABORATORY MEDICINE PRACTICE GUIDELINES*. https://www.aacc.org/science-and-practice/practice-guidelines/diabetes-mellitus

Nathan, D. M., Singer, D. E., Hurxthal, K., & Goodson, J. D. (1984). The clinical information value of the glycosylated hemoglobin assay. *N Engl J Med*, *310*(6), 341-346. https://doi.org/10.1056/nejm198402093100602

NGSP. (2023, 8/23). *College of American Pathologists (CAP) GH5 Survey Data:* . https://ngsp.org/CAP/CAP23b.pdf

NICE. (2022, June 29). *Type 2 diabetes in adults: management*. NICE. https://www.nice.org.uk/guidance/ng28/chapter/1-Recommendations

Petersen, P. H., Jorgensen, L. G., Brandslund, I., De Fine Olivarius, N., & Stahl, M. (2005). Consequences of bias and imprecision in measurements of glucose and hba1c for the diagnosis and prognosis of diabetes mellitus. *Scand J Clin Lab Invest Suppl*, *240*, 51-60. https://doi.org/10.1080/00365510500236135

Rohlfing, C., Wiedmeyer, H. M., Little, R., Grotz, V. L., Tennill, A., England, J., Madsen, R., & Goldstein, D. (2002). Biological variation of glycohemoglobin. *Clin Chem*, *48*(7), 1116-1118.

Rossing, P., Caramori, M. L., Chan, J. C. N., Heerspink, H. J. L., Hurst, C., Khunti, K., Liew, A., Michos, E. D., Navaneethan, S. D., Olowu, W. A., Sadusky, T., Tandon, N., Tuttle, K. R., Wanner, C., Wilkens, K. G., Zoungas, S., & de Boer, I. H. (2022). KDIGO 2022 Clinical Practice Guideline for Diabetes Management in Chronic Kidney Disease. *Kidney International*, *102*(5), S1-S127. https://doi.org/10.1016/j.kint.2022.06.008

Saito, Y., Noto, H., Takahashi, O., & Kobayashi, D. (2019). Visit-to-Visit Hemoglobin A1c Variability Is Associated With Later Cancer Development in Patients With Diabetes Mellitus. *Cancer J*, *25*(4), 237-240. https://doi.org/10.1097/ppo.0000000000000387

Selvin, E. (2022, November 14). *Measurements of glycemic control in diabetes mellitus*. https://www.uptodate.com/contents/measurements-of-glycemic-control-in-diabetes-mellitus

Selvin, E., Crainiceanu, C. M., Brancati, F. L., & Coresh, J. (2007). Short-term variability in measures of glycemia and implications for the classification of diabetes. *Arch Intern Med*, *167*(14), 1545-1551. https://doi.org/10.1001/archinte.167.14.1545

Skyler, J. S., Bakris, G. L., Bonifacio, E., Darsow, T., Eckel, R. H., Groop, L., Groop, P. H., Handelsman, Y., Insel, R. A., Mathieu, C., McElvaine, A. T., Palmer, J. P., Pugliese, A., Schatz, D. A., Sosenko, J. M., Wilding, J. P., & Ratner, R. E. (2017). Differentiation of Diabetes by Pathophysiology, Natural History, and Prognosis. *Diabetes*, *66*(2), 241-255. https://doi.org/10.2337/db16-0806

Tommerdahl, K. L., Brinton, J. T., Vigers, T., Nadeau, K. J., Zeitler, P. S., & Chan, C. L. (2019). Screening for cystic fibrosis-related diabetes and prediabetes: Evaluating 1,5-anhydroglucitol, fructosamine, glycated albumin, and hemoglobin A1c. *Pediatr Diabetes*, *20*(8), 1080-1086. https://doi.org/10.1111/pedi.12914

USPSTF. (2018, October). *Grade Definitions*. https://www.uspreventiveservicestaskforce.org/uspstf/about-uspstf/methods-and-processes/grade-definitions

USPSTF. (2021). Screening for Gestational Diabetes: US Preventive Services Task Force Recommendation Statement. *Jama*, *326*(6), 531-538. https://doi.org/10.1001/jama.2021.11922

van 't Riet, E., Alssema, M., Rijkelijkhuizen, J. M., Kostense, P. J., Nijpels, G., & Dekker, J. M. (2010). Relationship between A1C and glucose levels in the general Dutch population: the new Hoorn study. *Diabetes Care*, *33*(1), 61-66. https://doi.org/10.2337/dc09-0677

Weykamp, C., John, W. G., Mosca, A., Hoshino, T., Little, R., Jeppsson, J. O., Goodall, I., Miedema, K., Myers, G., Reinauer, H., Sacks, D. B., Slingerland, R., & Siebelder, C. (2008). The IFCC Reference Measurement System for HbA1c: a 6-year progress report. *Clin Chem*, *54*(2), 240-248. https://doi.org/10.1373/clinchem.2007.097402

WHO. (2016). *Global Report on Diabetes* (WHO, Issue. http://www.who.int/diabetes/global-report/en/

WHO. (2020). *Diagnosis and Management of Type 2 Diabetes*. https://www.who.int/publications/i/item/who-ucn-ncd-20.1

Xie, W., Wu, N., Wang, B., Xu, Y., Zhang, Y., Xiang, Y., Zhang, W., Chen, Z., Yuan, Z., Li, C., Jia, X., Shan, Y., Xu, B., Bai, L., Zhong, L., & Li, Y. (2021). Fasting plasma glucose and glucose fluctuation are associated with COVID-19 prognosis regardless of pre-existing diabetes. *Diabetes Res Clin Pract*, *180*, 109041. https://doi.org/10.1016/j.diabres.2021.109041

Yang, C. Y., Li, H. Y., Sung, F. C., Tan, E. C., Wei, J. N., & Chuang, L. M. (2019). Relationship between fasting plasma glucose and incidence of diabetes in children and adolescents. *Diabet Med*, *36*(5), 633-643. https://doi.org/10.1111/dme.13925

Zhao, M. J. Y., Prentice, J. C., Mohr, D. C., & Conlin, P. R. (2021). Association between hemoglobin A1c variability and hypoglycemia-related hospitalizations in veterans with diabetes mellitus. *BMJ Open Diabetes Res Care*, *9*(1). https://doi.org/10.1136/bmjdrc-2020-001797